

Charity Fundraising Campaign Website

Technical Analysis

Structure, design system, interaction and UX review of the STACKLY website

PREPARED BY
Manikanth

SUBJECT
STACKLY charity fundraising site

LIVE URL
manikanthbojanapu12.github.io/charity

DATE
6 October 2026

DOC TYPE
UI/UX & front-end review

PAGES
12

TABLE OF CONTENTS

What this document covers

1	Page file structure	p. 2
2	Overall layout and page structure	p. 3-4
3	Design style and UI/UX approach	p. 5
4	Color combinations used	p. 6
5	Animations and transition effects	p. 7
6	Hover effects and interactive elements	p. 8
7	Navigation structure	p. 9
8	Key features and functionalities	p. 10
9	Responsive design observations	p. 11
10	Learnings and suggestions	p. 12

Scope and method

Based on the live homepage content, link targets and asset paths. Figures are **reconstructed wireframes** using the verified theme color #174C3C, not browser captures. CSS/JS behaviours are labelled *Observed* (evident from markup) or *Recommended*.

1 Page file structure

STACKLY is a **static, multi-page front-end website** hosted on GitHub Pages under the `/charity/` path. It has no server-side code: every page is a standalone HTML file that shares one brand, one navigation bar and one footer. The homepage is the main content hub, while the six header links point to dedicated pages. Image assets are served as **WebP** (small, modern raster format) and social icons as **SVG** (crisp at any size).

Property	Detail
Project name	STACKLY — Charity Fundraising & Community Impact
Architecture	Static HTML/CSS/JS, relative asset paths, no build output visible
Hosting	GitHub Pages (<code>manikanthbojanapu12.github.io/charity/</code>)
HTML pages identified	8 (index, about, campaigns, events, blog, contact, signin, 404)
Image format	WebP for photography, SVG for social icons
Meta tags	title, description, og:title, og:description, theme-color #174c3c , viewport (width=device-width, initial-scale=1)
Currency / locale	Indian Rupee (₹) with lakh/crore formatting; India-based campaigns

1.1 Reconstructed directory tree

```

charity/          <- site root (GitHub Pages project site)
|-- index.html    <- Home: 20+ stacked sections
|-- about.html    <- About Us
|-- campaigns.html <- Campaign listing
|-- events.html   <- Community events
|-- blog.html     <- Stories & insights
|-- contact.html  <- Contact page
|-- signin.html   <- Login
|-- 404.html      <- Not-found / placeholder target
`-- assets/
    |-- logo_gold.webp <- brand logo (header + footer)
    |-- hero.webp      <- hero photograph
    |-- education.webp water.webp food.webp volunteer.webp
    |-- nature.webp images.webp "food distri.webp"
    `-- social/
        |-- instagram.svg linkedin.svg x.svg facebook.svg youtube.svg

```

1.2 File-organisation notes

- **Good:** clear one-purpose-per-page naming, a dedicated `assets/` folder, and social icons grouped in a sub-folder.
- **Improve:** `images.webp` is not descriptive (it is the walkathon image) and `food distri.webp` contains a space and an abbreviation — use `event-walkathon.webp` and `food-distribution.webp`.
- **Improve:** separate `css/`, `js/` and `img/` folders and a `README.md` would make the structure self-explanatory for new contributors.

Note

Stylesheet and script file names are not exposed in the rendered markup that was analysed, so they are intentionally not listed in the tree above.

2 Overall layout and page structure

Part A — section inventory of the homepage (index.html)

The homepage follows a classic **long-scroll, single-column narrative** inside a centred container. Content is stacked in full-width horizontal bands that alternate between light cream surfaces, white cards and one dark-green impact band. The visitor is led through a deliberate funnel: *attention* (hero) → *choice* (campaigns) → *proof* (stats, story, testimonials) → *reassurance* (trust, FAQ) → *action* (events, newsletter).

#	Section	Purpose	Key content
1	Announcement bar	Brand message	“Small actions. Real impact.” ticker line
2	Header / navigation	Orientation	Logo, 6 links, Login, “Donate Now”, hamburger
3	Hero	Value proposition	Headline, 2 CTAs, image, 5-star social proof, 48,000+ badge
4	Trust strip	Credibility	Verified, Transparent, Community-led, Meaningful
5	Featured campaigns	Primary conversion	3 cards: location, days left, raised/goal, % bar, supporters
6	Urgent appeal	Urgency	Assam flood relief banner
7	Impact statistics	Proof	48,000+ lives • 125+ campaigns • 8,500+ volunteers • ₹4.8 Cr
8	Impact story	Emotion	240 children, 12 classrooms, “Read the impact story”
9	How it works	Reduce friction	4 numbered steps (Discover → Contribute → Follow → Impact)
10	Trust pillars	Reassurance	6 commitments in a card grid
11	Category browser	Discovery	10 cause tiles (Education ... Community Development)
12	Volunteer CTA	Alternate action	Image + copy + “Become a volunteer”
13	Testimonials	Social proof	3 quotes with initials avatars and 5 stars
14	Completed milestone	Results	Clean-water project: ₹15,80,000 vs ₹15,00,000 goal
15	Events	Engagement	3 dated events with venue and “joining” counts
16	Stories / blog	Content marketing	3 articles with category, date, author
17	Newsletter	Lead capture	Email field + “Join our community”
18	Ways to contribute / approach	Education	3 ways to give + approach narrative with image
19	FAQ	Objection handling	3 questions incl. demo-site disclosure
20	Footer	Utility	Logo, socials, 3 link columns, contact, legal

Repeating section pattern

Almost every section uses the same header recipe: a small gold **eyebrow label** (“✦ Causes close to our hearts”), a large serif **H2** with one emphasised word, and a one-line muted **lead paragraph**. This keeps all sections consistent and scannable.

2 Overall layout and page structure

Part B — visual structure of the key sections (reconstructed wireframes)




Figure 1 — Header and hero: announcement bar, navigation, two-column hero with floating proof badges, and trust strip.




Figure 2 — Featured campaigns: 3-column card grid; each card carries image, category, location, countdown, progress bar and two CTAs.



Figure 3 — Impact statistics band (dark green) followed by the 4-step “how it works” row.

3 Design style and UI/UX approach

The visual language is **warm, editorial and humanitarian**: a deep forest green paired with a soft gold, generous whitespace, rounded cards and large serif headlines. It deliberately avoids the harsh red/black “emergency appeal” look and instead communicates calm, dignity and trust — the right emotional register for long-term giving.

3.1 Visual style

- **Typography:** serif display headlines with an *italic accent word* (“possibilities.”) for personality, paired with a clean sans-serif for body and UI text.
- **Shapes:** rounded cards, pill-shaped buttons and soft borders give a friendly, approachable feel.
- **Imagery:** real community photography (children, volunteers, water points) in WebP; each image has descriptive alt text.
- **Iconography:** lightweight Unicode glyphs (✦ ◇ ◎ ♥ ✱ ✱ ☐ ≈) instead of an icon library — zero extra requests, but rendering varies by device font.
- **Tone of voice:** short, emotive, human sentences (“A little kindness. A world of possibilities.”), with plain-language trust statements.

3.2 UI/UX principles applied

Principle	Where it appears	Effect on the visitor
Clear value proposition	Hero headline + sub-copy	Understands the purpose in under 5 seconds
Social proof	5-star badge, 25,000+ hearts, testimonials, supporter counts	Builds trust and belonging
Urgency & scarcity	“24 days left”, “TIME-SENSITIVE SUPPORT” flood banner	Encourages timely action
Transparency	Raised vs goal, % progress, completed milestone, FAQ disclosure	Reduces donation anxiety
Progressive disclosure	Card summary → “View Campaign”; FAQ answers	Keeps pages light, details on demand
Multiple entry points	Donate, volunteer, events, newsletter, share	Serves visitors who cannot give money
Consistent components	Eyebrew + H2 + lead; card styles; pill buttons	Predictable, scannable layout
Friction reduction	4-step “how it works”, 10 category shortcuts	Shows the path from interest to impact

3.3 Donor journey mapped to the layout


Stage	Homepage section	Visitor question	Design answer
Awareness	Hero + trust strip	Who are you, can I trust you?	Emotive headline, 5-star proof, verified badges
Consideration	Campaign cards, categories	Which cause fits me?	Location, countdown, % funded, 10 shortcuts
Validation	Stats, story, testimonials	Does it really work?	Numbers, named supporters, completed milestone
Decision	Donate / volunteer / events	What can I do today?	Pill CTAs, three ways to contribute

Design verdict

Strong emotional design and a well-ordered conversion funnel. The main UX risk is not visual but functional: many of the primary calls to action are placeholders (see Sections 7 and 10).

4 Color combinations used

Forest #174C3C is read from the site’s theme-color meta tag; the remaining swatches are close approximations of the visual identity.



The palette is a restrained **analogous-neutral scheme**: one dominant brand hue (forest green), one warm accent (gold) and three soft neutrals. Green connotes growth, nature and trust — ideal for causes such as water, food and environment — while gold adds warmth and highlights the single most important action on screen. Using only a handful of colours gives every page a unified look.

4.1 Role of each colour

Colour	Hex	Where it is used
Forest Green	#174C3C	Verified: theme-color meta. Header band, impact strip, primary buttons, headings
Deep Green	#0F3329	Footer, code panels, dark overlays, hover state of primary buttons
Warm Gold	#D4A24C	Logo, eyebrow labels, accent word, “Donate Now” highlights, step numbers
Cream	#F7F2E7	Section backgrounds, card tints, alternating bands
Sage	#E3EDE6	Image placeholders, progress-bar track, soft badges
Ink	#1E2B26	Body text and headings on light surfaces

4.2 Accessibility check of key pairings (calculated)

Pair (text on background)	Contrast	WCAG AA (normal text ≥ 4.5)	Used for
White on Forest	9.83:1	Pass	Nav bar, buttons, impact band
Gold on Forest	4.25:1	Large text only	Stat numbers, announcement bar
Ink on Cream	13.17:1	Pass	Body copy on light sections
Forest on Cream	8.81:1	Pass	Headings, links
Deep on Gold	5.95:1	Pass	Gold button label
Gold on White	2.31:1	Fail	Eyebrow labels on white cards
Muted on Cream	4.99:1	Pass	Captions, secondary text

Finding

Gold text on a **white** background falls below the AA threshold for small text. Keep gold for large display text or on the dark-green surfaces, and use Forest for small labels on light backgrounds.

5 Animations and transition effects

Observed = evident from the markup structure • Recommended = suggested implementation, to be confirmed in DevTools.

Motion on a charity site should be **subtle and purposeful**: it guides attention to progress and proof, never distracts from the cause. The structure of the page points to the following animated or transitioned elements.

Element	Effect	Trigger	Status
Announcement bar	Horizontal ticker / marquee of the brand line (the repeated “♦” separators suggest a looping strip)	On load, continuous	Observed
Hero content	Fade-up of headline, CTAs and floating badges	On load	Recommended
Campaign progress bars	Width animates from 0 to 73% / 75% / 84%	Scroll into view	Observed (data-driven %)
Impact numbers	Count-up from 0 to 48,000+, 125+, 8,500+, ₹4.8 Cr	Scroll into view	Recommended
Section blocks & cards	Staggered reveal (opacity + translateY 16-24 px)	Scroll into view	Recommended
Mobile menu (☰)	Slide / fade open and close of the nav panel	Click / tap	Observed (toggle present)
FAQ answers	Smooth height expand / collapse	Click / tap	Recommended
Header	Shadow or background change after scrolling	Scroll	Recommended

5.1 Reference implementation (recommended)

```

/* 1. Progress bar fill */
.progress > span { width:0; transition: width 1.2s cubic-bezier(.22,.8,.3,1); }
.progress.in-view > span { width: var(--pct); } /* --pct: 73% */

/* 2. Scroll reveal */
.reveal { opacity:0; transform: translateY(20px);
  transition: opacity .6s ease, transform .6s ease; }
.reveal.in-view { opacity:1; transform:none; }

/* 3. Ticker */
@keyframes ticker { to { transform: translateX(-50%); } }
.ticker__track { display:flex; width:max-content; animation: ticker 28s linear infinite; }

/* 4. Respect user preference */
@media (prefers-reduced-motion: reduce) {
  * { animation:none !important; transition:none !important; }
}


```

5.2 Motion guidelines

- Keep durations between **200-600 ms** for UI feedback and up to ~1.2 s for data fills; use ease-out curves.
- Trigger reveals with IntersectionObserver instead of scroll listeners, and animate only opacity and transform for 60 fps.
- Always provide a prefers-reduced-motion fallback and pause the ticker on hover/focus (WCAG 2.2.2).

6 Hover effects and interactive elements

Figure 4 illustrates the interaction states expected from the component structure (illustrative).



6.1 Interactive element inventory

Element	Count	Interaction / expected hover feedback
Header nav links	6	Colour change + gold underline; active page highlighted
Login (text) / Donate Now (pill)	2	Donate: gold → deeper tone, slight lift and shadow
Hero buttons	2	Primary fill shift; ghost button fills with green
Campaign cards	3	Lift (translateY −4 px), shadow, image zoom ~1.05×
Card buttons: Donate Now / View Campaign	6	Primary + secondary button states
Category tiles	10	Border and icon turn gold, tile lifts
Event cards / Register buttons	3 / 3	Card lift; button inverts colours
Story cards / “Read story” links	3 / 3	Image zoom; arrow slides right
FAQ items	3	Click to open; hover tint; chevron rotates
Newsletter form	1	Input focus ring in gold/green; button hover
Social icons (SVG)	5	Opacity or colour change, small scale-up
Hamburger (☰)	1	Toggles mobile navigation panel

6.2 Good practice for interactive states

- Pair every `:hover` style with `:focus-visible` so keyboard users get identical feedback.
- Hover transitions of **150-250 ms** feel responsive; avoid effects that change layout size (use transform instead).
- Touch devices have no hover — critical information must never be revealed only on hover.

7 Navigation structure

Figure 5 — site map built from link targets found on the homepage.




Figure 5 — Site map: seven live pages (green path) and the 404.html placeholder that most in-page CTAs currently resolve to.

7.1 Navigation components

Component	Items	Notes
Announcement bar	Brand line	Non-interactive, sits above the header
Primary header nav	Home, About Us, Campaigns, Events, Blog, Contact	Logo returns to index.html; six items is within the 5-7 usability sweet spot
Header actions	Login → signin.html • Donate Now ♥	Donate Now is a high-contrast pill at the far right
Mobile menu	☰ hamburger	Collapses nav on small screens
In-page CTAs	“Explore all campaigns →”, “View all events →”, “All stories & insights →”	Arrow-suffixed text links lead into each section’s parent page
Footer	Explore STACKLY • Ways to make a difference • Let’s connect	Mirrors header + 7 cause links, contact, hours, legal links
Social links	Instagram, LinkedIn, X, Facebook, YouTube	SVG icons, currently placeholders

Key finding — broken user journeys

Only the header links, logo and footer “Explore” links reach real pages. **Donate Now** (header), both hero buttons, all 10 category tiles, volunteer, event, story, social, contact and legal links resolve to 404.html. The funnel that the layout builds so carefully currently ends at a dead end.

7.2 Navigation strengths

- Shallow hierarchy (one level) — any page is one click from Home.
- Header and footer repeat the key destinations, giving two ways to navigate.
- The footer groups links by intent (explore / act / contact), which supports quick scanning.

8 Key features and functionalities

STACKLY demonstrates the full **donor journey** of a modern fundraising platform. The site is explicitly labelled a demonstration (footer note and FAQ: “contribution forms demonstrate the giving journey without taking money”), so features are presentational rather than transactional.

Feature	Description
Campaign cards	Category tag, location, days remaining, raised amount, goal, % progress bar, supporter count and dual CTAs
Urgent appeal banner	Highlights time-sensitive relief (Assam floods) separately from regular campaigns
Live-style impact counters	48,000+ lives, 125+ campaigns, 8,500+ volunteers, ₹4.8 Cr raised
Impact storytelling	Narrative block (240 children, 12 classrooms) and a completed clean-water milestone
Category discovery	10 causes: Education, Healthcare, Hunger Relief, Clean Water, Disaster Relief, Women Empowerment, Environment, Elderly Care, Child Welfare, Community Development
Volunteering & events	Volunteer CTA and three dated events with venue, time and registration counts (320 / 180 / 210)
Content hub	Blog stories with category, date and author; testimonials from donors, volunteers and partners
Trust & transparency	Six commitments (verified, transparent, community-first, updates, impact, responsible support) + FAQ
Lead capture	Newsletter e-mail sign-up
Authentication entry	Login page (signin.html)

8.1 Campaign data and consistency check

Campaign	Location	Raised	Goal	Sho wn	Calcula ted	Supporte rs	Left
Education for Every Child	Karnataka	₹8,76,000	₹12,00,000	73%	73.0%	1,248	24 d
Clean Water. Brighter Futures.	Rajasthan	₹13,50,000	₹18,00,000	75%	75.0%	1,785	18 d
A Meal Today. Hope for Tomorrow.	Bengaluru	₹6,72,000	₹8,00,000	84%	84.0%	965	9 d

The displayed percentages match $\text{raised} \div \text{goal}$ exactly for all three campaigns, which confirms the figures are internally consistent and suggests the progress bars can be generated from data rather than hard-coded.


Funding progress of featured campaigns (% of goal)



Figure 6 — Funding progress; the completed clean-water milestone exceeded its goal (₹15,80,000 vs ₹15,00,000 = 105%).

9 Responsive design observations

Verified from markup: viewport meta tag, theme-color meta tag, hamburger toggle and WebP images. Breakpoint behaviour below is the expected reflow (illustrative).



The page declares `width=device-width`, `initial-scale=1` and exposes a hamburger control, confirming a **mobile-first, responsive** approach. Because the content is built from repeating card and band components, it reflows naturally from a three-column desktop grid to a single-column mobile stack.

9.1 Expected component behaviour per breakpoint

Component	Desktop (≥1024)	Tablet (~768)	Mobile (≤480)
Header	Full nav + Login + Donate	Condensed nav or hamburger	Logo + ☰; links in drawer
Hero	Two columns, image right	Two columns / stacked	Text first, image below, CTAs full-width
Campaign cards	3 per row	2 per row	1 per row
Stats band	4 across	2 × 2	2 × 2 or stacked
How it works / Trust	4 and 3 columns	2 columns	Single column
Category tiles	5 per row	3–4 per row	2 per row
Events & stories	3 per row	2 per row	Single column / carousel
Footer	4 columns	2 columns	Accordion or stacked

9.2 Observations and risks

- **Strength:** theme-color meta colours the mobile browser chrome in brand green; WebP keeps image weight low on mobile data.
- **Risk:** the long homepage (20+ sections) becomes very tall on a phone — consider a sticky Donate bar and collapsible sections.
- **Risk:** glyph icons (♣ ♥ ♦) depend on system fonts; test on Android and iOS for tofu boxes or inconsistent sizes.
- **Test checklist:** 320, 375, 414, 768, 1024, 1440 px; landscape phones; 200% zoom; touch targets ≥ 44 × 44 px.

10 Learnings and suggestions

10.1 What I learned

- **Structure sells.** A fundraising page works best as a funnel: promise → choices → proof → reassurance → action. STACKLY follows this order closely.
- **Trust is a design feature.** Progress bars, supporter counts, completed milestones and an honest FAQ do as much for conversion as the Donate button.
- **A tiny palette is enough.** Forest, gold and three neutrals produce a consistent, memorable brand without any complex theming.
- **Reusable components scale.** One section-header recipe and one card pattern drive 20 sections, making the design fast to extend.

10.2 Issues observed

- **Dead-end CTAs:** Donate Now, hero buttons, category tiles and most secondary links point to 404.html.
- **Accessibility:** the avatar stack and ratings are plain text (“ARRMPS+25K”, “★★★★★”) that screen readers will read aloud; Unicode glyph icons need aria-hidden.
- **Contrast:** gold text on white is below AA for small sizes (Section 4).
- **Asset hygiene:** a file name with a space (food distri.webp) and generic names (images.webp); the same photo is reused for several unrelated sections.

10.3 Prioritised suggestions

Priority	Area	Recommendation	Impact
High	Navigation	Replace 404 targets with real routes (donate.html, campaign-detail pages, category filters on campaigns.html)	Completes the donor funnel
High	Donation flow	Add a demo donation modal: preset amounts (₹500 / 1,000 / 2,500), custom amount, impact line, clear “demo” label	Demonstrates real value
High	Accessibility	alt/aria-labels for ratings and avatars, focus-visible styles, reduced-motion, skip-to-content link	WCAG 2.2 AA
Medium	Performance	Lazy-load below-the-fold images, add width/height to prevent layout shift, subset fonts	Faster LCP / CLS
Medium	Data	Drive cards from one JSON file; add search, category and sort filters	Easier maintenance
Medium	Trust	Add partner logos, annual report link and downloadable impact numbers	Credibility
Low	SEO	Structured data (Organization, Event), unique meta per page, sitemap.xml	Search visibility
Low	Polish	Dark-mode palette, sticky mobile Donate bar, share buttons on campaigns	Engagement

Conclusion

STACKLY is a polished, well-structured front-end showcase with a strong visual identity and a persuasive content flow. Wiring up the placeholder links, improving accessibility details and adding a real donation journey would elevate it from an excellent demonstration to a production-ready fundraising platform.