MySQL Workbench

1WA25CS129 | Local instance MYSQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

INSURANCEE

- insurancee
  - Tables
  - Views
  - Stored Procedures
  - Functions

Showing loaded schemas only

Administration | Schemas

Information

Schema: insurancee

Object Info | Session

Query 1 | SQL File 4* | SQL File 4*

Limit to 1000 rows

```
67  ('A05','KA041702');
68
69  INSERT INTO PARTICIPATED VALUES
70  ('A01','KA052250',11,10000),
71  ('A02','KA053408',12,50000),
72  ('A03','KA095477',13,25000),
73  ('A04','KA031181',14,3000),
74  ('A05','KA041702',15,5000);
75
76  UPDATE PARTICIPATED
77  SET damage_amount = 25000
78  WHERE reg_num = 'KA053408'
79  AND report_num = 12;
80
81  INSERT INTO ACCIDENT VALUES
82  (16,'2009-06-15','Bangalore');
83
84  SELECT *
85  FROM CAR
86  ORDER BY year ASC;
87
88  SELECT COUNT(DISTINCT P.report_num) AS total_accidents
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

| reg_num | model | year |
|---|---|---|
| KA031181 | Lancer | 1957 |
| KA052250 | Audi | 1990 |
| KA095477 | Toyota | 1998 |
| KA041702 | Audi | 2005 |
| KA053408 | Honda | 2008 |
| NULL | NULL | NULL |

CAR 1

Apply | Revert

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help | Snippets

Output

Action Output

| # | Time | Action | Message | Duration / Fetch |
|---|---|---|---|---|
| 33 | 08:29:48 | INSERT INTO ACCIDENT VALUES (11,'2003-01-01','Mysore Road'), (12,'2004-02-04','South end Circle'), (13,'2003-01-21','Bulls temple Road'), (14,'200... | 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 | 0.016 sec |
| 34 | 08:29:55 | INSERT INTO OWNS VALUES ('A01','KA052250'), ('A02','KA053408'), ('A03','KA031181'), ('A04','KA095477'), ('A05','KA041702') | 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 | 0.000 sec |
| 35 | 08:30:01 | INSERT INTO PARTICIPATED VALUES ('A01','KA052250',11,10000), ('A02','KA053408',12,50000), ('A03','KA095477',13,25000), ('A04','KA031181',1... | 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 | 0.000 sec |
| 36 | 08:30:08 | UPDATE PARTICIPATED SET damage_amount = 25000 WHERE reg_num = 'KA053408' AND report_num = 12 | 1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0 | 0.000 sec |
| 37 | 08:30:21 | INSERT INTO ACCIDENT VALUES (16,'2009-06-15','Bangalore') | 1 row(s) affected | 0.000 sec |
| 38 | 08:30:28 | SELECT * FROM CAR ORDER BY year ASC LIMIT 0, 1000 | 5 row(s) returned | 0.000 sec / 0.000 sec |

Query Completed

ENG IN 08:31:05 24-10-2026

MySQL Workbench

1WA25CS129 | Local instance MYSQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

INSURANCEE

- insurancee
  - Tables
  - Views
  - Stored Procedures
  - Functions

Showing loaded schemas only

Administration | Schemas

Information

Schema: insurancee

Object Info | Session

Query 1 | SQL File 4* | SQL File 4*

Limit to 1000 rows

```
70    ('A01','KA052250',11,10000),
71    ('A02','KA053408',12,50000),
72    ('A03','KA095477',13,25000),
73    ('A04','KA031181',14,3000),
74    ('A05','KA041702',15,5000);
75
76    UPDATE PARTICIPATED
77    SET damage_amount = 25000
78    WHERE reg_num = 'KA053408'
79    AND report_num = 12;
80
81    INSERT INTO ACCIDENT VALUES
82    (16,'2009-06-15','Bangalore');
83
84    SELECT *
85    FROM CAR
86    ORDER BY year ASC;
87
88    SELECT COUNT(DISTINCT P.report_num) AS total_accidents
89    FROM PARTICIPATED P
90    JOIN CAR C ON P.reg_num = C.reg_num
91    WHERE C.model = 'Lancer';
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

| total_accidents |
|---|
| 1 |

Result 2 | Read Only

Result Grid | Form Editor

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help | Snippets

Output

Action Output

| # | Time | Action | Message | Duration / Fetch |
|---|---|---|---|---|
| 34 | 08:29:55 | INSERT INTO OWNS VALUES ('A01','KA052250'), ('A02','KA053408'), ('A03','KA031181'), ('A04','KA095477'), ('A05','KA041702') | 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 | 0.000 sec |
| 35 | 08:30:01 | INSERT INTO PARTICIPATED VALUES ('A01','KA052250',11,10000), ('A02','KA053408',12,50000), ('A03','KA095477',13,25000), ('A04','KA031181',1... | 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 | 0.000 sec |
| 36 | 08:30:08 | UPDATE PARTICIPATED SET damage_amount = 25000 WHERE reg_num = 'KA053408' AND report_num = 12 | 1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0 | 0.000 sec |
| 37 | 08:30:21 | INSERT INTO ACCIDENT VALUES (16,'2009-06-15','Bangalore') | 1 row(s) affected | 0.000 sec |
| 38 | 08:30:28 | SELECT * FROM CAR ORDER BY year ASC LIMIT 0, 1000 | 5 row(s) returned | 0.000 sec / 0.000 sec |
| 39 | 08:31:39 | SELECT COUNT(DISTINCT P.report_num) AS total_accidents FROM PARTICIPATED P JOIN CAR C ON P.reg_num = C.reg_num WHERE C.model =... | 1 row(s) returned | 0.000 sec / 0.000 sec |

Query Completed

ENG IN 08:32:25 24-10-2026

MySQL Workbench

1WA25CS129 | Local instance MYSQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

INSURANCEE

- insurancee
  - Tables
  - Views
  - Stored Procedures
  - Functions

Showing loaded schemas only

Administration | Schemas

Information

Schema: insurancee

Object Info | Session

Query 1 | SQL File 4* | SQL File 4*

Limit to 1000 rows

```
76  UPDATE PARTICIPATED
77  SET damage_amount = 25000
78  WHERE reg_num = 'KA053408'
79  AND report_num = 12;
80
81  INSERT INTO ACCIDENT VALUES
82  (16,'2009-06-15','Bangalore');
83
84  SELECT *
85  FROM CAR
86  ORDER BY year ASC;
87
88  SELECT COUNT(DISTINCT P.report_num) AS total_accidents
89  FROM PARTICIPATED P
90  JOIN CAR C ON P.reg_num = C.reg_num
91  WHERE C.model = 'Lancer';
92
93  SELECT COUNT(DISTINCT O.driver_id) AS total_people
94  FROM OWNS O
95  JOIN PARTICIPATED P ON O.reg_num = P.reg_num
96  JOIN ACCIDENT A ON P.report_num = A.report_num
97  WHERE YEAR(A.accident_date) = 2008;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

| total_people |
|---|
| 1 |

Result 3

Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help | Snippets

Output

Action Output

| # | Time | Action | Message | Duration / Fetch |
|---|---|---|---|---|
| 35 | 08:30:01 | INSERT INTO PARTICIPATED VALUES ('A01','KA052250',11,10000), ('A02','KA053408',12,50000), ('A03','KA095477',13,25000), ('A04','KA031181',1... | 5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0 | 0.000 sec |
| 36 | 08:30:08 | UPDATE PARTICIPATED SET damage_amount = 25000 WHERE reg_num = 'KA053408' AND report_num = 12 | 1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0 | 0.000 sec |
| 37 | 08:30:21 | INSERT INTO ACCIDENT VALUES (16,'2009-06-15','Bangalore') | 1 row(s) affected | 0.000 sec |
| 38 | 08:30:28 | SELECT * FROM CAR ORDER BY year ASC LIMIT 0, 1000 | 5 row(s) returned | 0.000 sec / 0.000 sec |
| 39 | 08:31:39 | SELECT COUNT(DISTINCT P.report_num) AS total_accidents FROM PARTICIPATED P JOIN CAR C ON P.reg_num = C.reg_num WHERE C.model =... | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 40 | 08:33:27 | SELECT COUNT(DISTINCT O.driver_id) AS total_people FROM OWNS O JOIN PARTICIPATED P ON O.reg_num = P.reg_num JOIN ACCIDENT A O... | 1 row(s) returned | 0.000 sec / 0.000 sec |

Query Completed

ENG IN 08:33:38 24-10-2026

MySQL Workbench

1WA25CS129 | Local instance MYSQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

INSURANCEE

- insurancee
  - Tables
  - Views
  - Stored Procedures
  - Functions

Showing loaded schemas only

Administration | Schemas

Information

Schema: insurancee

Object Info | Session

Query 1 | SQL File 4* | SQL File 4*

Limit to 1000 rows

```
89    FROM PARTICIPATED P
90    JOIN CAR C ON P.reg_num = C.reg_num
91    WHERE C.model = 'Lancer';
92
93    SELECT COUNT(DISTINCT O.driver_id) AS total_people
94    FROM OWNS O
95    JOIN PARTICIPATED P ON O.reg_num = P.reg_num
96    JOIN ACCIDENT A ON P.report_num = A.report_num
97    WHERE YEAR(A.accident_date) = 2008;
98
99    SELECT COUNT(DISTINCT A.report_num) AS total_accidents
100   FROM CAR C
101   JOIN PARTICIPATED P ON C.reg_num = P.reg_num
102   JOIN ACCIDENT A ON P.report_num = A.report_num
103   WHERE C.model = 'Lancer'
104   AND YEAR(A.accident_date) = 2008;
105
106   SELECT *
107   FROM PARTICIPATED
108   ORDER BY damage_amount DESC;
109
110   SELECT AVG(damage_amount) AS average_damage
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

| driver_id | reg_num | report_num | damage_amount |
|---|---|---|---|
| A02 | KA053408 | 12 | 25000 |
| A03 | KA095477 | 13 | 25000 |
| A01 | KA052250 | 11 | 10000 |
| A05 | KA041702 | 15 | 5000 |
| A04 | KA031181 | 14 | 3000 |
| NULL | NULL | NULL | NULL |

PARTICIPATED 5

Apply | Revert

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help | Snippets

Output

Action Output

| # | Time | Action | Message | Duration / Fetch |
|---|---|---|---|---|
| 37 | 08:30:21 | INSERT INTO ACCIDENT VALUES (16,'2009-06-15','Bangalore') | 1 row(s) affected | 0.000 sec |
| 38 | 08:30:28 | SELECT * FROM CAR ORDER BY year ASC LIMIT 0, 1000 | 5 row(s) returned | 0.000 sec / 0.000 sec |
| 39 | 08:31:39 | SELECT COUNT(DISTINCT P.report_num) AS total_accidents FROM PARTICIPATED P JOIN CAR C ON P.reg_num = C.reg_num WHERE C.model =... | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 40 | 08:33:27 | SELECT COUNT(DISTINCT O.driver_id) AS total_people FROM OWNS O JOIN PARTICIPATED P ON O.reg_num = P.reg_num JOIN ACCIDENT A O... | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 41 | 08:34:16 | SELECT COUNT(DISTINCT A.report_num) AS total_accidents FROM CAR C JOIN PARTICIPATED P ON C.reg_num = P.reg_num JOIN ACCIDENT A... | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 42 | 08:34:28 | SELECT * FROM PARTICIPATED ORDER BY damage_amount DESC LIMIT 0, 1000 | 5 row(s) returned | 0.000 sec / 0.000 sec |

Query Completed

MySQL Workbench

1WA25CS129 | Local instance MYSQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

INSURANCEE

- insurancee
  - Tables
  - Views
  - Stored Procedures
  - Functions

Showing loaded schemas only

Administration | Schemas

Information

Schema: insurancee

Object Info | Session

Query 1 | SQL File 4* | SQL File 4*

Limit to 1000 rows

```
92
93  SELECT COUNT(DISTINCT O.driver_id) AS total_people
94  FROM OWNS O
95  JOIN PARTICIPATED P ON O.reg_num = P.reg_num
96  JOIN ACCIDENT A ON P.report_num = A.report_num
97  WHERE YEAR(A.accident_date) = 2008;
98
99  SELECT COUNT(DISTINCT A.report_num) AS total_accidents
100 FROM CAR C
101 JOIN PARTICIPATED P ON C.reg_num = P.reg_num
102 JOIN ACCIDENT A ON P.report_num = A.report_num
103 WHERE C.model = 'Lancer'
104 AND YEAR(A.accident_date) = 2008;
105
106 SELECT *
107 FROM PARTICIPATED
108 ORDER BY damage_amount DESC;
109
110 SELECT AVG(damage_amount) AS average_damage
111 FROM PARTICIPATED;
112
113 DELETE FROM PARTICIPATED
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

| average_damage |
|---|
| 13600.0000 |

Result 6 | Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help | Snippets

Output

Action Output

| # | Time | Action | Message | Duration / Fetch |
|---|---|---|---|---|
| 38 | 08:30:28 | SELECT * FROM CAR ORDER BY year ASC LIMIT 0, 1000 | 5 row(s) returned | 0.000 sec / 0.000 sec |
| 39 | 08:31:39 | SELECT COUNT(DISTINCT P.report_num) AS total_accidents FROM PARTICIPATED P JOIN CAR C ON P.reg_num = C.reg_num WHERE C.model =... | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 40 | 08:33:27 | SELECT COUNT(DISTINCT O.driver_id) AS total_people FROM OWNS O JOIN PARTICIPATED P ON O.reg_num = P.reg_num JOIN ACCIDENT A O... | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 41 | 08:34:16 | SELECT COUNT(DISTINCT A.report_num) AS total_accidents FROM CAR C JOIN PARTICIPATED P ON C.reg_num = P.reg_num JOIN ACCIDENT A... | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 42 | 08:34:28 | SELECT * FROM PARTICIPATED ORDER BY damage_amount DESC LIMIT 0, 1000 | 5 row(s) returned | 0.000 sec / 0.000 sec |
| 43 | 08:34:59 | SELECT AVG(damage_amount) AS average_damage FROM PARTICIPATED LIMIT 0, 1000 | 1 row(s) returned | 0.000 sec / 0.000 sec |

Query Completed

ENG IN 08:35:04 24-10-2026

MySQL Workbench

1WA25CS129 | Local instance MYSQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

INSURANCEE

- insurancee
  - Tables
  - Views
  - Stored Procedures
  - Functions

Showing loaded schemas only

Administration | Schemas

Information

Schema: insurancee

Object Info | Session

Query 1 | SQL File 4* | SQL File 4*

Limit to 1000 rows

```
108  ORDER BY damage_amount DESC;
109
110  SELECT AVG(damage_amount) AS average_damage
111  FROM PARTICIPATED;
112
113  DELETE FROM PARTICIPATED
114  WHERE damage_amount < (
115      SELECT avg_damage
116      FROM (
117          SELECT AVG(damage_amount) AS avg_damage
118          FROM PARTICIPATED
119      ) AS T
120  );
121
122  SELECT DISTINCT P.name
123  FROM PERSON P
124  JOIN PARTICIPATED PA ON P.driver_id = PA.driver_id
125  WHERE PA.damage_amount > (
126      SELECT AVG(damage_amount)
127      FROM PARTICIPATED
128  );
129
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

| name |
|---|
| Pradeep |
| Smith |

Result 8 | Read Only

SQL Additions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help | Snippets

Output

Action Output

| # | Time | Action | Message | Duration / Fetch |
|---|---|---|---|---|
| 42 | 08:34:28 | SELECT * FROM PARTICIPATED ORDER BY damage_amount DESC LIMIT 0, 1000 | 5 row(s) returned | 0.000 sec / 0.000 sec |
| 43 | 08:34:59 | SELECT AVG(damage_amount) AS average_damage FROM PARTICIPATED LIMIT 0, 1000 | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 44 | 08:38:08 | DELETE FROM PARTICIPATED WHERE damage_amount < ( SELECT avg_damage FROM ( SELECT AVG(damage_amount) AS avg_dam... | Error Code: 1175. You are using safe update mode and you tried to update a table without a WHERE that uses a KEY column. To disable safe mode, t... | 0.000 sec |
| 45 | 08:38:20 | SELECT DISTINCT P.name FROM PERSON P JOIN PARTICIPATED PA ON P.driver_id = PA.driver_id WHERE PA.damage_amount > ( SELECT ... | 2 row(s) returned | 0.000 sec / 0.000 sec |
| 46 | 08:38:27 | DELETE FROM PARTICIPATED WHERE damage_amount < ( SELECT avg_damage FROM ( SELECT AVG(damage_amount) AS avg_dam... | Error Code: 1175. You are using safe update mode and you tried to update a table without a WHERE that uses a KEY column. To disable safe mode, t... | 0.000 sec |
| 47 | 08:38:33 | SELECT DISTINCT P.name FROM PERSON P JOIN PARTICIPATED PA ON P.driver_id = PA.driver_id WHERE PA.damage_amount > ( SELECT ... | 2 row(s) returned | 0.000 sec / 0.000 sec |

Query Completed

ENG IN 08:39:43 24-10-2026

MySQL Workbench

1WA25CS129 | Local instance MYSQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

INSURANCEE

- insurancee
  - Tables
  - Views
  - Stored Procedures
  - Functions

Showing loaded schemas only

Administration | Schemas

Information

Schema: insurancee

Object Info | Session

Query 1 | SQL File 4* | SQL File 4*

Limit to 1000 rows

```
110 • SELECT AVG(damage_amount) AS average_damage
111   FROM PARTICIPATED;
112
113 • DELETE FROM PARTICIPATED
114   WHERE damage_amount < (
115       SELECT avg_damage
116       FROM (
117           SELECT AVG(damage_amount) AS avg_damage
118           FROM PARTICIPATED
119       ) AS T
120   );
121
122 • SELECT DISTINCT P.name
123   FROM PERSON P
124   JOIN PARTICIPATED PA ON P.driver_id = PA.driver_id
125   WHERE PA.damage_amount > (
126       SELECT AVG(damage_amount)
127       FROM PARTICIPATED
128   );
129
130 • SELECT MAX(damage_amount) AS maximum_damage
131   FROM PARTICIPATED;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

| maximum_damage |
|---|
| 25000 |

Result 9 | Read Only

SQL Additions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help | Snippets

Output

Action Output

| # | Time | Action | Message | Duration / Fetch |
|---|---|---|---|---|
| 43 | 08:34:59 | SELECT AVG(damage_amount) AS average_damage FROM PARTICIPATED LIMIT 0, 1000 | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 44 | 08:38:08 | DELETE FROM PARTICIPATED WHERE damage_amount < ( SELECT avg_damage FROM ( SELECT AVG(damage_amount) AS avg_dam... | Error Code: 1175. You are using safe update mode and you tried to update a table without a WHERE that uses a KEY column. To disable safe mode, t... | 0.000 sec |
| 45 | 08:38:20 | SELECT DISTINCT P.name FROM PERSON P JOIN PARTICIPATED PA ON P.driver_id = PA.driver_id WHERE PA.damage_amount > ( SELECT ... | 2 row(s) returned | 0.000 sec / 0.000 sec |
| 46 | 08:38:27 | DELETE FROM PARTICIPATED WHERE damage_amount < ( SELECT avg_damage FROM ( SELECT AVG(damage_amount) AS avg_dam... | Error Code: 1175. You are using safe update mode and you tried to update a table without a WHERE that uses a KEY column. To disable safe mode, t... | 0.000 sec |
| 47 | 08:38:33 | SELECT DISTINCT P.name FROM PERSON P JOIN PARTICIPATED PA ON P.driver_id = PA.driver_id WHERE PA.damage_amount > ( SELECT ... | 2 row(s) returned | 0.000 sec / 0.000 sec |
| 48 | 08:39:59 | SELECT MAX(damage_amount) AS maximum_damage FROM PARTICIPATED LIMIT 0, 1000 | 1 row(s) returned | 0.000 sec / 0.000 sec |

Query Completed

ENG IN 08:40:08 24-10-2026