General Sailing Instructions 2026



Corinthian Yacht Club of Tacoma

On behalf of the members of Corinthian Yacht Club of Tacoma, we would like to thank you for taking the time to read and participating in our racing program for 2026

Cyndi Larrison
Commodore
S/V Lady Too
Email: commodore@cyct.com

Frank Wicklander
Fleet Captain Racing
S/V Lola
Email: racing@cyct.com

Table of Contents
General Sailing Instructions

CYCT Race Calendar – 2026 Race Season	**Page 3-4**
Selecting a Class CYCT Racing Program	**Page 4**
CYCT Members Overall Season Trophies PHRF, Challenger, and Windseekers	**Page 5-6**
CYCT 2026 Race Fees and Racing Packages	**Page 7**
CYCT General Sailing Instructions	**Page 8-15**
Annex A – CYCT Race Marks	
Appendix A – Buoy Locations	**Page 17**
Appendix B – Vashon Challenge	**Page 18**
Annex C – Safety Equipment Requirements	**Page 19-24**

Corinthian Yacht Club of Tacoma
2026 Racing Schedule

2026 Dates	Day	Race
January 24th, 2026	Saturday	Harbor Series #1
January 31st, 2026	Saturday	Harbor Series #2
February 7th, 2026	Saturday	Harbor Series #3
March 14th, 2026	Saturday	*Islands Race (SSSS)
March 28th, 2026	Saturday	Spring Single/Double Handed Race
April 8th, 2026	Wednesday	Early Spring Windseekers #1
April 15th, 2026	Wednesday	Early Spring Windseekers #2
April 22th, 2026	Wednesday	Early Spring Windseekers #3
April 29th, 2026	Wednesday	Early Spring Windseekers#4
May 6th, 2026	Wednesday	Early Spring Windseekers #5
May 13th, 2026	Wednesday	Late Spring Windseekers #1
May 20th, 2026	Wednesday	Late Spring Windseekers #2
May 27th, 2026	Wednesday	Late Spring Windseekers #3
May 30th, 2026	Saturday	Ladies take the Lead
June 3rd, 2026	Wednesday	Late Spring Windseekers #4
June 10th, 2026	Wednesday	Late Spring Windseekers #5
June 17th, 2026	Wednesday	Summer Series Windseekers #1
June 20th-21st, 2026	Saturday-Sunday	*Don Kimball Memorial Lido Regatta
June 24th, 2026	Wednesday	Summer Series Windseekers #2
June 27th, 2026	Saturday	Three Hour Tour #1
July 1st, 2026	Wednesday	Summer Series Windseekers #3
July 8th, 2026	Wednesday	Summer Series Windseekers #4
July 11th, 2026	Saturday	Three Hour Tour #2
July 15th, 2026	Wednesday	Summer Series Windseekers #5
July 22nd, 2026	Wednesday	Late Summer Windseekers #1
July 29th, 2026	Wednesday	Late Summer Windseekers #2
August 5th, 2026	Wednesday	Late Summer Windseekers #3
August 8th, 2026	Saturday	Three Hour Tour #3
August 12th, 2026	Wednesday	Late Summer Windseekers #4
August 15th, 2026	Saturday	Vashon Challenge
August 19th, 2026	Wednesday	Late Summer Windseekers #5
August 22nd, 2026	Saturday	Awards Race and Ceremony
September 5th, 2026	Saturday	Point Series #1
September 19th, 2026	Saturday	Point Series #2

October 3rd, 2026	Saturday	Memorial Single/Double Handed Windseekers Race
October 17th, 2026	Saturday	Point Series #3
October 31st, 2026	Saturday	Point Series #4

**Not included in CYCT Racing Program – register for event per event specific instructions*

Selecting a Class CYCT Racing Program

To provide racing programs that fit nearly all types of Corinthian racers, from the more serious to the casual, from the experienced to the novice, CYCT has developed the following three "Classes" for each skipper to select. For scoring purposes, once you enter a series in a selected class, you must race in that series in the same class. There are other restrictions noted below, but if you have any questions, please contact the CYCT Race Chair.

1. **PHRF Class:** For those who are experienced racers or those looking to challenge themselves. This class requires your boat to have a valid PHRF Handicap, and races are handicapped based on your rating used in a Time-on-Time format. There is no restriction on the use of sails as long as the boat, sails, and gear are in the same configuration as your valid PHRF Handicap Certificate.

2. **Windseekers Non-Flying Sails Class:** For those just learning or who want to race in a more relaxed fleet. No rating required/used, the use of flying sails are prohibited, and where you finish is where you finished. Even if you cannot make it to the finish line, the committee will go back through the fleet and give you a finish – the legendary "Horned on Course" (HOC) finish (so keep racing after the finish horn if you want to be scored). Boats in this class must be a minimum of 18' length overall (LOA)

2.1. **Windseekers Flying Sails Class** - No rating required/used, the use of flying sails are **ALLOWED**, and where you finish is where you finished. As with the Windseekers Class, even if you cannot make it to the finish line, the committee will go back through the fleet and give you a finish – the legendary "Horned on Course" (HOC) finish (so keep racing after the finish horn if you want to be scored). Boats in this class must be a minimum of 18' length overall.

Note: Must be declared by series – If a yacht is wanting to change classes (flying sails class to standard, or opposite), please contact the Race Committee prior to next series start, otherwise you will be scored in the declared class at time of registration. Do not change classes mid-series. A yacht will be scored in the series based on the class that they register. These boats will be "Horned on Course" (HOC).

CYCT Members Overall Season Trophies

PHRF and Windseekers Classes

The following overall performance trophies are for the yachts which participate in certain Corinthian Yacht Club races and are whose owners are a member of Corinthian Yacht Club as of April 1st of each year. Each trophy shall be awarded at the annual Corinthian Yacht Club Christmas Party in December.

Racer of the Year Perpetual Trophy for PHRF Class

To provide an "Overall Champion" for the handicapped classes, CYCT shall institute the following scoring system. Because there may be changes to a boat's class during the year, the CYCT will use a boat's OVERALL finish position in each race as their points towards the racer of the Year Perpetual Trophy for both handicapped classes (PHRF Fast and PHRF Half-Fast Classes).

1. To be eligible for PHRF Class Racer of the Year Perpetual Trophy you must be a member of CYCT, and you must participate in at least one (1) race in each series.

2. Races to be scored:

   a. Top (6) races from the combined Point and Harbor Series (From the 7 races in the combined series)

   b. Top (16) races from the Windseekers Wednesday Night Series (From the 20 races in the combined series)

   c. Top (2) of the Three Hour Tour races (From the 3 races in this series)

3. If a scheduled race in a series is cancelled, abandoned, or invalidated that race shall count as a discard (e.g. throw-out) in the series scoring. The top race scores counted for the series/combined series shall be reduced by the number of races that were cancelled, abandoned, or invalidated in that series/combined series (if any).

4. The lowest combined point total from these (24) races will be a yachts total score.

5. In the event of a tie:

   a. If two or more boats have the same lowest individual overall score, then the tiebreaker shall be determined by the total number of said lowest individual scores, with the yacht having the highest count of said scores shall be the winner

   b. If a tie still exists after (a) and (b) above, then the next lowest individual score shall be used to break the tie, and so on until scores no longer match

Windseekers and Challengers Overall Trophies

To provide an “Overall Champion" for the Windseekers Class, CYCT shall use the following scoring system. Because there are possible changes during the season of boats and classes, this system is to level out the impact of such changes.

1. Individual class finishes (not overall) for each race shall be utilized for a boat’s point total. “HOC”, or Horned on Course, finishes will be counted based on position on the course at the time they are “horned”.

2. To be eligible for Windseeker Racer of the Year Perpetual Trophy you must be a member of CYCT.

3. Races to be scored:

a. Top (6) races from the combined Point and Harbor Series (From the 7 races in the combined series)

b. Top (16) races from the Windseekers Wednesday Night Series (From the 20 races in the combined series)

c. Top (2) of the Three Hour Tour races (From the 3 races in this series)

4. If a scheduled race in a series is canceled, abandoned, or invalidated that race shall count as a discard (e.g. throw-out). The top races scored for the series shall be reduced by the number of races that were canceled, abandoned, or invalidated.

5. The lowest combined point total from these (24) races will be a yachts total score.

6. In the event of a tie:

a. The yacht with the lowest individual overall score from any race scored shall be the winner

b. If two or more boats have the same lowest individual overall score, then the tiebreaker shall be determined by the total number of said lowest individual scores, with the yacht having the highest count of said scores shall be the winner

c. If a tie still exists after (a) and (b) above, then the next lowest individual score shall be used to break the tie, and so on until scores no longer match

CYCT 2026 Race Entry Form

Registration and payment for all CYCT Racing must be done using our online registration form.

Click here to register for CYCT racing

Or scan this QR code:

CYCT GENERAL SAILING INSTRUCTIONS 2026

These General Sailing Instructions shall be applied together with the Specific Sailing Instructions for all Corinthian Yacht Club of Tacoma races. In case of conflicting information, the specific event Sailing Instructions shall govern.

Part 1 – Registration

1.1. Entry Requirements:

1.1.1. Each competitor must submit a completed and signed race entry form for a race or series utilizing our online registration form at www.cyct.com. In-person forms, cash, or checks will no longer be accepted.

1.1.2. Each competitor must submit complete payment for a race or series through our online registration form at www.cyct.com

1.1.3 At the Race Committee's discretion, boats participating in CYCT races may be required to show proof of PHRF-NW Membership and/or Proof of Insurance coverage to the levels included within.

1.2. It is the Race Committee's preference to have all entries for a race prior to the start of a race or series. Although it is the Race Committee's preference, we will make exceptions as we have done in the past and accept late registration. A boat races prior to completing their race application, paying the fee, and submitting entries to the race committee, such boat will be scored on a provisional basis until the start of the next race. If a boat fails to complete an entry prior to the second race they participate in that is part of a series, they will be scored as DNS in the first race

1.3. For our Wednesday Night Series, completing one entry form for the entire summer (Spring, Late Spring, Summer, and Late Summer Series) and signing shall constitute that a race participant has acknowledged the boat owner's responsibilities noted on the race application.

1.4. Race Committee Volunteering:

To bring more volunteers to aid in the running of our race program, racing skippers are requested to provide crew members (or themselves for that matter) to assist with on the water races.

1.4.1 General Requirements are as follows:

1.4.1.1 Boat Skippers will email the racing chair at racing@cyct.com to virtually signup or contact in person.

1.4.1.2 If the registered boat chooses to volunteer individuals for Race Committee, and is unable to race, that boat will receive a score that is the average of

their series score for that specific race. The boat's overall score for racer of the year calculations will be average of their overall finishes in that series. The given score will not affect the other boats scored in that class. This can only be utilized once per series and cannot be used as a tie breaker per scoring rules. Additionally, sign-ups for the RC volunteers must be completed before the start of the series if you are intending to use this rule for your score. This amends Section 14.4, 14.5, and all appendices outlined in these two sections.

As part of crew education and contributing to club support, Club Crew Members are strongly encouraged to volunteer once.

Part 2 – Rules

2.1. Race will be governed by the 2025-2028 Racing Rules of Sailing (RRS), the prescriptions of US Sailing, the rules adopted by local one-design fleets (when applicable), the rules of PHRF-NW, and PIYA's Safety Equipment Requirements for "Nearshore +" Racing, these General Sailing Instruction, and the Specific Event Sailing Instructions for each event. In case of conflict between these General Sailing Instructions and the Specific Event Sailing Instruction, the Specific Event Sailing Instructions will govern.

Part 3 – Notice to Competitors

3.1. Notice to competitors and changes to sailing instructions shall be posted to the CYCT website within 24 hours prior to the first warning of the affected race.

Part 4 – Responsibility

4.1. Occasionally, sailboat racing has resulted in injury or loss of life. All competitors in CYCT events participate at their own risk. It shall be the responsibility of the skipper to inform the crew of the risk of sailboat racing, to make sure they understand and accept those risks, to decide whether the crew is competent and adequate for the event, and to decide whether to start or continue to participate in a racing event.

4.2. All boat/boat owners shall have liability insurance currently in effect, covering yacht racing activities, property damage, personal injury and death, spills, and the like. Minimum coverage of $300,000 per occurrence is required.

4.3. The skipper of each boat is responsible for any unsportsmanlike conduct on the part of his or her crew. The race committee may, at their sole discretion, disqualify any boat, without a course of redress, based on the actions of their skipper or crew if such actions are determined to be unsportsmanlike. Reasons for such disqualification may include but are not limited to the following: Failure to adhere to the RRS, violation of COLREGS, operating their boat in an unsafe fashion, or interaction/communication with the race committee that is found to be derogatory or disrespectful. In the event that a boat is disqualified for actions under this section, the boat owner/skipper must, prior to racing in any further CYCT sailing event, petition to the CYCT Race Committee Chairman in writing for inclusion into further CYCT sailboat racing events. This changes RRS Rule 69.

4.4. Any yacht individually hailed by the Race Committee MUST respond to the hail. Failure to do so may result in disqualification.

4.5. Interfering and or impeding with Commercial Vessel Traffic. Captains are required to follow the International and Inland Rules to Prevent Collisions at Sea (COLREGS). See Part 12 of CYCT General Sailing Instruction for more detail**.** Any boat will be disqualified if they impede commercial vessel traffic before, during and after a race as appropriate.

4.6. The race committee will inform all Skippers of known Commercial Vessel Traffic in the bay via VHF channel 68. Skippers must be aware of commercial traffic in the area.

Part 5 – Signals Made Ashore

5.1. Signals made ashore will be displayed from the CYCT Clubhouse, Tyee Marina II. When flag "AP", the postponement signal is lowered after having been displayed ashore, all contestants shall proceed promptly to the starting area.

Part 6 – Safety

6.1. All keel boats (Including those with retractable keels) shall comply with USCG Federal Requirements for Recreational Boating.

6.2. All keel boats (including those with retractable keels), unless racing in a one design class, shall comply with US Sailing Safety Equipment Requirements (SER) for **"Nearshore +"** racing, see Annex A

6.3. All boats that are powered by an outboard motor, as their auxiliary motor, must have the motor mounted in its mounting bracket and ready for immediate use.

6.4. A boat that leaves the racing area before finishing or before the last race of the day shall notify the Race Committee in person or via VHF channel 68. Failure to do so shall result in a score of DSQ rather than DNF.

6.5. At the discretion of the Race Committee, periodic safety inspections shall be made of boats participating in CYCT racing events. Such inspections are mandatory and failure to come within hail of the Race Committee when instructed, respond to safety inspection request, or avoiding the Race Committee after you have been hailed to provide safety information MAY, at the discretion of the Race Committee, be reason for a yacht to be scored DSQ for that specific race.

6.6. Although AIS is not required for boats participating in CYCT races, any boat that is equipped with AIS shall, during the duration of the race, race with this system on and transmitting associated information.

Part 7 – Changes in Rating

7.1. A change in a PHRF rating takes effect on the day it is recorded by the local handicapper. If a change in a boat's rating occurs during a series, then for that series only, the boat shall continue to sail in the fleet in which she was sailing before the rating was changed, and she will be eligible for awards in that fleet. After that date on which the rating change takes effect, the boat's corrected time will be calculated during her new rating.

Part 8 – Starting and Finishing

8.1. Start Sequence: To aid new racers to the starting sequence, the following describes the sound and visual signals used during the starting sequence for a typical Windseekers race with (3) starts (Races may have fewer or additional starts):

Time	Sound Signal	Visual Signal
5 Minutes to First start	ONE HORN	Class #1 Flag UP
4 Minutes to First start	ONE HORN	Preparatory Flag (Code Flag "P") UP
1 Minute to First start	ONE LONG HORN	Preparatory Flag (Code Flag "P") DOWN
Start #1 **PHRF**/5 Minutes	ONE HORN	Class #1 Flag DOWN, Class #2 Flag UP
4 Minutes to First start	ONE HORN	Preparatory Flag (Code Flag "P") UP
1 Minute to First start	ONE LONG HORN	Preparatory Flag (Code Flag "P") DOWN
Start #2 **PHRF**/5 Minutes	ONE HORN	Class #2 Flag DOWN, Windseekers Flag UP
4 Minutes to Second start	ONE HORN	Preparatory Flag (Code Flag "P") UP
1 Minute to Second start	ONE LONG HORN	Preparatory Flag (Code Flag "P") DOWN
Start #3 **Challenger/Windseeker**	ONE HORN	Class Windseekers Flag DOWN

8.2. Starting order and times shall be per the specific event sailing instruction. Race Committee, at their discretion, may change the start order of classes OR combine classes as they see fit for a specific race. Notification of class starting order will be given by radio call on VHF68.

8.3. Starting location shall be per the specific event sailing instructions. In general, starting locations are near Tyee Marina for Wednesday Night races and Three Hour Tour, or near either Browns Point Lighthouse for the Point and Harbor Series. Check individual event race instructions.

8.4. If a fleet is in their starting sequence, boats in other fleets shall keep 200-feet clear of the starting line. Boats will not interfere or "run the starting line" while another class is in their 5-minute starting sequence.

8.5. No boat participating in a race shall use their engine for propulsion after the 4 Minute Prep signal for their class has been made.

8.6. All boats must start no later than (5) minutes after their start signal. Those not starting within this time may be scored DNS.

8.7. When boats are finishing after dark, the race committee may display a yellow light on the committee boat. Participants are reminded to shine a light on their sail numbers for easier determination by the race committee

8.8. Individual classes may be abandoned or shortened by displaying their class flags and the appropriate race signal flag.

8.9. Once a yacht has finished, they are to move away from the finish line as quickly as possible so as to not impede or affect other yachts finishing. Do not re-cross onto the course side of the finish line after finishing. Boats who fail to follow this instruction will be notified upon their first offense. Additional occurrences shall result in disqualification.

8.9. Finish Line locations shall be as noted in the specific event Sailing Instructions or adjusted via VHF 68 as announced.

Part 9 – Recalls

9.1. Individual recalls: The Race Committee may attempt to hail by name(s) and or sail number(s) of those PHRF Class Boats recalled. Failure to do so, the timing of the hails, the order of the hails, the failure to hear the hails, or any other issue associated with the hails, will not constitute grounds for redress. This changes RRS 61.1(a)

9.2. Windseekers Classes: If a yacht is found to be On Course Side (OCS – "Over Early"), that yacht or yachts will be considered racing and (2) two points will be added to their finishing place in that race OR have the option to restart without an OCS penalty. This changes RRS 29.1. In addition, there will be no grounds for redress in these instances, which changes RRS 61.1(a).

Part 10 – Class Breaks and Handicapping of Events

10.1. Classes will be determined and posted at the earliest convenience for a race or series. In some cases, due to late entries, such class breaks may be provided after a race.

10.2. Classes are at the discretion of the Race Committee. For Windseekers, race committee may make fair adjustments based on boat racing consistency and historical racing data.

10.3. For PHRF Boats, classes may be announced by the Race Committee prior to the start of the first race in a series or event if there are multiple starts based on rating (PHRF Fast and PHRF Half-Fast Class).

Part 11 – Courses

11.1. Race courses will be announced over VHF 68 prior to the first warning of each race. Race committee will attempt to make these announcements 30 and 15 minutes prior to the first warning. At the option of the Race Committee courses may be placed on a reader board attached to the race committee boat. Each letter placard shall represent a mark of the course. Those marks shall be noted herein on the location charts and given a letter corresponding with each mark.

11.1.1. “S” shall represent the start line. If the “S” is Green, the start pin shall be left to starboard, if red, then the start pin shall be left to port

11.1.2. “F” shall represent the finish line. If the “F” is Green, the finish pin shall be left to starboard, if red, then the finish pin shall be left to port

11.1.3. For other marks of the course, a RED letter represents a mark to be taken to PORT. A GREEN letter represents a mark to be taken to STARBOARD

11.1.4. If a course has a number after the course, that shall represent a multiple lap course. EXAMPLE: Course designated as “SABF2” shall be sailed as crossing the start line, rounding mark A, proceeding to and rounding mark B, then sail through the start finish line and commence a second lap of the same course

11.1.5. Letters shall correspond to marks located on the course maps provide within these race instructions

11.1.6. Mark “K” special notice – Mark “K” shall be a temporary mark located outside of the Foss Waterway unless the race, by specific race notice is to end at the Foss Waterway. For those races which are noted to end at the Foss Waterway, the finish line will be designated on the course board as “K” however, the finish line will be between the permanent piling dolphin at the north side of the entry and the orange flag on the committee boat tied to the dock at the south side of the waterway entry.

11.2. The Start and Finish lines shall be restricted except for starting and finishing.

11.3. In the event of multiple lap courses, each boat must cross the start/finish line at the completion of each individual lap

Part 12 – Commercial Traffic

12.1. Puget Sound Vessel Traffic Service (VTS): the skipper of each yacht must be familiar with the regulations of the Coast Guard Vessel Traffic System for Puget Sound and yield to commercial traffic when required. Monitoring VHF Channel 14 (Seattle Traffic) is advised and highly recommended

12.2. Yachts must not sail across a towline, too close ahead or too close alongside a commercial vessel. Deep water vessels have limited ability to change course and speed. Barges under tow can yaw unexpectedly well out to the side at speeds essentially the same as they are being towed. Yachts should follow all current COLREGS with regard to stand-off distance.

12.3. International and Inland Rules to Prevent Collisions at Sea (COLREGS)

12.3.1. COLREGS Rule 10 requires that no power driven vessel under 20 meters (66 feet) in length, and no sailing vessel (of any size) may impede the safe passage of a power driven vessel following a Vessel Traffic System Lane

12.3.2. COLREGS. Rule 9 requires that no power driven vessel under 20 meters (66 feet) in length, and no sailing vessel (of any size) may impede the safe passage of any vessel, which can navigate only within a narrow channel of fairway. Commencement Bay, Dalco Passage, Colvos Passage, East Passage, and Puget Sound are to be considered a "Narrow Channel" for most large commercial traffic. To "impede" means a cause to alter speed or course or to take evasive action.

12.3.3. If a competitor witnesses any yacht violating COLREG Rule 9 or 10, the competitor may file a protest on the occurrence to the Race Committee, with disqualification being determined through the Protest or Arbitration process.

12.3.4. If the Race Committee witnesses any yacht violating COLREG Rule 9 or 10, the Race Committee may disqualify the racing yacht at their discretion.

12.4. Any boat participating in any CYCT race that is equipped with AIS shall race with the AIS system on.

Part 13 – Protest and Arbitration

13.1. Filing A Protest:

13.1.1. A protest shall be filed with the Race Committed in written form describing the parties involved on the form provided on the website (cyct.com), the rules violated, a narrative describing the incident, description of any damage that occurred as a result of the foul, comment on how the Race Committee was informed of the protest (Verbal or radio contact), and a graphical representation of the incident.

13.1.2. A yacht must notify the race committee of its intent to protest immediately after finishing a race. This can be done by either a) hailing the race committee or b) by contacting the race committee on VHF channel 68. In all cases the hail MUST be acknowledged by the Race Committee.

13.2. Arbitration: An arbitration meeting will be scheduled for each protest involving a rule of Part 2 of the RRS unless the arbitrator deems the protest inappropriate for arbitration. One representative of each party, who was aboard at the time of the incident, will meet with the arbitration. No witnesses will be permitted. After taking testimony from each representative, the arbitration will render his or her ruling

13.2.1. Upon agreement with both parties, arbitration may be done by submitting written descriptions of the incident by both parties for review by the arbitrator. In this event, after initial review of both statements, each party will be asked to respond to the arbitrator's questions, if there are any. After these responses, the arbitrator will render his or her ruling.

13.2.2. A protested yacht may elect to acknowledge breaking of a rule and to accept the appropriate penalty. In such case, notify the Protest Committee Chairman of that effect and the hearing may be waived. In this case, if the penalty is accepted, the matter is closed and cannot be resubmitted to a hearing be reopened, appealed, or submitted for redress.

13.2.3. If the arbitrator decides that a protest hearing is required, the protest committee will schedule a protest hearing.

13.2.4. The arbitrator may allow a protest to be withdrawn without the approval of the protest committee. This change RRS 63.2

Part 14 – SCORING, RACE RESULTS, AND AWARDS

14.1. The Low Point Scoring System or the RRS Appendix A will apply.

14.1.1 Boats that do not finish (DNF) will be scored with the number of finishers for that race plus 1.

14.1.2 Boats that do not start (DNS) will be scored with the number of starters for that race plus 1.

14.1.3 Boats that start a race and subsequently retire (RET) at any point will be scored the number of finishers for that race plus 1.

14.1.4 Boats that start but do not sail the course (NSC) will be scored the number of starters of that race plus 1. This changes RRS Appendix A5.2

14.1.5 Boats that are Disqualified (DSQ) will be scored with the number of starters for that race plus 2. This changes RRS Appendix A5.2

14.2. In addition to the scoring above and specific to the Windseekers class, Windseekers Class boats that are over early shall be scored their class finish position +2 places or have the option to restart. Windseekers Class boats that do not finish within the time limit but remain on the course at end of the time limit shall receive a score of "Horned on Course" (HOC) with a number. The number shall designate the boats position in relationship to the finish line. Example, a boat receiving a score of HOC-1 shall be the first boat encountered when the Race Committee motors back in a straight line towards the previous mark. The second boat shall be scored HOC-2, and so on. This changes RRS Appendix A4

14.3. PHRF Corrected time will be calculated using the Time-on-time method for all races

14.4. A boat's series score is the sum of her race scores. However, if the series is 5 or more started races, one score will be excluded. This changes RRS Appendix A2, A4, and A9

14.5. If two or more boats are tied in a series, the boat with the highest finishing place in the last race of the series will be scored the series winner. This change s RRS Appendix A8.1, A8.2


14.6. One completed race in a series shall constitute a series

14.7. Results will be posted on CYCT's website as soon as possible after each race

14.8. Awards will be presented as per the specific event Sailing Instructions

14.9. An Overall Season Trophy will be awarded to an individual CYCT Member in PHRF and Windseekers Divisions as described in this race book.


Annex A – CYCT Racing Marks
Appendix A: Temporary/Permanent Mark Locations



CYCT Mark Locations

A- TTPYC Mark "A" - White Column
B - Blair Waterway - Yellow Perm. Can
C - Chinese Reconciliation Park (Pagoda) - Temp.
D - Dash Point - Temp.
E - Poverty Bay - Temp.
F - Foss Waterway
I - TTPYC Mark "I" - White Column
J - TTPYC Mark "J" - White Column
L - Lighthouse at Brown's Pt. - Temp.
M- Madronas - Temp.
N - Neill Pt. - Temp.
O- Outfall Buoy - Yellow Perm. Mark
P - Piner Pt - Temp.
Q - Quartermaster Harbor - Temp.
R- Arrrrmy Dock - Temp.
T - TYC White Buoy - Perm. Mark
U - Maury Island - Temp.
Z - Manzzzzzanita - Red Perm. Can

Appendix B: Vashon Challenge



1. Ollala - Take Time #1 when Marker is at a compass bearing of 270
2. North End - Take Time #2 when virtual mark is at a compass bearing of 180
3. Pt. Robinson - Take Time #3 when marker is at a compass bearing of 270

Annex C – Safety Equipment Requirements – Nearshore +

Safety Equipment Requirements (SER)		
Note: US Sailing Safety Equipment Requirements (SER) Nearshore+ Category as Amended by the CYCT General Sailing Instructions 2026		
1	**Overall**	
1.0.2 Definition	**Nearshore: Races primarily sailed during the day, close to shore, in relatively protected waters.**	**Nearshore/CYCT Required**
1.1	The Safety Equipment Requirements establish uniform minimum equipment and training standards for a variety of boats racing in differing conditions. These regulations do not replace, but rather supplement, the requirements of applicable local or national authority for boating, the Racing Rules of Sailing, the rules of Class Associations and any applicable rating rules.	Required
1.2 Responsibility	The safety of a boat and her crew is the sole and inescapable responsibility of the "person in charge", as per RRS 46, who shall ensure that the boat is seaworthy and manned by an experienced crew with sufficient ability and experience to face bad weather. S/he shall be satisfied as to the soundness of hull, spars, rigging, sails and all gear. S/he shall ensure that all safety equipment is at all times properly maintained and safely stowed and that the crew knows where it is kept and how it is to be used.	Required
1.2.1 Responsibility, Investigations	Should there be an incident during a race the Organizing Authority or US Sailing may conduct an investigation to determine the facts of the incident and provide recommendations. By participating in a race conducted under the SER, the person in charge, each competitor and boat owner agrees to reasonably cooperate with the organizing authority and US Sailing in the development of an independent incident report.	Required
1.3 Inspections	A boat may be inspected at any time by an equipment inspector or measurer appointed for the event. If she does not comply with these regulations, her entry may be rejected or she will be subject to a protest filed by the RC. A Violation of the Safety Equipment Requirements may result in a penalty other than disqualification.	Required
1.4 Equipment and Knowledge	All equipment required shall function properly, be regularly checked, cleaned and serviced, and be of a type, size and capacity suitable for the intended use and size of the boat and the size of the crew. This equipment shall be readily accessible while underway and, when not in use, stored in such a way that deterioration is minimized.	Required
1.5 Secure Storage	A boat's heavy items such as batteries, stoves, toolboxes, anchors, chain and internal ballast shall be secured.	Required
1.6 Strength of Build	A boat shall be strongly built, watertight and, particularly with regard to hulls, decks and cabin trunks, capable of withstanding solid water and knockdowns. A boat shall be properly rigged and ballasted, be fully seaworthy and shall meet the standards set forth herein. A boat's shrouds and at least one forestay shall remain attached at all times.	CYCT Required

1.7 Watertight Integrity	A boat's hull, including, deck, coach roof, windows, hatches and all other parts, shall form an integral watertight unit, and any openings in it shall be capable of being immediately secured to maintain this integrity.	CYCT Required
2	**Hull and Structure**	
2.1.1 Hull Openings	A boat's companionway(s) shall be capable of being blocked off to main deck level (sheerline). The method of blocking should be solid, watertight, and rigidly secured, if not permanent.	CYCT Required
2.1.3 Cockpit	A boat's entire cockpit shall be solid, watertight, strongly fastened and/or sealed. Weather-tight seat hatches are acceptable only if capable of being secured when closed.	CYCT Required
2.1.4 Cockpit Drains	A boat's cockpit drains shall be capable of draining six inches of water in 5 minutes. One square inch (645mm2) of effective drain per eight square feet (0.743m2) of cockpit sole will meet this requirement.	CYCT Required

2.1.5.2 Cockpit Volume	A boat's maximum cockpit volume for cockpits not open to the sea, including any compartments capable of flooding, to lowest points of coaming over which water can adequately escape, shall not exceed 0.08 x LOA x Max. Beam x Freeboard aft. The cockpit sole shall be at least 0.02 x LOA above LWL.	CYCT Required
2.1.6 Through Hulls	A boat's through-hull openings below the waterline shall be equipped with sea cocks or valves, except for integral deck scuppers, speed transducers, depth finder transducers and the like; however a means of closing such openings shall be provided.	CYCT Required
2.2.2 Stability	The boat must have a stability index greater than or equal to 103 or meet the requirements of ISO 12217-2B.	
2.2.3 Stability	A boat with moveable or variable ballast (water or canting keel) shall comply with the requirements of Appendix K.	Required
2.4.1 Lifelines	A boat's deck including the headstay shall be surrounded by a suitably strong enclosure, typically consisting of lifelines and pulpits, meeting the requirements in 2.4.2 to 2.4.8.	
2.4.2 Lifeline Stanchions	A boat's stanchion and pulpit bases shall be within the working deck. **Stanchions used with high molecular weight polyethylene (HMPE) lifelines shall have rounded openings to reduce chafe**	CYCT Required
2.4.3 Bow Pulpit	Bow pulpits may be open, but the opening between the vertical portion of stanchion pulpit and any part of the boat shall not exceed 14.2" (360mm).	CYCT Required
2.4.4 Lifelines	Lifelines shall be uncoated stainless steel wire **OR high molecular weight polyethylene (HMPE) line with spliced terminations or terminals specifically intended for the material and purpose (see Appendix Lifelines for requirements)**. A multi-part-lashing segment not to exceed 4" per end termination for the purpose of attaching lifelines to pulpits is allowed. Lifelines shall be taut.	CYCT Required
2.4.4.1 Lifeline Deflection	Lifeline deflection shall not exceed the following: a) When a deflecting force of 9 lbs (40N) is applied to a lifeline midway between supports of an upper or single lifeline, the lifeline shall not deflect more than 2” (50mm). This measurement shall be taken at the widest span between supports that are aft of the mast. b) When a deflecting force of 9 lbs (40N) is applied midway between supports of an intermediate lifeline of all spans that are aft of the mast, deflection shall not exceed 5” (120mm) from a straight line between the stanchions.	

2.4.5 Lifeline Stanchion Spacing	The maximum spacing between lifeline supports (e.g. stanchions and pulpits) shall be 87" (2.2m).	CYCT Required
2.4.6 Lifelines	Boats under 30' (9.14m) shall have at least one lifeline with 18" (457mm) minimum height above deck, and a maximum vertical gap of 18" (457mm). Taller heights will require a second lifeline. The minimum diameter shall be 1/8" (3mm).	CYCT Required
2.4.7 Lifelines	Boats 30' and over (9.14m) shall have at least two lifelines with 24" (762mm) minimum height above deck, and a maximum vertical gap of 15" (381mm). The minimum diameter will be 5/32" (4mm) for boats to 43' (13.1m) and 3/16" (5mm) for boats over 43' (13.1m).	CYCT Required
2.4.8 Toe Rails	Toe rails shall be fitted around the foredeck from the base of the mast with a minimum height of 3/4" (18mm) for boats under 30' (9.14m) and 1" (25mm) for boats over 30'. An additional installed lifeline that is 1-2" (25-51mm) above the deck will satisfy this requirement for boats without toerails.	CYCT Required
2.5.3 Dewatering pumps	A boat shall have a manual bilge pump of at least a 10 GPM (37.8 liter per minute) capacity	CYCT Required
2.7.2 Mechanical Propulsion	A boat shall have a mechanical propulsion system that is quickly available and capable of driving the boat at a minimum speed in knots equivalent to the square root of LWL in feet (1.8 times the square root of the waterline in meters) for 4 hours.	CYCT Required
2.7.3 Mechanical Propulsion Installation	The boat's engine and generator installation (if so equipped) must conform to ABYC, ISO, or U.S. Coast Guard standards.	CYCT Required

2.12 Keel and Rudder Inspection	At a haul-out within 4 years prior to the event, the owner or his/her representative shall inspect the integrity of the keel and rudder following the recommendations in Appendix L. - Model Keel and Rudder Inspection Procedure. It is the responsibility of the Owner to undertake any repairs. The Organizing Authority may require a more recent inspection.	
2.13 Keel and Rudder Inspection	Inspection after Grounding – an appropriately qualified person shall conduct an internal and external inspection after each unintentional grounding.	
3	**Safety Equipment**	
3.1.1 Lifejackets	Each crewmember shall have a life jacket that provides at least 33.7lbs (150N) of buoyancy, intended to be worn over the shoulders (no belt pack), meeting either U.S. Coast Guard or ISO specifications. Alternatively, each crewmember shall have an inherently buoyant off-shore life jacket that provides at least 22lbs (100N) of buoyancy meeting either U.S. Coast Guard or ISO specifications.	CYCT Required
3.1.2 Lifejacket Features	Life jackets shall be equipped with crotch or leg straps, a whistle, a waterproof light, be fitted with marine-grade retro-reflective material, and be clearly marked with the boat's or wearer's name, and be compatible with the wearer's safety harness. If the life jacket is inflatable, it shall be regularly checked for air retention.	

3.1.4 Harness	Each crewmember shall have a safety harness and compatible safety tether not more than 6'7" (2m) long with a minimum tensile strength of 4500 lb. (20kN). The tether shall have a snap hook at its far end and a means to quickly disconnect the tether at the chest end.	
3.2.1 Jacklines	A boat shall carry jacklines with a breaking strength of at least 4500 lb. (20kN) which allow the crew to reach all points on deck, connected to similarly strong attachment points, in place while racing.	
3.3.1 Navigation Lights	A boat racing between sunset and sunrise shall carry navigation lights that meet U. S. Coast Guard or applicable government requirements mounted so that they will not be obscured by the sails nor be located below deck level.	CYCT Required
3.4 Fire Extinguishers	A boat shall carry fire extinguisher(s) that meets U.S. Coast Guard or applicable government requirements, when applicable.	CYCT Required
3.5 Sound Producing Equipment	A boat shall carry sound-making devices that meets U.S. Coast Guard or applicable government requirements, when applicable.	CYCT Required
3.6.4 Hand Flares	~~A boat shall carry three SOLAS red hand flares not older than the expiration date.~~ **A boat shall carry Coast Guard/National Safety Authority of the OA approved flares meeting day-night requirements, not older than the expiration date**	CYCT Required
3.6.5 Raft Flares	Boat flares stored inside of life rafts may not be used to satisfy the flare requirement.	
3.7.1 Crew Overboard Sling	A boat shall carry a Lifesling or equivalent man overboard rescue device equipped with a ~~self igniting~~ light stored on deck and ready for immediate use.	CYCT Required
3.7.2 Crew Overboard Equipment	A boat shall have a man overboard pole and flag, with a lifebuoy, a self-igniting light, a whistle, and a drogue attached. A self-inflating Man Overboard Module, Dan Buoy or similar device will satisfy this requirement. Self-inflating apparatus shall be tested and serviced in accordance with the manufacturer's specifications. These items shall be stored on deck, ready for immediate use, and affixed in a manner that allows for a "quick release".	
3.7.3 Throw Line	A boat shall have a throwing sock-type heaving line of 50' (15m) or greater of floating polypropylene line readily accessible to the cockpit.	CYCT Required
3.7.4 Throwable Device	A boat shall carry a Coast Guard or applicable government approved "throwable device". If the device carried under 3.7.1 or 3.7.2 satisfies this requirement, then no additional device is needed.	
3.8.1 Fixed Mount VHF	A boat shall have a permanently installed 25-watt VHF radio connected to a masthead antenna by a co-axial feeder cable with no more than a 40% power loss. Such radio shall have DSC capability, have an antenna of at least 15" (381mm) in length, be connected to or have an internal GPS, and have the assigned MMSI number (unique to the boat) programed into the VHF.	
3.8.2 Handheld VHF	A boat shall have a watertight handheld VHF radio or a handheld VHF radio with waterproof cover. ~~This radio shall have DSC/GPS capability with an MMSI number properly registered to the vessel.~~	CYCT Required

3.9 AIS	All boats shall have an AIS Transponder, sharing a masthead VHF antenna via a low loss AIS antenna splitter. An acceptable alternative is a dedicated AIS antenna that is a minimum of 0.9 meters long, mounted with its base at least 3 meters above the water, and fed with coax that has a maximum 40% power loss.	
3.14 GPS	A boat shall carry a GPS receiver.	
3.15 Crew Overboard Button	A boat shall carry an electronic means to record the position of a man overboard within ten seconds. This may be the same instrument listed in 3.14. For boats with only two crewmembers, this device shall be accessible without having to go below deck.	
3.16.2 EPIRB / PLB	A boat shall carry either a 406MHz EPIRB which is properly registered to the boat, or a floating 406MHz Personal Locator Beacon, registered to the owner with a notation in the registration that it is aboard the boat. This device shall be equipped with an internal GPS. Units registered after 2026 ~~After January 1, 2028 this device~~ shall be equipped with AIS transmit capability.	
3.18 Depth Sounder	A boat shall have a permanently installed depth sounder that can measure to depths of at least 200 ft. (61m).	
3.19.1 Compass	A boat shall have a permanently mounted magnetic compass independent of the boat's electrical system suitable for steering at sea.	CYCT Required
3.20 Charts	A boat shall have non-electronic charts that are appropriate for the race area.	CYCT Required
3.22 Plugs	A boat shall carry soft plugs of an appropriate material, tapered and of the appropriate size, attached or stowed adjacent to every through-hull opening.	CYCT Required
3.23 Anchor	A boat shall carry one anchor, meeting the anchor manufacturer's recommendations based on the yacht's size, with a suitable combination of chain and line.	CYCT Required
3.24.1 Searchlight	A boat shall carry a watertight, high-powered searchlight, suitable for searching for a person overboard at night or for collision avoidance.	
3.24.3 Flashlights	A boat shall carry at least two watertight flashlights with spare batteries ~~in addition to the requirement of 3.24.1.~~	CYCT Required
3.25 Medical Kits	A boat shall carry a first aid kit and first aid manual suitable for the likely conditions of the passage and the number of crew aboard.	CYCT Required
3.26 Radar Reflectors	A boat shall carry an 11.5" (292mm) diameter or greater octahedral radar reflector or one of equivalent performance. **A radar reflector shall be displayed at all times at least 13 feet (4 meters) above the water line.**	CYCT Required
3.27.1 Buckets	A boat shall carry two **(2)** sturdy buckets of at least two gallons (8 liters) capacity with lanyards attached.	CYCT Required
3.28 Safety Diagram	A boat shall post a durable, waterproof diagram or chart locating the principal items of safety equipment and through hulls in the main accommodation area where it can be easily seen.	
3.29.2 Emergency Tiller	Wheel steered boats shall have an emergency tiller, capable of being fitted to the rudder stock.	CYCT Required
3.31 Identification	All lifesaving equipment shall bear retro-reflective material and be marked with the yacht's or wearer's name. The exception would be for new equipment or rented equipment (e.g. life rafts) that would require the unpacking of sealed equipment in order to meet this requirement. The boat name shall be added during the first servicing of any new equipment.	
3.33.1 Mainsail Reefing	A boat shall have a mainsail reefing capable of reducing the luff length by **at least 10%.**	CYCT Required

3.35 Halyards	A boat shall not be rigged with any halyard that requires a person to go aloft in order to lower a sail.	CYCT Required
3.36 Boom Support	A boat over 30' LOA (9.14m) shall have a means to prevent the boom from dropping if support from the mainsail or halyard fails.	

4	**Skills**	
4.1.2 Emergency Steering	Crews must be aware of methods of steering the yacht with the rudder disabled.	
4.2 Man Overboard Practice	Annually, two-thirds of the boat's racing crew shall practice man-overboard procedures appropriate for the boat's size and speed. The practice shall consist of marking and returning to a position on the water, and demonstrating a method of hoisting a crew-member back on deck, or other consistent means of reboarding the crewmember.	CYCT Required
4.3.2 Safety at Sea Training	At least 30% of those aboard the boat, but not fewer than two members of the crew, unless racing single-handed, including the person in charge, shall have a valid Coastal, Offshore, or International Offshore Certificate from US Sailing, or the equivalent from another national authority.	
4.4 Crew Training	As required in 1.2 above the person in charge shall ensure that all crew members know where all emergency equipment is located and how to operate the equipment. In addition, the person in charge and crew should discuss how to handle various emergency situations including Crew Overboard, Grounding, Loss of steering, Flooding, Fire, Dismasting, and Abandon Ship.	
4.6 Crew Training	Lifejackets as described in 3.1.1 – 3.1.3 should be worn by all crew on deck in any conditions where recovery may be difficult. It is recommended that lifejackets be worn by all crew on deck unless the person in charge has indicated that they may be set aside.	

Additional CYCT requirements:

3.30 Spare Parts – A boat shall carry tools and spare parts, including an effective means to quickly disconnect or sever the standing rigging from the hull.

3.32 Cockpit Knife – A boat shall carry a strong, sharp knife, sheathed and securely restrained which is readily accessible from the deck and/or cockpit.