PROJECT PROFILE

Product Name - Children Shoes

Product Code -

Quality & Standards - as per customer specification

Year of Preparation - 2010-11

Prepared by - Leather Division

MICRO SMALL & MEDIUM ENTERPRISE DEVELOPMENT INSTITUTE Ministry of MSME, Govt. Of India

34, Industrial Estate, Nunhai AGRA – 282006 Ph – 0562- 2280879

Email: dcdi-agra@dcmsme.gov.in

A PROJECT PROFILE ON CHILDREDN SHOE

(A) Introduction: -

Children shoes are used for protecting the children foot from injuries fro stons,nails,broken glass pieces fallen on the road, infection from the dust,dirt,mud,water and to feel comfort during different climatic conditions. Children shoes in particular, are very important in order to save the foot not only from above incidents but also from the deformation of foot in the childhood because of their softness and growing tendency. Now a days, the children shoes are very common part of school uniforms introduced by many governments as well as public school s and these are mainly of a specific style i.e. Derby with black colour. The shoes worn by the children are multifunctional such to serve the purpose of uniform as well as for feeling comfort during sitting, walking, playing and so to say for every casual and rough uses. Therefore these type of shoes need to be well designed in order to have enough space inside the shoe, flexible, light weight, descent look in addition to correct fitting. In this project, it has been proposed to manufacture both children school shoes and children fancy shoes. Although these products are available with different materials like coated fabrics, textile, and a combination of variety of materials, yet leather shoes are having popularity due to comfort, durability, aesthetic look and up-manship. The children school shoes are suggested to be made black colored Derby style with PVC soles and fancy Leather shoes are suggested to be made with different styles such as boots, trainers and other descent look models by using single or multi colored leather components with PVC air maxed sole.

(B) Market Potential:-

The demand of the Children shoes is increasing day to day in tune with the growth of population, their economic standards, education system and fashion consciousness every where in the country. The increasing number of public schools Vis-a Vis number of school going children and foot care awareness along with the fashion orientation increases the demand of such products every day.

Thus it is felt that there is an ample requirement of children shoes in every locality. Moreover, the export worthiness of such products from our country is bright, seeing the present trend. Shoe units aiming to manufacture children shoe of different types, can, therefore, sustain viably by catering to the increasing needs.

(c) Basis & Presumption:-

The project profile has been prepared based on the following assumptions:-

Working Capital : Single shift of 8 hours a day For 300 working days in a year

2. **Capacity Utilization** : 60% during first year,70% during second year

80% during Third year

3. **Entrepreneur** : Preferably by one or group of promoters having

Knowledge/ experience in leather and footwear field and/ or venturing to start leather based

units.

4. **Location** : Any where in India, preferably near any

township.

5.	Land and Building	: On rent at the beginning.
6.	Important raw materials	: Chrome tanned cow softy upper leather, flexible insole and PVC/PVC air mixed sole.
7.	Salary and wages	: All the employees are paid on monthly basis.
8.	Power charges	: Rs.4.50/- per KWH from power supply source
9.	Depreciation	: 10% on Plant and machinery 20% on Tools, equipments and furniture & fixture
10.	Margin Money	: 25% of total capital investment
11.	Interest charges	: 15% has been calculated on total capital investment
12.	Fixed cost for BEP analysis	: 100% rent, Insurance, Interest and depreciation 40% of total salary and wages 40% of total utilities and other contingent expenses excluding rent and insurance.

(D). Implementation Schedule: -

The implementation of the project includes various jobs/ exercised such as procurement of technical know how transfer of technology market survey and tie ups preparation of project report selection of sitter, registration financing of project procurement of machinery and raw materials etc. recruitment of staff creation/commissioning of machines trial production and commercial production etc. In order to efficiently and successfully implement the project in the shortest period the slack period is curtailed to minimum possible and as far as possible simultaneous exercises are carried out. In view of above a minimum period of 07 months (210 days) is involved in finally starting the project on commercial basis. The detail of implementation schedule as follows:

Sl. No 01.	Activity Site selection, negotiation with land-lord, market survey, Preparation of project report and other formalities	Period 02 months
02.	Seeking quotation of machines, purchase and installation of machines, power connection	02 months
03.	Purchase of raw materials, Trail production, arranging Working capital, Staff requirement & market tie-up	02 months
	Total period required for commencing commercial production	06 months

Technical Aspects:

(i) PROCESS OF MANUFACTUFRE:-

- In this project, the children shoes are proposed to be manufactured in two different types i.e.:
- (i) Children school shoes and (ii) Children fancy shoes. The former is Derby type and isnormally made from black colored chrome tanned cow softy upper leather and the later is of fancy type with single or brilliant multi colour. Both types are made in different sizes and fittings.
- (ii) The manufacturing process out line as follows:

Designing and Pattern Cutting:

As per the selected designs, the patterns are prepared, checked for accuracy and then master patterns are developed. Then these patterns are graded into different sizes and dies are also prepared accordingly.

Clicking:

The upper, lining and sock components are cut from suitable materials by the help of dies with the clicking press or manually by the skilled workers. While clicking, it is essential to consider the importance of the components and the corresponding portion of leather, direction properties of components and that of leather portion, degree of defects and the best possible inter lock to have minimum wastage. The components are to be necessarily marked with sizes and sides are separately to avoid the confusion.

Closing:

The cut components are checked to sizes and defects, skived to the edges, folded and other edge treatments are done as per the specification. These are assembled together initially with adhesive and finally stiching. The eyelets are fixed, the upper is checked and then sent for next operation.

Bottom components preparation:

Bottom components such as the insole, toe - puff and stiffener are cut from suitable materials and skived as per specification. The PVC sole is cleaned with the solvent like Methyl - Ethyle- ketene (MEK) and the PVC sole is cleaned and applied with chemical primer (Halogen) and dried.

Construction and shoe making:

The toe –puff, stiffeners are inserted between upper and lining at the toe and back part, the insole is fixed on the last and the upper is mounted (Lasting) onto it by pulling the toe part, back part and the finally side portion. The edges art hammered for smooth feather edge. The bottom filling is done into the cavity formed due to lasting. The surface is then scoured and roughened to get leveled but rough surface is then cleaned with solvent like MEK and dried. Both the sole and lasted upper surface are then applied polyurethane adhesive and allowed to dry completely. The dried surfaces are then reactivated to grain adhesion properties and then the sole is fitted on the lasted upper accurately and pressed under Sole attaching machine for strong and permanent bond. In this condition the shoe is kept for few hours for a permanents shape.

Finishing:

The upper and sole is then cleaned and finished with the wax and other finishing chemicals. The shoe is then de-lasted, cleaned from inside, inserted with stamped sock lining, the laces are attached, inspected and packed for dispatch.

(VI) QUALITY CONTROL AND STADARD:

The quality of children shoe has to be maintained as per buyer's specification. However, the main criteria for quality control are selection of suitable materials (especially the leather with required thickness, shade, strength and softness) cutting components from suitable portions of leather, assembling regular stitching with suitable thread with specified stitch length and finishing, lasting, alignment, sole attachment, finishing and packing.

Production capacity:

i). Children school shoesii). Children fancy shoes30,000 pairs of Rs. 63, 00,000/-30,000 pairs of Rs. 72, 00,000/-

Motive power: 10 HP.

Pollution control:

Although shoe industry does not discharge any pollutants, the following precautions are to be considered for a better environment:

The adhesives prescribed are mainly solvent based and are inflammable and toxic in nature, it can cause problems, if inhaled, therefore, a solvent extraction system is required in adhesive application area. Further the dust developed during scouring and roughing or even during finishing are necessarily to be collected through an exhaustion system attached to the concerned machine for making the work place dust free.

Energy Conservation:

All machines are power driven and run individually, whenever required.

Financial Aspects:

A. Fixed capital:

(i) Land and building:-

Floor area of about 2000 sq. ft. to be taken on rent @ Rs.20, 000/- per month.

(ii) Plant and Machinery:-

Sl.No.	Description	Ind/Imp	Qty.	Price	TotalValue
				(Rs.)	(Rs)
1.	Swing arm hydraulic clicking press	Imp	1	2, 00,000	2, 00,000
2.	Stamping machine	Ind	1	40,000	40,000
3.	upper skiving machine	do	1	35,000	35,000
4.	Flat bed single needle sewing machine	do	3	12,000	36,000
5.	Post bed single needle sewing machine	e do	2	45,000	90,000
6.	Roughing and Scouring machine	do	2	35,000	70,000
7.	Reactivation chamber	do	1	10,000	10,000
8.	Pneumatic sole attachment machine	do	1	1, 50,000	1, 50,000
9.	Combined finishing machine	do	1	35,000	35,000
10.	Spray booth and spray gun	do	1	15,000	15,000
11.	Air compressor & distribution system	do	1	20,000	20,000
12.	Electrification and erection of machine	e @ 10%	on machiner	y cost 66,000	66,000

Total Rs. 7, 67,000

(ii) Tools and equipments and other fixed assets:

Sl.No.	Description	Ind/Imp.	Qty.	Price (Rs.)	Total Value (R.s)
1.	Shoe designer tool kit	Ind	1 set	3,000	3,000
2.	Shoe making tool kits	Ind	10 sets	2,000	20,000
3.	Machine maintenenance &				
	Electricians tool kit	Ind	1 set	2,000	2,000
4.	Clicking dies-1 set each	do	12 sets	7,500	90,000
5.	PVC last	do	200 pairs	600	1, 20,000
6.	Clicking pads, Spray gun & other	equip. Do			20,000
7.	Testing equipments, thickness gau	ge,			
	Measuring scale etc.	do			20,000
8.	Workshop tables racks etc.	do			50,000
9.	Other furniture and equipments	do			50,000
10.	Computer, printer, Laptop etc.	do			1,00,000
11.	Generator (10 kva)	do			1, 20,000
				Total Rs.	5, 95,000

(iv) Total plant and Machinery, tools and Equipments, Furniture and other fixed assets (ii + iii)

Rs. 13, 62,000

(v) Pre operative expenses:

Sl.No.	Description	Total Value(Rs)
1.	Preparation of project report and consultancy	30,000
2.	Administrative expenses	10,000
3.	Travelling, market development and tie-up	20,000
4.	Other formalities and expenses prior to production	10,000
		Total Rs. 70,000
Total fixed	capital requirement (iv + v)	Rs. 14, 32,000

B) Working capital (per month)

(i) Raw Material including packing materials (per month):-

S.No.	Name of the materials	Qty	Rate (Rs)	Value (Rs.)
1.	Chrome tanned cow softy upper leather	3750 sq.ft.	55	2, 06,250
	Black colour (1.2mm)			
2.	Chrome tanned cow softy upper leather	3750 sq.ft.	55	2, 06,250
	fancy colour (1.2mm)			
3.	Lining materials (synthetic)	280 meters	50	14,000

4.	Drill cloth for lining	200 meters	40	8,000
5.	Insole, Toe – puff & Stiffener	5,000 pairs	12	60,000
6.	PVC soles	2,500 pairs	20	50,000
7.	PVC sole (Air mixed)	2,500 pairs	35	87,500
8.	Adhesive/Rubber solution/Latex			4,500
9.	Grainadies (Adhesive, Eyelets, lace etc.)	5000 pairs	15	75,000
10.	Packing materials	5000 pairs	10	50,000
			Total Rs	7 61 500

$\ (ii) \ Salary \ and \ wages \ (per \ month)$

A. Personal for workshop

S.No.	Description	No.	Salary	Total Value (Rs.)
A. Po	ersonal for workshop			
1.	Production Manager (Tech.)	1	12,000	12,000
2.	Designer	1	8,000	8,000
3.	Supervisors (Tech.)	1	6,000	6,000
4.	Skilled workers/machine operators	8	4,500	36,000
5.	Semi Skilled worker	6	3,500	21,000
6.	Unskilled workers	4	3,000	12,000
7.	Electrician and mechanic	1	4,000	4,000
			To	tal Rs. 99,000
B. Pe	ersonal for administration			
1.	Accountant cum Cashier	1	5,000	5,000
2.	Store Keeper	1	4,000	4,000
3.	Watchmen	2	2,500	5,000
4.	Sweeper	1	2,500	2,500
			To	tal Rs. 16,500
Total	salary and wages per month (i + ii)			1, 15,500
Add 2	20% perquisites			23,100
			Total Rs. Say Rs.	1, 38,600 1, 38,500
(iii)	UTILITIES (per month)		say Ns.	1, 30,300
1.	Power			5,000
2.	Fuel & water			2,000
			Total Rs:	7,000

(iv) Other Contingent Expenses (per month)

1. 2. 3. 4. 5. 6. 7. 8.	Rent Repair and Maintenance Other Consumables store Insurance Postage and Telephones expenses Stationery & Printing Traveling expenses Other miscellaneous expenses		20,000 2,000 1,000 2,000 2,000 1,000 3,000 2,000
	7	Гotal Rs.	33,000
(v) (vi)	Total Recurring Expenses (per month) (i + ii + iii + IV) = Total working capital require for 3 months = 3 X 9, 40,000	9, 40,00 0 =	Rs 28, 20,000
5. Tot	tal Capital Investment:- Fixed capital: Working capital for 3 months:	Total Rs.	14, 32,000 28, 20,000 42, 52,000
	ncial Aspects: ost of Production (per annum):-		
. 60	 (a) Rent (b) Total Recurring expenditure © Depreciation on Machinery @ 10% (d) Depreciation on tools & equipments@20% (e) Depreciation on office and Furniture etc. @ 20 (f) Insurance (g) Interest on Total Capital Investment @ 15% 		2,40,000 1, 12, 80,000 66,000 89,000 30,000 2,000 6, 37,500
	(d) Total Sales (per annum):- 1.Childred Dress shoes 30,000 pairs @ Rs.210/- 2. Children fancy shoes 30,000 pairs @ Rs.240/-		1, 23, 44,500 1, 23, 45,000 63,00,000 72, 00,000
	,	Total sale	

Sales - Cost of Production

1, 35, 00,000 - 1, 23, 45,000

Rs. 11, 55,000

% of Profit on sale =

<u>Profit x 100</u> Sales per Annum

 $\frac{11,55,000 \times 100}{1,35,00,000} = \mathbf{08.56\%}$

% of Return on capital Investment:

= Profit x 100
Total investment

 $= \frac{11,55,000 \times 100}{42,52,000} = 27.16\%$

(VI). BREAK EVEN POINT: -

(1) Fixed Cost (per annum)

(a)	40 % of Salaries		6,64,800
(b)	40% of other expenses		1, 58,400
(c)	40 % of Utilities		33,600
(d)	10 % of Deprecation on Machinery		66,000
(e)	Depreciation on tools & equipments@20%		89,000
(f)	Depreciation on office furniture @ 20%		30,000
(g)	Rent		2, 40,000
(h)	Insurance		24,000
(i)	Interest on Total Capital Investment @15%		6,37,500
		Total Rs	19 43 300

Total Rs. 19, 43,300

Break Even Point:

Fixed cost x 100 =
$$\frac{19, 43,300 \times 100}{19, 43,300 \times 100}$$
 Fixed cost x profit 19, 43,300 + 11, 55,000

LIST OF MACHINERYAND RAW MATERIAL SUPPLIERS

- 1. NSIC Technical Service Centre Sector B-24, Guindi Indl. Estate, Ekkaduthangal, Chennai-32
- M/s Atlanta Trading (P) Ltd., Atur House, Worli Naka, Mumbai – 18
- 3. M/s Twin Star Engineering, No.98, Pammal Main road, Pammal, Chennai – 75
- 4. M/s S.T.International 395, Village Artoni, Mathura Road, Agra – 282007
- 5. M/s S.P.Engineering works, Dayal Bag Road,New Agra-5
- 6. M/s raj Machine Home Opp.New Jyoti Building, 35/44, Karabala Road, Agra-5
- M/s Amjad Finishing Leather Co.
 Maddox Street, Choolai, Chennai-112
- 8. M/s Arkay Leather No.-3,Third Floor,Crown Court,34, Chathedral Road, Chennai-86
- 9. M/s Mow Chung tannery Pvt.ltd. 47,South Tangra road, Kolkatta-46
- M/s Enkay HWS India Ltd.
 B-3 S.M.A. Co-op Ind.estate,
 G.T.Karnal Road, Delhi-33
- 11. M/s Pidlite Industries Ltd. J.B.marg,Nariman Point, Mumbai
- M/s APL poly fab pvt.Ltd,
 48 C, Matheswar Tala Road,
 Kolkatat-46
- 13. M/s Coats India Ltd., 144, M.G.Marg, Bangalore-01
- M/s Asia International,
 1523, Qasimjam Street,
 Lal Kuan, New Delhi
