

SE/South Circle. Agt. No. 70/2021-2022 ✓

FILE No. DB/SC/212/2021 ✓

REPORT ACCOMPANYING SLIP FOR LUMP SUM AGREEMENT
(FOR OFFICE USE ONLY)

TAMILNADU POLICE HOUSING CORPORATION LTD.,
SOUTH CIRCLE, MADURAI – 625 014.

NAME OF PROJECT : Announcement made by the Hon'ble Chief Minister of Tamil Nadu during the Police demand held on 24.03.2020 ✓

NAME OF WORK : Construction of Deputy Superintendent of Police Camp office cum residence building with development works at COLACHEL in Kanniyakumari District. ✓

ESTIMATE AMOUNT : ₹. 96,36,000/- ✓

ESTIMATE No. : CER No.150/2020-2021 ✓

ESTIMATE AMOUNT PUT IN TENDER : ₹.85,40,849.07 (2020-2021) ✓
(Including the GST @12%) ✓

TENDER VALUE : ₹.74,24,302.37 (Including the GST @12%) ✓

LESS AMOUNT : (-) ₹. 11,16,546.70 ✓

LESS PERCENTAGE : (-) 13.07 % ✓

TENDER ACCEPTED BY WHOM : The Chairman and Managing Director, TNPHC Ltd., Chennai-10 ✓

NAME OF THE CONTRACTOR : M/s. M. J. Engineering Construction ✓

No. OF ITEMS IN THE AGREEMENT : 213 (Two hundred and thirteen only) ✓

No. OF PAGES IN THE AGREEMENT : 130 (One hundred and thirty only) ✓

No. OF CORRECTIONS IN THE AGREEMENT } : Nil ✓


4.10.21
SUPERINTENDING ENGINEER
SOUTH CIRCLE, TNPHC LTD.,



SCHEDULE - A

NAME OF WORK : CONSTRUCTION OF DEPUTY SUPERINTENDENT OF POLICE CAMP OFFICE CUM RESIDENCE BUILDING WITH DEVELOPMENT WORKS AT COLACHEL IN KANNIYAKUMARI DISTRICT.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
1.1	192.80 Cu.M.	EARTH WORK EXCAVATION FOR FOUNDATION IN ALL SOILS AND SUB-SOILS TO THE REQUIRED DEPTH AS MAY BE DIRECTED EXCEPT IN HARD ROCK REQUIRING BLASTING BUT INCLUSIVE OF SHORING, STRUTTING, AND BAILING OUT WATER WHEREVER NECESSARY AND REFILLING THE SIDES OF FOUNDATION WITH EXCAVATED EARTH IN 150MM THICK LAYERS WELL WATERED RAMMED AND CONSOLIDATED AND DEPOSITING THE SURPLUS EARTH IN PLACES SHOWN CLEARING AND LEVELLING THE SITE WITH AN INITIAL LEAD OF 10 METRES AND LIFT AS SPECIFIED HERE UNDER ETC. COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS. (INCLUDING REFILLING)	17, 23 & 24	Rs.160.00 (Rupees one hundred and sixty only)	1.Cu.M. (ONE CUBIC METRE)	30848.00
1.5	76.90 Cu.M.	EARTH WORK EXCAVATION FOR OPEN FOUNDATION IN ALL SOILS AND SUB-SOILS TO THE REQUIRED DEPTH AS MAY BE DIRECTED EXCEPT IN HARD ROCK REQUIRING BLASTING, INCLUSIVE OF SHORING, STRUTTING AND BAILING OUT WATER WHEREVER NECESSARY (EXCLUDING REFILLING THE SIDES OF FOUNDATION) AND DEPOSITING THE EARTH IN PLACES SHOWN CLEARING AND LEVELLING THE SITE WITH AN INITIAL LEAD OF 10 METRES AND LIFT AS SPECIFIED HEREUNDER ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS. (EXCLUDING REFILLING)	17 & 20	Rs.75.00 (Rupees seventy five only)	1.Cu.M. (ONE CUBIC METRE)	5767.50
1.6	20.40 Cu.M.	EARTH WORK EXCAVATION FOR OPEN FOUNDATION FOR DRAINS IN ALL SOILS AND SUBSOILS TO THE REQUIRED DEPTH AS MAY BE DIRECTED EXCEPT IN HARD ROCK REQUIRING BLASTING, INCLUSIVE OF SHORING, STRUTTING AND BAILING OUT WATER WHEREVER NECESSARY. (EXCLUDING REFILLING THE SIDES OF FOUNDATION) AND DEPOSITING THE EARTH IN PLACES SHOWN CLEARING AND LEVELING THE SITE WITH AN INITIAL LEAD OF 10 METRES AND LIFT AS SPECIFIED HEREUNDER ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATION (EXCLUDING REFILLING) (DRAIN HAVING BED WIDTH UPTO 1.25 METRE).	17 & 20	Rs.110.00 (Rupees one hundred and ten only)	1.Cu.M. (ONE CUBIC METRE)	2244.00
2.6	2.40 Cu.M.	SUPPLYING AND FILLING WITH 40MM SIZE HARD BROKEN STONE JELLY IN FOUNDATION AND BASEMENT AND OTHER SIMILAR WORKS INCLUDING COST OF MATERIALS, LABOUR CHARGES, ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.900.00 (Rupees nine hundred only)	1.Cu.M. (ONE CUBIC METRE)	2160.00
						41019.50

M.J ENGG. CONSTRUCTION

Partner

CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
2.7	1.80 Cu.M.	SUPPLYING AND FILLING WITH 20MM SIZE HARD BROKEN STONE JELLY IN FOUNDATION AND BASEMENT AND OTHER SIMILAR WORKS INCLUDING COST OF MATERIALS, LABOUR CHARGES ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.1200.00 (Rupees one thousand and two hundred only)	1.Cu.M. (ONE CUBIC METRE)	41019.50 2,60.00
13.1	71.90 Cu.M.	FILLING IN FOUNDATION AND BASEMENT AND OTHER SIMILAR WORKS WITH EXCAVATED EARTH IN LAYERS OF 150MM THICK WELL WATERED RAMMED AND CONSOLIDATED COMPLYING WITH RELEVANT STANDARD SPECIFICATION ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.	25	Rs.25.00 (Rupees twenty five only)	1.Cu.M. (ONE CUBIC METRE)	1797.50
21.2		SUPPLYING AND FIXING OF TEAK WOOD WROUGHT AND PUT UP FOR FRAMES OF DOORS, WINDOWS, VENTILATORS, CUPBOARD AND ANY OTHER SIMILAR JOINERY WORKS WITH NECESSARY PLUGS, REBATES FOR SHUTTERS, PLASTER GROOVES ON ALL FACES ETC., INCLUDING LABOUR CHARGES FOR FIXING HOLD FASTS, COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC., IN ALL RESPECTS.	72 & 74			
	0.430 Cu.M.	(a) TEAK WOOD OVER 2.00 METRE AND BELOW 3.00 METRE LENGTH		Rs.100000.00 (Rupees one lakh only)	1.Cu.M. (ONE CUBIC METRE)	43000.00
	0.210 Cu.M.	(b) TEAK WOOD BELOW 2.00 METRE LENGTH		Rs.90000.00 (Rupees ninety thousand only)	1.Cu.M. (ONE CUBIC METRE)	18900.00
23.3	9 NOS.	SUPPLYING AND FIXING OF BEST APPROVED SUPERIOR VARIETY MAGNETIC DOOR CATCHES SUITABLE FOR DOORS INCLUDING COST OF DOOR CATCHES, ALUMINIUM / STAINLESS STEEL SCREWS FIXING IN POSITION ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.44.00 (Rupees forty four only)	1.NO. (EACH)	396.00
25	66 NOS.	SUPPLYING AND FIXING OF MILD STEEL HOLD FASTS HORIZONTALLY TWISTED OF SIZE 230X40X4MM WITH PAIR OF SUITABLE IRON SCREWS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.	86	Rs.8.00 (Rupees eight only)	1.NO. (EACH)	528.00
30	11.00 Sq.M.	FINISHING THE TOP OF FLOORING WITH CEMENT CONCRETE 1:3 (ONE OF CEMENT AND THREE OF BLUE GRANITE CHIPS OF SIZE 10MM, AND BELOW) 20 MM THICK ELLIS PATTERN FLOORING (NO SAND) AND SURFACE RENDERED SMOOTH INCLUDING 50MM WIDE SKIRTING, PROVIDING PROPER SLOPES, THREAD LINING, CURING ETC., COMPLETE IN ALL FLOORS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.	39 - G	Rs.350.00 (Rupees three hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	3850.00
31	1.70 Cu.M.	WEATHERING COURSE WITH CONCRETE BROKEN BRICK JELLY 20MM GAUGE IN PURE BURNT LIME STONE SLAKED AND SCREENED (NO SAND) OVER RCC ROOF SLAB WITH PROPORTION OF BRICK JELLY TO LIME (FAT LIME) BEING 32: 12 1/2 BY VOLUME WELL BEATEN WITH WOODEN BEATERS FOR GIVING THE REQUIRED SLOPE AND THICKNESS COMPLYING WITH RELEVANT STANDARD SPECIFICATION AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.	30 & 41	Rs.2800.00 (Rupees two thousand and eight hundred only)	1.Cu.M. (ONE CUBIC METRE)	4760.00
						116411.00

For M.J ENGG. CONSTRUCTION

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
2	3	4	5	6	7	
						116411.00
37.1 ✓ 1	✓ 362.10 Sq.M. 1	WHITE WASHING THREE COATS USING CLEAN SHELL LIME SLAKED INCLUDING COST OF LIME, GUM, BLUE, BRUSHES, INCLUDING SCAFFOLDING ETC., COMPLETE IN ALL RESPECTS. 1	63 1	Rs.30.00 (Rupees thirty only) 1	1.Sq.M. (ONE SQUARE METRE) 1	✓ 10863.00 1
39 ✓ 1	✓ 2377.80 KG. 1	SUPPLYING AND FIXING MILD STEEL GRILLS AS PER THE DESIGN APPROVED TO VERANDAH ENCLOSURE OR GATE INCLUDING ONE COAT OF PRIMER AND LABOUR FOR FIXING IN POSITION ETC. ALL COMPLETE. 1		Rs.65.00 (Rupees sixty five only) 1	1.KG. (ONE KILOGRAM) 1	✓ 154557.00 1
40 ✓ 1	✓ 39.40 Sq.M. 1	PAINTING THE NEW WOOD WORK WITH TWO COATS OF APPROVED FIRST CLASS SYNTHETIC ENAMEL READY MIXED PAINT IN ADDITION TO ONE COAT OF PRIMER OF APPROVED QUALITY AND SHADE, THE PAINT SHOULD BE SUPPLIED BY THE CONTRACTOR AT HIS OWN COST (THE QUALITY AND THE SHADE OF PAINT SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE) COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS. 1	66 & 66 A 1	Rs.150.00 (Rupees one hundred and fifty only) 1	1.Sq.M. (ONE SQUARE METRE) 1	✓ 5910.00 1
41 ✓ 1	✓ 151.20 Sq.M. 1	PAINTING THE NEW IRON WORK AND OTHER SIMILAR WORKS SUCH AS PVC / ASTM PIPES, KERB STONE AND GRILLS WITH TWO COATS OF APPROVED FIRST CLASS SYNTHETIC ENAMEL READY MIXED PAINT OF APPROVED QUALITY AND BRAND, THE PAINT SHOULD BE SUPPLIED BY THE CONTRACTOR AT HIS OWN COST, (THE QUALITY AND THE BRAND OF PAINT SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE) COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS. 1	66 & 66 A 1	Rs.95.00 (Rupees ninety five only) 1	1.Sq.M. (ONE SQUARE METRE) 1	✓ 14364.00 1
46 ✓ 1	✓ 2.40 Rmt. 1	SUPPLYING AND FIXING OF 20MM DIA ALUMINIUM HANGER RODS TO THE REQUIRED LENGTH WITH ALUMINIUM END BRACKETS INCLUDING COST OF SCREWS, TW PLUGS AND LABOUR CHARGES FOR FIXING IN POSITION ETC. COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. 1		Rs.50.00 (Rupees fifty only) 1	1.Rmt. (ONE RUNNING METRE) 1	✓ 120.00 1
47 ✓ 1	✓ 7 NOS. 1	SUPPLYING AND FIXING OF ALUMINIUM TOWEL RAILS OF 75CM LONG, INCLUDING COST OF SCREWS, TW PLUGS AND LABOUR CHARGES FOR FIXING IN POSITION ETC. COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. 1		Rs.80.00 (Rupees eighty only) 1	1.NO. (EACH) 1	✓ 560.00 1
48 ✓ 1	✓ 6 NOS. 1	SUPPLYING AND FIXING OF ALUMINIUM PLATE WITH FIVE PINS FOR COAT STAND INCLUDING COST OF PLUGS, NAILS, SCREWS, AND LABOUR FOR FIXING IN POSITION ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. 1		Rs.45.00 (Rupees forty five only) 1	1.NO. (EACH) 1	✓ 270.00 1
49 ✓ 1	✓ 56 NOS. 1	PROVIDING AND FIXING IRON CHROMIUM PLATED 8 GAUGE PICTURE HOOKS INCLUDING FIXING IN POSITION ETC., ALL COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. 1		Rs.1.00 (Rupee one only) 1	1.NO. (EACH) 1	✓ 56.00 1
50.3 ✓ 1	✓ 3 NOS. 1	SUPPLYING AND PLANTING OF AVENUE TREES INCLUDING EARTH WORK EXCAVATION FOR PIT OF SIZE 60X60X60CM FILLED WITH MANURE FOR 20CM DEPTH AND FILLING WITH RIVER SAND AND RED EARTH MIX IN THE RATIO OF 1:1 FOR 40CM DEPTH IN THE SAME PIT AND PLANTING THE AVENUE TREES OF APPROVED VARIETIES TO A HEIGHT OF 200CM FROM THE GROUND LEVEL AND MAINTAINING THEM FOR THE PERIOD OF 6 MONTH INCLUDING WATERING, PERIODICAL MANURING AND REPLACING THE AVENUE TREES IF DEAD ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (TREE SAPLING SHALL BE GOT APPROVED FROM EE BEFORE PLANTING). 1		Rs.300.00 (Rupees three hundred only) 1	1.NO. (EACH) 1	✓ 900.00 1
						304011.00

M.J ENGG. CONSTRUCTION

For M.J ENGG. CONSTRUCTION



Partner

CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
						304011.00
50.4	✓ 3 NOS.	SUPPLYING AND FIXING OF TRIANGULAR SHAPE CHICKEN MESH TREE GUARD USING 8CM DIA CASURINA VERTICAL POST AND MIDDLE TIE USING COUNTRY WOOD REEPER OF SIZE 50X25MM AND 25 GAUGE CHICKEN MESH INCLUDING LABOUR CHARGES FOR FIXING THE TRIANGULAR TREE GUARD AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.640.00 (Rupees six hundred and forty only)	1.NO. (EACH)	✓ 1920.00
52.1	✓ 7.40 Rmt.	SUPPLYING AND FIXING OF 20 MM DIA GI PIPE 'B' CLASS OF BEST APPROVED QUALITY FOR HOT WATER LINE FULLY CONCEALED IN WALLS INCLUDING COST OF PIPES AND SPECIALS, LABOUR CHARGES FOR LAYING, JOINTING, TESTING AND REDOING THE DISMANTLED PORTIONS WITH NEAT FINISH ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.225.00 (Rupees two hundred and twenty five only)	1.Rmt. (ONE RUNNING METRE)	✓ 1665.00
53.3	✓ 5 NOS.	SUPPLYING AND FIXING OF C.I. STEPS OF APPROVED QUALITY AND BRAND (NOT LESS THAN 5KG EACH) INCLUDING COST OF MATERIAL LABOUR CHARGES FOR FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.25.00 (Rupees twenty five only)	1.NO. (EACH)	✓ 125.00
61.2		SUPPLYING AND LAYING AND LOOSE JOINTING THE FOLLOWING DIA STONE WARE PIPES WITH ISI MARK SUPERIOR VARIETY (GLAZED) WITH SPIGOT AND SOCKET ENDS IN DRY CONDITIONS AND TESTED WITH WATER, AFTER THE PIPES ARE LAID TO PROPER GRADIENT TO THE ALIGNMENT ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICES.				
	✓ 6.00 Rmt.	(a) 100MM DIA S.W. PIPE		Rs.175.00 (Rupees one hundred and seventy five only)	1.Rmt. (ONE RUNNING METRE)	✓ 1050.00
		ELECTRICAL ARRANGEMENTS				
72	✓ 21 NOS.	SUPPLYING AND FIXING OF BEST APPROVED SUPERIOR VARIETY CONCEALED TYPE FIBRE BOX WITH M.S. FAN HOOK OF 100MM DIA, 75MM DEPTH AND 3MM THICK INCLUDING COST AND FIXING IN POSITION ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE).		Rs.28.00 (Rupees twenty eight only)	1 NO. (EACH)	✓ 588.00
73.1	✓ 2 NOS.	SUPPLYING AND FIXING OF 1 NO THREE PHASE DISTRIBUTION BOARD WITH 6 WAY PER PHASE 30A / PER WAY WITH NEUTRAL LINK ON SUITABLE WELL VARNISHED TEAKWOOD PLANK INCLUDING NECESSARY INTERCONNECTIONS AND EARTH CONNECTIONS COST OF ALL MATERIALS ETC., ALL COMPLETE.		Rs.3400.00 (Rupees three thousand and four hundred only)	1 NO. (EACH)	✓ 6800.00
74	✓ 21 NOS.	CHARGES FOR ASSEMBLING AND FIXING OF CEILING FAN OF DIFFERENT SWEEP WITH NECESSARY CONNECTIONS AND FIXING OF FAN REGULATOR ON THE EXISTING BOARD ETC., ALL COMPLETE (EXCLUDING COST OF FAN)		Rs.350.00 (Rupees three hundred and fifty only)	1.NO (EACH)	✓ 7350.00
76	✓ 10.00 Rmt.	SUPPLYING AND LAYING OF 8 SWG GI WIRE ON WALL / BELOW GROUND LEVELS WITH NECESSARY 'U' NAILS, EARTH WORK EXCAVATION AND REFILLING ETC., INCLUDING COST OF ALL MATERIALS ETC., ALL COMPLETE		Rs.18.00 (Rupees eighteen only)	1.Rmt. (ONE RUNNING METRE)	✓ 180.00
						323689.00

For M.J ENGG. CONSTRUCTION

Partner

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
						323689.00
77.3	✓ 9 NOS	SUPPLYING, FIXING AND CONCEALING TW BOX OF SIZE 8"X6"X4" COVERED WITH 3MM THICK HYLEM SHEET INCLUDING COST OF TV LINE SOCKET / TELEPHONE LINE SOCKET ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.65.00 ✓ (Rupees sixty five only)	1 NO. (EACH)	✓ 585.00 ✓
77.4	✓ 45.80 Rmt.	SUPPLYING, LAYING AND CONCEALING OF PVC PIPE OF 20MM DIA WITH NECESSARY SPECIALS AND OTHER MATERIALS INCLUDING RUN OFF 1 NO, FISH WIRE (G.I. 22G) FOR DRAWING CABLE FOR T.V. / TELEPHONE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.60.00 ✓ (Rupees sixty only)	1.Rmt. (ONE RUNNING METRE)	✓ 2748.00 ✓
78	✓ 1 NO	PROVIDING EARTHING STATION (TYPE I) USING PIPE ELECTRODE AS PER IS 3043 USING 2.5M OF 40MM AND 1.0 M OF 20MM B-CLASS GI PIPE INCLUDING EARTH WORK EXCAVATION, BRICK WORK IN CEMENT MORTAR AND PLASTERING AND COST OF FUNNEL, GI NUTS, BOLTS, WASHERS, CHECK NUTS, GI BEND, REDUCER AND COUPLING, C.I. COVER OF 30X30CM AND INCLUDING CHARCOAL OF 40 KGS AND SALT 10 KG ETC., ALL COMPLETE.		Rs.200.00 ✓ (Rupees two hundred only)	1 NO. (EACH)	✓ 200.00 ✓
81	✓ 0.90 Sq.M.	SUPPLYING AND FIXING BEST COUNTRY WOOD METER CUPBOARD WITH SHUTTERS DOUBLE LEAVES WITH 230MMX25MM SIZE CW PLANKS FOR AROUND SIDES 62.5 MM X31.25MM STYLES AND RAILS FOR SHUTTERS AND 75MM X 25MM WELD MESH OF 6 AND 10 GAUGE FOR PANELS INCLUDING LABOUR CHARGES FOR FIXING IN POSITION OF SHUTTERS AND COST OF 'L' CLAMPS 6 NOS OF SIZE 150X150MM SIZE WITH 25MMX4MM MS FLATS, 1 NO OF 6" X 1/2" ALUMINIUM ALDROP WITH BOLTS AND NUTS 6 NOS OF 3" SIZE I.O. BUTT HINGES WITH SCREWS 2 NOS OF 2" SIZE I.O. HOOKS & EYES, TW PLUGS SCREWS ETC. COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS AND AS PER DRAWINGS.		Rs.2764.00 ✓ (Rupees two thousand seven hundred and sixty four only)	1.Sq.M. (ONE SQUARE METRE)	✓ 2487.60 ✓
86	✓ 194.40 Sq.M.	PROVIDING PRE-CONSTRUCTIONAL ANTITERMITE TREATMENT INCLUDING COST OF CHEMICALS LABOUR AS PER STANDARD SPECIFICATIONS FOR PREPARING THE AREA FOR TREATMENT BY SPRAYING CHEMICALS AND OTHER INCIDENTAL CHARGES ETC., COMPLETE. THE RATE SHOULD BE FOR CURING ANTITERMITE TREATMENT FROM THE PLINTH BEAM AND BRICK MASONRY WITH SUPER STRUCTURE IN CONTACT WITH THE BACK FILL EARTH AND AT THE JUNCTION OF THE WALLS, THE TOP SURFACE OF FILLED EARTH FOR FLOORING AND THE SOIL ALONG WITH THE PERIMETER OF THE BUILDING BY MAKING HOLES WITH THE CROW BAR AND POURED 5% TERMICIDE 'CHLORIPYRIFOS' AND SPRAYING THE SAME TERMICIDE SOLUTION ON THE WOODEN FRAMES AND TREATING THE OTHER PERIPHERY OF BUILDINGS ETC., COMPLETE IN ALL RESPECTS AS PER IS 6313 (PART II) /1981 AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS		Rs.25.00 ✓ (Rupees twenty five only)	1.Sq.M. (ONE SQUARE METRE)	✓ 4860.00 ✓
112	✓ 5 NOS	SUPPLYING AND FIXING OF 300 MM DIA SWEEP AC EXHAUST FAN OF APPROVED ISI QUALITY INCLUDING NECESSARY WALL OPENING, FIXING AND FINISHING THE WALL OPENING AND MAKING GOOD INCLUDING COST OF MATERIALS, LABOUR FOR FIXING, CHIPPING AND REDOING NECESSARY INTER CONNECTION, SCAFFOLDING, HIRE CHARGES FOR TOOLS AND PLANTS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.1500.00 ✓ (Rupees one thousand and five hundred only)	1 NO. (EACH)	✓ 7500.00 ✓
						342069.60

M.J ENGG. CONSTRUCTION

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
						342069.60
238 ✓	✓ 15.779 M.T. ✓	APPLYING ONE COAT OF ANTICORROSIVE TREATMENT ON STEEL REINFORCEMENT RODS (20 ITRS. OF ANTICORROSIVE CHEMICAL FOR ONE METRIC TONNE OF STEEL REINFORCEMENT RODS) AT SITE INCLUDING COST OF REQUIRED QUANTITY OF ANTICORROSIVE CHEMICALS, (BEST APPROVED QUALITY) CEMENT, CONSUMABLES SUCH AS BRUSHES, GLOVES AND LABOUR FOR ANTICORROSIVE COATING ETC. COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND OF ANTICORROSIVE CHEMICAL SHOULD BE GOT APPROVED BY THE EE BEFORE USE). ✓		Rs.3500.00 ✓ (Rupees three thousand and five hundred only) ✓	1 M.T. (ONE METRIC TONNE) ✓	✓ 55226.50 ✓
2.1.1 ✓	✓ 101.50 Cu.M. ✓	ANNEXURE SUPPLYING AND FILLING IN FOUNDATION AND BASEMENT WITH GRAVEL IN LAYERS OF 150 MM THICKNESS WELL WATERED, RAMMED AND CONSOLIDATED COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS INCLUDING COST OF SUPPLYING GRAVEL AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. ✓		Rs.550.00 ✓ (Rupees five hundred and fifty only) ✓	1.Cu.M. (ONE CUBIC METRE) ✓	✓ 55825.00 ✓
2.1.3 ✓	✓ 39.50 Cu.M. ✓	SUPPLYING AND FILLING IN FOUNDATION AND BASEMENT WITH FILLING CRUSHED STONE SAND IN LAYERS OF 150 MM THICKNESS WELL WATERED, RAMMED AND CONSOLIDATED COMPLYING WITH RELEVANT STANDARD SPECIFICATION INCLUDING COST OF SUPPLYING FILLING CRUSHED STONE SAND ✓		Rs.900.00 ✓ (Rupees nine hundred only) ✓	1.Cu.M. (ONE CUBIC METRE) ✓	✓ 35550.00 ✓
2.1.7 ✓	✓ 109.20 Cu.M. ✓	SUPPLYING, FILLING, AND SPREADING WITH CONVEYED GRAVEL IN THE LOWLYING AREA IN LAYERS OF 150 MM THICKNESS WELL WATERED, WITH SPRINKLER AND CONSOLIDATED WITH 8 TO 10 TON CAPACITY POWER ROLLER INCLUDING COST OF GRAVEL, LABOUR CHARGES ETC., ALL COMPLETE INCLUDING COST OF AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. ✓		Rs.550.00 ✓ (Rupees five hundred and fifty only) ✓	1.Cu.M. (ONE CUBIC METRE) ✓	✓ 60060.00 ✓
3.1.1 ✓	✓ 26.80 Cu.M. ✓	PLAIN CEMENT CONCRETE 1:5:10 (ONE OF CEMENT, FIVE OF CRUSHED STONE SAND AND TEN OF HARD BROKEN STONE JELLY) FOR FOUNDATION AND BASEMENT USING 40MM GAUGE HARD BROKEN STONE JELLY INCLUSIVE OF SHORING, STRUTTING AND BAILING OUT WATER WHEREVER NECESSARY RAMMING, CURING ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. ✓		Rs.3600.00 ✓ (Rupees three thousand and six hundred only) ✓	1.Cu.M. (ONE CUBIC METRE) ✓	✓ 96480.00 ✓
3.2.1 ✓	✓ 3.20 Cu.M. ✓	PLAIN CEMENT CONCRETE 1:2:4 (ONE OF CEMENT TWO OF CRUSHED STONE SAND AND FOUR OF HARD BROKEN STONE JELLY) USING 20M GAUGE HARD BROKEN STONE JELLY EXCLUDING SHUTTERING AND CENTERING BUT INCLUDING LAYING, CURING AND FINISHING WITH RELEVANT STANDARD SPECIFICATIONS IN FOUNDATION AND BASEMENT , AND OTHER SIMILAR WORKS & AS DIRECTED BY THE DEPARTMENTAL OFFICERS. ✓		Rs.4600.00 ✓ (Rupees four thousand and six hundred only) ✓	1.Cu.M. (ONE CUBIC METRE) ✓	✓ 14720.00 ✓
						659931.10

For M.J ENGG. CONSTRUCTION

CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
						659931.10
3.3.1	✓ 0.10 Cu.M.	PLAIN CEMENT CONCRETE 1:8:16 (ONE OF CEMENT, EIGHT OF CRUSHED STONE SAND AND SIXTEEN OF BROKEN BRICK JELLY) FOR FOUNDATION AND OTHER SIMILAR WORKS USING 20MM GAUGE BROKEN BRICK JELLY INCLUSIVE OF SHORING, STRUTTING AND BAILING OUT WATER WHEREVER NECESSARY RAMMING, CURING ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.3000.00 (Rupees three thousand only)	1.Cu.M. (ONE CUBIC METRE)	✓ 300.00
3.10.1	✓ 4.50 Cu.M.	PLAIN CEMENT CONCRETE 1:3:6 (ONE OF CEMENT, THREE OF CRUSHED STONE SAND AND SIX OF HARD BROKEN STONE JELLY) FOR FOUNDATION USING 20MM GAUGE HARD BROKEN STONE JELLY FOR STORM WATER DRAINS SIDE WALL AND OTHER SIMILAR WORKS USING 20MM GAUGE HARD BROKEN STONE JELLY EXCLUDING THE COST AND FABRICATION OF REINFORCEMENT GRILLS, SHUTTERING, CENTERING AND VIBRATING BUT INCLUDING LAYING, CURING, FINISHING ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.4100.00 (Rupees four thousand and one hundred only)	1.Cu.M. (ONE CUBIC METRE)	✓ 18450.00
4.5.1		PROVIDING AND LAYING IN POSITION, STANDARDISED CONCRETE MIX M-30 GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING 20 MM AND DOWNGRADED HARD BROKEN STONE JELLY FOR ALL RCC ITEMS OF WORKS NAMELY PLINTH BEAMS, COLUMNS, TIE BEAMS, COLUMN FOOTINGS, SLAB ETC., WITH MINIMUM CEMENT CONTENT OF 400 KG/M3 AND MAXIMUM WATER CEMENT RATIO OF 0.45, INCLUDING ADMIXTURE (PLASTICISER/SUPER PLASTICISER) IN RECOMMENDED PROPORTIONS AS PER IS:9103 TO ACCELERATE, RETARD SETTING OF CONCRETE, IMPROVE WORKABILITY WITHOUT IMPAIRING STRENGTH AND DURABILITY WITH ABOUT (5.0 CU.M) 7730 KG. OF 20 MM MACHINE CRUSHED STONE JELLY AND WITH ABOUT (3.3 CU.M.) 5156 KG. OF 10 -12 MM MACHINE CRUSHED STONE JELLY AND WITH ABOUT (4.79 CU.M) 7670 KG. OF CRUSHED STONE SAND FOR MAKING 10M ³ CONCRETE BUT EXCLUDING COST OF REINFORCEMENT GRILL AND FABRICATING CHARGES, CENTERING AND SHUTTERING AND ALSO INCLUDING LAYING, VIBRATING WITH MECHANICAL VIBRATORS, FINISHING, CURING ETC., COMPLETE COMPLYING WITH STANDARD SPECIFICATION AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. THE COARSE AND FINE AGGREGATES TO BE USED SHOULD COMPLY WITH THE REQUIREMENTS OF IS STANDARDS. (NO SEPARATE PAYMENT WILL BE MADE BY THE DEPARTMENT FOR THE EXCESS USAGE OF MATERIALS)				
	✓ 52.00 Cu.M.	(a) IN FOUNDATION AND BASEMENT		Rs.6300.00 (Rupees six thousand and three hundred only)	1.Cu.M. (ONE CUBIC METRE)	✓ 327600.00
6.6.1	✓ 60.80 Cu.M.	BRICK WORK IN CM 1:5 (ONE OF CEMENT AND FIVE OF CRUSHED STONE SAND) USING KILN BURNT COUNTRY BRICKS OF SIZE 8"x4"x2"x (22X11X7CM) IN FOUNDATION AND BASEMENT INCLUDING DEWATERING WHEREVER NECESSARY PROPER SETTING, CURING ETC., COMPLETE WITH RELEVANT STANDARD SPECIFICATIONS.		Rs.4800.00 (Rupees four thousand and eight hundred only)	1.Cu.M. (ONE CUBIC METRE)	✓ 291840.00
						1298121.10

For M.J ENGG. CONSTRUCTION

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
8.5.1		<p>PROVIDING AND LAYING IN POSITION, STANDARDISED CONCRETE MIX M-30 GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING 20 MM AND DOWNGRADED HARD BROKEN STONE JELLY FOR ALL RCC ITEMS OF WORKS NAMELY TEE, ELL OR RECTANGULAR BEAMS, LINTEL, PARAPET CUM DROPS, WAIST AND LANDING SLAB, CANOPHY, CIRCULAR COLUMN, FIN PROJECTIONS, SUNSHADES, WINDOW BOXING SLAB, SLAB AND OTHER SIMILAR WORKS WITH MINIMUM CEMENT CONTENT OF 400 KG/M3 AND MAXIMUM WATER CEMENT RATIO OF 0.45, INCLUDING ADMIXTURE (PLASTICISER/SUPER PLASTICISER) IN RECOMMENDED PROPORTIONS</p> <p>AS PER IS:9103 TO ACCELERATE, RETARD SETTING OF CONCRETE, IMPROVE WORKABILITY WITHOUT IMPAIRING STRENGTH AND DURABILITY WITH ABOUT (5.0 CU.M) 7730 KG. OF 20 MM MACHINE CRUSHED STONE JELLY AND WITH ABOUT (3.3 CU.M.) 5156 KG. OF 10 -12 MM MACHINE CRUSHED STONE JELLY AND WITH ABOUT (4.79 CU.M) 7670 KG. OF CRUSHED STONE SAND FOR MAKING 10M³ CONCRETE BUT EXCLUDING COST OF REINFORCEMENT GRILL AND FABRICATING CHARGES, CENTERING AND SHUTTERING AND ALSO INCLUDING LAYING, VIBRATING WITH MECHANICAL VIBRATORS, FINISHING, CURING ETC., AND PROVIDING FIXTURES LIKE FAN CLAMPS IN THE RCC FLOOR/ROOF SLABS WHEREVER NECESSARY WITHOUT CLAIMING EXTRA, ETC., COMPLETE COMPLYING WITH STANDARD SPECIFICATION AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS, THE COARSE AND FINE AGGREGATES TO BE USED SHOULD COMPLY WITH THE REQUIREMENTS OF IS STANDARDS. (NO SEPARATE PAYMENT WILL BE MADE BY THE DEPARTMENT FOR THE EXCESS USAGE OF MATERIALS).</p>				129621.10
✓ 36.40 Cu.M.	✓	(a) IN GROUND FLOOR		Rs.6500.00 (Rupees six thousand and five hundred only)	1.Cu.M. (ONE CUBIC METRE)	✓ 238800.00
✓ 34.50 Cu.M.	✓	(b) IN FIRST FLOOR		Rs.6600.00 (Rupees six thousand and six hundred only)	1.Cu.M. (ONE CUBIC METRE)	✓ 227700.00
✓ 9.10 Cu.M.	✓	(c) IN SECOND FLOOR		Rs.6700.00 (Rupees six thousand and seven hundred only)	1.Cu.M. (ONE CUBIC METRE)	✓ 60970.00
9.6.1		<p>BRICK WORK IN CEMENT MORTAR 1:6 (ONE OF CEMENT AND SIX OF CRUSHED STONE SAND) USING KILN BURNT COUNTRY BRICKS OF SIZE 8 1/4"X4 1/4"X2 1/4" (22X11X7) FOR SUPER STRUCTURE IN THE FOLLOWING FLOORS INCLUDING LABOUR FOR FIXING THE DOORS, WINDOWS AND VENTILATOR FRAMES IN POSITION, FIXING OF HOLD FASTS, SCAFFOLDINGS, CURING ETC., COMPLETE IN ALL RESPECT COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND DRAWINGS</p>				
✓ 53.40 Cu.M.	✓	(a) IN GROUND FLOOR		Rs.4800.00 (Rupees four thousand and eight hundred only)	1.Cu.M. (ONE CUBIC METRE)	✓ 256320.00
✓ 49.70 Cu.M.	✓	(b) IN FIRST FLOOR		Rs.4900.00 (Rupees four thousand and nine hundred only)	1.Cu.M. (ONE CUBIC METRE)	✓ 243530.00
✓ 8.90 Cu.M.	✓	(c) IN SECOND FLOOR		Rs.5000.00 (Rupees five thousand only)	1.Cu.M. (ONE CUBIC METRE)	✓ 44500.00
						2367741.10

For M.J ENGG. CONSTRUCTION

CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
10.6.1		BRICK PARTITION WALL IN CEMENT MORTAR 1:4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) 110MM THICK FOR SUPER STRUCTURE IN THE FOLLOWING FLOORS USING KILN BURNT COUNTRY BRICKS OF SIZE 8½"X4¼"X2¾" (22X11X7CM) INCLUDING LABOUR FOR FIXING THE DOORS, WINDOWS AND VENTILATOR FRAMES IN POSITION, FIXING OF HOLD FASTS, SCAFFOLDINGS, CURING ETC., COMPLETE IN ALL RESPECT COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND DRAWINGS.				2367741.10
	✓ 90.20 Sq.M.	(a) IN FOUNDATION AND BASEMENT		Rs.580.00 (Rupees five hundred and eighty only)	1.Sq.M. (ONE SQUARE METRE)	✓ 52316.00
	✓ 40.10 Sq.M.	(b) IN GROUND FLOOR		Rs.590.00 (Rupees five hundred and ninety only)	1.Sq.M. (ONE SQUARE METRE)	✓ 23659.00
	✓ 42.20 Sq.M.	(c) IN FIRST FLOOR		Rs.600.00 (Rupees six hundred only)	1.Sq.M. (ONE SQUARE METRE)	✓ 25320.00
	✓ 7.60 Sq.M.	(d) IN SECOND FLOOR		Rs.610.00 (Rupees six hundred and ten only)	1.Sq.M. (ONE SQUARE METRE)	✓ 4636.00
11.6.1		BRICK PARTITION WALLS 70MM THICK USING KILN BURNT COUNTRY BRICKS OF SIZE 8½"X4¼"X2¾" (22X11X7CM) IN CEMENT MORTAR 1:4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) FOR SUPER STRUCTURE IN THE FOLLOWING FLOORS INCLUDING SCAFFOLDINGS, CURING ETC., COMPLETE IN ALL RESPECT COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND DRAWINGS				
	✓ 10.20 Sq.M.	(a) IN GROUND FLOOR		Rs.400.00 (Rupees four hundred only)	1.Sq.M. (ONE SQUARE METRE)	✓ 4080.00
	✓ 8.30 Sq.M.	(b) IN FIRST FLOOR		Rs.410.00 (Rupees four hundred and ten only)	1.Sq.M. (ONE SQUARE METRE)	✓ 3403.00
	✓ 13.60 Sq.M.	(c) IN SECOND FLOOR		Rs.420.00 (Rupees four hundred and twenty only)	1.Sq.M. (ONE SQUARE METRE)	✓ 5712.00
12.1.1		BRICK PARTITION WALLS 50MM THICK USING KILN BURNT COUNTRY BRICKS OF SIZE 8½"X4¼"X2" (22X11X5CM) IN CEMENT MORTAR 1:4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) FOR SUPERSTRUCTURE IN THE FOLLOWING FLOORS INCLUDING SCAFFOLDINGS, CURING ETC., COMPLETE IN ALL RESPECT COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND DRAWINGS.				
	✓ 5.10 Sq.M.	(a) IN GROUND FLOOR		Rs.290.00 (Rupees two hundred and ninety only)	1.Sq.M. (ONE SQUARE METRE)	✓ 1479.00
						2488346.10

For M.J ENGG. CONSTRUCTION

CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
	✓ 7.80 Sq.M.	(b) IN FIRST FLOOR		Rs.300.00 (Rupees three hundred only)	1.Sq.M. (ONE SQUARE METRE)	2488346.10 ✓ 2340.00
14.2.1		SUPPLYING AND FIXING OF PRECAST CEMENT CONCRETE SLAB FOR CUPBOARD/WARD ROBES SHELVES, COVER SLAB FOR CHAMBERS, BAFFLE WALLS SIDE SLABS OF BOXING AROUND WINDOWS AND OTHER SIMILAR WORKS IN STANDARDISED CONCRETE MIX M-30 GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING 3MM - 10MM HARD BROKEN STONE JELLY FOR THE ABOVE RCC ITEMS OF WORKS EXCLUDING THE COST AND FABRICATION OF REINFORCEMENT GRILLS BUT INCLUDING PRECASTING, MOULDING, CURING, FINISHING AND FIXING IN POSITION COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC., COMPLETE IN THE FOLLOWING FLOORS (MEASUREMENT WILL BE TAKEN INCLUDING BEARING IN WALL ALSO).				
	✓ 15.50 Sq.M.	40 MM THICK (a) IN FOUNDATION AND BASEMENT		Rs.1000.00 (Rupees one thousand only)	1.Sq.M. (ONE SQUARE METRE)	✓ 15500.00
15.1.1		PROVIDING CUDDAPPAH SLAB OF 20MM THICK , FINISHING WITH TWO SIDES FOR CUPBOARD, WARDROBES SHELVES, AND OTHER SIMILAR WORKS INCLUDING FINISHING AND FIXING IN POSITION COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC., COMPLETE IN THE FOLLOWING FLOORS (MEASUREMENT WILL BE TAKEN INCLUDING BEARING ALSO) AS DIRECTED BY THE DEPARTMENTAL OFFICERS (QUALITY OF CUDDAPPAH SLAB SHALL BE GOT APPROVED BY THE EXECUTIVE ENGINEER/ SUPERINTENDING ENGINEER/ CHIEF ENGINEER BEFORE USE IN WORKS)				
	✓ 16.10 Sq.M.	(a) IN GROUND FLOOR		Rs.430.00 (Rupees four hundred and thirty only)	1.Sq.M. (ONE SQUARE METRE)	✓ 6923.00
	✓ 18.70 Sq.M.	(b) IN FIRST FLOOR		Rs.440.00 (Rupees four hundred and forty only)	1.Sq.M. (ONE SQUARE METRE)	✓ 8228.00
15.2.1		PROVIDING CUDDAPPAH SLAB OF 40MM THICK FINISHING WITH TWO SIDES FOR CUPBOARD, WARD ROBES, SHELVES AND OTHER SIMILAR WORKS INCLUDING FINISHING AND FIXING IN POSITION COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC., COMPLETE IN THE FOLLOWING FLOORS (MEASUREMENT WILL BE TAKEN INCLUDING BEARING ALSO) AS DIRECTED BY THE DEPARTMENTAL OFFICERS (QUALITY OF CUDDAPPAH SLAB SHALL BE GOT APPROVED BY THE EXECUTIVE ENGINEER/SUPERINTENDING ENGINEER/CHIEF ENGINEER BEFORE USE IN WORKS)				
	✓ 1.80 Sq.M.	(a) IN GROUND FLOOR		Rs.450.00 (Rupees four hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	✓ 810.00
	✓ 1.20 Sq.M.	(b) IN FIRST FLOOR		Rs.460.00 (Rupees four hundred and sixty only)	1.Sq.M. (ONE SQUARE METRE)	✓ 552.00
						2522699.10

For M.J ENGG. CONSTRUCTION

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
18.1		PROVIDING FORM WORK AND CENTERING FOR REINFORCED CEMENT CONCRETE WORKS INCLUDING SUPPORTS AND STRUTTING UP TO 3.30M HEIGHT FOR PLANE SURFACES AS DETAILED BELOW WITH ALL CROSS BRACINGS USING MILD STEEL SHEETS OF SIZE 90CMX60CM AND MS 10 GAUGE STIFFENED WITH WELDED MILD STEEL ANGLES OF SIZE 25MMX25MMX3MM FOR BOARDING LAID OVER SILVER OAK OR COUNTRY WOOD JOISTS OF SIZE 10CMX6.5CM SPACED AT ABOUT 90CM CENTRE TO CENTRE AND SUPPORTED BY CASURINA PROPS 10CM TO 13CM DIA SPACED AT 75CM INTERVALS AND REMOVING THE SAME AFTER A SPECIFIED PERIOD WITHOUT DAMAGING THE R.C.C WORKS ETC., COMPLETE COMPLYING WITH STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS				2522699.10
✓ 148.60 Sq.M.	✓	(a) FOR COLUMN FOOTINGS, PLINTH BEAM, GRADE BEAM, RAFT BEAM, RAFT SLAB ETC.,		Rs.550.00 (Rupees five hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	81730.00
✓ 315.20 Sq.M.	✓	(b) PLAIN SURFACES SUCH AS ROOF SLAB, FLOOR SLAB, BEAMS LINTELS, LOFTS, SILL SLAB, STAIRCASE WAIST, PORTICO SLAB AND OTHER SIMILAR WORKS		Rs.600.00 (Rupees six hundred only)	1.Sq.M. (ONE SQUARE METRE)	189120.00
✓ 275.10 Sq.M.	✓	(c) FOR SQUARE AND RECTANGULAR COLUMNS, AND SMALL QUANTITIES SUCH AS SUNSHADE, PARAPET CUM DROPS, WINDOW BOXING, FIN PROJECTION AND OTHER SIMILAR WORKS		Rs.700.00 (Rupees seven hundred only)	1.Sq.M. (ONE SQUARE METRE)	192570.00
✓ 38.30 Sq.M.	✓	(d) FOR VERTICAL WALL		Rs.750.00 (Rupees seven hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	28725.00
✓ 5.10 Sq.M.	✓	(f) FOR CURVED SURFACE		Rs.800.00 (Rupees eight hundred only)	1.Sq.M. (ONE SQUARE METRE)	4080.00
21.5.2	✓ 9.50 Sq.M.	PROVIDING AND FIXING OF FACTORY MADE UNPLASTICIZED POLYVINYL CHLORIDE (UPVC) DOOR FRAME OF SIZE 50X47MM WITH A WALL THICKNESS OF 5MM, MADE OUT OF EXTRUDED 5MM RIGID UPVC FOAM SHEET, MITERED AT TWO CORNERS AND JOINED WITH 2 NOS. OF 150MM LONG BRACKETS OF 15X15MM M.S SQUARE TUBE. THE TWO VERTICAL AND HORIZONTAL DOOR PROFILES ARE TO BE REINFORCED WITH 19X19MM M.S SQUARE TUBE OF 19 GAUGES WITH PRIMER COAT. THE DOOR FRAME SHALL BE FIXED TO THE WALL USING 65MM/100MM LONG M.S SCREW THROUGH THE FRAME BY USING PVC FASTENERS, A MINIMUM OF 4 NOS. SCREWS TO BE PROVIDED FOR EACH VERTICAL MEMBER AND MINIMUM 2 NOS. FOR HORIZONTAL MEMBER ETC., PROVIDING AND FIXING OF 30MM THICK FACTORY MADE DOOR SHUTTER WITH UNPLASTICIZED POLYVINYL CHLORIDE (UPVC) SOLID PANEL FOAM SHEET, STRUCTURED WITH M.S.TUBE OF 19 GAUGE THICKNESS AND SIZE 19MM X 19MM FOR STYLES AND 15MM X 15MM FOR TOP RAIL AND BOTTOM RAIL. PANELLING OF 5MM THICK UPVC ONE SIDE PRINTED LAMINATION SINGLE SHEET TO BE FITTED IN THE M.S.FRAME WELDED / SEALED TO THE STYLES AND RAILS COVERED WITH 5MM THICK HEAT MOULDED UPVC 'C' CHANNEL OF 30MMX50MM AND 5MM THICK 75MM WIDE UPVC SHEET FOR TOP RAIL, LOCK RAIL AND BOTTOM RAIL ON EITHER SIDE AND 10MM (5MM X 2 NOS.) THICK, 20MM WIDE CROSS UPVC SHEET AS GAP INSERT FOR TOP RAIL AND BOTTOM RAIL, AND		Rs.2200.00 (Rupees two thousand and two hundred only)	1.Sq.M. (ONE SQUARE METRE)	20900.00
						3039824.10

for M.J ENGG. CONSTRUCTION

CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNRP No	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
		TOGETHER WITH PVC SOLVENT CEMENT ADHESIVE. AN ADDITIONAL 5MM THICK UPVC STRIP OF 20MM WIDTH IS TO BE STUCK ON THE INTERIOR SIDE OF THE 'C' CHANNEL USING PVC SOLVENT CEMENT ADHESIVE. THE COST AND LABOUR CHARGES FOR FIXING OF 3 NOS. 4" SS BUTT HINGES AND ALUMINIUM FURNITURE FITTING SUCH AS 1 NO. 4" TOWER BOLT, 1 NO.5" ALDROP, 2 NOS. 6" FLAT 'D' TYPE HANDLE, ETC ARE INCLUDED. THE FITTING PROVIDED SHALL BEAR ISI MARKS. TO ENSURE THE GENUINITY OF PRODUCT, THE DOOR SET SHOULD HAVE 4 NUMBERS OF MANUFACTURER'S LOGO HOLOGRAM OF APPROVED BRAND, EACH AT FRAME, STYLE, RAIL AND INNER PANEL. (THE QUALITY AND BRAND OF DOOR SHUTTER AND FURNITURE FITTINGS SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)				303924.10
21.5.3	61.40 Sq.M.	SUPPLYING AND FIXING UPVC (UN PLASTICIZED POLYVINYL CHLORIDE) WINDOWS OF CASEMENT TYPE (OPEN) FROM THE PROFILE THE SIZE OF OUTER FRAME 60MMX58MM AND SHUTTER PROFILE ARE REINFORCEMENT WITH GI/1MM 125GSM AND 100% CORROSION FREE, THE PROFILES ARE MULTI CHAMBERED SECTIONS WITH WALL THICK OF 2MM. THE EPDM RUBBER (BLACK COLOUR) COVERED WITH OVER ALL THE EDGES OF FRAME AND SHUTTER, THE SHUTTER WILL BE PROVIDED WITH ESPAG MULTI POWER POINT LOCKS AND ALSO IT OPERATES AS HANDLE. THE CORNERS AND JOINTS SHOULD BE WELDED AND CLEANED. RADIATIONS FREE PIN HEADED PLAIN OR BROWN COLOUR GLASS 4MM THICK SHOULD BE PROVIDED TO THE SHUTTER AND IT SHOULD NOT ALLOW LEAKAGE OF WATER EVEN AT MOST RANGING STORMS AND SHOULD HAVE KEY LOCKABLE ACTION, SECURITY PROTECTIVE HINGES, STRONG LOCKING SYSTEMS AND AS PER SIZE FOR ARRESTING NOISE AND ENERGY LOSS. THE CONNECTING MECHANISM BETWEEN SASH AND OUTER FRAME THAT ENABLES OPENING OF THE WINDOW. THE WINDOW SHOULD BE FIXED TO THE WALL WITH 100% PACKING WITH SCREWS AND SILICON PACKING ALL ROUND THE FRAMES ETC., ALL COMPLETE AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRAND AND QUALITY OF THE WINDOW SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER., BEFORE USE)		Rs.5300.00 (Rupees five thousand and three hundred only)	1.Sq.M. (ONE SQUARE METRE)	325420.00
21.5.4	3.40 Sq.M.	SUPPLYING AND FIXING UPVC (UN PLASTICIZED POLYVINYL CHLORIDE) LOUVERED VENTILATORS OF FROM THE PROFILE THE SIZE OF OUTER FRAME 60MMX58MM AND SHUTTER PROFILE SIZE OF 60X78MM BOTH PROFILES ARE REINFORCED WITH GI/1MM 125GSM AND 100% CORROSION FREE, THE PROFILE ARE MULTI CHAMBERED SECTIONS WITH WALL THICK OF 2MM. THE EPDM RUBBER (BLACK COLOUR) COVERED WITH ALL OVER THE EDGES OF FRAME AND SHUTTERS. THE CORNERS AND JOINTS SHOULD BE WELDED AND CLEANED. RADIATIONS PIN HEADED GLASS 4MM THICK SHOULD BE PROVIDED IN THE LOUVERS. THE WINDOW SHOULD BE FIXED TO THE WALL WITH 100% PACKING WITH SCREWS AND SILICON PACKING ALL ROUND THE FRAMES ETC., ALL COMPLETE AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRAND AND QUALITY OF THE VENTILATOR SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER., BEFORE USE)		Rs.5500.00 (Rupees five thousand and five hundred only)	1.Sq.M. (ONE SQUARE METRE)	18700.00
22.3.3	27.80 Sq.M.	PROVIDING T.W. DOUBLE LEAF SHUTTERS FOR CUPBOARD/WARD ROBES WITH 9MM THICK PHENOL BONDED BWR GRADE PLYWOOD AS PER IS 303-1989 (GENERAL) WITH IS 5539 1969 (FOR PRESERVATIVE TREATMENT) AND IS 848-1974 (FOR ADHESIVE) WITH RELEVANT IS SPECIFICATIONS AND ITS LATEST AMENDMENT FOR SHUTTERS. THE ALL ROUND FRAME MADE UP OF T.W SCANTLING OF 75MMX37.50MM AND THE STYLES MADE UP OF T.W. SCANTLINGS OF 75MM X 37.50MM AND SHUTTER MIDDLE RAIL (HORIZONTAL) MADE UP OF T.W SCANTLING OF 150MM X37.50MM INCLUDING COST OF BWR GRADE PLYWOOD AND LABOUR FOR FIXING IN POSITION, COST OF MATERIALS, ALUMINIUM		Rs.3200.00 (Rupees three thousand and two hundred only)	1.Sq.M. (ONE SQUARE METRE)	88960.00
						3472904.10

for M.J ENGG. CONSTRUCTION

Partner

CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
		FURNITURE FITTINGS SUCH AS 6 NOS. OF 3" OF ALUMINIUM BUTT HINGES, 2 NOS. OF 4" X 5/8" ALUMINIUM TOWER BOLT, 2 NOS OF 4" ORNAMENTAL HANDLE, LOCK AND KEY ARRANGEMENTS (LEAVER TYPE) OF BEST APPROVED QUALITY WITH BRASS SCREWS AND ALSO PAINTING WITH TWO COATS OF APPROVED FIRST CLASS SYNTHETIC ENAMEL READY MIXED PAINT OVER ONE COAT OF WOOD PRIMER OF APPROVED QUALITY ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE LOCK AND KEY, BWR GRADE PLYWOOD QUALITY AND SHADE AND ALUMINIUM FURNITURE FITTINGS SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)				3472904.10
23.1.1		SUPPLYING AND FIXING OF BEST INDIAN TW SINGLE LEAF PANELLED DOOR SHUTTERS USING 9 MM THICK PHENOL BONDED BWR GRADE PLYWOOD AS PER IS 303-1989 (GENERAL) WITH IS 5539-1969 (FOR PRESERVATIVE TREATMENT AND IS 848 -1974 (FOR ADHESIVES) WITH RELEVANT IS SPECIFICATION AND ITS LATEST AMENDMENTS FOR SHUTTERS WITH 75MMX37.50MM TEAK WOOD STYLES AND 3 NOS. OF 150X37.50 MM TW RAILS (TOP, BOTTOM AND LOCK RAILS) USING THE ABOVE PANELS INCLUDING LABOUR CHARGES AND COST OF ALUMINIUM FURNITURE FITTINGS AS PER SCHEDULE 'E' WITH BRASS SCREWS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY OF BWR GRADE PLYWOOD AND ALUMINIUM FURNITURE FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE).				
	✓ 8.20 Sq.M.	SUITABLE FOR DOOR OF SIZE (a) 900 X 2100MM		Rs.2800.00 (Rupees two thousand and eight hundred only)	1.Sq.M. (ONE SQUARE METRE)	22960.00
	✓ 3.70 Sq.M.	SUITABLE FOR DOOR OF SIZE (a) 1000 X 2100MM		Rs.2900.00 (Rupees two thousand and nine hundred only)	1.Sq.M. (ONE SQUARE METRE)	10730.00
26.1	✓ 10.00 Cu.M.	FLOORING WITH A BED OF CEMENT CONCRETE 1:5:10 (ONE OF CEMENT, FIVE OF CRUSHED STONE SAND AND TEN OF HARD BROKEN STONE JELLY) USING 40MM SIZE HARD BROKEN STONE JELLY AND TOP LEFT ROUGH TO RECEIVE THE FLOOR FINISH WITH REQUIRED SLOPES INCLUDING RAMMING, CURING ETC., ALL COMPLETE COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.		Rs.3600.00 (Rupees three thousand and six hundred only)	1.Cu.M. (ONE CUBIC METRE)	36000.00
28.1	✓ 38.40 Sq.M.	PLASTERING THE TOP OF FLOORING IN CM 1:4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) 20MM THICK INCLUDING SURFACE RENDERED SMOOTH INCLUDING PROVIDING PROPER SLOPES, THREAD LINING, CURING AND 150MM WIDE SKIRTING AROUND WITH THE SAME CEMENT MORTAR ETC., COMPLETE IN ALL RESPECTS.		Rs.370.00 (Rupees three hundred and seventy only)	1.Sq.M. (ONE SQUARE METRE)	14208.00
29.8.1	✓ 63.70 Sq.M.	SUPPLYING AND FIXING OF COLOUR GLAZED TILES OF BEST APPROVED QUALITY (THE COLOUR AND SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING) OVER CEMENT PLASTERING IN CM 1:2 (ONE OF CEMENT AND TWO OF CRUSHED STONE SAND) 10MM THICK INCLUDING FIXING IN POSITION, CUTTING THE TILES TO THE REQUIRED SIZE WHEREVER NECESSARY, POINTING THE JOINTS WITH GROUT (TILE JOINT FILLER) , CURING, FINISHING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRAND AND QUALITY OF TILES SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE).		Rs.950.00 (Rupees nine hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	60515.00
						3617317.10

For M.J ENGG. CONSTRUCTION

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
29.9.1	31.00 Sq.M.	SUPPLYING AND LAYING OF CERAMIC TILES (ANTI SKID) OF BEST APPROVED QUALITY FOR FLOORING AND OTHER SIMILAR WORKS (THE COLOUR AND SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING) OVER CEMENT MORTAR 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 20MM THICK INCLUDING FIXING IN POSITION, CUTTING THE TILES TO THE REQUIRED SIZE WHEREVER NECESSARY, POINTING THE JOINTS WITH GROUT (TILE JOINT FILLER) , CURING, FINISHING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRAND AND QUALITY OF TILES SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE).		Rs.850.00 (Rupees eight hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	3617317.10 26350.00
32.1.3	184.50 Sq.M.	FINISHING THE TOP OF TERRACE FLOOR WITH ONE COURSE OF SOLAR REFLECTIVE WATER PROOF, HEAT PROOF AND COOL ROOF CERAMIC TILES OF SIZE 305MMX305MMX7MM THICK OF APPROVED QUALITY LAID IN CEMENT MORTAR 1:3 20MM TK (ONE PART OF CEMENT AND THREE PARTS OF CRUSHED STONE SAND) MIXED WITH CALCIUM BASED MINERAL POWDER (60 KG FOR 1000 SQFT) (BEFORE LAYING THE TILES, THE TILES SHOULD BE DIPPED WITH SALIN BASED NANO LIQUID) AND TOP GROUTING WITH CEMENT MORTAR 1:3 (ONE PART OF CEMENT AND THREE PARTS OF CRUSHED STONE SAND) MIXED WITH WHITE CEMENT, SILICON POWDER AND POLIMER ADDITIVES (20 KG FOR 1000 SQFT.) AND JOINT POINTED WITH ZYCOSIL OIL (200GM FOR 1000 SQFT.) AFTER GROUTING ACRYLIC SALIN BASED LIQUID INCLUDING COST OF BASE CONCRETE 1:2:4 MIX USING 6-10MM CHIPS-40MM THICK ETC., COMPLETE COMPLYING WITH STANDARD SPECIFICATION INCLUDING COST OF ALL MATERIALS LABOUR CHARGES FOR LIFTING TO OPEN TERRACE, LAYING AND FINISHING AND OTHER INCIDENTAL CHARGES ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (BRAND, QUALITY OF TILES SHOULD BE GOT APPROVED FROM EXECUTIVE ENGINEER BEFORE USE)		Rs.950.00 (Rupees nine hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	175275.00
33.1	1704.90 Sq.M.	PLASTERING WITH CM 1:5 (ONE OF CEMENT AND FIVE OF CRUSHED STONE SAND) 12MM THICK FINISHED WITH NEAT CEMENT INCLUDING PROVIDING BAND CORNICE, CEILING CORNICE, CURING, SCAFFOLDING ETC., COMPLETE IN ALL RESPECTS AND COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.		Rs.190.00 (Rupees one hundred and ninety only)	1.Sq.M. (ONE SQUARE METRE)	323931.00
34.1	154.30 Sq.M.	PLASTERING WITH CM 1:4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) 12MM THICK FINISHED WITH NEAT CEMENT INCLUDING PROVIDING BAND CORNICE, CEILING CORNICE, CURING, SCAFFOLDING ETC., COMPLETE IN ALL RESPECTS AND COMPLYING WITH STANDARD SPECIFICATIONS		Rs.200.00 (Rupees two hundred only)	1.Sq.M. (ONE SQUARE METRE)	30860.00
35.1.1	54.50 Sq.M.	PLASTERING IN CM 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 12MM TK. MIXED WITH WATER PROOF COMPOUND AT 2% BY WEIGHT OF CEMENT FOR SUMP INCLUDING SCAFFOLDING CURING, FINISHING ETC., COMPLETE IN ALL RESPECTS AND COMPLYING WITH STANDARD SPECIFICATIONS.		Rs.210.00 (Rupees two hundred and ten only)	1.Sq.M. (ONE SQUARE METRE)	11445.00
						4185178.10

For M.J ENGG. CONSTRUCTION

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
2	3		4	5	6	7
						4185178.10
35.2	✓ 362.10 Sq.M.	SPECIAL CEILING PLASTERING IN CEMENT MORTAR 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 10MM THICK FOR BOTTOM OF ROOF, STAIR, WAIST, LANDING AND SUNSHADES IN ALL FLOORS FINISHED WITH NEAT CEMENT INCLUDING HACKING THE AREAS, PROVIDING BAND CORNICE, SCAFFOLDING, CURING ETC., COMPLETE.		Rs.220.00 (Rupees two hundred and twenty only)	1.Sq.M. (ONE SQUARE METRE)	79662.00
36.1		PLASTERING FOR BORDER IN CM 1:5 (ONE OF CEMENT AND FIVE OF CRUSHED STONE SAND) 12MM THICK FINISH IN ALL FLOORS FOR ELEVATION PURPOSES, INCLUDING SCAFFOLDING, CURING, FINISHING ETC., ALL COMPLETE.				
	✓ 117.00 Rmt.	(a) 150MM WIDE BORDER		Rs.50.00 (Rupees fifty only)	1.Rmt. (ONE RUNNING METRE)	5850.00
	✓ 188.70 Rmt.	(b) 75MM WIDE BORDER		Rs.30.00 (Rupees thirty only)	1.Rmt. (ONE RUNNING METRE)	5661.00
38.4.1	✓ 832.20 Sq.M.	PAINTING THE NEW WALLS WITH TWO COATS OF OIL BOUND DISTEMPER OVER THE EXISTING PRIMING COAT OF WHITE CEMENT OF APPROVED BRAND OVER NEW CEMENT PLASTERED WALL SURFACES INCLUDING COST OF PAINTS, PUTTY, BRUSHES, WATERING, CURING, ETC., ALL COMPLETE AS DIRECTED BY THE DEPARTMENTAL OFFICERS (PAINTS AND ITS SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.80.00 (Rupees eighty only)	1.Sq.M. (ONE SQUARE METRE)	66576.00
38.6	✓ 832.20 Sq.M.	PAINTING PRIMER COAT USING APPROVED QUALITY OF WHITE CEMENT OVER THE CEMENT PLASTERED / CONCRETE NEW WALL SURFACES, CEILING OR OTHER SIMILAR WORKS INCLUDING COST OF WHITE CEMENT, PUTTY, BRUSHES, WATERING, CURING, ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.40.00 (Rupees forty only)	1.Sq.M. (ONE SQUARE METRE)	33288.00
43.1.1	✓ 15.779 M.T.	SUPPLYING, FABRICATING AND PLACING IN POSITION OF MILD STEEL GRILLS/RIBBED TOR STEELS (WITHOUT CEMENT SLURRY) OF ALL DIAMETERS FOR REINFORCEMENT FOR ALL FLOORS INCLUDING COST OF BINDING WIRE, INSULATED WITH PVC, BENDING, TYING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS		Rs.68000.00 (Rupees sixty eight thousand only)	1 M.T. (ONE METRIC TONNE)	1072972.00
44.2.1.a	✓ 3 NOS.	PROVIDING RAIN WATER HARVESTING PIT OF 1M DIA AND 600MM DEPTH OF EARTH WORK EXCAVATION AND FILLING THE PIT WITH 40MM STONE JELLY TO A DEPTH OF 300MM FROM THE TOP OF THE AUGERING PORTION AND FILLING WITH CRUSHED STONE SAND TO A DEPTH OF 300MM OVER THE STONE JELLY AND COVERED WITH THE PRE-CAST RCC PERFORATED SLAB OF 40MM THICK IN STANDARDISED CONCRETE MIX M-30 GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING 3MM-10MM HARD BROKEN STONE JELLY FOR ALL RCC ITEMS OF WORKS EXCLUDING THE COST AND FABRICATION OF REINFORCEMENT GRILLS BUT INCLUDING PRECASTING, MOULDING, CURING, FINISHING AND FIXING IN POSITION ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.1400.00 (Rupees one thousand and four hundred only)	1.NO. (EACH)	4200.00
						5453387.10

For M.J ENGG. CONSTRUCTION

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
44.2.1.b	9.00 Rmt.	AUGERING 30CM DIA BORE HOLE IN ALL SOILS AND SUB SOILS REQUIRED DEPTH TO PROVIDING RAIN WATER HARVESTING FROM THE CENTRE OF THE RAIN WATER HARVESTING PIT ALREADY EXCAVATED AND FILLING THE AUGERING PORTION WITH 40MM SIZE STONE JELLY ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.320.00 (Rupees three hundred and twenty only)	1. Rmt. (ONE RUNNING METRE)	545227.10 2880.00
44.6.1	33.40 Rmt.	SUPPLYING AND FIXING OF 110MM DIA PVC SWR PIPE WITH ISI MARK CONFIRMING TO IS 13952:1992- TYPE 'A' FOR RAIN WATER DOWN FALL PIPE (TO BE GOT APPROVED FROM THE EXECUTIVE ENGINEER, SUPERINTENDING ENGINEER, CHIEF ENGINEER, BEFORE USE IN WORKS) WITH RELEVANT SPECIALS SUCH AS GRATINGS, SHOES, BENDS, OFFSETS CONFIRMING TO IS 14735 INCLUDING JOINTING WITH SEAL RING CONFIRMING IS 5382 WITH LEAVING A GAP ABOUT 10MM TO ALLOW THERMAL EXPANSION WITH NECESSARY UPVC "U" BRACKET/CLAMPS, TEAK WOOD PLUGS, ETC., OF APPROVED QUALITY AND INCLUDING FIXING C.I GRATINGS AT THE JUNCTION OF PARAPET AND FLOOR OR ROOF SLAB ETC., INCLUDING FINISHING ETC., COMPLETE COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.		Rs.260.00 (Rupees two hundred and sixty only)	1. Rmt. (ONE RUNNING METRE)	8684.00
45.1	682.40 Sq.M.	STUCCO PLASTERING 12MM THICK USING COLOUR MARBLE CHIPS OF SIZE 10MM AND BELOW USING 72.00 KGS OF CEMENT 14.50 KGS OF COLOUR CEMENT AND 0.15 CUM. COLOUR MARBLE CHIPS FOR EVERY 10SQ.M AREA OVER THE EXISTING PLASTERED SURFACE INCLUDING CURING ETC., COMPLETE COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.260.00 (Rupees two hundred and sixty only)	1.Sq.M. (ONE SQUARE METRE)	177424.00
50.5.1	1 NO.	SUPPLYING, FABRICATION AND ERECTION IN POSITION OF M.S. SCHEME NAME AND LAYOUT BOARD WITH 50X50X6MM M.S. ANGLE FOR VERTICAL POST AND SUPPORT POSTS WITH 2.5 MM THICK M.S. SHEET FOR A SIZE AT 1.80X1.20M WITH 40X40X6MM M.S. ANGLE AROUND THE BOARD AND 50X6MM FLAT STIFFENERS ON BOTH DIRECTIONS INCLUDING COST OF WELDING CHARGES, PAINTING CHARGES AND DRAWING THE LAYOUT AND LETTERING THE SCHEME DETAILS AS DIRECTED BY THE DEPARTMENTAL OFFICERS INCLUDING EARTH WORK EXCAVATION FOR 4 NOS OF PITS, PCC 1:5:10 (ONE OF CEMENT, FIVE OF CRUSHED STONE SAND AND TEN OF HB STONE JELLY) FOR PITS. 0.45 X 0.45 X 0.60M BELOW GROUND LEVEL AND P.C.C 1 :2:4 (ONE OF CEMENT, TWO OF CRUSHED STONE SAND AND FOUR OF 20MM HB STONE JELLY) AT 0.30 X 0.30 X 0.30M ABOVE GROUND LEVEL FOR ERECTION, CONVEYANCE CHARGES ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.13000.00 (Rupees thirteen thousand only)	1.NO. (EACH)	13000.00
50.6.1	24.00 Sq.M.	SUPPLYING AND FIXING OF FIBRE MIXED PRECAST SLAB OF 50MM THICK OF ALL REQUIRED SHAPES MADE IN CEMENT CONCRETE 1:3:6(ONE OF CEMENT, THREE OF CRUSHED STONE SAND AND SIX OF 20MM HARD BROKEN STONE JELLY) USING 20MM HARD BROKEN STONE JELLY MIXED WITH SECONDARY REINFORCEMENT FIBRE OF APPROVED QUALITY AT 0.25% BY WEIGHT OF CEMENT (125GM OF FIBRE FOR 1BAG I.E., 50KG OF CEMENT) USED INCLUDING COST OF ALL MATERIALS, MOULDING, CURING, TRANSPORTATION, LAYING, POINTING ETC., FOR APPROACH ROAD, PAVEMENT SLAB AND OTHER SIMILAR WORKS ETC., COMPLETE AS PER THE RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE SHAPE OF SLAB AND BRAND AND QUALITY OF FIBRE SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.290.00 (Rupees two hundred and ninety only)	1.Sq.M. (ONE SQUARE METRE)	6960.00
						5662335.10

For M.J. ENGG. CONSTRUCTION

Partner

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
52.2		SUPPLYING, LAYING, FIXING AND JOINING THE FOLLOWING PVC PIPES AS PER ASTM D-1785 OF SCHEDULE 40 OF WALL THICKNESS NOT LESS THAN THE SPECIFIED IN IS 4985 SUITABLE FOR PLUMBING BY THREADING OF WALL THICKNESS INCLUDING THE COST OF SUITABLE UPVC SPECIALS LIKE ELBOW, TEE, REDUCERS, PLUG, UNIONS, BEND, COUPLER, NIPPLE, UPVC GATE VALVE, UPVC CHECK AND UPVC/BALL VALVE WHEREVER REQUIRED ABOVE THE GROUND LEVEL INCLUDING THE COST OF TEFLON TAPE, PVC SPECIAL CLAMPS, NAILS ETC., FIXING ON WALL TO THE PROPER GRADIENT AND ALIGNMENT AND REDOING THE CHIPPED OF MASONRY ETC., AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (BRAND NAME AND QUALITY OF PVC/UPVC PIPES AND SPECIALS SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER, SUPERINTENDING ENGINEER, CHIEF ENGINEER, BEFORE USE IN WORKS)				5662335.10
✓ 11.40 Rmt.	✓	(a) 32MM ASTM-D SCHEDULE 40 THREADED PVC PIPE WITH NECESSARY UPVC SPECIALS AND PVC SPECIAL CLAMP ETC.,		Rs.175.00 (Rupees one hundred and seventy five only)	1. Rmt. (ONE RUNNING METRE)	1995.00
✓ 102.90 Rmt.	✓	(b) 25MM ASTM-D SCHEDULE 40 THREADED PVC PIPE WITH NECESSARY UPVC SPECIALS AND PVC SPECIAL CLAMP ETC.,		Rs.160.00 (Rupees one hundred and sixty only)	1. Rmt. (ONE RUNNING METRE)	16464.00
52.4.1		SUPPLYING, LAYING, FIXING AND JOINING THE FOLLOWING PVC PIPES AS PER ASTM D-1785 OF SCHEDULE 40 OF ALL THICKNESS NOT LESS THAN THE SPECIFIED IN IS 4985 SUITABLE FOR PLUMBING BY THREADING OF WALL THICKNESS INCLUDING THE COST OF SUITABLE UPVC SPECIALS LIKE ELBOW, TEE, REDUCERS, PLUG, UNIONS, BEND, COUPLER, NIPPLE, UPVC GATE VALVE, UPVC CHECK AND UPVC/BALL VALVE WHEREVER REQUIRED ABOVE THE GROUND LEVEL INCLUDING THE COST OF TEFLON TAPE, PVC SPECIAL CLAMPS, NAILS ETC., FULLY CONCEALED FIXING ON WALL TO THE PROPER GRADIENT AND ALIGNMENT AND REDOING THE CHIPPED OF MASONRY ETC., AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (BRAND NAME AND QUALITY OF PVC/UPVC PIPES AND SPECIALS SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER, SUPERINTENDING ENGINEER/CHIEF ENGINEER BEFORE USE IN WORKS)				
✓ 30.60 Rmt.	✓	(c) 20MM ASTM-D SCHEDULE 40 THREADED PVC PIPE WITH NECESSARY UPVC SPECIALS AND PVC SPECIAL CLAMP ETC.,		Rs.160.00 (Rupees one hundred and sixty only)	1. Rmt. (ONE RUNNING METRE)	4896.00
53.4	4 NOS.	SUPPLYING AND FIXING OF C.I. MANHOLE COVER WITH LOCKING ARRANGEMENTS OF APPROVED QUALITY AND BRAND OF SIZE 0.6 M X 0.6 M (50 KG) AS PER STANDARD SPECIFICATIONS INCLUDING COST OF MATERIAL, LABOUR CHARGES FOR FIXING ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.1500.00 (Rupees one thousand and five hundred only)	1.NO. (EACH)	6000.00
53.5	7 NOS.	SUPPLYING AND FIXING OF PORCELIN WASH HAND BASIN (WHITE), SUPERIOR VARIETY OF SIZE 550X400MM WITH ALL ACCESSORIES SUCH AS POWDER COATED CAST IRON BRACKETS, 32MM DIA C.P. WASTE COUPLING, RUBBER PLUG AND ALUMINIUM CHAIN, 32MM DIA 'B' CLASS G.I. PVC WASTE PIPE, ANGLE VALVE, 15MM DIA NYLON CONNECTION, 15MM DIA BRASS NIPPLES, 15MM C.P. PILLAR TAP & REQUIRED GRATING ETC., COMPLETE IN ALL RESPECTS (WASH HAND BASIN SHALL BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE FIXING)		Rs.2500.00 (Rupees two thousand and five hundred only)	1.NO. (EACH)	17500.00
						5709190.10

For M.J ENGG. CONSTRUCTION


 Partner

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNPB No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
						5709130.10
54.1.2	8 NOS.	SUPPLYING AND FIXING OF 15MM DIA ENGINEERING POLYMER TAP (LONG BODY) INCLUDING COST OF MATERIALS, LABOUR CHARGES FOR FIXING ETC., AND ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND OF ENGINEERING POLYMER TAP SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER/SUPERINTENDING ENGINEER/ CHIEF ENGINEER BEFORE USE IN WORKS)		Rs.180.00 (Rupees one hundred and eighty only)	1.NO. (EACH)	1440.00
54.2.2	5 NOS.	SUPPLYING AND FIXING OF 15MM DIA ENGINEERING POLYMER TAP (SHORT BODY) INCLUDING COST OF MATERIALS, LABOUR CHARGES FOR FIXING ETC., AND ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND OF ENGINEERING POLYMER TAP SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER./SUPERINTENDING ENGINEER./ CHIEF ENGINEER., BEFORE USE IN WORKS)		Rs.175.00 (Rupees one hundred and seventy five only)	1.NO. (EACH)	875.00
56.3.2	2 NOS.	SUPPLYING AND FIXING OF INDIAN WATER CLOSET WHITE GLAZED (ORIYA TYPE) OF SIZE 580MMX440MM OF APPROVED MAKE WITH ISI MARK (TO BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE) WITH PVC SWR GRADE P OR S TRAP INCLUDING CONCRETE PACKING, FILLING PORTION WITH EARTH, FLOORING THE AREA WITH 75MM THICK BRICK JELLY CONCRETE IN CC 1:8:16 (ONE OF CEMENT, EIGHT OF CRUSHED STONE SAND AND SIXTEEN OF BRICK JELLY) USING 40MM SIZE BRICK JELLY AND TOP LEFT ROUGH TO RECEIVE THE FLOOR PLASTERING BUT INCLUDING ANTISYPHONAGE CONNECTION, CURING, ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (IN GROUND FLOOR)		Rs.2400.00 (Rupees two thousand and four hundred only)	1.NO. (EACH)	4800.00
56.4.2	1 NO.	SUPPLYING AND FIXING OF INDIAN WATER CLOSET WHITE GLAZED (ORIYA TYPE) OF SIZE 580MMX440MM OF APPROVED MAKE WITH ISI MARK (TO BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE) WITH PVC SWR GRADE P OR S TRAP INCLUDING CONCRETE FILLING THE SUNK PORTION WITH BRICK JELLY LIME CONCRETE PROPORTION OF BRICK JELLY TO LIME BEING 32:12½ BY VOLUME (32 CFT OF 20MM GAUGE BRICK JELLY AND 12 ½ CFT OF SLAKED LIME) (NO SAND) AND TOP 75MM THICK BRICK JELLY CONCRETE IN CC 1:8:16 (ONE OF CEMENT, EIGHT OF CRUSHED STONE SAND AND SIXTEEN OF BROKEN BRICK JELLY) USING 40MM SIZE BRICK JELLY INCLUDING PLASTERING THE SIDES OF SUNK PORTION IN CM 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 12MM THICK MIXED WITH WATER PROOFING COMPOUND AT 2KG/SQM AND TOP LEFT ROUGH TO RECEIVE THE FLOOR PLASTERING BUT INCLUDING ANTISYPHONAGE CONNECTION, ONE COAT OF BITUMEN FOR THE SIDES, BOTTOM AND CURING ETC., COMPLETE IN ALL FLOORS. (OTHER THAN GROUND FLOOR)		Rs.3700.00 (Rupees three thousand and seven hundred only)	1.NO. (EACH)	3700.00
57.2	3 NOS.	SUPPLYING AND FIXING EWC (WHITE) SUPERIOR VARIETY 500MM WITH PVC SWR GRADE 'P' OR 'S' TRAP INCLUDING COST AND FIXING OF DOUBLE FLAPPED PLASTIC SHEET COVER PVC FLUSHING CISTERN IN APPROPRIATE LEVEL AS DIRECTED BY THE DEPARTMENTAL OFFICERS AT A MAXIMUM LEVEL OF 5'6" AND OF APPROVED BRAND OF 10 LITRES CAPACITY INCLUDING FITTINGS SUCH AS CI BRACKETS, PVC CONNECTION GM WHEEL VALVE, HEX NIPPLE, ETC., COMPLETE (EWC AND PLASTIC COVER SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE FIXING).		Rs.5000.00 (Rupees five thousand only)	1.NO. (EACH)	15000.00
						5735005.10

For M.J ENGG. CONSTRUCTION

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
2	3	4	5	6	7	
58.3		SUPPLYING AND FIXING THE FOLLOWING DIA PVC (SWR) PIPE WITH ISI MARK CONFIRMING TO IS 13952:1992- TYPE 'B' FOR SOIL LINE WITH RELEVANT SPECIALS CONFIRMING TO IS 14735 INCLUDING JOINTING WITH SEAL RING CONFIRMING TO IS 5382 WITH LEAVING A GAP ABOUT 10MM TO ALLOW THERMAL EXPANSION, FIXING THE PIPES INTO WALLS WITH NECESSARY WOODEN PLUG, SCREWS, HOLDING WHEREVER NECESSARY AND MAKING GOOD OF THE DISMANTLED PORTION WITH NECESSARY CONNECTIONS TO SANITARY FITTINGS ETC., COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.				5735005.10
✓ 26.40 Rmt.		(a) 110MM DIA PVC SWR PIPE INCLUDING ALL REQUIRED PVC SPECIALS ETC., ALL COMPLETE.		Rs.560.00 (Rupees five hundred and sixty only)	1.Rmt. (ONE RUNNING METRE)	14784.00
✓ 34.60 Rmt.		(b) 75MM DIA PVC SWR PIPE INCLUDING ALL REQUIRED PVC SPECIALS ETC., ALL COMPLETE.		Rs.400.00 (Rupees four hundred only)	1.Rmt. (ONE RUNNING METRE)	13840.00
58.4	✓ 7.50 Rmt.	SUPPLYING, LAYING AND CONCEALING THE 50MM DIA PVC (SWR) PIPE WITH ISI MARK CONFIRMING TO IS 13952:1992- TYPE 'B' FOR WASTE WATER LINE WITH RELEVANT SPECIALS CONFIRMING TO IS 14735 INCLUDING JOINTING AND MAKING GOOD OF THE DISMANTLED PORTION WITH NECESSARY CONNECTIONS TO SANITARY FITTINGS ETC., COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.70.00 (Rupees seventy only)	1.Rmt. (ONE RUNNING METRE)	525.00
58.5		SUPPLYING AND FIXING THE FOLLOWING DIA PVC(SWR) PIPE WITH ISI MARK CONFIRMING TO IS 13952:1992- TYPE 'A' WITH PVC COWL AND RELEVANT SPECIALS CONFIRMING TO IS 14735 INCLUDING JOINTING WITH SEAL RING CONFIRMING TO IS 5382 WITH LEAVING A GAP 10MM TO ALLOW THERMAL EXPANSION AND FIXING THE PIPES INTO WALLS OR OVER THE SEPTIC TANK WITH NECESSARY WOODEN PLUG, SCREWS, HOLDING WHEREVER NECESSARY AND MAKING GOOD OF THE DISMANTLED PORTION WITH NECESSARY CONNECTIONS TO SANITARY FITTINGS ETC., COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.				
✓ 1 NO.		(a) 110MM DIA PVC SWR PIPE OF 3METRE WITH REQUIRED PVC COWL & PVC SPECIALS ETC., ALL COMPLETE.		Rs.380.00 (Rupees three hundred and eighty only)	1.No. (EACH)	380.00
59.5.2	✓ 6 NOS.	SUPPLYING AND FIXING 150MM X 100MM SIZE STONE WARE GULLY TRAP WITH IRON GRATINGS OVER A BED OF 150MM THICK BRICK JELLY CONCRETE IN CC 1:8:16 (ONE OF CEMENT, EIGHT OF CRUSHED STONE SAND AND SIXTEEN OF BROKEN BRICK JELLY) USING 40MM SIZE BRICK JELLY AND BRICK MASONRY WALL 110 MM THICK USING KILN BURNT COUNTRY BRICKS OF SIZE 8 3/4" X 4 1/4" X 2 3/4" (22X11X7CM) IN CM 1:5 (ONE OF CEMENT AND FIVE OF CRUSHED STONE SAND) PLASTERED WITH CM 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 12MM THICK ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.1300.00 (Rupees one thousand and three hundred only)	1.No. (EACH)	7800.00
						5772334.10


For M.J ENGG. CONSTRUCTION

 Partner


ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
						577224.10
60.1	✓ 12 NOS.	SUPPLYING AND FIXING OF PVC NAHANI TRAP NOT LESS THAN 75MM 4 WAY /2 WAY (SUPERIOR VARIETY) HAVING MINIMUM OF WATER SEAL OF 50MM CONFIRM TO RELEVANT I.S. SPECIFICATIONS WITH ITS LATEST AMENDMENTS INCLUDING RESTING ON THE BED OF BRICK JELLY CONCRETE 1:5:10 (ONE OF CEMENT, FIVE OF CRUSHED STONE SAND OF TEN OF 40 MM GAUGE BRICK JELLY) ETC., COMPLETE AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE PVC NAHANI TRAP SHOULD BE GOT APPROVED FROM THE EE BEFORE USE)		Rs.110.00 (Rupees one hundred and ten only)	1.No. (EACH)	✓ 1320.00
61.1.1		SUPPLYING, LAYING AND JOINTING THE FOLLOWING DIA UPVC NON PRESSURE PIPE OF SN8 SDR 34 (S 16.5) AS PER IS 15328/2003 , SUPERIOR VARIETY AND TESTED WITH WATER INCLUDING NECESSARY EARTH WORK EXCAVATION FOR TRENCHES AND REFILLING THE SAME, WELL RAMMED AND CONSOLIDATED AFTER THE PIPES ARE JOINTED AND LAID TO PROPER GRADIENT TO THE ALIGNMENT AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (SN8 SDR 34 (S 16.5) AS PER IS 15328/2003 SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER, / SUPERINTENDING ENGINEER, / CHIEF ENGINEER, BEFORE USE IN WORKS)				
	✓ 35.00 Rmt.	(a) 110MM DIA UPVC NON PRESSURE PIPE		Rs.280.00 (Rupees two hundred and eighty only)	1.Rmt. (ONE RUNNING METRE)	✓ 9800.00
	✓ 15.00 Rmt.	(b) 160MM DIA UPVC NON PRESSURE PIPE		Rs.450.00 (Rupees four hundred and fifty only)	1.Rmt. (ONE RUNNING METRE)	✓ 6750.00
62.1.1		SUPPLYING AND FIXING OF FOLLOWING DIA OF PVC BEND FABRICATED 6 KSC PVC SPECIALS AS PER IS 10124/1982 PART II INCLUDING COST OF MATERIAL AND LABOUR CHARGES FOR FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND OF PVC BEND SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE).				
	✓ 5 NOS.	(a) 110MM DIA PVC BEND		Rs.130.00 (Rupees one hundred and thirty only)	1.No. (EACH)	✓ 650.00
62.2.1		SUPPLYING AND FIXING OF FOLLOWING DIA PVC EQUAL TEE (MOULD) BIS 7834/1975 PVC SPECIALS AS PER IS 10124/1982 PART II INCLUDING COST OF MATERIAL AND LABOUR CHARGES FOR FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND OF PVC EQUAL TEE SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE).				
	✓ 3 NOS.	(a) 110MM DIA PVC EQUAL TEE		Rs.130.00 (Rupees one hundred and thirty only)	1.No. (EACH)	✓ 390.00
						5791244.10

For M.J ENGG. CONSTRUCTION

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
64.1.1		WIRING WITH 1.5 SQ.MM COPPER PVC INSULATED UNSHEATHED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V CABLE WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQ.MM PVC INSULATED UNSHEATHED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V GRADE CABLE IN FULLY CONCEALED PVC RIGID CONDUIT PIPE HEAVY DUTY WITH ISI MARK WITH SUITABLE SIZE PVC BOX (FIRE RETARDED BOX) OF REQUIRED THICKNESS CONCEALED AND COVERED WITH 3MM THICK LAMINATED HYLEM SHEET CONTROLLED BY 5 AMPS FLUSH TYPE SWITCH INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS, SPECIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.				5791244.10
✓	34 POINTS	(a) LIGHT POINT WITH CEILING ROSE		Rs.1000.00 (Rupees one thousand only)	1 POINT (EACH POINT)	34000.00
✓	28 POINTS	(b) LIGHT POINT WITHOUT CEILING ROSE		Rs.1000.00 (Rupees one thousand only)	1 POINT (EACH POINT)	28000.00
✓	3 POINTS	(c) POINT WIRING FOR CALLING BELL/ BUZZER WITH PUSH TYPE SWITCH		Rs.1000.00 (Rupees one thousand only)	1 POINT (EACH POINT)	3000.00
65.1.1	✓ 21 POINTS	WIRING WITH 1.5 SQ.MM COPPER PVC INSULATED UNSHEATHED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. CABLE WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQ.MM PVC INSULATED UNSHEATHED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE IN FULLY CONCEALED PVC RIGID CONDUIT PIPE HEAVY DUTY WITH ISI MARK WITH SUITABLE SIZE PVC BOX (FIRE RETARDED BOX) OF REQUIRED THICKNESS CONCEALED AND COVERED WITH 3MM THICK LAMINATED HYLEM SHEET FOR FAN POINT CONTROLLED BY 5 AMPS FLUSH TYPE SWITCH INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS, SPECIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.1000.00 (Rupees one thousand only)	1 POINT (EACH POINT)	21000.00
66.1.1	✓ 3 POINTS	WIRING WITH 1.5 SQ.MM COPPER PVC INSULATED UNSHEATHED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. CABLE WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQMM PVC INSULATED UNSHEATHED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE IN FULLY CONCEALED PVC RIGID CONDUIT PIPE HEAVY DUTY WITH ISI MARK WITH SUITABLE SIZE PVC BOX (FIRE RETARDED BOX) OF REQUIRED THICKNESS CONCEALED AND COVERED WITH 3MM THICK LAMINATED HYLEM SHEET FOR STAIRCASE LIGHT POINT CONTROLLED BY 5 AMPS FLUSH TYPE TWO WAY SWITCH INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS, SPECIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.2000.00 (Rupees two thousand only)	1 POINT (EACH POINT)	6000.00
						5883244.10

For M.J ENGG. CONSTRUCTION


ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
2	3	4	5	6	7	10
67.1.2	✓ 18 POINTS	WIRING WITH 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1.K.V. GRADE CABLE WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1.K.V. GRADE CABLE IN FULLY CONCEALED PVC RIGID CONDUIT PIPE HEAVY DUTY WITH ISI MARK WITH SUITABLE SIZE PVC BOX (FIRE RETARDED BOX) CONCEALED AND COVERED WITH 3MM THICK LAMINATED HYLEM SHEET FOR 5 AMPS 5 PIN PLUG SOCKET POINT AT SWITCH BOARD ITSELF INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS, SPECIALS, ETC., ALL COMPLETE.		Rs.500.00 (Rupees five hundred only)	1 POINT (EACH POINT)	58832 10 9000.00
68.2.1	✓ 21 POINTS	WIRING WITH 1.5 SQ.MM COPPER PVC INSULATED UNSHEATHED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. CABLE WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQ.MM PVC INSULATED UNSHEATHED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE IN FULLY CONCEALED PVC RIGID CONDUIT PIPE HEAVY DUTY WITH ISI MARK WITH SUITABLE SIZE PVC BOX (FIRE RETARDED BOX) OF REQUIRED THICKNESS CONCEALED AND COVERED WITH 3MM THICK LAMINATED HYLEM SHEET FOR 5 AMPS 5 PIN PLUG SOCKET POINT AT CONVENIENT PLACES CONTROLLED BY 5 AMPS FLUSH TYPE SWITCH INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS, SPECIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS..		Rs.600.00 (Rupees six hundred only)	1 POINT (EACH POINT)	12600.00
69.1	✓ 14 NOS.	SUPPLYING AND FIXING OF 15 AMPS 3 PIN FLUSH TYPE PLUG SOCKET USING ON A SUITABLE 150MM PVC ELECTRICAL BOX (FIRE RETARDED BOX) OF REQUIRED THICKNESS CONCEALED AND COVERED WITH 3MM THICK LAMINATED HYLEM SHEET INCLUSIVE OF ALL CONNECTIONS AND COST OF ALL MATERIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE MATERIAL SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)		Rs.120.00 (Rupees one hundred and twenty only)	1.NO. (EACH)	1680.00
71.2	✓ 1 NO.	SUPPLYING AND FIXING OF 32 AMPS TRIPLE POLE MAIN SWITCH WITH FUSE AND NEUTRAL LINK ON A SUITABLE WELL VARNISHED TEAK WOOD BOARD INCLUDING NECESSARY INTER CONNECTION COST OF ALL MATERIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.1700.00 (Rupees one thousand and seven hundred only)	1.NO. (EACH)	1700.00
75.1.2		SUPPLYING AND DELIVERY OF FOLLOWING ELECTRIC CEILING FAN WITH ISI MARK WITH BLADES AND DOUBLE BALL BEARING, CAPACITOR, ETC., COMPLETE WITH 300MM DOWN ROD, CANOPIES, CAPACITOR, SHACKLE BLADES WITH ELECTRONIC DIMMER SUITABLE FOR OPERATION ON 230 VOLTS 50 HTZ SINGLE PHASE AC SUPPLY CONFORMING TO ISS NO.374/79 AND PROVIDED WITH INSULATION. (THE BRAND SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE SUPPLY MADE).				
	21 NOS.	(a) 48" ELECTRIC FAN 1200MM SWEEP		Rs.1100.00 (Rupees one thousand and one hundred only)	1.NO. (EACH)	23100.00
						5931324.10

For M.J ENGG. CONSTRUCTION


ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNRP No	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
77.6	85.00 Rmt.	RUN OFF MAIN WITH 2 WIRES OF 4 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 KV GRADE CABLE WITH CONTINUOUS EARTH BY MEANS OF 2.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1, K.V. GRADE CABLE IN FULLY CONCEALED 19MM/20MM DIA RIGID PVC CONDUIT PIPE HEAVY DUTY WITH ISI MARK COST OF ALL MATERIALS, SPECIALS ETC., ALL COMPLETE.		Rs.175.00 (Rupees one hundred and seventy five only)	1.Rmt. (ONE RUNNING METRE)	14875.00
77.7	132.20 Rmt.	RUN OFF MAIN WITH 2 WIRES OF 2.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 KV GRADE CABLE WITH CONTINUOUS EARTH BY MEANS OF 2.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 KV GRADE CABLE IN FULLY CONCEALED 19/20MM DIA RIGID PVC CONDUIT PIPE WITH ISI MARK ETC. INCLUDING COST OF ALL MATERIALS, SPECIALS ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.155.00 (Rupees one hundred and fifty five only)	1.Rmt. (ONE RUNNING METRE)	20491.00
79.2.1	1 NO.	SUPPLYING AND FIXING 3 NOS. OF 32 AMPS 500 VOLTS GRADE PORCELAIN FUSE UNIT ON SUITABLE TEAKWOOD PLANK VARNISHED TO BE FIXED ON THE TOP OF POLE EB STREET POLE WITH NECESSARY CLAMPS INCLUDING COST OF ALL MATERIALS ETC., ALL COMPLETE.		Rs.600.00 (Rupees six hundred only)	1.NO. (EACH)	600.00
80.1	2 NOS.	SUPPLYING AND FIXING OF 1 NO. OF 450X375X20MM THICK TW PLANK WELL VARNISHED WITH 3 NOS. OF 32 AMPS 250 VOLTS PORCELIN FUSE UNIT AND 1 NO. COPPER EARTH PLATE OF SUITABLE SIZE BOLTS AND NUTS ON WALL FOR EB SERVICE CONNECTIONS INCLUDING COST OF ALL MATERIALS ETC., ALL COMPLETE.		Rs.900.00 (Rupees nine hundred only)	1.NO. (EACH)	1800.00
85.1	6.00 Rmt.	SUPPLYING AND FIXING OF 40MM DIA 'B' CLASS GI PIPE CONFIRMING TO ISS FOR EB SERVICE CONNECTION FOR PASSING THROUGH FROM TOP OF HOUSE/FLATS BUILDING TO THE EB BOARD INCLUDING COST OF PIPE, SPECIALS, LABOUR FOR FIXING ETC., COMPLETE COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.		Rs.140.00 (Rupees one hundred and forty only)	1.Rmt. (ONE RUNNING METRE)	840.00
87.1	2 NOS.	SUPPLYING AND FIXING OF ELECTRO MECHANICALLY OPERATED THREE PHASE EARTH LEAKAGE CIRCUIT BREAKERS/RESIDUAL CURRENT CIRCUIT BREAKER (ELCB/RCCB) COMBINED WITH OVER LOAD AND SHORT CIRCUIT PROTECTION HAVING A RUPTURING CAPACITY OF 6 KA WITH 30 MILLI AMPS FIXED SETTING SENSITIVITY AND RATES FOR 25 A IN SUITABLE SHEET STEEL ENCLOSURE CONFIRMING TO IS 12640/1988 INCLUDING COST OF ELCB/RCCB ON FULLY CONCEALED SUITABLE M.S BOX WITH NECESSARY INTER CONNECTIONS AND EARTH CONNECTIONS USING COPPER CABLE INCLUDING COST OF ALL MATERIALS ETC., ALL COMPLETE.		Rs.2400.00 (Rupees two thousand and four hundred only)	1.NO. (EACH)	4800.00
						5974730.10

For M.J ENGG. CONSTRUCTION

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
2	3	4	5	6	7	10
87.2	✓ 8 NOS.	SUPPLYING AND FIXING OF 20 AMPS DP PLUG AND SOCKET IN SHEET ENCLOSURE WITH 32A DP MCB IN FLUSH WITH WALL WITH EARTH CONNECTION (FOR AC PLUG) ETC ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRAND AND QUALITY OF THE MATERIAL SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE SUPPLY MADE)		Rs.105.00 (Rupees one hundred and five only)	1.NO. (EACH)	5974 840.00
98.3		SUPPLYING AND FIXING OF BEST INDIAN TEAK WOOD PANELLED DOOR SHUTTERS SINGLE LEAF IN POSITION USING 75MMX37.5MM STYLES AND 4 NOS. OF 150X37.50 MM RAILS (TOP, MIDDLE, BOTTOM AND LOCK RAIL) 2 NOS. OF 75MMX37.5MM VERTICAL SHORTER STYLES AND 18.75MM THICK PLANKS FOR PANELS INCLUDING COST AND LABOUR FOR FIXING THE ALUMINIUM FITTINGS SUCH AS 1 NO. OF 6" DOOR HANDLE, 3 NOS. OF 5" BUTT HINGES, 2 NOS. OF 6"X 1/2" TOWER BOLTS, 1 NO. OF 10"X5/8" ALDROP, 1 NO. OF NYLON BUSH AND 1 NO. OF ALUMINIUM DOOR STOPPER WITH RUBBER BUSH WITH BRASS SCREWS ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF ALUMINIUM FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING)				
	✓ 1.70 Sq.M.	SUITABLE FOR DOOR OF SIZE (a) 900 x 2100 MM		Rs.4000.00 (Rupees four thousand only)	1.Sq.M. (ONE SQUARE METRE)	6800.00
99		SUPPLYING AND FIXING OF BEST INDIAN TEAK WOOD PANELLED DOOR OF DOUBLE LEAVE SHUTTERS IN POSITION USING 4 NOS. OF 75MMX37.5MM STYLES AND 6 NOS. OF 150X37.5MM RAILS (TOP, BOTTOM AND LOCK RAIL) AND 6 NOS. OF 75MMX37.5MM RAILS (INTERMEDIATE RAILS) AND 18.75MM THICK PLANKS FOR PANELS INCLUDING COST AND LABOUR FOR FIXING THE BRASS FITTINGS SUCH AS 2 NOS. OF MAJESTIC DOOR HANDLE WITH BRASS SCREWS, 6 NOS. OF 6" BRASS BUTT HINGES, 4 NOS. OF 8" BRASS TOWER BOLTS, 1 NO. OF MORTICE LOCK WITH HANDLE, 2 NOS. OF RUBBER BUSH AND 2 NOS. DOOR STOPPER ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF BRASS FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING)				
	✓ 2.90 Sq.M.	SUITABLE FOR DOOR OF SIZE (a) 1500 x 2100 MM		Rs.4600.00 (Rupees four thousand and six hundred only)	1.Sq.M. (ONE SQUARE METRE)	13340.00
99.1		SUPPLYING AND FIXING OF BEST INDIAN TEAK WOOD PANELLED DOOR SHUTTERS SINGLE LEAF IN POSITION USING 125MMX37.5MM STYLES AND 4 NOS. OF 150X37.5MM RAILS (TOP, MIDDLE, BOTTOM AND LOCK RAIL) 2 NOS. OF 125MMX37.5MM VERTICAL SHORTER STYLES AND 18.75MM THICK PLANKS FOR PANELS INCLUDING COST AND LABOUR FOR FIXING THE BRASS FITTINGS SUCH AS 2 NOS. OF 6" BRASS DOOR HANDLE, 3 NOS. OF 5" BRASS BUTT HINGES, 2 NOS. OF 6" X 1/2" BRASS TOWER BOLT, 1 NO. OF 10"X5/8" BRASS ALDROP, 1 NO. OF NYLON BUSH, 1 NO. OF DOOR STOPPER WITH BRASS SCREWS OF BEST APPROVED QUALITY AND SHADE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRASS FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING)				
	✓ 2.00 Sq.M.	SUITABLE FOR DOOR OF SIZE (a) 1050 x 2100 MM		Rs.4700.00 (Rupees four thousand and seven hundred only)	1.Sq.M. (ONE SQUARE METRE)	9400.00
						6005110.10


For M.J ENGG. CONSTRUCTION

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
						6005110.10
99.1.1		SUPPLYING AND FIXING OF BEST INDIAN TEAK WOOD PANELLED DOOR SHUTTERS SINGLE LEAF IN POSITION USING, 125MMX37.5MM STYLES AND 4 NOS. OF 150X37.5MM RAILS (TOP, MIDDLE, BOTTOM AND LOCK RAIL) 2 NOS. OF 75MMX37.5MM VERTICAL SHORTER STYLES AND 18.75MM THICK PLANKS FOR PANELS INCLUDING COST AND LABOUR FOR FIXING THE BRASS FITTINGS SUCH AS 1 NO. OF DOOR HANDLE, 3 NOS. OF 5" BRASS BUTT HINGES, 2 NOS. OF 6" X 1/2" BRASS TOWER BOLT, 1 NO. OF 10"X5/8" BRASS ALDROP, 1 NO. OF NYLON BUSH, 1 NO. OF DOOR STOPPER WITH BRASS SCREWS OF BEST APPROVED QUALITY AND SHADE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRASS FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING)				
	✓ 4.60 Sq.M.	SUITABLE FOR DOOR OF SIZE (a) 1200 x 2100 MM		Rs.4800.00 (Rupees four thousand and eight hundred only)	1.Sq.M. (ONE SQUARE METRE)	22080.00
100	✓ 39 NOS.	SUPPLYING AND FIXING OF 9 WATTS LED BULB OF BEST QUALITY INCLUDING COST OF MATERIAL AND FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE 9 W LED LAMP SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.68.00 (Rupees sixty eight only)	1.NO. (EACH)	2652.00
101	✓ 5 NOS.	SUPPLYING AND FIXING OF 25 WATTS LED BULB WITH STREET LIGHT FITTINGS ARRANGEMENTS INCLUDING COST OF MATERIALS LABOUR CHARGES FOR FIXING OF LED STREET LIGHT FITTING ETC ALL COMPLETE AS PER RELEVANT STANDARD SPECIFICATION AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE 25 WATTS LED LAMP WITH STREET LIGHT FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.1500.00 (Rupees one thousand and five hundred only)	1.NO. (EACH)	7500.00
102	✓ 7 NOS.	SUPPLYING AND FIXING OF 4'18 WATTS CRYSTAL LED TUBE LIGHT AND FIXING THE TUBE LIGHT FITTINGS ON TEAK WOOD ROUND BLOCKS OF 75MM DIA OR 40MM DEEP SUSPENDED FROM CEILING OR MOUNTED ON THE WALL INCLUDING COST OF ALL MATERIALS AND LABOUR FOR FIXING IN POSITION ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE ENTIRE TUBE LIGHT FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.450.00 (Rupees four hundred and fifty only)	1.NO. (EACH)	3150.00
103	✓ 38 NOS.	SUPPLYING AND FIXING OF WATER TIGHT BULK HEAD FITTING WITH GUARD SUITABLE FOR 12 W LED BULB INCLUDING NECESSARY CONNECTIONS, COST OF MATERIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY OF THE BULK HEAD FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.300.00 (Rupees three hundred only)	1.NO. (EACH)	11400.00
104	✓ 7 NOS.	SUPPLYING AND FIXING OF 12 WATTS LED BULB FOR BULK HEAD FITTINGS OF BEST QUALITY INCLUDING COST OF MATERIAL AND FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE 12 WATTS LED LAMP SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.120.00 (Rupees one hundred and twenty only)	1.NO. (EACH)	840.00
						6052732.10

For M.J ENGG. CONSTRUCTION

7/2/2017 Partner

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
105.1	✓ 30.00 Rmt.	RUN OFF 4 WIRES OF 4 SQ.MM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990. WITH ONE RUN OF 7/20GI STAY WIRE SUSPENDED WITH PORCELAIN REEL INSULATORS AT 1.0M CENTRE TO CENTRE FOR SUPPORT OF PHASE AND NEUTRAL CABLE FROM TOP OF STREET POLE TO THE HOUSE/FLATS INCLUDING ALL MATERIALS ETC., ALL COMPLETE FOR EB SERVICE CONNECTIONS INCLUDING LABOUR CHARGES FOR FIXING GI WIRE AND MS ANGLES (FOR EB SERVICE CONNECTION THREE PHASE)		Rs.180.00 (Rupees one hundred and eighty only)	1.Rmt. (ONE RUNNING METRE)	60527 10 5400.00
114		SUPPLYING AND DELIVERY OF FOLLOWING PVC ARMoured LTUG CABLE (ALUMINIUM UG CABLE 1100V GRADE) WITH ISI MARK INCLUDING COST OF CABLE AND CONVEYING TO THE SITE OF WORK ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. [THE BRAND AND QUALITY OF THE UG CABLE SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE].				
	✓ 30.00 Rmt.	(a) 3.5 CORE 35 SQMM. PVC ARMoured LTUG CABLE		Rs.180.00 (Rupees one hundred and eighty only)	1.Rmt. (ONE RUNNING METRE)	5400.00
115	✓ 18.00 Rmt.	LABOUR CHARGES FOR LAYING OF PVC ARMoured LTUG CABLE IN A TRENCH TO A DEPTH OF 0.75M INCLUDING EARTH WORK EXCAVATION, PROVIDING SAND CUSHION, BRICK LAYER PROTECTION AND REFILLING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS BELOW GROUND LEVEL		Rs.190.00 (Rupees one hundred and ninety only)	1.Rmt. (ONE RUNNING METRE)	3420.00
116	✓ 12.00 Rmt.	LABOUR CHARGES FOR LAYING OF PVC ALUMINIUM ARMoured LTUG CABLE ON POST AND WALL TO MAKE GOOD ETC., ALL COMPLETE COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS ABOVE GROUND LEVEL		Rs.115.00 (Rupees one hundred and fifteen only)	1.Rmt. (ONE RUNNING METRE)	1380.00
117		SUPPLYING AND FIXING OF FOLLOWING BRASS CABLE GLAND SUITABLE FOR PVC ALUMINIUM ARMoured LTUG CABLE WITH ISI MARK (1100V) INCLUDING COST OF ALL MATERIALS AND LABOUR CHARGES FOR FIXING WITH EARTH STRIP AROUND THE GLAND AND CABLE TERMINATION ETC., ALL COMPLETE COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE BRASS CABLE GLAND SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)				
	✓ 2 NOS.	(a) 3.5 CORE 35 SQMM BRASS CABLE GLAND		Rs.50.00 (Rupees fifty only)	1.NO. (EACH)	100.00
117.1		SUPPLYING AND FIXING OF CABLE END TERMINATOR SUITABLE FOR THE FOLLOWING PVC ALUMINIUM ARMoured LTUG CABLE WITH NECESSARY ALUMINIUM CABLE SOCKETS BY CRIMPING LUGS WITH ELECTRICAL CONNECTIONS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.				
						6068432.10

For M.J ENGG. CONSTRUCTION

 CONTRACTOR

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
	12 NOS.	(a) LUGS FOR 3.5 CORE 35 SQMM. ALUMINIUM ARMoured LTUG CABLE		Rs.4.00 (Rupees four only)	1.NO. (EACH)	6068432.10 48.00
✓ 119	✓ 1 NO.	SUPPLYING AND DELIVERY OF 2 HP CLEAR WATER VERTICAL WET TYPE SINGLE PHASE SUBMERSIBLE PUMPSET CONFORMING TO IS 8034/2002 WITHOUT PANEL BOARD AND AS AMENDED THEREAFTER AND BEE 3 STAR RATED CAPABLE OF DISCHARGING NOTED LPM AGAINST HEAD OF WATER COLUMN DUE TO ALL CAUSES. THE PUMP SHALL BE WITH STAINLESS STEEL SHAFT AND DYNAMICALLY BALANCED BRONZE OR CAST SS IMPELLER, BRASS SCREWS AND CI FG 200 GRADE PUMP BOWL/DIFFUSFR WITH ISI MARK. THE PUMP SHALL BE DIRECTLY COUPLED TO A CONTINUOUS RATED TWO POLE SUITABLE WET TYPE VERTICAL SQUIRREL CAGE INDUCTION MOTOR SUITABLE FOR OPERATION IN AC SINGLE PHASE 230 V+/-10%, 50HZ +/- 5% ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND OF THE SUBMERSIBLE PUMP SET ARRANGEMENTS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE) DUTY 20 LPM X 125M		Rs.18936.00 (Rupees eighteen thousand nine hundred and thirty six only)	1.NO. (EACH)	18936.00
✓ 119.1	✓ 1 NO.	SUPPLYING AND DELIVERY OF THREE PHASE 2 HP CENTRIFUGAL MONOBLOCK PUMPSET WITH GUN METAL/BRANZE IMPELLER SUITABLE CAPACITY OF PUMPING THE DUTY 35X100 LPMXM AND HEAD DUE TO ALL LOSSES. SUITABLE FOR OPERATION IN THREE PHASE 400/440 VOLTS. 50 CYCLES AC SUPPLY MOTOR OFFERED SHOULD BE CONFIRMING TO RELEVANT IS SPECIFICATION WITH ISI MARK SUITABLE FOR THE FOLLOWING REQUIREMENTS. (THE BRAND AND QUALITY OF THE CENTRIFUGAL MONOBLOCK PUMP SET SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE) 1. RPM : 2900 2. SUCTION PIPE - 1"X1"H 2"X2" 3. DISCHARGE - 15.80/6 LIT/SEC.		Rs.14999.00 (Rupees fourteen thousand nine hundred and ninety nine only)	1.NO. (EACH)	14999.00
✓ 120	✓ 1 NO.	LABOUR CHARGES FOR THE ERECTION OF SUBMERSIBLE PUMPSET IN BOREWELL/OPENWELL UPTO 5 HP INCLUDING FIXING AND JOINTING SUBMERSIBLE CABLE WITH PROPER CLAMPS UPTO THE STARTER TO THE REQUIRED DEPTH AND ALSO FIXING OF RISER PIPES TO THE REQUIRED DEPTH VALVES ERECTION CLAMPS, PRESSURE GAUGES UPTO THE EXTERIOR WALL OF PUMP ROOM AND ERECTION OF PANEL BOARD CONSISTING OF TPICN SWITCHES STARTER, VOLTMETER, AMMETER, THREE PILOT (INDICATING) LAMPS CAPACITOR SINGLE PHASING PREVENTOR, WATER LEVEL GUARD AND LAYING AND JOINTING THE CABLES AND TWIN EARTHING AS PER IE RULES ETC., COMPLETE AND TESTING THE PUMPSET AND TRAIL RUN FOR 10 DAYS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.8000.00 (Rupees eight thousand only)	1.NO. (EACH)	8000.00
✓ 120.1	✓ 1 NO.	LABOUR CHARGES FOR ERECTION OF UPTO 3 HP HORIZONTAL SHAFT, CENTRIFUGAL PUMPSET (COUPLED/ MONOBLOCK) IN BORE WELL/OPEN WELL INCLUDING FIXING OF SUCTION PIPE AND DELIVERY PIPES TO THE REQUIRED LENGTH WITH VALVES, PRESSURE GAUGES UPTO THE EXTERIOR WALL OF PUMP ROOM AND ERECTION OF PANEL BOARD CONSISTING OF TPIC SWITCHES STARTER, VOLTMETER, AMMETER, CAPACITOR SINGLE PHASING PREVENTOR AND LAYING AND JOINTING THE CABLES AND TWIN EARTHING AS PER IE RULES INCLUDING PROVIDING BED BLOCKS ETC., COMPLETE AND OPERATING THE PUMPS AND TRIAL RUN FOR 10 DAYS INCLUDING SIGNING OF COMPLETION OF REPORTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.5000.00 (Rupees five thousand only)	1.NO. (EACH)	5000.00
						6115415.10

For M.J ENGG CONSTRUCTION

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
121.1	1 NO.	SUPPLYING AND DELIVERY OF SINGLE PHASE PANEL BOARD WITH TWO LEVEL GUARD AND AUTO START (2 HP) CONFIRMING TO IS 13947 AND IEC 60947-1 SUITABLE KW RATING FOR OPERATION IN AC/SINGLE PHASE/50 HZ (± 5%) AND 230 V (± 10%) INCLUDING AMMETER, VOLTMETER, THERMAL OVER LOAD RELAY, 16 AMPS 2 POLE MAGNETIC CONTACTOR WITH UNDER VOLTAGE PROTECTION, INDICATION LAMP, STARTING CAPACITOR, RUNNING CAPACITOR AND ON/OFF PUSH BUTTON SWITCHES, 5 WAY CONNECTOR, WIRING WITH 1 SQMM/1.5 SQMM COPPER PVC INSULATED CABLE, POWDER COATED VERMIN PROOF BOX INCLUDING THE CAPACITOR (THE COST OF CAPACITOR IS TO BE TAKEN SEPARATELY) AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE THREE PHASE PANEL BOARD ASSEMBLY SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.5500.00 (Rupees five thousand and five hundred only)	1.NO. (EACH)	5500.00
121.2	1 NO.	SUPPLYING AND DELIVERY OF THREE PHASE PANEL BOARD OF DIRECT ONLINE STARTER WITH TWO LEVEL GUARD AND AUTO START (2 HP) CONFIRMING TO IS 13947 AND IEC 60947-1 SUITABLE KW RATING FOR OPERATION IN AC/THREE PHASE/50 HZ (± 5%) AND 415 V (± 10%) INCLUDING AMMETER, VOLTMETER, THERMAL OVER LOAD RELAY, 16 AMPS 2 POLE MAGNETIC CONTACTOR WITH UNDER VOLTAGE PROTECTION, INDICATION LAMP, STARTING CAPACITOR, RUNNING CAPACITOR AND ON/OFF PUSH BUTTON SWITCHES, 5 WAY CONNECTOR, WIRING WITH 1 SQMM/1.5 SQMM COPPER PVC INSULATED CABLE, POWDER COATED VERMIN PROOF BOX INCLUDING THE CAPACITOR (THE COST OF CAPACITOR IS TO BE TAKEN SEPARATELY) AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE THREE PHASE PANEL BOARD ASSEMBLY SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.4000.00 (Rupees four thousand only)	1.NO. (EACH)	4000.00
122		SUPPLYING AND FIXING OF THE FOLLOWING DIA OF THE UPVC/GI/GM SPECIALS CONFIRMING TO IS SPECIFICATION WITH ISI MARK OF APPROVED SUPERIOR QUALITY ALL, ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE UPVC/GI/GM SPECIALS SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)				
	2 NOS.	a) 50 MM DIA GM NON RETURN VALVE		Rs.1500.00 (Rupees one thousand and five hundred only)	1.NO. (EACH)	3000.00
	3 NOS.	b) 50 MM DIA GI UNION		Rs.250.00 (Rupees two hundred and fifty only)	1.NO. (EACH)	750.00
	4 NOS.	c) 50 MM DIA GI HEX NIPPLE		Rs.90.00 (Rupees ninety only)	1.NO. (EACH)	360.00
	3 NOS.	d) 50 MM DIA GI TEE		Rs.174.00 (Rupees one hundred and seventy four only)	1.NO. (EACH)	522.00
	2 NOS.	e) 50 MM DIA BRASS FOOT VALVE		Rs.320.00 (Rupees three hundred and twenty only)	1.NO. (EACH)	640.00
						6130187.10

For M.J ENGG. CONSTRUCTION
[Signature]
 Partner

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
						6130187.10
	6 NOS.	f) 50 MM DIA UPVC ELBOW		Rs.60.00 (Rupees sixty only)	1.NO. (EACH)	360.00
	2 NOS.	g) 50 MM DIA UPVC WHEEL VALVE		Rs.880.00 (Rupees eight hundred and eighty only)	1.NO. (EACH)	1760.00
	1 NO.	h) 32 MM DIA GI COUPLING		Rs.45.00 (Rupees forty five only)	1.NO. (EACH)	45.00
	1 NO.	i) 32 MM DIA GI ELBOW		Rs.69.00 (Rupees sixty nine only)	1.NO. (EACH)	69.00
	2 NOS.	j) 32 MM DIA GI HEX NIPPLE		Rs.51.00 (Rupees fifty one only)	1.NO. (EACH)	102.00
	1 NO.	k) 32 MM DIA BRASS NON RETURN VALVE		Rs.275.00 (Rupees two hundred and seventy five only)	1.NO. (EACH)	275.00
	1 NO.	l) 32 MM DIA GI SUBMERSIBLE ADOPTOR		Rs.250.00 (Rupees two hundred and fifty only)	1.NO. (EACH)	250.00
	5 NOS.	m) 32 MM DIA UPVC ELBOW		Rs.30.00 (Rupees thirty only)	1.NO. (EACH)	150.00
	10 NOS.	n) 32 MM DIA UPVC COUPLING		Rs.30.00 (Rupees thirty only)	1.NO. (EACH)	300.00
	2 NOS.	o) 32 MM DIA UPVC FTA		Rs.20.00 (Rupees twenty only)	1.NO. (EACH)	40.00
	2 NOS.	p) 32 MM DIA UPVC MTA		Rs.16.00 (Rupees sixteen only)	1.NO. (EACH)	32.00
	5 NOS.	q) 50 MM DIA UPVC COUPLING		Rs.45.00 (Rupees forty five only)	1.NO. (EACH)	225.00
	2 NOS.	r) 50 MM DIA UPVC FTA		Rs.50.00 (Rupees fifty only)	1.NO. (EACH)	100.00
	2 NOS.	s) 50 MM DIA UPVC MTA		Rs.35.00 (Rupees thirty five only)	1.NO. (EACH)	70.00
	3 NOS.	t) 50 X 32 MM DIA UPVC REDUCER TEE		Rs.65.00 (Rupees sixty five only)	1.NO. (EACH)	195.00
						6134160.10

For M.J ENGG. CONSTRUCTION

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
						61341 0
	1 NO.	u) 32 MM DIA GM GATE VALVE		Rs.700.00 (Rupees seven hundred only)	1.NO. (EACH)	700.00
	2 NOS.	v) 65 MM DIA GI BEND		Rs.190.00 (Rupees one hundred and ninety only)	1.NO. (EACH)	380.00
	2 NOS.	w) 65 MM DIA GI ELBOW		Rs.230.00 (Rupees two hundred and thirty only)	1.NO. (EACH)	460.00
	2 NOS.	x) 65 MM DIA GI COUPLING		Rs.170.00 (Rupees one hundred and seventy only)	1.NO. (EACH)	340.00
123	✓ 120.00 Rmt.	SUPPLYING AND DELIVERY OF PVC INSULATED AND SHEATHED 3 CORE 4 SQ.MM FLAT TYPE COPPER CABLE CONFIRMING TO IS 694/1990 BEST APPROVED QUALITY WITH ISI MARK INCLUDING COST OF CABLE, DELIVERY AT SITE AND FIXING THE CABLE IN BORE WELL ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE MATERIAL SHOULD BE GOT APPROVED FROM EXECUTIVE ENGINEER BEFORE USE)		Rs.140.00 (Rupees one hundred and forty only)	1.Rmt. (ONE RUNNING METRE)	16800.00
124		SUPPLYING AND FIXING OF FOLLOWING DIA GI PIPE 'B' CLASS OF BEST APPROVED QUALITY CONFIRMING TO IS SPECIFICATIONS WITH ISI MARK FOR PROVIDING UG CABLE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE GI PIPES SHOULD BE GOT APPROVED FROM EXECUTIVE ENGINEER BEFORE USING).				
	✓ 30.00 Rmt.	a) 25 MM DIA GI PIPE		Rs.120.00 (Rupees one hundred and twenty only)	1.Rmt. (ONE RUNNING METRE)	3600.00
	✓ 28.00 Rmt.	b) 65 MM DIA GI PIPE		Rs.210.00 (Rupees two hundred and ten only)	1.Rmt. (ONE RUNNING METRE)	5880.00
125		SUPPLYING AND LAYING OF FOLLOWING DIA UPVC PIPE INCLUDING COST OF ALL MATERIALS OF BEST APPROVED SUPERIOR QUALITY WITH ISI MARK ETC ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF UPVC PIPE SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)				
	✓ 150.00 Rmt.	a) 32 MM DIA UPVC PIPE		Rs.90.00 (Rupees ninety only)	1.Rmt. (ONE RUNNING METRE)	13500.00
126.1		SUPPLYING AND FIXING OF THE FOLLOWING DIA OF THE MS CLAMP SET OF SUPERIOR QUALITY ALL, ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE MS CLAMP SET SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)				
						6175820.10

For M.J. ENGG. CONSTRUCTION


ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
	✓ 2 SET.	a) 65 MM DIA MS CLAMP SET		Rs.300.00 (Rupees three hundred only)	1.SET. (SET)	6175820.10 600.00
126.2		SUPPLYING AND FIXING OF THE FOLLOWING DIA OF THE MS BORE CLAMP SET OF SUPERIOR QUALITY ALL, ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE MS BORE CLAMP SET SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)				
	✓ 1 SET.	a) 150 MM DIA MS BORE CLAMP SET		Rs.700.00 (Rupees seven hundred only)	1.SET. (SET)	700.00
127	✓ 110.00 Rmt.	SUPPLY AND DELIVERY OF REQUIRED DIA NYLON ROPE OF SUPERIOR QUALITY FOR SUBMERSIBLE PUMPSET IN BOREWELL AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY OF NYLON ROPE SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE SUPPLY)		Rs.50.00 (Rupees fifty only)	1.Rmt. (ONE RUNNING METRE)	5500.00
129		SUPPLYING AND FIXING IN POSITION OF TAMILNADU GOVERNMENT LOGO EMBLEM IN BRASS MIXED ALLOY METAL EDGING PLATE HAVING 16 GAUGE IMPORTED SHEET ACCOMPANIED WALL PIECE OF 18 GAUGE WITH DISK WELD ENGRAVING ACID PROCESS WITH LATEST TECHNOLOGY IN IMPORTED MACHINE THROUGH BY COMPUTER TECHNOLOGY WITH ISI BRAND PAINT COLOUR COATING IN THE ENGRAVING PLACE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE DESIGN SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE MOULDING)				
	✓ 1 NO.	a) 600 MM SIZE		Rs.2500.00 (Rupees two thousand and five hundred only)	1.NO. (EACH)	2500.00
130		SUPPLYING AND FIXING OF ALUMINIUM DIECASTING LETTERS WITH A WALL THICKNESS OF 12MM INCLUDING DRAWING MODEL LETTERS ON THE PAPER, PREPARING THE DESIGN, MOULDING, CASTING, FILLING, COLOURING TO THE REQUIREMENT BY SPRAYING THE PAINT, TRANSPORTING TO SITE AND LABOUR FOR SCAFFOLDING DRILLING AND FIXING THE LETTERS BY USING PROJECTED ROD FEVICOL QUICK FIX AND CEMENT SLURRY AND REDOING THE DAMAGED AREA AND COLOURING ETC, ALL COMPLETE., AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE DESIGN SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE MOULDING)				
	✓ 56 NOS.	a) 23 CM SIZE LETTER		Rs.400.00 (Rupees four hundred only)	1.NO. (EACH)	22400.00
130.1	✓ 0.29 Sqm	SUPPLYING AND FIXING OF PVC NAME LETTERING IN TAMIL OF BEST APPROVED MAKE AND QUALITY TO REFLECT THE LIGHT AND ALSO MATCH TO THE WALL COLOUR ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF PVC NAME LETTERING SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.650.00 (Rupees six hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	188.50
						6207708.60

For M.J ENGG. CONSTRUCTION
fmm

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
						62077.00
131	3 NOS.	SUPPLYING OF 6 LEVER LOCK AND KEY ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRAND AND QUALITY OF THE MATERIALS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.350.00 (Rupees three hundred and fifty only)	1.NO. (EACH)	1050.00
132.2		DRILLING OF BOREWELLS ANYWHERE IN TAMILNADU INCLUDING TRANSPORTATION FROM ONE PLACE TO ANOTHER WITHIN TAMILNADU IN ALLUVIAL SOIL SEDIMENTARY STRATA OF CLAY AND SAND STONE SHALE PEBBLES BOULDERS ETC., BY FIRST TAKING A PILOT BORE OF 140MM/150MM DIA AND THEN ENLARGING TO REQUIRED DIA DIRECT OR REVERSE ROTARY MUD CIRCULATION METHOD USING ROTARY RIGGS, FUEL, LABOUR AND DRILLING BENTONITE AND WATER REQUIRED FOR DRILLING AT SITE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.				
	76.00 Rmt.	a) UPTO 76M DEPTH ENDING BELOW GROUND LEVEL		Rs.688.00 (Rupees six hundred and eighty eight only)	1.Rmt. (ONE RUNNING METRE)	52288.00
	15.00 Rmt.	b) FROM 77M DEPTH UPTO 91M DEPTH ENDING BELOW GROUND LEVEL		Rs.860.00 (Rupees eight hundred and sixty only)	1.Rmt. (ONE RUNNING METRE)	12900.00
	15.00 Rmt.	c) FROM 92M DEPTH UPTO 106M DEPTH ENDING BELOW GROUND LEVEL		Rs.1033.00 (Rupees one thousand and thirty three only)	1.Rmt. (ONE RUNNING METRE)	15495.00
132.3		REAMING 140MM / 150MM DIA PILOT BORE TO 300MM DIA BORE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.				
	76.00 Rmt.	a) UPTO 76M DEPTH ENDING BELOW GROUND LEVEL		Rs.300.00 (Rupees three hundred only)	1.Rmt. (ONE RUNNING METRE)	22800.00
	15.00 Rmt.	b) FROM 77M DEPTH UPTO 91M DEPTH ENDING BELOW GROUND LEVEL		Rs.320.00 (Rupees three hundred and twenty only)	1.Rmt. (ONE RUNNING METRE)	4800.00
	15.00 Rmt.	c) FROM 92M DEPTH UPTO 106M DEPTH ENDING BELOW GROUND LEVEL		Rs.340.00 (Rupees three hundred and forty only)	1.Rmt. (ONE RUNNING METRE)	5100.00
133		SUPPLYING AND FIXING OF FOLLOWING DIA PVC CASING PIPE AS PER IS 12818/2010 ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE CASING PIPE SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)				
	94.00 Rmt.	a) 150MM DIA PVC CASING SHALLOW DEPTH UPTO 80M		Rs.480.00 (Rupees four hundred and eighty only)	1.Rmt. (ONE RUNNING METRE)	45120.00
	12.00 Rmt.	b) 150MM DIA PVC RIBBED SCREEN PIPE		Rs.500.00 (Rupees five hundred only)	1.Rmt. (ONE RUNNING METRE)	6000.00
						6373261.60

For M.J. ENGG. CONSTRUCTION

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
						6373261.60
134	✓ 1 NO.	SUPPLYING AND FIXING OF 160MM DIA PVC END CAP FOR COVERING THE BOREWELL OF APPROVED BRAND ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY AND BRAND OF PVC END CAP SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)		Rs.80.00 (Rupees eighty only)	1.NO. (EACH)	80.00
156	✓ 2 NOS.	SUPPLYING AND FIXING OF 3 NOS. OF 100 AMPS 500 VOLTS GRADE PORCELAIN FUSE UNIT ON SUITABLE TEAKWOOD PLANK VARNISHED TO BE FIXED ON THE TOP OF POLE/EB STREET POLE WITH NECESSARY CLAMPS INCLUDING COST OF MATERIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE MATERIALS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.600.00 (Rupees six hundred only)	1.NO. (EACH)	1200.00
157	✓ 1 NO.	SUPPLYING AND FIXING OF PANEL BOARD WITH THREE PHASE 100 AMPS BUS BAR ARRANGEMENTS FOR EB SERVICE CONNECTION ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE MATERIALS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.2500.00 (Rupees two thousand and five hundred only)	1.NO. (EACH)	2500.00
158	✓ 3 NOS.	SUPPLYING AND FIXING OF 250A CHANGE OVER / ROTARY SWITCHES ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE MATERIALS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.150.00 (Rupees one hundred and fifty only)	1.NO. (EACH)	450.00
161	✓ 6 NOS.	SUPPLYING AND FIXING OF FOLLOWING SINGLE POLE 6A TO 32A, 10KA MINIATURE CIRCUIT BREAKERS 240V/415V 50 HZ AC SUPPLY SUITABLE FOR BOTH LIGHTING AND MOTOR CIRCUITS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE BRAND AND QUALITY OF THE MATERIAL SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING)		Rs.110.00 (Rupees one hundred and ten only)	1.NO. (EACH)	660.00
238.1	✓ 2.378 M.T.	APPLYING ONE COAT OF ANTICORROSIVE TREATMENT FOR STEEL WINDOW/M.S. GRILLS (USING 5 LITERS OF ANTICORROSIVE CHEMICAL PER ONE MT OF STEEL) AT SITE INCLUDING COST OF PAINT (NITROZINC RICH PRIMER), BRUSHES, GLOVES, LABOUR CHARGES FOR APPLYING ANTICORROSIVE PAINT ETC BEFORE THE APPLICATION OF SYNTHETIC ENAMEL PAINT. (THE QUALITY AND THE BRAND OF THE ANTICORROSIVE PAINT, SHOULD BE GOT APPROVED FROM THE EE BEFORE USE) AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.1600.00 (Rupees one thousand and six hundred only)	1 M.T. (ONE METRIC TONNE)	3804.80
344.2	✓ 3 NOS.	SUPPLYING AND FIXING OF BEVELED EDGE MIRROR OF APPROVED QUALITY AND BRAND OF SIZE 500X400X5.5MM SHELF TYPE MOUNTED IN THE PVC/ FIBRE GLASS FRAMED WITH NECESSARY HARD BOARD BACKING INCLUDING LABOUR FOR FIXING IN POSITION ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.250.00 (Rupees two hundred and fifty only)	1.NO. (EACH)	750.00
						6382706.40

For M.J ENGG. CONSTRUCTION


ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNRP No	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
2	3	4	5	6	7	10
361.1	35.30 Sq.M.	SUPPLYING AND LAYING SUPERIOR VARIETY CONCRETE DESIGNER TILES FOR FLOORING IN CM 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 20MM THICK, INCLUDING FIXING IN POSITION, CUTTING THE TILES TO THE REQUIRED SIZE WHEREVER NECESSARY, POINTING THE JOINTS WITH WHITE/COLOUR CEMENT, FINISHING, CURING ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRAND QUALITY OF TILES SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE).		Rs.1100.00 (Rupees one thousand and one hundred only)	1.Sq.M. (ONE SQUARE METRE)	38830.00
367	22.70 Sq.M.	PROVIDING WOODEN MELAMEN POLISH FOR MAIN DOOR NEW WOOD BY REMOVING BY BLADE SCRAPPING THE EXISTING DIRT FROM THE WOODEN SURFACE WITH M50 SAND PAPER AND REPEAT M80 SAND PAPER TO GET A SMOOTH SURFACE, LEAVE ATLEAST 4HRS DRYING AND PREPARE SURFACE BY M100 SAND PAPER AND CLEAR THE SURFACE APPLY ONE COAT OF TOUCH WOOD STAINER BY BRUSH AND LEAVE FOR TWO HRS. FOR DRYING, PREPARE THE SURFACE BY M100 SAND PAPER AND APPLY ONE COAT OF ASH SANDING SEALER MIXED WITH APPROVED QUALITY THINNER AFTER DRYING APPLY ONE COAT OF SANDING SEALER AND ATTEND THE SURFACE TO GET THOROUGHLY DRIED SMOOTHER SURFACE WITH NO.250 WATER EMERY WOOD CLEANER FILL THE HOLES AND DOTS BY PUTTY AND PACKING TO GET THE SURFACE CLEAN, APPLY SURFACE BY WAX EMERY SHEET NO.250, APPLY FIRST COAT OF MELAMEN SEALER WITH THE THINNER FOR PREPARING THE SURFACE AND APPLY SECOND COAT OF THE SAME BY AFTER DRYING PREPARING THE SURFACE WITH WATER EMERY NO.320 AND APPLY TWO COATS OF MELAMEN MATT MIXED WITH GLOZING AND THINNER 106 PREPARE THE SURFACE WATER EMERY NO.400 AND APPLY TWO COATS OF SAME AND FINALLY SMOOTHER ETC., ALL COMPLETE INCLUDING COST OF ALL MATERIALS AND LABOUR ETC., AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND SHADE OF THE POLISH SHOULD BE GOT APPROVED FROM THE EE BEFORE USE).		Rs.900.00 (Rupees nine hundred only)	1.Sq.M. (ONE SQUARE METRE)	20430.00
378.2	180.00 Sq.M.	SUPPLYING AND FIXING OF VETRIFIED TILES OF BEST APPROVED QUALITY (IVORY) 600X600X8MM FOR FLOORING AND OTHER SIMILAR WORKS (THE COLOUR AND SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING) OVER CEMENT MORTAR 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 20MM THICK INCLUDING FIXING IN POSITION CUTTING THE TILES TO THE REQUIRED SIZE WHEREVER NECESSARY POINTING THE JOINTS WITH GROUT (TILE JOINT FILLER) CURING FINISHING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.950.00 (Rupees nine hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	171000.00
379.7	3.40 Sq.M.	SUPPLYING AND FIXING OF (SUPERFINE POLISHED WITH MACHINE CUT EDGES) OF SIZES 4'X2' OF GRANITE SLAB (JET BLACK) FOR KITCHEN HEARTH SLAB HAVING 18-20MM THICK (SAMPLE SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE) LAID OVER IN CM 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 12MM TK OVER THE RCC PLATFORM INCLUDING FIXING IN POSITION CUTTING THE SLAB TO THE REQUIRED SIZE, WHEREVER NECESSARY POINTING THE JOINTS WITH COLOURED CEMENT CURING FINISHING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.1400.00 (Rupees one thousand and four hundred only)	1.Sq.M. (ONE SQUARE METRE)	4760.00
		b) IN FIRST FLOOR				6617726.40

For M.J ENGG. CONSTRUCTION

Partner

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
383.2	6.20 Rmt.	PROVIDING DOUBLE NOSING TO THE EDGES OF GRANITE SLAB OF 20MM THICK INCLUDING LABOUR, POWER CONSUMPTION, TOOLS & PLANTS REQUIRED, TRUE TO HORIZONTAL ETC., FOR KITCHEN PLATFORM IN ALL FLOORS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.200.00 (Rupees two hundred only)	1.Rmt. (ONE RUNNING METRE)	1240.00
383.4.1	1 NO.	SUPPLY, DELIVERY AND FIXING OF STAINLESS STEEL SINK OF SIZE 550MM X 450MM X200MM THICK OF GRADE 304, 32MM DIA 'B' CLASS G.I. WASTE WATER PIPE AND 32 MM DIA C.P. WASTE COUPLING (STAINLESS STEEL SINK SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE) TRUE TO SPIRIT LEVEL INCLUDING FINISHING NEATLY, AND FIXING IN POSITION COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS IN ALL FLOORS.		Rs.1000.00 (Rupees one thousand only)	1.NO. (EACH)	1000.00
384	2 NOS.	SUPPLY AND FIXING OF 10 LITRE CAPACITY HANDLE TYPE PVC FLUSHING CISTERN (WALL MOUNTING TYPE) OF SUPERIOR VARIETY (WHITE) WITH ALL FITTINGS INCLUSIVE OF COST OF ALL MATERIALS, LABOUR CHARGES FOR FIXING IN POSITION IN APPROPRIATE LEVEL (SUITABLE FOR IWC) AS DIRECTED BY THE DEPARTMENTAL OFFICERS AND AS PER RELEVANT STANDARD SPECIFICATIONS (THE COLOUR QUALITY AND BRAND SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.1100.00 (Rupees one thousand and one hundred only)	1.NO. (EACH)	2200.00
448.2	6 NOS.	SUPPLYING AND FIXING OF PVC TEE WITH END CAP OF 32MM DIA AND COUPLING OF BEST APPROVED QUALITY WITH ISI MARK TO THE SINK AND WASH BASIN INSTEAD OF BOTTLE TRAP ETC., COMPLETE COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRAND AND QUALITY OF PVC SPECIALS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.80.00 (Rupees eighty only)	1.NO. (EACH)	480.00
796	41.30 Sq.M.	PAINTING THE NEW WALLS WITH TWO COATS OF APPROVED BEST READY MIXED PLASTIC EMULSION PAINT IN ADDITION TO ONE COAT OF APPROVED PRIMER COAT OVER CEMENT PLASTERED WALL SURFACES AND CEILING INCLUDING COST OF PLASTIC EMULSION PAINT, PUTTY, BRUSHES ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE EMULSION PAINT AND ITS SHADE SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING)		Rs.150.00 (Rupees one hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	6195.00
		TOTAL AMOUNT (EXCLUDING GST)				6628841.40
		GST Amount for providing Service to Government Contract Works for the above Construction Works.				795460.97
		GRAND TOTAL				7424302.37
(RUPEES SEVENTY FOUR LAKHS TWENTY FOUR THOUSAND THREE HUNDRED AND TWO AND PAISE THIRTY SEVEN ONLY)						

For M.J ENGG. CONSTRUCTION

Partner

