TAMIL NADU POLICE HOUSING CORPORATION LIMITED No: 132 E.V.R. Salai, Kilpauk, Chennai-10.

Memo No: CE/DB/85/2021

Date:/5/02.2021

Sub: TNPHC -HOOB - South Circle - Madurai Division Construction of Jetty Police Station Building with development
works at Rameswaram in Ramanathapuram District under
Announcement made by the Hon'ble Chief Minister of Tamil Nadu
- Estimate Technically Sanctioned - Intimation - Regarding.


Ref: 1.SE's Lr.No. DB/SC/0028/2021, Dt.15.01.2021.

2. EE/plg Note Dt.15.02.2021

The attention of the Superintending Engineer/South Circle is drawn to the reference cited and it is informed that the Chairman and Managing Director/TNPHC has accorded approval for an additional fund of ₹11.14 Lakhs for the work of Construction of Jetty Police Station Building with development works at Rameswaram in Ramanathapuram District under Announcement made by the Hon'ble Chief Minister of Tamil Nadu from the savings of ₹ 11.14 Lakhs available in the following three works as suggested by the Superintending Engineer /South Circle.

FS value	Probable completion	Savings		
	Rs. in lakhs			
67.00	58.69	8.31		
58.56	57.50	1.06		
69.18	67.41	1.77		
		11.14		
	67.00 58.56	value completion Rs. in late 67.00 58.69 57.50		





From Ho 15/2/21 @ 51.38 pm

Name of Work: Construction of Jetty Police Station building with development works at Rameswaram in Ramanathapuram District under Announcement made by the Hon'ble Chief Minister of Tamil Nadu

SI.No.	Qty	Description	Rate	Unit	Amount
		BUILDING WORKS	AS PER F	WD SR 2	020-2021
1	1.00	: Main building	7466397.08	1	7466397.08
		SUB - TOTAL - I Rs.	البيد		7466397.08
2		Septic tank	242742,78	/	242742.78
3		R.C.C. Sump	178223.79	/	178223.79
4		Plinth protection	167919.53	/	167919.53
5		Sullage drain	67050.61	/,	67050.61
6		Culvert	165910.20		165910.20
7		OHT	107072.40	/	107072.40
		SUB - TOTAL - II Rs.	93.9	Ь	8395316.39
8		GST at 12.0% (GST at 6% + CGST 6%)			1007437.97
		SUB - TOTAL - III Rs.			9402754.36 /
9		Provision for Soil Investigation	LS		40000.00
		SUB - TOTAL - IV Rs.			9442754.36 /
10		Labour Welfare fund @ 1.0%	As pr PWD N	orms	94427.54
11		unforeseen, Contingencies & PS charges @2.5%	As pr PWD N	orms	236611.52
12		Supervision Charges @ 7.5%	*:		708206.58
		SUB - TOTAL - V Rs.			10482000.00
13		Advertisement charges	LS		50000.00
14	H	Provision for EB Deposits	LS		50000.00
15		Provision for planning permission & payment to other department	LS		50000.00
16	П	Structural Design / Consultancy charges	LS		48000.00
		GRAND TOTAL Rs.			10680000.00







TAMIL NADU POLICE HOUSING CORPORATION LTD

ABSTRACT

No me of Work: Construction of Jetty Police Station building with development works at Rameswaram in Idanianathapuram District under Announcement made by the Hon'ble Chief Minister of Tamil Nadu

SI. No.	Qty	Description	Rate using [C.S Sand]	Unit	Amount
1.1		Earth work excavation in all soils (including refilling)			
	255.700	a. 0 to 2 mt.	222.21	Cum	/ 56819.10
	46.500	b. 2 to 3 mt. P - 2	230.31	Cum.	10709.4
1.5	_	Earth work excavation for Open Toundation (excluding refilling)			
	74.200 🗸	a. 0 to 2 mt.	105.00	Cum	7791.0
	4.500	b. 2 to 3 mt. P-3	113.10	Cum.	/ 508.9
1.6		Earth work excavation for Open foundation for drains (excluding refilling) width upto 1.25 m			
	3.500	a. 0 to 2 mt.	157.50	Cum	551.2
2.1 3	29.500	Filling C.S. sand	2139.24	Cum	63107.5
2.2.1	22.900		2359.00	Cum.	54021.1
2.6	6.000	Supply and filling of 40 mm HBSJ	1976.13	Cum.	11856.7
2.7	3 000	Supply and filling of 20 mm HBSJ	2370.13	Cum.	7110.3
3.1.	25.300	C.C.1:5:10 for Foundation & Basement	5492.74	Cum.	138966.3
3.2,	10.000	P.C.C. 1:2:4 for Foundation & Basement and other similar works	6974.86	Cum.	69748.6
3.3,	0.200	P.C.C. 1:8:16 using 20 mm broken brick jelly	4439.61	Cum,	/ 887.9
12.1,/	,	Brick partition in C.M. 1:4 using country bricks of size 22 x11x5cm 50 mm thick			
	7.400 🗸	a. In Ground Floor	397.26	Sqm.	/ 2939.7
	9.000	b. In First Floor	404.72	Sqm.	/ 3642.4
13.1	42.000	Filling with Excavated Earth	36.63 P_ 8	Cum.	1538.4
21.2	1	Teak wood Wrought & Put up			
	0.095	a: T.W. over 2 m & below 3 m	124443.75	Cum	/ 11822.1
	0.242	b. T.W. below 2 m length	L 112243.75	Cum	27162.9

11. 11 31 S/2

SI. No.	Qty	Description	Rate using [C.S Sand]	Unit	Amount
23.3	12 000	S&F of Magnetic door catches	52.00	Each	624.00
25.0	66 000	M.S Holdfast	/ 9.60	Each	633.60
26.0	11.300	Flooring in C.C.1:5:10 P-4	5492.74	Cum,	62067.96
28.0	70.100	Floor plastering in C.M. 1:4, 20 mm tk	502.84	Sqm	35249.08
30.0	31.000	Ellispattern P-9	446.29	Sqm.	13834.99
31.0	2.500	Weathering course	3873.01	Cum,	9682.53
33.0	1500.400	Plastering in C.M. 1;5, 12 mm tk.	248.67	Sqm.	373104.47
34.0	102.500	Plastering in C.M. 1:4, 12 mm tk.	254.52	Sqm.	26088.30
35.9	253.400	Spl. Ceiling plastering in C.M. 1:3,	281.91	Sqm.	71435.99
36.∳		Cement mortar Border in C.M. 1:5, 12 mm tk.		211	
	80.100	a. 150 mm wide	78.44	Rmt	6283.0
157	257.700	b. 75 mm wide	50.95	Rmt ·	13129.8
	103.300	c. 50 mm wide	37.90	Rmt	3915.0
37.1	249.900	White washing 3 coats (slaked)	43.63	Sqm.	/ 10903.1
39.0	1850.000	M.s Grills	54.50	Kg.	100825.0
40.0	49.000	Painting - New "wood work"	226.80	Sqm.	11113.2
41.0	126.200	Painting - New "iron work"	134.26	Sqm.	16943.6
46.0	6.400	S & F 20 mm dia Alu. Hanger Rod	58.00	Rmt	/ 371.2
47.0	4.000	S & F Alu Towel rail 75 cm long	95.00	Each	/ 380.00
48.0	8.000	S & F 5 pin Coat stand	55.00	Each	/ 440.00
49.0	44.000	S & F chromium plated 8 guage Picture Hook	1,50	Each	66.00
50.3	5.000 🗸	Supply and planting avenue trees	447.10	Each	2235.50
50.4	5.000	Providing Tree guard	840.06	Each	/ 4200.3
50.5	1,000	Supplying. Fabricating and erection of M.S Scheme Name board	16106.74	Each	/ 16106.7
53.3	5.000-/	C.I. Steps (5 kg)	30.00	Each	150.0

1248967.756

SI. No.	Qty.	Description	Rate using [C.S Sand]	Unit	Amount
59.5		Gully Trap using Kiln burnt country bricks 22 x 11 x	1945.5	4 Each	17509.
60 q	11.000	PVC Nahani trap (4way/2way)	136.70	Each	1503.
	10	Electrical arrangements			
72.0	15.000	Box type Fibre Fan hook	33.90	Each	508.
73.1	2.000	6 way - D.B.	4016.00	Each	8032.0
74.0	15.000	Charges for fixing of "Fan"	467.00	Each	7005.0
76.0	15.000	8 SWG wire	21.00	Rmt	315.0
77.3	9.000	S&F of TV/Telephone line Socket	76.00	Each	684.0
77.4	55,000	S&F of 20mm dia PVC pipe for TV/Telephone line	75.99		4179.4
78.0	1.000.	Earthing Station IS3043 (Type I)			7 110.1
31.0	0.700		2588.00	Each	/ 2588.0
6.0	- V,	Meter cupboard	2412.83	Sqm	/ 1688.9
	123.400	Anti termite treatment	34.00	Sqm.	4195.6
38.0	14.030	Anticorrosive treatment for steel grills	4589.88	MT	64396.0
		ANNEXURE			
4.1,\		Precast Cupboard slab 20 mm tk.using standardised concrete mix M30 (annexure)			
	2.300	a. In Ground floor	1451.80	Sqm.	/ 3339.14
F.H.s		Precast cupboard slab 40 mm tkusing standardised concrete mix M30 (annexure)	- 1		gestion I
-	4.500	a. In Foundation & basement	1618.76	Sąm.	7284.42
,1		Standardised concrete Mix M30 Grade			
€	30.500 J	a. In Foundation and basement	8941.02	Dum	/540931.71
. 3	1.500 h	o. in Ground Floor	9053.40	Cum	/ 285182.10
2	7.400 c	. In First Floor	9274.65	Cum	254125.41
8	3.200 d	, In Second Floor	9495.90 C	um	77866.38
.) 53	- bi	rick work in C.M. 1:5 using Fly Ash ricks of size 23 x 11 x 7 cm in Foundation and asement	6993.57 C	um ,	369260.50

28 99563-543

l. No.	Qty.	Description	Rate using [C.S Sand]	Unit	Amount
9.7.1		Brick work in C.M. 1:6 using Fly Ash bricks of size 23 x 11 x 7 cm			AREA
	38.800	a. In Ground Floor	6997.96	Cum	271520.85
	46.900	b. In First Floor	7147.09	Cum	335198.52
	9.200	c. In Second Floor	7296.22	Çum.	67125.22
10.7.		Brick partition work in C.M. 1:4 using Fly Ash bricks of size 23 x 11 x 7 cm 110 mm tk (B.P.)		10.74	
	80.800	b. In Ground Floor	885.04	Sqm	71511.23
	73.200	c. In First Floor	901.44	Sqm	65985.41
	22.000	d. In Second Floor	917.84	Sąm	20192.48
11.7.		Brick work in C.M. 1:4 using Fly Ash bricks of size 23 x 11 x 7 cm 70 mm tk (B.P.)		-	
	7.200	a. In Ground Floor	598.16	Sqm	/ 4306.7
	21.800	b. In First Floer	608.60	Sqm	13267.4
1.1.	48.100	Plastering with CM 1:3, 12mm with WPC	272.64	Sqm	13113.9
1.1	148.500	Supplying and filling with gravel	1085.65	Cum	161219.0
18.1		Formwork using M.S.Sheet			
TH	187.600	a.For Column footings,plinth beam,Grace beam,Raftbeam,Raft slab etc.,	ie (* 810.60	Sqm	152068.5
	646.000	b.Plain surfaces such as Ro slab,floorslab,Beams,lintels,lofts,sill slab,staircase,portico slab and other similar works		Sqm	586154.5
	177.000	c.For Square and rectangular columns and small quantities	I	3 Sqm	192722.9
811	58.600	d.Vertical wall	998.10	Sqm	/ 58488.6 / 28 309.
	20:400	Circular column	2177.66		/ 10071
21.61		R.C.C.Door frames of size 100 x 75mm with or edge grooves size 't' x 20 mm using M30 grad (with out vibrating charges)	ne de		
	3.000	a, 900 x 2100 mm		100	8001.8
	6.000	c. 1000 x 2100 mm	2688.3	9 Each	16130.

44864 15 61 4911951 63,

SI. No		Description	Rate using [C.S Sand]	Unit	Amount
2.3	41.100	TW. frame & TW styles & rails with BWR double leaf shutters for cup board/ ward robes including two coat enamel paint & one coat primer.	4140.52	2 Sqm	170175.
	,	TW panelled door shutter with brass fittings.			
99.	1.900	TW Single leaf door shutter of size 1000X2100mm	6120.78	Sqm	11629
901	3.500	TW double leaves shutter of size 1800 x 2100mm	5649.92	Sqm	/ 19774
1.1.	11.100	TW styles & rails with 9mm thick BWR single leaf shutters with brass screws size of 1000 x 2100 mm	3391.62	Sqm	2 37646.9
	5.000	TW styles & rails with 9mm thick BWR single leaf shutters with brass screws size of 900 x 2100 mm	3504.43	Sqm	17522.
21.5.2	11.500	Supply and Fixing Soild UPVC door Shutter with frame	2828.00	Sqm	/ 32522.0
23.2.2	3.500.	Supply & fixing 5.5mm thick plain sheet glass with	876.40 898.60	Sqm	3067.4 3145. k
1.1	(Cuddappa slab 20 mm tk.for C/B slab.	10-		-
2	Y	a. Ground floor P-2	539.13	Sqm.	/ 5067.8
	25.400	b. In First floor	543.56	Sqm.	13806.4
2.1		Cuddappa slab 40 mm tk.for C/B slab.	-		
	1.000	a. In Ground floor	572.38	Sqm.	572.3
	12.400	b. In First floor	581.23	Sqm,	/ 7207.2
9.81	103.500	Glazed tiles using Grout (Tile Joint Filler), C.M 1:2,	1315.68	Sqm	/ 136170.8
9.9-1	19.900 F	Floor ceramic tiles (Anti-skid) using Grout (Tile loint Filler).	1157.40	Sqm	23032.26
8.6	910.300 s	One coat white cement for new walls and other imilar works.	59.50	Sqm	/ 54162.85
2.41	()	Omm dia PVC water supply ASTM pipe (fully onsealed in walls)	222.21	Rmt	7999.56
3.4	3.000	&F of C.I Manhole cover 60 x 60 cm (50kg weight	1828.00 E	Each	5484.00
5	6.000 W	Vash Hand Basin of size 550 x 400 mm White without Pedestal)	3248.83 E	ach	19492.98

SI. No.	Qty	Description	Rate using [C.S Sand]	Unit	Amount
58.3		PVC SWR pipe (Soil line) with ISI mark - type			
	1	'B',		17.	6.40
	52.500	a. 110 mm dia	689 08	Rmt	36176
-	36.500	b. 75 mm dia. ρ ~ 31	576.28	Rmt	21034.
58.4	6.000	Supplying, Laying & Concealing the 50mm dia PVC (SWR) pipe with ISI mark type - 'B' with relevant specials.	81.20	Rmt	487.
58.5	1.000	PVC(SWR) pipe with ISI mark - type 'A' for Ventilating shaft with cowl	441.70	Each	441
1.2	15.000	Supply and delivery of 48" (1200 mm) Fan with ISI mark with Eletronic Dimmer ρ. 3]	1284.00	Each	19260.
7.6	60.000	Run of 2 Wires of 4 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990, ρ-32.	219.00	Ŗmt	13140.
1.7	175.000	Run of 2 Wires of 2.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990.	187.00	Rmt	32725.
1.20	30.000	4 x 4 Sq mm copper PVC insulated unsheathed single core cable for 3 phase EB service connection P-32	221.00	Rmt	6630.
112.1	5.000	S & F of Exsaust Fan 225mm dia	1768.00	Each	8840.
44.21	1	Rain water harvesting using defunct borewell and providing perforated cover slab			
	4.000	a). Providing pit (M30)	(1 2348.71	Each	/ 9394.
	12.000	b) Augering 30cm dia	521.75	Rmt	6261.0
44.2	6.000 🗸	S&F of Bevelled edge mirror 500 x 400 x 5.5mm	375.70	Each	2254.2
38.1	1.850 🗸	Anticorrosive treatment for window grills	2797.13	MT	5174.6
1.2	1.000	Supplying and fixing of 32 AMPS Triple pole main switch	2007.00	Each	2007.0
30.1	2.000	450 x 375 x 20 mm thick TW plank	1170.00	Each	2340.0
1	2.000	3 Nos.of 32Amps - Fuse Unit	725.00	Each	1450.0
7.1		Supplying and delivery of Three phase ELCB/RCCB	2870.00	Each	5740.0
5.1	6.000	upply of G.I pipe 40mm dia 'B' Class	/ 165.00	Rmt	990.0

5720 676.60

SI. No.	0.			-	
38.4.1	Qty	Description	Rate using		Amount
50.4,1	865.000	wo coat of OBD over one coat white coment for inner walls	120,	98 Sqm	104647
448.2	6.000	roviding PVC Tee with end cap	130 (59 Each	783
379.51	62.700	Granite Tile flooring (Ruby Red)	1567.2	6 Sqm	98267
	8.600	Providing wooden Melamine polish for new wood	1401.9		
367	92 200	0 3 g	1401.5	5 Sqm	12056
578.2	93.200	Providing flooring using daintee polish Virtified tile consideration CI very	1232.	8 Sqm	131809 11A874
361.1	92.200	Concrete designer tiles flooring	1408.4	0 Sqm	129854
2.5.4	4.700	Supplying and fixing in position of UPVC Ventilator louvered ventilator type for all sizes SR 2020-2021 p-71	6893.00	Sqm	/ 32397.
,5.3	41.700	Supplying and fixing in position of UPVC window of casement type(open) for all sizes SR 2020-2021 p	6363.00	Sqm	265337
3.5	6	Supply & Fixing of MS door (for lockup door)			
		MS door of Size 1000 x 2100mm	7463.70	each	✓ 14927 4
1.1.1		Supply & Fixing of MS ventilator of size (lockup)	w H		Bir F
		MS ventilator of size 1200 x 600 mm	3386.79	Sqm	/ 5080.1
4.1.2	,	S & F of 15mm dia Engineering Polymer Tap (long pody) for coastal area only ρ- 40	247.00	Each	/ 1482.0
2.2	- 1	& F of 15mm dia Engineering Polymer Tap short body tap for coastal area only	236.00	Each	/ 1888.00
1.73	2	olar reflective Ceramic tiles with base concrete	1649.88	Sqm.	/ 223723.73
1.1.	(1	PVC Non Pressure pipe of SN8 SDR 34 S 16.5) as per IS 15328/2003			
5		110 mm UPVC Non Pressure pipe	378.53	Rmt	20440.62
2.1.1		VC Specials as per IS 10124/1982 Part II	1		
		110 mm dia PVC bend (TWAD SR 20-21)	160.00 E	Each-	320.00
	PV	/C Equal Tee as per BIS 7834/1975			-
211		110 mm dia PVC Equal tee (TWAD SR 20-21)			5533

6764487.46

SI. No.	Qty.	Description	Rate using [C.S Sand]	Unit	Amount
3.2	3.000	S & F of Indian Water closet white glazed (Oriya type) of size 580 x 440mm with PVC SWR grade 'P' or "S' trap - in G.F.	3258 05	Each	9774.1
6.4.2	1.000	S & F of Indian Water closet white glazed (Oriya type) of size 580 x 440mm with PVC SWR grade 'P' or "S' trap- Other than G.F.	5184.68	Each	5184.68
7.2	4.000	S & F of E.W.C.(White) 500 mm with PVC SWR grade "P" or "S" TRAP	6875.18	Each	27500.7
4.1.)		Wiring with 1.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990. (PVC Box , Fire Retarded Box) For Coastal only	Tus	4	×
	39.000	a. Light point with ceiling rose	1343.00	Each	52377.0
	23.000	b. Light point without ceiling rose	1346.00	Each	30958.0
	2.000	c. Calling bell point with Buzzer/Calling bell	1376.00	Each	2752.0
1.1.	15.000	Wiring with 1.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990 for Fan point.(PVC Electrical Box.)	1394.00	Each	20910.0
6.1.1	3.000	Wiring with 1.5 sqmm PVC inculated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990 for Staircase Light Point.(PVC Electrical Box.)	2509.00	Each	7527.
67.1	V 15.000	Wiring with 1.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990 for 5 amps 5 pin plug socket point @ Switch Board Itself.			10320
3.	12.000	Wiring with 1.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990 for 5 amps 5 pin plug socket point @ Convenient Places.(PVC Electrical Box.)		Each	11244.
69.1	5,000	Supplying and fixing of 15 Amps 3 pin flush type plug using (PVC Box , Fire Retarded Box)	132.00	Each	660.
3.1.1	15.675	Fabrication of Mild steel / RTS grills (without cement slurry) for all sizes of rods.(BINDING WIRE insulated with PVC)	74895.60	MT	1173988.
6.1	57.000	PVC SWR 110 mm dia with ISI mark type- A for Rain water down fall pipe(UPVC SPECIAL CLAMP P-148	337.82	Rmi	19255.

8136989.08

Si. No.	Qty.	Description	Rate using [C.S Sand]	Unit	Amount
2.2		Supply ,laying & jointing the following pipes as per ASTM D 1785 of schedule 40 with UPVC Specials			λ.
	30.000	a. 32 mm día	241.76	Rmt	7252.80
	89.000	b. 25 mm dia	225.00	Rmt	20025.00
151	583.000	Providing Colour Marble chips of size 10mm and below using 70.20Kgs of cement and 15 cum of Colour Marble chips for every 10 sqm over the existing plastered surface (For coastal area)	357.35	Sqm	208335.00
,7.2	2,000	Supply and fixing of 20 Amps DP plug and socket in sheet enclosure with 32 A DP MCB in Flush with wall with earth connection (For AC Plug) Legrand (MDS) / Hager(L& T) Equivalent/ Superior variety	1830.00	Each	3660.00
100	23.000	Supply and fixing of 9 watts 'LED bulb (qtn)	81.00	Each	1863.00
102	25.000	Supply and fixing of 4' 18 watts LED Tube Light	635.00	Each	15875.00
03	10.000	Supply and fixing of Bulk Head fitting suitable for 12W LED Bulb	462.00	Each	4620.00
101	6.000	Supply, fixing of 25W LED street light etc.,	2991.00	Each	17946.00
11'6,	10.000	Supply and fixing of 12 watts LED bulb (qtn)	170.00	Each	1700.00
		Total			-8410218,13 18395316+A

7.5.0

A.D.0