


TAMIL NADU POLICE HOUSING CORPORATION LTD.,

(An ISO 9001: 2015 Certified Company)





Lr.No.CE/Plg/938/2021

Dated:09.06.2023

To

The Director General of Police, Head of Police Force, Tamil Nadu, Chennai – 04.

Sir,

Sub: TNPHC- Construction of Dog Kennel for City AR at Annadhanapatty in Salem City - Feasibility report and detailed estimate proposal-Sent-Regarding.

Ref: 1. Budget Announcement 2023 – 2024 on 20.04.2023 & 21.04.2023.

2. The DGP's Lr.C.No.02939-6/ Bldg I (1)/2023, Dated:26.04.2023.

* * * * * * * *

With reference to the 1st cited, the Construction of Dog Kennel for City AR at Annadhanapatty in Salem City to a value of **Rs. 133.35 Lakhs** comes under announcement of the Hon'ble Chief Minister of Tamil Nadu as announcement No.42.

- 2) Based on the Budget Announcement 2023-24, the DGP/HoPF has requested to furnish the detailed estimate proposal vide in the reference 2nd cited.
- 3) Accordingly, the detailed estimate for the Construction of Dog Kennel for City AR at Annadhanapatty in Salem City is prepared adopting PWD schedule of rates 2023-24, Electrical SD data for the rates for the year of 2023-2024 and TWAD schedule of rates for the year of 2022 23 and including all over head charges. Necessary Type design and tentative layout are enclosed herewith.

| SI. No | Name of Work | Remarks | | | | |
|-----------|--------------------------------|---------|------------------------------------|--|--|--|
| 1. | Construction of Dog Kennel for | 133.35 | The land is identified in S.No.69, | | | |
| | City AR at Annadhanapatty in | | Ward AA, Block No.58, | | | |
| | Salem City | | Annadhanapatty Taluk in Salem City | | | |

| The land belongs to Police |
|-------------------------------------|
| Department. |
| It is feasible to construct the Dog |
| Kennel for City AR a |
| Annadhanapatty in Salem City |

3) It is requested that necessary administrative and financial sanction may be obtained from the competent authority and communicated to us to take up the work early.

Encl: As Stated.

Yours faithfully,

Chief Engineer

GENERAL ABSTRACT

NAME OF WORK:- CONSTRUCTION OF DOG KENNEL FOR CITY AR AT ANNADHANAPATTY IN SALEM CITY.

| Qty | Description | Rate | Unit | Amount | | |
|------|---|--|---|----------------|--|--|
| | BUILDING WORKS | AS PER P | WD SR | R 2023-2024 | | |
| 1.00 | Main building (G+1) | 8036972.38 | Each | 8036972.38 | | |
| | SUB - TOTAL - I Rs. | | | 8036972.38 | | |
| | DEVELOPMENT WORKS | | | | | |
| 1.00 | CC Road | 757304.53 | Each | 757304.53 | | |
| 1.00 | Compund Wall | 499097.70 | Each | 499097.70 | | |
| 1.00 | Borewell and External Water supply arrangement | 479068.67 | Each | 479068.67 | | |
| 1.00 | Sullage Drain | 51812.29 | Each | 51812.29 | | |
| 1.00 | Storm Water Drain | 118141.43 | Each | 118141.43 | | |
| 1.00 | Septic tank | 263370.49 | Each | 263370.49 | | |
| | Provision for Drinking Water Connection arrangements and Addditinal Amenities | LS | | 277200.00 | | |
| | SUB - TOTAL - II R | | 10482967.49 | | | |
| | GST at 18.0% (SGST at 9% + CGST 9%) | | | 1886934.15 | | |
| | SUB - TOTAL - III R | | 12369901.64 | | | |
| | Labour Welfare fund @ 1% | As pr PWD N | lorms | 104829.67 | | |
| | Unforseen, contingencies & PS charges @ 1% | As pr PWD Norms | | 105120.32 | | |
| | Supervision Charges @ 5% | | | 524148.37 | | |
| | SUB - TOTAL - IV R | s. | | 13104000.00 | | |
| | Advertisement charges | LS | | 31000.00 | | |
| | 1.00 1.00 1.00 1.00 | BUILDING WORKS 1.00 Main building (G+1) SUB - TOTAL - I RS DEVELOPMENT WORKS 1.00 CC Road 1.00 Compund Wall 1.00 Borewell and External Water supply arrangement 1.00 Sullage Drain 1.00 Storm Water Drain 1.00 Septic tank Provision for Drinking Water Connection arrangements and Addditinal Amenities SUB - TOTAL - II RS GST at 18.0% (SGST at 9% + CGST 9%) SUB - TOTAL - III RS Labour Welfare fund @ 1% Unforseen, contingencies & PS charges @ 1% Supervision Charges @ 5% SUB - TOTAL - IV R | BUILDING WORKS 1.00 Main building (G+1) SUB - TOTAL - I Rs. DEVELOPMENT WORKS 1.00 CC Road 757304.53 1.00 Compund Wall 499097.70 1.00 Borewell and External Water supply arrangement 1.00 Sullage Drain 1.00 Storm Water Drain 1.00 Septic tank Provision for Drinking Water Connection arrangements and Addditinal Amenities SUB - TOTAL - II Rs. GST at 18.0% (SGST at 9% + CGST 9%) SUB - TOTAL - III Rs. Labour Welfare fund @ 1% Unforseen, contingencies & PS charges @ 1% Supervision Charges @ 5% SUB - TOTAL - IV Rs. | BUILDING WORKS | | |

| SI.N o. | Qty | Description | Rate | Unit | Amount |
|------------|-----|---|------|------|-------------|
| 14 | | Provision for Planning permission & payment to other department | LS | | 50000.00 |
| 15 | | Provision for EB Deposits & EB service connection & EB Pole Providing | LS | | 100000.00 |
| 16 | | Structural Design / Consultancy charges | LS | 2 | 50000.00 |
| | | Grand Total Rs. | | | 13335000.00 |

Say Rs.133.35 Lakhs

Chief Engineer
Tamilnadu Police Housing Corporation Ltd.
Chennal - 600 010.

TAMIL NADU POLICE HOUSING CORPORATION LTD

ABSTRACT

NAME OF WORK: CONSTRUCTION OF DOG KENNEL FOR CITY AR AT ANNADHANAPATTY IN SALEM CITY.

| SI. No. | Qty. | Description | Rate (CS sand) | Unit | Amount 2023-2024 |
|---------|--------|---|-------------------|------|------------------|
| 1.1 | | Earth work excavation in all soils (including refilling) | | | |
| | 147.00 | a. 0 to 2 mt. | 248.93 | Cum. | 36592.71 |
| 1.3 | | Earth work excavation in Soft disintegrated rock (including refilling) | | | |
| | 17.00 | a. 0 to 2 mt. | 364.13 | Cum. | 6190.21 |
| 1.5 | | Earth work excavation for Open foundation (excluding refilling) | | | |
| | 89.00 | a. 0 to 2 mt. | 117.65 | Cum. | 10470.85 |
| 1.6 | | Earth work excavation for Open foundation for drains (excluding refilling) width upto 1.25 m | | | |
| | 16.00 | a. 0 to 2 mt. | 176.48 | Cum. | 2823.68 |
| 1.8 | | Earth work excavation in SDR for Open foundation (excluding refilling) | | | |
| | 13.50 | a. 0 to 2 mt. | 175.25 | Cum. | 2365.88 |
| | 12.80 | b. 2 to 3 mt. | 186.33 | Cum. | 2385.02 |
| 2.1 | 114.20 | Filling C.S. sand | 1560.13 | Cum. | 178166.85 |
| 2.2 | | Sand Gravel Mix | 1411.01 | Cum. | |
| 2.3 | | Supply and filling of 40 mm Brick jelly | 866.84 | Cum. | |
| 2.4 | | Supply and filling of 20 mm Brick jelly | 947.84 | Cum. | |
| 2.5 | | Gravel soling | 299.60 | Cum. | |
| 2.6 | 5.00 | Supply and filling of 40 mm HBSJ | 1247.12 | Cum. | 6235.60 |
| 2.7 | 5.00 | Supply and filling of 20 mm HBSJ | 1666.32 | Cum. | 8331.60 |
| 3.1 | 108.20 | C.C.1:5:10 for Foundation & Basement | 4785.71 | Cum. | 517813.82 |
| 3.2 | 40.00 | P.C.C. 1:2:4 for Foundation & Basement and other similar works | 6337.17 | Cum. | 253486.80 |
| 3.3 | 2.70 | P.C.C. 1:8:16 using 20 mm broken brick jelly | 4222.81 | Cum. | 11401.59 |
| 6.2 | 133.60 | Brick work in C.M. 1:5 (F& B) using chamber Burnt bricks of size 23 x 11.4 x 7.5 cm (9" x 4 1/2"x 3") | 6742.22 | Cum. | 900760.59 |
| 7.2 | 46.00 | Supply and fixing of Bituminous filler pad, 20 mm tk. for expansion joint | 719.00 | Sqm. | 33074.00 |
| 9.2 | | Brick work in C.M. 1:6 using chamber Burnt bricks of size 23 x 11.4 x 7.5 cm (9" x 4 1/2"x 3") | Man mar | | |
| | 61.00 | a. In Ground Floor/Stilt floor | 6767.08 | Cum. | 412791.88 |
| Пин | 30.00 | b. In First Floor | 6934.24 | Cum. | 208027.20 |
| | 0.50 | c. In Second Floor | 7101.40 | Cum. | 3550.70 |

| SI. No. | Qty. | Description | Rate (CS sand) | Unit | Amount 2023-2024 |
|---------|---------|---|-------------------|------|------------------|
| 10.2 | | Brick partition work in C.M. 1:4 using chamber Burnt bricks of size 23 x 11.4 x 7.5 cm (9" x 4 1/2"x 3") 114 mm tk (B.P.) | 100 Sanur | | 2023-2024 |
| | 87.00 | a. In Foundation and basement | 854.44 | Sqm. | 74336.28 |
| | 25.20 | b. In Ground Floor/stilt floor | 863.88 | Sqm. | 21769.78 |
| | 63.00 | c. In First Floor | 882.94 | Sqm. | 55625.22 |
| | 0.50 | d. In Second Floor | 902.00 | Sqm. | 451.00 |
| 11.2 | | Brick work in C.M. 1:4 using chamber Burnt bricks of size 23 x 11.4 x 7.5 cm (9" x 4 1/2"x 3") 75 mm tk (B.P.) | | | |
| | 10.00 | a. In Ground Floor | 604.23 | Sqm. | 6042.30 |
| 12.1 | | Brick partition in C.M. 1:4 using country bricks of size 22 x11x5cm 50 mm thick | | | |
| | 8.00 | a. In Ground Floor | 409.77 | Sqm. | 3278.16 |
| 13.1 | 49.50 | Filling with Excavated Earth | 40.90 | Cum. | 2024.55 |
| 15.1 | | Cuddappa slab 20 mm tk. | | | |
| 45.0 | 11.00 | b. In First floor | 569.43 | Sqm. | 6263.73 |
| 15.2 | 3.00 | Cuddappa slab 40 mm tk. b. In First floor | 2163.27 | Sqm. | 6489.81 |
| 21.2 | 0.00 | Teak wood Wrought & Put up | | | |
| | 0.20 | a. T.W. over 2 m & below 3 m | 125974.50 | Cum. | 25194.90 |
| | 0.10 | b. T.W. below 2 m length. | 113774.50 | Cum. | 11377.45 |
| 22.1 | | Teak wood panelled door shutters | | | |
| | 3.20 | b. 900 x 2100 mm | 5123.42 | Sqm. | 16394.94 |
| | 2.80 | c. 750 x 2100 mm | 5221.72 | Sqm. | 14620.82 |
| 23.1 | | T.W. single leaf Door shutters using 9 mm tk. phynol bonded BWR plywood | | Sqm. | |
| | 2.00 | a. 900 x 2100 mm | 3696.23 | Sqm. | 7392.46 |
| 23.3 | 5.00 | S&F of Magnetic door catches | 52.00 | Each | 260.00 |
| 25.0 | 30.00 | M.S.Holdfast | 9.60 | Each | 288.00 |
| 26.0 | 23.00 | Flooring in C.C.1:5:10 | 4785.71 | Cum. | 110071.33 |
| 28.0 | 61.50 | Floor plastering in C.M. 1:4, 20 mm tk. | 528.92 | Sqm. | 32528.58 |
| 30.0 | 90.00 | Ellispattern | 461.25 | Sqm. | 41512.50 |
| 31.0 | 17.70 | Weathering course | 3941.47 | Cum. | 69764.02 |
| 32.1 | 235.00 | Pressed tiles (23cmx23cmx20mm) mixed with Water proofing compound | 1230.98 | Sqm. | 289280.30 |
| 33.0 | 1527.00 | Plastering in C.M. 1:5, 12 mm tk. | 259.14 | Sqm. | 395706.78 |
| 34.0 | 150.20 | Plastering in C.M. 1:4, 12 mm tk. | 265.23 | Sqm. | 39837.5 |
| 35.0 | 224.00 | Spl. Ceiling plastering in C.M. 1:3, 10 mm tk. | 298.21 | Sqm. | 66799.04 |
| 36.0 | | Cement mortar Border in C.M. 1:5, 12 mm tk. | | | |

| SI. No. | Qty. | Description | Rate (CS sand) | Unit | Amount 2023-2024 |
|---------|---------|---|-------------------|------|------------------|
| | 145.60 | a. 150 mm wide | 83.78 | Rmt | 12198.37 |
| | 145.60 | b. 75 mm wide | 54.68 | Rmt | 7961.41 |
| | 106.00 | c. 50 mm wide | 40.74 | Rmt | 4318.44 |
| 37.1 | 224.00 | White washing 3 coats (slaked) | 47.48 | Sqm. | 10635.52 |
| 39.0 | 3814.00 | M.s Grills | 70.15 | Kg. | 267552.10 |
| 40.0 | 23.00 | Painting - New "wood work" | 241.31 | Sqm. | 5550.13 |
| 41.0 | 153.00 | Painting - New "iron work" | 142.73 | Sqm. | 21837.69 |
| 46.0 | 5.10 | S & F 20 mm dia Alu. Hanger Rod | 58.00 | Rmt | 295.80 |
| 47.0 | 1.00 | S & F Alu Towel rail 75 cm long | 95.00 | Each | 95.00 |
| 48.0 | 3.00 | S & F 5 pin Coat stand | 55.00 | Each | 165.00 |
| 49.0 | 32.00 | S & F chromium plated 8 guage Picture Hook | 1.50 | Each | 48.00 |
| 50.2 | 148.00 | Providing precast Kerb stone in C.C. 1:3:6, 450 x 300 x 150 mm | 261.23 | Rmt | 38662.04 |
| 50.3 | 10.00 | Supply and planting avenue trees | 353.48 | Each | 3534.80 |
| 50.4 | 10.00 | Providing Tree guard | 906.32 | Each | 9063.20 |
| 50.5 | 1.00 | Supplying. Fabricating and erection of M.S Scheme Name board | 19525.36 | Each | 19525.36 |
| 51.0 | 1.00 | HDPE water tank 1000 lit capacity with ISI mark | 10050.00 | Each | 10050.00 |
| 52.0 | | PVC Water supply (ASTM) | | | |
| 11.0 | 35.00 | a. 32 mm dia | 262.04 | Rmt | 9171.40 |
| 1181 | 54.00 | b. 25 mm dia | 243.98 | Rmt | 13174.92 |
| 52.1 | 2.00 | G.I Pipe 20mm dia for Hot water line (Fully Concealed in walls) | 323.23 | Rmt | 646.46 |
| 59.2 | 4.00 | Gully Trap using chamber burnt bricks of size 23x11.4x7.5cm | 2077.29 | Each | 8309.16 |
| 60.0 | 4.00 | PVC Nahani trap (4way/2way) | 160.00 | Each | 640.00 |
| 61.1 | | Stoneware pipe | | Repo | |
| | 20.00 | b. 150 mm S.W. pipe | 780.46 | Rmt | 15609.20 |
| 61.2 | | Stoneware pipe dry condition | THE STATE OF | | |
| | 5.00 | a. 100 mm dia | 249.02 | Rmt | 1245.10 |
| | | Electrical arrangements | | | v |
| 69.0 | 6.00 | 15 Amp. Power plug | 150.00 | Each | 900.0 |
| 72.0 | 18.00 | Box type Fibre Fan hook | 33.90 | Each | 610.20 |
| 73.1 | 2.00 | 6 way - D.B. | 4251.30 | Each | 8502.60 |

| SI. No. | Qty. | Description | Rate (CS sand) | Unit | Amount 2023-2024 |
|---------|---------|---|-------------------|------|---------------------|
| 74.0 | 18.00 | Charges for fixing of "Fan" | 602.50 | Each | 10845.00 |
| 76.0 | 30.00 | 8 SWG wire | 27.13 | Rmt | 813.90 |
| 77.0 | 124.00 | Run of main 2 wires of 1.50 Sqmm. | 214.90 | Rmt | 26647.60 |
| 77.2 | 10.00 | S & F of A/C metal clad switch (SD-140) | 1858.00 | Each | 18580.00 |
| 77.3 | 2.00 | S&F of TV/Telephone line Socket | 77.01 | Each | 154.02 |
| 77.4 | 8.00 | S&F of 20mm dia PVC pipe for TV/Telephone line | 89.74 | Rmt | 717.92 |
| 78.0 | 2.00 | Earthing Station IS3043 (Type I) | 2998.00 | Each | 5996.0 |
| 80.0 | 1.00 | 375 x 300 x 20 mm T.W. plank | 847.60 | Each | 847.6 |
| 86.0 | 81.00 | Anti termite treatment | 34.00 | Sqm. | 2754.0 |
| 112.0 | 1.00 | S & F of Exsaust Fan 300 mm dia | 2363.00 | Each | 2363.0 |
| | | ANNEXURE | | | |
| 14.11 | | Precast cupboard slab 40 mm tkusing standardised concrete mix M20 (annexure) | | | |
| | 5.50 | a. In Foundation & basement | 1692.25 | Sqm. | 9307.3 |
| | | Precast Jally ventilator 50mm tk.using standardised concrete mix M20 (annexure) without vibrating charges | | | |
| | 4.00 | a. In Ground Floor | 3092.16 | Sqm. | 12368.6 |
| | | Standardised concrete Mix M20 Grade Concrete | | | |
| | 48.00 | a. In Foundation and basement | 7940.06 | Cum | 381122.8 |
| | 43.00 | b. Stilt / Ground Floor | 8065.90 | Cum | 346833.7 |
| | 16.00 | c. In First Floor | 8313.81 | Cum | 133020.9 |
| | 2.00 | d. In Second Floor | 8561.72 | Cum | 17123.4 |
| | 17.00 | Plastering with CM 1:3, 12mm with WPC | 283.91 | Sqm | 4826.4 |
| | 1049.00 | Supplying and filling with gravel | 321.85 | Cum | 337620.6 |
| 18.1 | | Formwork using M.S.Sheet | | | 1.0 |
| | 239.00 | a.For Column footings,plinth beam,Grade beam,Raftbeam,Raft slab etc., | 886.03 | Sqm | 211761.1 |
| | 433.00 | b.Plain surfaces such as Roof slab,floorslab,Beams,lintels,lofts,sill slab,staircase,portico slab and other similar works | 987.02 | Sqm | 427379.6 |
| | 251.00 | c.For Square and rectangular columns and small quantities | 1184.42 | Sqm | 297289.4 |
| | 58.00 | d.Vertical wall | 1085.72 | Sqm | 62971.7 |
| 21.6 | | R.C.C.Door frames of size 100 x 75mm with one edge grooves size 't' x 20 mm using M20 grade (with out vibrating charges) | | | |
| | 15.00 | a. 900 x 2100 mm | 2873.46 | Each | 43101.9 |

| SI. No. | Qty. | Description | Rate (CS sand) | Unit | Amount 2023-2024 |
|---------|--------|--|-------------------|--------|---------------------|
| | 14.00 | T.W. frame & TW styles & rails with BWR double leaf shutters for cup board/ ward robes including two coat enamel paint & one coat primer. | 4329.88 | Sqm | 60618.32 |
| 21.5.2 | 3.50 | Supply and Fixing Soild UPVC door Shutter with frame | 3325.00 | Sqm | 11637.50 |
| 29.8 | 212.00 | Glazed tiles using Grout (Tile Joint Filler), C.M 1:2, 10mm tk | 1418.68 | Sqm | 300760.16 |
| 29.9 | 4.00 | Floor ceramic tiles (Anti-skid) using Grout (Tile Joint Filler). | 1241.81 | Sqm | 4967.24 |
| 43.0 | 14.13 | Fabrication of Mild steel / RTS grills (without cement slurry) for all sizes of rods. | 90389.00 | МТ | 1277196.57 |
| 44.6 | 43.00 | PVC SWR 110 mm dia with ISI mark type- A for Rain water down fall pipe | 350.32 | Rmt | 15063.76 |
| 50.6 | 120.00 | Precast slab 50 mm tk.in C.C. 1:3:6 with fibre | 407.71 | Sqm | 48925.20 |
| 52.4 | 20.00 | 20mm dia PVC water supply ASTM pipe (fully consealed in walls) | 241.19 | Rmt | 4823.80 |
| 53.4 | 2.00 | S&F of C.I Manhole cover 60 x 60 cm (50kg weight) | 1864.00 | Each | 3728.00 |
| | 4.00 | Wash Hand Basin of size 550 x 400 mm (White without Pedestal) | 3416.50 | Each | 13666.00 |
| 58.3 | | PVC SWR pipe (Soil line) with ISI mark - type 'B'. | | | |
| | 15.00 | a. 110 mm dia. | 737.96 | Rmt | 11069.40 |
| | 40.00 | b. 75 mm dia. | 620.66 | Rmt | 24826.40 |
| 58.4 | 4.00 | Supplying, Laying & Concealing the 50mm dia PVC (SWR) pipe with ISI mark type - 'B' with relevant specials. | 115.30 | Rmt | 461.20 |
| 58.5 | 2.00 | PVC(SWR) pipe with ISI mark - type 'A' for Ventilating shaft with cowl | 454.00 | Each | 908.00 |
| 64.1 | | Wiring with 1.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990. | | | |
| | 50.00 | a. Light point with ceiling rose | 1692.10 | Each | 84605.00 |
| | 24.00 | b. Light point without ceiling rose | 1695.00 | Each | 40680.00 |
| | 1.00 | c. Calling bell point with Buzzer/Calling bell | 1732.00 | Each | 1732.00 |
| 65.1 | 18.00 | Wiring with 1.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990 for Fan point controlled by 6A Modular switch 1 Way. | 1767.00 | Each | 31806.00 |
| 66.1 | 2.00 | Wiring with 1.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990 for Staircase Light Point.controlled by 6A Modular switch 2 Way. | 3176.00 | Each | 6352.0 |
| | 8.00 | Wiring with 1.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990 for 5 amps 5 pin plug socket point @ Switch Board Itself controlled by 6A Modular switch 1 Way. | 870.00 |) Each | 6960.0 |

| SI. No. | Qty. | Description | Rate (CS sand) | Unit | Amount 2023-2024 |
|---------|--------|--|-------------------|------|------------------|
| 68.2 | 8.00 | Wiring with 1.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990 for 5 amps 5 pin plug socket point @ Convenient Places.controlled by 6A Modular switch 1 Way. | 1174.00 | Each | 9392.00 |
| | 18.00 | Supply and delivery of 48" (1200 mm) Fan with ISI mark with Eletronic Dimmer | 1552.70 | Each | 27948.60 |
| | 122.00 | Run of 2 Wires of 4 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990. | 273.00 | Rmt | 33306.00 |
| | 80.00 | Run of 2 Wires of 2.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990. | 233.00 | Rmt | 18640.00 |
| | 30.00 | 4 x 4 Sq mm copper PVC insulated unsheathed single core cable for 3 phase EB service connection | 276.00 | Rmt | 8280.00 |
| | 40.00 | Run of 4 Wires of 6 sqmm PVC insulated single core multi strand | 501.08 | Rmt | 20043.20 |
| 44.2 | | Rain water harvesting using defunct borewell and providing perforated cover slab | | | 1 |
| | 3.00 | a). Providing pit (M30) | 2102.77 | Each | 6308.31 |
| n Fi | 9.00 | b) Augering 30cm dia | 504.09 | Rmt | 4536.81 |
| 344.2 | 3.00 | S&F of Bevelled edge mirror 500 x 400 x 5.5mm | 398.30 | Each | 1194.90 |
| 87.1 | 8.00 | Supplying and delivery of Three phase ELCB/RCCB | 3092.00 | Each | 24736.00 |
| | 7.00 | Supply of G.I pipe 40mm dia 'B' Class | 165.00 | Rmt | 1155.00 |
| 224 | 787.00 | Plastic Emulsion PAINT including primer for outer walls (Two coat) Exterior | 241.75 | Sqm | 190257.25 |
| | 628.00 | Plastic Emulsion PAINT including primer for inner walls (Two coat) | 240.20 | Sqm | 150845.60 |
| | 116.00 | Providing Shahabad stone flooring, C.M 1:3, 20mm tk | 1524.32 | sqm | 176821.12 |
| | 53.00 | Vetrified Tiles flooring (Ivory) | 1285.25 | Sqm | 68118.25 |
| | 14.00 | Concrete designer tiles flooring | 1515.17 | Sqm | 21212.38 |
| | 35.00 | Granite Tiles flooring (Ruby red) | 1024.57 | Sqm | 35859.95 |
| | 1.10 | Supplying and fixing in position of UPVC Ventilator louvered ventilator type for all sizes PWD SR 2023-2024 p-66 | 8106.00 | Sqm | 8916.60 |
| | 10.00 | Supplying and fixing in position of UPVC window of casement type(open) for all sizes SR 2023-2024 p-65 | 7482.00 | Sqm | 74820.00 |
| | | Supplying and fixing of solid core flush door shutter of thickness 35mm | | | |
| | 22.10 | i. door size 0.750 m x 2.100 (Single Leaf) | 2611.00 | Sqm | 57703.10 |
| | | S & F of Granite Tile of size 4'x2', 18 to 20mm Thick For kitchen arrangements (jet black) C.M 1:3, 20mm tk | | | y |
| | 4.00 | b. In First floor | 1117.57 | Sqm | 4470.28 |

| SI. No. | Qty. | Description | Rate (CS sand) | Unit | Amount 2023-2024 |
|---------|-------|---|-------------------|------|------------------|
| | | UPVC Non Pressure pipe of SN8 SDR 34 (S 16.5) as per IS 15328/2003 | | | 2 |
| | 30.00 | a, 110 mm UPVC Non Pressure pipe | 490,96 | Rmt | 14728.80 |
| | 10.00 | b. 160 mm UPVC Non Pressure pipe | 815.54 | Rmt | 8155.40 |
| | 1.00 | S & F of E.W.C.(White) 500 mm with PVC SWR grade "P" or "S" TRAP | 7315.38 | Each | 7315.38 |
| | 10.00 | S & F of 15mm dia half turn CP long body tap | 495.00 | Each | 4950.00 |
| | 2.00 | S & F of 15mm dia half turn CP short body tap | 447.00 | Each | 894.00 |
| | 24.00 | Supply and fixing of 9 watts LED bulb (PWD SR-2022-23/p-115) | 135.00 | Each | 3240.00 |
| | 43.00 | Supply and fixing of 4' 18 watts LED Tube Light | 705.00 | Each | 30315.00 |
| | 1.00 | Supply and fixing of Bulk Head fitting suitable for 12W LED Bulb | 530.00 | Each | 530.00 |
| | 8.00 | Supply, fiing of 25W LED street light etc., | 3459.00 | Each | 27672.00 |
| | 30.00 | Supplying and laying of 3.5 core 50 sq.mm PVC armoured LTUG cable (below GL) SD-206 | 678.00 | RMT | 20340.00 |
| | 30.00 | S&F 3.5 X 50mm LTUG CABLE Above GL sd-224 | 561.00 | RMT | 16830.00 |
| | 2.00 | Supplying and fixing of brass cable gland suitable for 3.5 core 50 Sqmm PVC armoured LTUG cable SD 188 | 439.00 | Each | 878.00 |
| | 1.00 | Supply and fixing of 7 segment 8 way 63A TPN MCB sheet steel distribution board (Higher end) with metal / acrylic door cover flush type /surface type fitted with busbars and neutral links with single / three phase MCB outgoings etc., (PWD SR P 149/2023-2024) | 6759.00 | Each | 6759.00 |
| | | Supplying, laying and jointing PVC Pipe of approved quality of following sizes including cutting threading and fixing PVC specials but excluding cost of such specials and fixing with necessary PVC Adhesive and earth work excavation and refilling etc., all complete and as directed by the departmental officers.(Below Ground level) | | | |
| | 55.00 | a) 50mm dia OD PVC Pipe 10kg / cm² | 362.30 | Rmt | 19926.50 |
| | 30.00 | b) 25mm dia OD PVC Pipe 10Kg/ cm² | 245.60 | Rmt | 7368.00 |
| | 1.00 | Supplying and delivery of Wet type lubricated submersible motor with multi stage pumpset as per ISI Specification. The Pumpset is suitable for AC single phase electric power the pumpset is suitable for Bore well etc., all complete and as directed by the departmental officers. Motor : 5 HP, Multi Stage Suction and delivery pipe: 1 1/4" Delivery: 50x60 | 52520.00 | Each | 52520.00 |

| SI. No. | Qty. | Description | Rate (CS sand) | Unit | Amount 2023-2024 |
|---------|--------|--|-------------------|------|------------------|
| | 1.00 | Supplying and delivery of Wet type lubricated submersible motor with multi stage pumpset as per ISI Specification. The Pumpset is suitable for AC single phase electric power the pumpset is suitable for sump etc., all complete and as directed by the departmental officers. Motor : 3 HP, 0.75KW/TSM30FZ, Delivery: 50x 25 ITotal head : 18m/26m, Suction and delivery pipe: 1 1/4" | 35490.00 | Each | 35490.00 |
| | 210.00 | Supplying and laying of 3 Core 2.5 Sq.mm Fire resistant flexible copper flat cable of approved quality with ISI Mark and confirming to IS Specifications including cost of cable conveyance and fixing charges etc.,all complete and as directed by the departmental officers. (Above GL) | 174.80 | Rmt | 36708.00 |
| | 60.00 | Supplying and laying of 3 Core 2.5 Sq.mm Fire resistant flexible copper flat cable of approved quality with ISI Mark and confirming to IS Specifications including cost of cable conveyance and fixing charges etc.,all complete and as directed by the departmental officers. (Below GL) | 263.25 | Rmt | 15795.00 |
| | | Supplying and delivery and fixing of following dia GI/GM/PVC Pipes and specials with ISI Mark etc.all complete | | | |
| | 5.00 | a) 50mm dia PVC Bend(SR P100) | 36.00 | Each | 180.00 |
| | 4.00 | b) 50mm dia PVC FTA | 35.00 | Each | 140.00 |
| | 4.00 | c) 50mm dia PVC Coupling | 14.25 | Each | 57.00 |
| | 3.00 | d) 25mm dia PVC Bend | 11.30 | Each | 33.90 |
| | 4.00 | e) 50mm dia GI Coupling | 69.80 | Each | 279.20 |
| | 1.00 | f) 50mm dia GI Bend | 116.30 | Each | 116.30 |
| | 4.00 | g) 40mm dia PVC pipe 10 Kg/Sqcm | 101.40 | Each | 405.60 |
| | 2.00 | h) 40mm dia PVC Tee | 28.75 | Each | 57.50 |
| | 3.00 | i) 50mm dia GI Gun metal gate valve | 1241.00 | Each | 3723.00 |
| | 1.00 | j) 40mm dia PVC adopter set | 750.00 | Each | 750.00 |
| | 1.00 | h) 50mm dia PVC Tee | 43.25 | Each | 43.25 |
| | 14.00 | Supplying and fixing of plastic Name Board for all rooms with ISI Mark etc.,all complete and as directed by the departmental officers. | 400.00 | Each | 5600.00 |
| | | Supplying and fixing of following size of aluminium powder coated letters including labour charges for fixing in position cost and conveyance of all materials, scafolding, TW plugs, Screws metal paste and fixing charges etc., all complete and as directed by the departmental officers. | | | |
| | 16.00 | a) 9" dia Aluminium powder coated letters | 1179.00 | Each | 18864.00 |
| | 12.00 | b) 6" dia Aluminium powder coated letters | 748.00 | Each | 8976.00 |
| | 2.00 | c) 15" Emblem (TNPHC) | 12975.00 | Each | 25950.00 |

| SI. No. | Qty. | Description | Rate (CS sand) | Unit | Amount 2023-2024 |
|---------|--------|--|-------------------|------|------------------|
| | 2,00 | Supplying & Fixing of 32 Amps triple pole MCB (For UG Sump & Borewell) | 2195.00 | Each | 4390.00 |
| | 1.00 | Supplying and Fixing of MS fabricated DOL starter three phase panel control Board of wall mounting type with ISI mark with Ammeter, Voltmeter indicating lamps ON/OFF push button for bore well. 5 HP with necessary connections and three phase cum dry run preventer, relay suitable for the above including the wire for fixing sensor in all respects and as directed by the departmental officers. (For Bore well) | 15573.00 | Each | 15573.00 |
| | 1.00 | Supplying and Fixing of MS fabricated DOL starter single phase panel control Board of wall mounting type with ISI mark with Ammeter, Voltmeter indicating lamps ON/OFF push button for sump. 3 HP with necessary connections and Single phase cum dry run preventer, relay suitable for the above including the wire for fixing sensor in all respects and as directed by the departmental officers. (For Sump to OHT) | 15147.00 | Each | 15147.00 |
| | | Supplying and fixing MCB including cost fully concealed suitable MS Box with necessary inter connection etc.,all complete and as directed by the departmental officers. | | - | |
| | 20.00 | a) Single Pole 6A to 32A 10 KA (SR P131) | 174.00 | Each | 3480.00 |
| | 4.00 | b) Double Pole DB MCB,6A to 32A, 10KA (SR P131) | 516.00 | Each | 2064.00 |
| | 210.00 | Supplying, laying and fixing of 32mm dia "U" PVC Pipe for column pipe for Borewell etc., | 130.10 | Rmt | 27321.00 |
| | | Supplying and Fixing of PVC/GI pipes & specials with ISI mark approved quality etc, complete. | | | |
| | 5.00 | a) 50mm dia GI Pipe | 209.00 | Rmt | 1045.00 |
| | 7.50 | Supplying and Laying of RCC Hume pipe of size 300mm dia including casting curing transporting and fixing of position etc, SR P50 | | Rmt | 16875.00 |
| | | Labour charges for errection of the Submersible pumpset in borewell including fixing and joining etc. | | | 1 |
| 4 | 1.00 | a) For Borewell 5HP | 11056.10 | Each | 11056.10 |
| | 1.00 | b)For Sump 3HP | 10876.80 | Each | 10876.80 |
| | 5.50 | Providing T.W Single leaf individual shutters with locking arrangements for rest rooms cupboard/ward robes with 9mm thick BWR plywood for shutters. The all round frame made up of T.W scantling of 75mm X 37.50mm and the middle 2 Nos of styles and hand rails ISI mark. 2nos of 3" aluminium butt hinges, 1no of 4" ornamental handle lock & key arrangements 1no magnetic catcher inclusive all labour charges etc, all complete | 5029.80 | Sqm | 27663.90 |
| | | Drilling of 150mm dia verticla bores hard rock area to any required depth by direct water mud circulation method using of contractor rig, tool, labour charges for drilling and water required etc, a) In over burden soil including labour charges for | | | |
| | 150.00 | insertion of cosing pipe line in bore well (Rate in Lr.No F.251112 / Drilling rate / AE4 / CoM 2021 / Dt 27.04.2022) | 330.00 | Rmt | 49500.00 |

| SI. No. | Qty. | Description | Rate (CS sand) | Unit | Amount 2023-2024 * |
|---------|-------|--|-------------------|------|--------------------|
| | 60.00 | b) Below casing pipe depth in bore well (Rate in Lr.No. F.251112 / Drilling rate / AE4 / CoM 2021 / Dt : 27.04.2022) | 360.00 | Rmt | 21600.00 |
| | 18.00 | Supplying and delivery and fixing of 160mm dia PVC casing pipe 6kg/cm² of approved quality with ISI mark confirming to IS specification as per IS 12818/1992 for borewell etc,(PWD SR P99) | 644 50 | Rmt | 11601.00 |
| | 1.00 | Supplying and fixing of 160mm dia end cap for borewell of best approved quality with ISImark, | 104.50 | Each | 104.50 |
| | | Total | | | , 10205767.49 |

