

C-110

**TAMIL NADU POLICE HOUSING CORPORATION LIMITED**  
**No: 132 E.V.R. Salai, Kilpauk, Chennai-10.**

**Memo No: CE/DB/84/2021**

**Date: 15.02.2021**

**Sub:** TNPHC -HO/DB - South Circle -Madurai Division -  
Construction of **Traffic Police Station Building** with development  
works at **Paramakudi** in Ramanathapuram District - Estimate  
Technically Sanctioned - Intimation - Regarding.

**Ref:** 1. SE's Lr.No. DB/SC/0027/2021, Dt.15.01.2021.  
2. EE/ Plg. Note file Dt:15.02.2021.

\*\*\*\*\*

The attention of the Superintending Engineer/South Circle is drawn to the reference cited and it is informed that the Chairman and Managing Director/TNPHC has accorded approval for an additional fund of ₹4.56 Lakhs for the work of Construction of **Traffic Police Station Building** with development works at **Paramakudi** in Ramanathapuram District by utilizing the savings of ₹ 4.56 Lakhs available in the work of Construction of New Police station building with development works at Keelakarai in Ramanathapuram District as suggested by the Superintending Engineer /South Circle.

The Superintending Engineer /South circle is informed that the the estimate for the above work is technically sanctioned by the undersigned for a value of **Rs.69,50,000/-** and registered as **CER.No.174/2020-2021**. The Superintending Engineer / South Circle is requested to depute a person to this office to take copy of the above estimate.

The receipt of the memo should be acknowledged.

Yours faithfully,

S. Manimala

15/2/2021

for Chief Engineer/TNPHC

To

✓ The Superintending Engineer/South Circle,  
TNPHC Ltd, Madurai.

Copy to the Executive Engineer/ Mdu Dn.,  
TNPHC Ltd., Madurai.

Copy of the Executive Engineer /Plg/HO  
TNPHC Ltd., Chennai -10

TAMIL NADU POL  
No: 13  
Memo No: CE/D

15/2/2021

CHANI/12/100/151  
18/02/2021  
Yours faithfully,  
18/02/2021  
from: H 2  
18/2/21 @ 12.26 PM

**TAMIL NADU POLICE HOUSING CORPORATION LIMITED**  
No: 132 E.V.R. Salai, Kilpauk, Chennai-10.

5  
Memo No: CE/DB/84/2021

Date: 15.02.2021

**Sub:** TNPHC -HO/DB - South Circle -Madurai Division -  
Construction of **Traffic Police Station Building** with development  
works at **Paramakudi** in Ramanathapuram District - Estimate  
Technically Sanctioned -- Intimation - Regarding.

**Ref:** 1. SE's Lr.No. DB/SC/0027/2021, Dt.15.01.2021.  
2. EE/ Plg. Note file Dt:15.02.2021.

\*\*\*\*\*

The attention of the Superintending Engineer/South Circle is drawn to the reference cited and it is informed that the Chairman and Managing Director/TNPHC has accorded approval for an additional fund of **₹4.56 Lakhs** for the work of Construction of **Traffic Police Station Building** with development works at **Paramakudi** in Ramanathapuram District by utilizing the savings of **₹ 4.56 Lakhs** available in the work of Construction of New Police station building with development works at **Keelakarai** in Ramanathapuram District as suggested by the Superintending Engineer /South Circle.

The Superintending Engineer /South circle is informed that the the estimate for the above work is technically sanctioned by the undersigned for a value of **Rs.69,50,000/-** and registered as **CER.No.174/2020-2021**. The Superintending Engineer / South Circle is requested to depute a person to this office to take copy of the above estimate.

18/2/21  
18/2/21

The receipt of the memo should be acknowledged.

Yours faithfully,

S. Manimala

15/2/2021

for Chief Engineer/TNPHC

15/2/2021

To

The Superintending Engineer/South Circle,  
TNPHC Ltd, Madurai.

Copy to the Executive Engineer/ Mdu Dn.,  
TNPHC Ltd., Madurai.

Copy of the Executive Engineer /Plg/HO  
TNPHC Ltd., Chennai -10

From: HO  
15/2/21 @ 5.38 PM

**GENERAL ABSTRACT**

**Name of work : CONSTRUCTION OF TRAFFIC POLICE STATION BUILDING AT PARAMAKUDI IN RAMANATHAPURAM DISTRICT UNDER CM's ANNOUNCEMENT SCHEME**

| Sl.No. | Qty  | Description   | Rate                           | Unit | Amount            |
|--------|------|---|--------------------------------|------|-------------------|
|        |      | <b>BUILDING WORKS</b>   | <b>AS PER PWD SR 2020-2021</b> |      |                   |
| 1      | 1.00 | Main building   | 5156839.84                     |      | 5156839.84        |
|        |      | <b>SUB - TOTAL - I Rs.</b>                                      |                                |      | <b>5156839.84</b> |
|        |      | <b>Development works</b>  |                                |      |                   |
| 2      | 1.00 | Septic tank   | 160498.87                      |      | 160498.87         |
| 3      | 1.00 | Plinth protection   | 62577.63                       |      | 62577.63          |
| 4      | 1.00 | Sullage drain   | 96824.00                       |      | 96824.00          |
|        |      | <b>SUB - TOTAL - II Rs.</b>                                     |                                |      | <b>5476740.34</b> |
| 5      |      | <b>GST at 12.0% ( GST at 6% + CGST 6% )</b>                     |                                |      | 657208.84         |
|        |      | <b>SUB - TOTAL - III Rs.</b>                                    |                                |      | <b>6133949.18</b> |
| 6      |      | Provision for Soil investigation                                | LS                             |      | 25000.00          |
|        |      | <b>SUB - TOTAL - III Rs.</b>                                    |                                |      | <b>6158949.18</b> |
| 7      |      | Labour Welfare fund @ 1.0%                                      | As pr PWD Norms                |      | 61589.49          |
| 8      |      | Unforeseen, contingencies & PS charges @2.5%                    | As pr PWD Norms                |      | 154540.14         |
| 9      |      | Supervision Charges @ 7.5%                                      |                                |      | 461921.19         |
|        |      | <b>SUB - TOTAL - V Rs.</b>                                      |                                |      | <b>6837000.00</b> |
| 10     |      | Advertisement charges   | LS                             |      | 30000.00          |
| 11     |      | Provision for EB Deposits                                       | LS                             |      | 30000.00          |
| 12     |      | Provision for planning permission & payment to other department | LS                             |      | 30000.00          |
| 13     |      | Structural Design / Consultancy charges                         | LS                             |      | 23000.00          |
|        |      | <b>GRAND TOTAL Rs.</b>  |                                |      | <b>6950000.00</b> |

*[Signature]*  
2/2/2021  
JDO

*[Signature]*  
2/2/2021  
JE

*[Signature]*  
2/2/21  
HDO

**TAMIL NADU POLICE HOUSING CORPORATION LTD**

**ABSTRACT**

**Name of work : CONSTRUCTION OF TRAFFIC POLICE STATION BUILDING AT PARAMAKUDI IN  
RAMANATHAPURAM DISTRICT UNDER CM's ANNOUNCEMENT SCHEME**

| Sl. No. | Qty.      | Description  | Rate      | Unit | Amount        |
|---------|-----------|--|-----------|------|---------------|
| 1.1     |           | <b>Earth work excavation in all soils (including refilling)</b>  |           |      |               |
|         | 143.000 ✓ | a. 0 to 2 mt.  | ✓ 177.77  | Cum. | ✓ 25421.11 ✓  |
|         | 6.000 ✓   | b. 2 to 3 mt.  | ✓ 185.87  | Cum. | ✓ 1115.22 ✓   |
| 1.5     |           | <b>Earth work excavation for Open foundation (excluding refilling)</b>   |           |      |               |
|         | 41.000 ✓  | a. 0 to 2 mt.  | ✓ 84.00   | Cum. | ✓ 3444.00 ✓   |
|         | 4.500 ✓   | b. 2 to 3 mt.  | ✓ 92.10   | Cum. | ✓ 414.45 ✓    |
| 1.6     |           | <b>Earth work excavation for Open foundation for drains (excluding refilling) width upto 1.25 m</b>              |           |      |               |
|         | 7.600 ✓   | a. 0 to 2 mt.  | ✓ 126.00  | Cum. | ✓ 957.60 ✓    |
| 2.1, 3  | 24.200 ✓  | Filling sand   | ✓ 1708.38 | Cum. | ✓ 41342.80 ✓  |
| 2.6     | 6.000 ✓   | Supply and filling of 40 mm HBSJ   | ✓ 1552.26 | Cum. | ✓ 9313.56 ✓   |
| 2.7     | 3.000 ✓   | Supply and filling of 20 mm HBSJ   | ✓ 1946.26 | Cum. | ✓ 5838.78 ✓   |
| 3.1, 1  | 19.200 ✓  | C.C.1:5:10 for Foundation & Basement   | ✓ 4517.40 | Cum. | ✓ 86734.08 ✓  |
| 3.2, 1  | 3.100 ✓   | P.C.C. 1:2:4 for Foundation & Basement and other similar works   | ✓ 5999.52 | Cum. | ✓ 18598.51 ✓  |
| 3.3, 1  | 2.600 ✓   | P.C.C. 1:8:16 using 20 mm broken brick jelly   | ✓ 3603.22 | Cum. | ✓ 9368.37 ✓   |
| 6.5, 1  | 40.000 ✓  | Brick work in C.M. 1:5 (F& B) using Kiln Burnt Country bricks of size 22 x 11 x 7 cm (8 3/4" x 4 1/4" x 2 3/4")  | ✓ 5772.49 | Cum. | 230899.60 ✓   |
| 9.5, 1  |           | <b>Brick work in C.M. 1:6 using Kiln Burnt Country bricks of size 22 x 11 x 7 cm ( 8 3/4" x 4 1/4" x 2 3/4")</b> |           |      |               |
|         | 45.300 ✓  | a. In Ground Floor   | ✓ 5762.09 | Cum. | ✓ 261022.68 ✓ |
|         | 47.700 ✓  | b. In First Floor  | ✓ 5881.39 | Cum. | ✓ 280542.30 ✓ |
|         | 8.000 ✓   | c. In Second Floor   | ✓ 6000.69 | Cum. | ✓ 48005.52 ✓  |

1023018.58 ✓

| Sl. No. | Qty.       | Description   | Rate        |      |             |
|---------|------------|---|-------------|------|-------------|
| 10.5.1) |            | Brick partition work in C.M. 1:4 Kiln Burnt Country bricks of size 22 x 11 x 7 cm (8 3/4" x 4 1/4" x 2 3/4") 110 mm tk (B.P.) |             |      |             |
|         | 38.800 ✓   | a. In Foundation and basement   | ✓ 686.71    | Sqm. | ✓           |
|         | 35.900 ✓   | b. In Ground Floor  | ✓ 693.22    | Sqm. | ✓ 24886     |
|         | 20.800 ✓   | c. In First Floor   | ✓ 706.34    | Sqm. | ✓ 14691.87  |
|         | 58.900 ✓   | d. In Second Floor  | ✓ 719.46    | Sqm. | ✓ 42376.19  |
| 11.5.1) |            | Brick work in C.M. 1:4 Kiln Burnt Country bricks of size 22 x 11 x 7 cm (8 3/4" x 4 1/4" x 2 3/4") 75 mm tk (B.P.)            |             |      |             |
|         | 37.800 ✓   | a. In Ground Floor  | ✓ 469.10    | Sqm. | ✓ 17731.98  |
|         | 22.700 ✓   | b. In First Floor   | ✓ 477.45    | Sqm. | ✓ 10838.12  |
| 12.1.1) |            | Brick partition in C.M. 1:4 using country bricks of size 22 x 11 x 5 cm 50 mm thick   |             |      |             |
|         | 6.700 ✓    | a. In Ground Floor  | ✓ 340.81    | Sqm. | ✓ 2283.43   |
|         | 8.100 ✓    | b. In First Floor   | ✓ 346.78    | Sqm. | ✓ 2808.92   |
| 13.1    | 31.100 ✓   | Filling with Excavated Earth  | ✓ 29.30     | Cum. | ✓ 911.23    |
| 21.2    |            | Teak wood Wrought & Put up  |             |      |             |
|         | 0.095 ✓    | a. T.W. over 2 m & below 3 m  | ✓ 121875.00 | Cum. | ✓ 11578.13  |
|         | 0.242 ✓    | b. T.W. below 2 m length.   | ✓ 109675.00 | Cum. | ✓ 26541.35  |
| 23.3    | 12.000 ✓   | S&F of Magnetic door catches  | ✓ 52.00     | Each | ✓ 624.00    |
| 24.0    | 1190.000 ✓ | Manufacturing & supply of steel windows (Weight basis)  | ✓ 61.50     | Kg.  | ✓ 73185.00  |
| 25.0    | 66.000 ✓   | M.S. Holdfast   | ✓ 9.60      | Each | ✓ 633.60    |
| 26.0    | 8.600 ✓    | Flooring in C.C. 1:5:10   | ✓ 4517.40   | Cum. | ✓ 38849.64  |
| 28.0    | 25.100 ✓   | Floor plastering in C.M. 1:4, 20 mm tk.   | ✓ 411.49    | Sqm. | ✓ 10328.40  |
| 30.0    | 14.000 ✓   | Ellis pattern   | ✓ 368.59    | Sqm. | ✓ 5160.26   |
| 31.0    | 1.500 ✓    | Weathering course   | ✓ 3135.49   | Cum. | ✓ 4703.24   |
| 33.0    | 1442.600 ✓ | Plastering in C.M. 1:5, 12 mm tk.   | ✓ 203.67    | Sqm. | ✓ 293814.34 |
| 34.0    | 118.100 ✓  | Plastering in C.M. 1:4, 12 mm tk.   | ✓ 209.52    | Sqm. | ✓ 24744.31  |
| 35.0    | 257.000 ✓  | Spl. Ceiling plastering in C.M. 1:3, 10 mm tk.  | ✓ 231.17    | Sqm. | ✓ 59410.69  |

1715764.23



Amount

| Sl. No. | Qty.      | Description  | Rate       | Unit | Amount     |
|---------|-----------|--|------------|------|------------|
| 36.0    |           | <b>Cement mortar Border in C.M. 1:5, 12 mm tk.</b>           |            |      |            |
|         | 74.300 ✓  | a. 150 mm wide   | ✓ 63.44    | Rmt  | ✓ 4713.59  |
|         | 90.300 ✓  | b. 75 mm wide  | ✓ 41.10    | Rmt  | ✓ 3711.33  |
|         | 74.300 ✓  | c. 50 mm wide  | ✓ 30.55    | Rmt  | ✓ 2269.87  |
| 37.1    | 257.000 ✓ | White washing 3 coats (slaked)                               | ✓ 35.14    | Sqm. | ✓ 9030.98  |
| 39.0    | 357.000 ✓ | M.s Grills   | ✓ 54.50    | Kg.  | ✓ 19456.50 |
| 40.0    | 53.000 ✓  | Painting - New "wood work"                                   | ✓ 197.58   | Sqm. | ✓ 10471.74 |
| 41.0    | 73.700 ✓  | Painting - New "iron work"                                   | ✓ 117.35   | Sqm. | ✓ 8648.70  |
| 46.0    | 5.000 ✓   | S & F 20 mm dia Alu. Hanger Rod                              | 58.00      | Rmt  | ✓ 290.00   |
| 47.0    | 6.000 ✓   | S & F Alu Towel rail 75 cm long                              | ✓ 95.00    | Each | ✓ 570.00   |
| 48.0    | 6.000 ✓   | S & F 5 pin Coat stand                                       | ✓ 55.00    | Each | ✓ 330.00   |
| 49.0    | 20.000 ✓  | S & F chromium plated 8 guage Picture Hook                   | ✓ 1.50     | Each | ✓ 30.00    |
| 50.3    | 5.000 ✓   | Supply and planting avenue trees                             | ✓ 357.50   | Each | ✓ 1787.50  |
| 50.4    | 5.000 ✓   | Providing Tree guard   | ✓ 757.63   | Each | ✓ 3788.15  |
| 50.5,   | 1.000 ✓   | Supplying. Fabricating and erection of M.S Scheme Name board | ✓ 15622.52 | Each | ✓ 15622.52 |
| 52.0    |           | <b>PVC Water supply (ASTM)</b>                               |            |      |            |
|         | 35.000 ✓  | a. 32 mm dia   | ✓ 209.32   | Rmt  | ✓ 7326.20  |
|         | 90.000 ✓  | b. 25 mm dia   | ✓ 192.57   | Rmt  | ✓ 17331.30 |
| 59.5,   | 5.000 ✓   | Gully Trap using Kiln burnt country bricks 22 x 11 x 7 cm.   | ✓ 1591.84  | Each | ✓ 7959.20  |
| 60.0    | 10.000 ✓  | PVC Nahani trap (4way/2way)                                  | ✓ 136.70   | Each | ✓ 1367.00  |
|         |           | <b>Electrical arrangements</b>                               |            |      |            |
| 69.0    | 8.000 ✓   | 15 Amp. Power plug   | ✓ 129.00   | Each | ✓ 1032.00  |
| 72.0    | 12.000 ✓  | Box type Fibre Fan hook                                      | ✓ 33.90    | Each | ✓ 406.80   |
| 73.2    | 1.000 ✓   | 4 way - D.B.   | ✓ 3250.00  | Each | ✓ 3250.00  |
| 74.0    | 14.000 ✓  | Charges for fixing of "Fan"                                  | ✓ 467.00   | Each | ✓ 6538.00  |
| 76.0    | 10.000 ✓  | 8 SWG wire   | ✓ 21.00    | Rmt  | ✓ 210.00   |

1841905761



| Sl. No. | Qty.      | Description  | Rate      | Unit | Amount      |
|---------|-----------|--|-----------|------|-------------|
| 77.3    | 6.000 ✓   | S&F of TV/Telephone line Socket  | ✓ 76.00   | Each | ✓ 456.00    |
| 77.4    | 24.000 ✓  | S&F of 20mm dia PVC pipe for TV/Telephone line   | ✓ 72.01   | Rmt  | ✓ 1728.24   |
| 78.0    | 1.000 ✓   | Earthing Station IS3043 (Type I)   | ✓ 2588.00 | Each | ✓ 2588.00   |
| 81.0    | 1.000 ✓   | Meter cupboard   | ✓ 2211.57 | Sqm  | ✓ 2211.57   |
| 86.0    | 117.100 ✓ | Anti termite treatment   | ✓ 34.00   | Sqm. | ✓ 3981.40   |
|         |           | <b>ANNEXURE</b>  |           |      |             |
| 14.2.2  |           | <b>Precast Cupboard slab 20 mm tk.using standardised concrete mix M20 (annexure)</b>   |           |      |             |
|         | 20.400 ✓  | a. In Ground floor/ stilt floor  | ✓ 1159.50 | Sqm. | 23653.80 ✓  |
|         | 18.800 ✓  | b. In First floor  | ✓ 1163.07 | Sqm. | 21865.72 ✓  |
| 14.2.3  |           | <b>Precast cupboard slab 40 mm tk.using standardised concrete mix M20 (annexure)</b>   |           |      |             |
|         | 6.800 ✓   | a. In Foundation & basement  | ✓ 1291.13 | Sqm. | 8779.68 ✓   |
|         | 0.700 ✓   | b. In Ground floor/ stilt floor  | ✓ 1294.76 | Sqm. | 906.33 ✓    |
|         | 2.900 ✓   | c. In First floor  | ✓ 1301.91 | Sqm. | 3775.54 ✓   |
| 4.4.1   |           | <b>Standardised concrete Mix M20 Grade Concrete</b>  |           |      |             |
|         | 32.100 ✓  | a. In Foundation and basement  | ✓ 7151.02 | Cum  | 229547.74 ✓ |
| 8.4.1   | 32.400 ✓  | b. Ground floor/ stilt floor   | ✓ 7240.92 | Cum  | 234605.81 ✓ |
|         | 24.900 ✓  | c. In First Floor  | ✓ 7417.92 | Cum  | 184706.21 ✓ |
|         | 8.400 ✓   | d. In Second Floor   | ✓ 7594.92 | Cum  | 63797.33 ✓  |
| 2.1.2   | 51.100 ✓  | Supplying and filling with well gravel   | ✓ 186.30  | Cum  | ✓ 9519.93   |
| 18.1    |           | <b>Formwork using M.S.Sheet</b>  |           |      |             |
|         | 145.400 ✓ | a.For Column footings,plinth beam,Grade beam,Raftbeam,Raft slab etc.,  | ✓ 664.30  | Sqm  | 96589.22 ✓  |
|         | 526.200 ✓ | b.Plain surfaces such as Roof slab,floorslab,Beams,lintels,lofts,sill slab,staircase,portico slab and other similar works        | ✓ 751.65  | Sqm  | 395518.23 ✓ |
|         | 232.300 ✓ | c.For Square and rectangular columns and small quantities  | ✓ 901.98  | Sqm  | 209529.95 ✓ |
| 21.6.2  |           | <b>R.C.C.Door frames of size 100 x 75mm with one edge grooves size 't' x 20 mm using M20 grade ( with out vibrating charges)</b> |           |      |             |
|         | 3.000 ✓   | a. 900 x 2100 mm   | ✓ 2204.39 | Each | 6613.17 ✓   |
|         | 6.000 ✓   | c. 1000 x 2100 mm  | ✓ 2222.38 | Each | 13334.28 ✓  |

3355613.76

| Sl. No. | Qty.      | Description   | Rate       | Unit | Amount      |
|---------|-----------|---|------------|------|-------------|
| 22.3.3  | 15.200 ✓  | T.W. frame & TW styles & rails with BWR double leaf shutters for cup board/ ward robes including two coat enamel paint & one coat primer. | ✓ 3849.81  | Sqm  | 58517.11 ✓  |
| 99.1    |           | <b>TW panelled single door shutter with brass fittings.</b>   |            |      |             |
|         | 1.900 ✓   | a. 1000X2100mm.(Single leaf) For Qtrs   | ✓ 5832.03  | Sqm  | 11080.86 ✓  |
| 99      |           | <b>TW double leaves shutter with Brass Fittings</b>   |            |      |             |
|         | 2.900 ✓   | a. 1500X2100mm.(Double leaves) with Brass fittings  | ✓ 5673.87  | Sqm  | 16454.22 ✓  |
| 23.1.1  | 11.100 ✓  | TW styles & rails with 9mm thick BWR single leaf shutters with brass screws size of 1000 x 2100 mm  | ✓ 3150.87  | Sqm  | 34974.66 ✓  |
|         | 5.000 ✓   | TW styles & rails with 9mm thick BWR single leaf shutters with brass screws size of 900 x 2100 mm   | ✓ 3263.68  | Sqm  | 16318.40 ✓  |
| 21.5.2  | 8.900 ✓   | Supply and Fixing Solid PVC door Shutter with frame   | ✓ 2828.00  | Sqm  | 25169.20 ✓  |
| 23.2.1  | 31.000 ✓  | 4mm thick pin headed Glass panels with Aluminium beddings   | ✓ 688.20   | Sqm  | 21334.20 ✓  |
| 29.8.1  | 44.800 ✓  | Glazed tiles using Grout (Tile Joint Filler)  | ✓ 1140.03  | Sqm  | 51073.34 ✓  |
| 29.9.1  | 14.100 ✓  | Floor ceramic tiles (Anti-skid) using Grout (Tile Joint Filler).  | ✓ 1010.54  | Sqm  | 14248.61 ✓  |
| 38.6    | 813.200 ✓ | One coat white cement for new walls and other similar works.  | ✓ 48.40    | Sqm  | 39358.88 ✓  |
| 43.0    | 11.837 ✓  | Fabrication of Mild steel / RTS grills (without cement slurry) for all sizes of rods.   | ✓ 68782.50 | MT   | 814178.45 ✓ |
| 44.6    | 32.000 ✓  | PVC SWR 110 mm dia with ISI mark type- A for Rain water down fall pipe  | ✓ 305.34   | Rmt  | 9770.88 ✓   |
| 50.6.1  | 31.500 ✓  | Precast slab 50 mm tk.in C.C. 1:3:6 with fibre  | ✓ 368.67   | Sqm  | 11613.11 ✓  |
| 52.4    | 32.000 ✓  | 20mm dia PVC water supply ASTM pipe (fully consealed in walls)  | ✓ 189.78   | Rmt  | 6072.96 ✓   |
| 53.4    | 2.000 ✓   | S&F of C.I Manhole cover 60 x 60 cm (50kg weight)   | ✓ 1828.00  | Each | 3656.00 ✓   |
| 53.5    | 4.000 ✓   | Wash Hand Basin of size 550 x 400 mm (White without Pedestal)   | ✓ 2943.82  | Each | 11775.28 ✓  |
| 54.3    | 1.000 ✓   | Supplying and fixing of Brass Chromium plated screw down tap 15mm dia (heavy type not less than 430 grms weight) with ISI mark.           | ✓ 202.00   | Each | 202.00 ✓    |
| 58.3    |           | <b>PVC SWR pipe (Soil line) with ISI mark - type 'B'.</b>   |            |      |             |

2150/411.92/

42 3117 92

| Sl. No.  | Qty.      | Description   | Rate      | Unit | Amount      |
|----------|-----------|---|-----------|------|-------------|
| 344.2    | 4.000 ✓   | S&F of Bevelled edge mirror 500 x 400 x 5.5mm   | ✓ 375.70  | Each | 1502.80 ✓   |
| 71.2     | 1.000 ✓   | Supplying and fixing of 32 AMPS Triple pole main switch   | ✓ 2007.00 | Each | 2007.00 ✓   |
| 80.1     | 1.000 ✓   | 450 x 375 x 20 mm thick TW plank  | ✓ 1170.00 | Each | 1170.00 ✓   |
|          | 1.000 ✓   | 3 Nos. of 32Amps - Fuse Unit  | ✓ 725.00  | Each | 725.00 ✓    |
| 792.1)   | 2.000 ✓   | Supplying and delivery of Three phase ELCB/RCCB   | ✓ 2870.00 | Each | 5740.00 ✓   |
|          | 489.100 ✓ | Plastic Emulsion PAINT including primer for outer walls   | ✓ 190.31  | Sqm  | 93080.62 ✓  |
| 796      | 813.200 ✓ | Two coat of OBD over one coat white cement for inner walls  | ✓ 98.77   | Sqm  | 80319.76 ✓  |
| 38.4.1   | 4.000 ✓   | Providing PVC Tee with end cap  | ✓ 109.75  | Each | 439.00 ✓    |
| 448.2    | 67.100 ✓  | Granite Tiles flooring (Ruby red) using 2'x1', 10mm tk  | ✓ 1420.40 | Sqm  | 95308.84 ✓  |
| 379.5.1) | 7.100 ✓   | Providing wooden Melamine polish for new wood work  | ✓ 1204.68 | Sqm  | 8553.23 ✓   |
| 367      | 90.700 ✓  | Vitrified Tiles flooring (Ivory)  | ✓ 1085.70 | Sqm  | 98472.99 ✓  |
| 378.2    | 52.900 ✓  | Concrete designer tiles flooring  | ✓ 1261.54 | Sqm  | 66735.47 ✓  |
| 361.1.1  | 2.100 ✓   | Supplying and fixing in position of UPVC window of casement type( open) for all sizes SR 2020-2021 p 70   | ✓ 6363.00 | Sqm  | 13362.30 ✓  |
| 215.3    |           | <b>Supply &amp; Fixing of MS door (for lockup door )</b>  |           |      |             |
| 23.5     | 2.000 ✓   | MS door of Size 1000 x 2100mm   | ✓ 7463.70 | each | 14927.40 ✓  |
|          | 137.800 ✓ | Finishing the top of Terrace floor with one course of solar reflective Ceramic tiles with base concrete ✓ | ✓ 1444.85 | Sqm. | 199100.33 ✓ |
| 32.1.3   |           | <b>UPVC Non Pressure pipe of SN8 SDR 34 ( S 16.5) as per IS 15328/2003</b>                                |           |      |             |
| 61.1.1   | 64.000 ✓  | a. 110 mm UPVC Non Pressure pipe  | ✓ 347.52  | Rmt  | 22241.28 ✓  |
|          |           | <b>PVC Specials as per IS 10124/1982 Part II</b>  |           |      |             |
| 62.1.1   | 5.000 ✓   | a. 110 mm dia PVC bend (TWAD SR 20-21)  | ✓ 160.00  | Each | 800.00 ✓    |
|          |           | <b>PVC Equal Tee as per BIS 7834/1975</b>   |           |      |             |
| 62.2.1   | 4.000 ✓   | a. 110 mm dia PVC Equal tee(TWAD SR 20-21)  | ✓ 199.00  | Each | 796.00 ✓    |

5403105.41

5186615.11



| Sl. No. | Qty.     | Description  | Rate      | Unit | Amount              |
|---------|----------|--|-----------|------|---------------------|
| 56.3.2  | 2.000 ✓  | S & F of Indian Water closet white glazed (Oriya type) of size 580 x 440mm with PVC SWR grade 'P' or 'S' trap - in G.F.  | ✓ 2839.57 | Each | 5679.14 ✓           |
| 56.4.2  | 2.000 ✓  | S & F of Indian Water closet white glazed (Oriya type) of size 580 x 440mm with PVC SWR grade 'P' or 'S' trap- Other than G.F.   | ✓ 4413.93 | Each | 8827.86 ✓           |
| 57.2    | 3.000 ✓  | S & F of E.W.C.(White) 500 mm with PVC SWR grade "P" or "S" TRAP   | ✓ 6100.30 | Each | 18300.90 ✓          |
| 58.1.1  | 6.000 ✓  | S & F of 15mm dia half turn CP long body tap   | ✓ 452.00  | Each | 2712.00 ✓           |
| 58.2.1  | 6.000 ✓  | S & F of 15mm dia half turn CP short body tap  | ✓ 404.00  | Each | 2424.00 ✓           |
| 87.2    | 1.000 ✓  | Supply and fixing of 20 Amps DP plug and socket in sheet enclosure with 32 A DP MCB in Flush with wall with earth connection ( For AC Plug ) Legrand ( MDS) / Hager( L& T) Equivalent/ Superior variety Ele SD -140 /2020-2021 | ✓ 1830.00 | Each | 1830.00 ✓           |
| 100     | 22.000 ✓ | Supply and fixing of 9 watts LED bulb (qtn)  | ✓ 81.00   | Each | 1782.00 ✓           |
| 102     | 20.000 ✓ | Supply and fixing of 4' 18 watts LED Tube Light  | ✓ 635.00  | Each | 12700.00 ✓          |
| 103     | 7.000 ✓  | Supply and fixing of Bulk Head fitting suitable for 12W LED Bulb   | ✓ 462.00  | Each | 3234.00 ✓           |
| 101     | 5.000 ✓  | Supply, fiing of 25W LED street light etc.,  | ✓ 2991.00 | Each | 14955.00 ✓          |
| 104     | 7.000 ✓  | Supply and fixing of 12 watts LED bulb (qtn)   | ✓ 170.00  | Each | 1190.00 ✓           |
|         |          | <b>Total</b>   |           |      | <b>5476740.34</b> ✓ |

CE/DB/84/2021

**TAMIL NADU POLICE HOUSING CORPORATION LIMITED**  
No. 132 EVR Salai, Kilpauk, Chennai – 600 010.

Technical sanction slip

Name of work: Construction of Traffic Police Station Building  
with development works at Paramakudi in  
Ramanathapuram District.

F.S.

G.O. MS. NO. 487 Home (Pol-X)

₹ 64.94 Lacs

Dept Dt. 07.12.2020.

LS Provision for Development

- ₹

Additional fund approved by the

₹ 4.56 Lacs

CMD Vide T.O. Note file No

Special provision CE/DB/84/2021 Dt 11.2.2021

Total

- ₹

69.50 Lacs

Total Administrative Sanction

- ₹

Estimate Sanctioned so for

- ₹


Technically sanctioned for Rs. 69,50,000/-

(Rupees Sixty nine lakhs and fifty thousand only)

only) and registered in CER No. 174 /2020 – 2021

Technically sanctioned  
Rs 69,50,000/-

  
15/2/2021  
JDO

  
15/2/2021  
JE

  
15/2/21  
HDO

  
15/2/21  
CE/TNPHC

2/3