## TAMIL NADU POLICE HOUSING CORPORATION LIMITED, MADURAI DIVISION

NAME OF WORK: Special repair works to 42 nos PC /HC Qtrs (M,N,O,P Block) at TSP VI Battalion Campus /Madurai in Madurai District for the Year 2022-2023

		ABSTRAC	CT		
S.No	Descrption of work	Qty	Rate	Per	Amount
0·B	Clean removal of cement plaster from walls, ceiling 6.65 x No 7.	417.10	7.32	Sqm	3053.17 X
oel	Dismantling of Lime Concrete	9.20	305.80	Cum	2813.36
	Chipping of concrete and roughening the surface 31. To x10	/878.80	34.87	Sqm-	30643.76
o·K	Dismantling the one Course of Pressed tile roof finish in cement mortar 201/10	386.40	'22.00	Sqm	8500.80
15	Finishing the top of terrace floor with one course of pressed tiles	386.40	1148.63	Sqm	443830.63
06	Finishing the top of flooring with C.M(1:3), 20mm thick (Ellispattern)	36.00	426.95	Sqm	/15370.20
37	Plastering with CM 1:5, 12mm thick	190.00	239.36	Sqm	45478.40
8	Spl. Ceiling plastering in C.M. 1:3,	227.10	274.19	Sqm	62268.55
	Supplying & Fixing of Terracotta Jally (Not Below 50mm Thick) of Best Quality and Fixing in Position with Cement Paste and Redoxide Putty Including Cost of all Floor(The Terra Cotta Jally Quality and Design Shall be Got Approved By The Departmental Officers(a) In G.F	/14.40	483.74	Sgm	6965.86
10 s	Precast Jally ventilator 50mm tk using standardised concrete mix M20 st. In Ground Floor	3.30	2811.62	Sqm	9278.35
t	o. In First floor	3.30	2820.04	Sqm	9306.13 ×
c	. In Second floor	3.30	2828.46X	Sqm	9333.92
B s	upplying and fixing of Steel Ladder	144.00	~62.60 X	kg	9333.92
	wo legged scaffolding arrangements sing 15cm dia casurna props				
a)	) Intial height for 3m Height	1 156.00	334.28	Rmt	52147.68 / 36737.12 / 54754.56.
b)	5.5m height in addition of 2.5m ht	1 56.00	656.02 ×	Rmt	36737.12
c)	8m height in addition of 2.5m ht	56.00	977.76	Rmt	54754.56.
			1	<del>\</del>	799496.88

with augh with one coat of prime

S.No	Descrption of work	Qty	Rate	Per	Amount
A3	Supplying and fixing of ASTM pipes c) 20mm dia	240.00	221.55	Rmt	53172.00
213	Supplying and Fixing of PVC SWR pipe (Soil line) with ISI mark - type 'B'. a. 110 mm dia.	/110,00	692.50	Rmt	76175.00
	b. 75 mm dia.	140.00	576.6 <del>8</del> X	Rint	80728.20
4.b	Supplying and Fixing of PVC SWR 110 mm dia with ISI mark type- A for Rain water down fall pipe	80.00	334.19	Rmt	26735.20
592	Supplying and fixing of ASTM pipes a) 32mm dia	84.00	241.57	Rimt	20291.88
	b) 25mm dia	144.00	224.34	Rmt	32304.96
117	Supplying and fixing of PVC water tank 700 litres 3 layer white colour)	13.00	6720.00	Nos	87360,00
18	Supplying of U PVC ball valve with one side compression end and other side female end as per ISO 4422-4 and Tested as per BS 6920 in WRC-NSF LTD, UK, size: 20mm ODx1/2"ID, 25mm ODX1/2"ID and 32mm OD X 3/4" ID	IWAD P	-54		×
	(b)25mm (3/4") size	30,00	150.00	Nos 📐	4500.00
	(c)32mm (3/4") size	15.00.	178.00	Nos	2670.00
79	Supplying & fixing of Indian Water closet white glazed (Oriya type) of size 580 x 440mm - in G.F.	10.00	3240.58	Nos >	32405.80
20	Supplying & fixing of Indian Water closet white glazed (Oriya type) of size 580 x 440mm - Other than G.F.	20.00	5019.44	Nos	100388.80
	Supplying and fixing of 15mm dia half turn CP long body tap	60.00	480.00 \	Nos \	28800.00
	Supplying and fixing of 15mm dia half turn CP short body tap	30.00	432.00	Nos	12960.00
	Supplying and fixing of PVC Nahani trap (4way/2way)	60.00	152.60	Nos	9156.00
7.54	Supplying and Fixing of Floor ceramic iles (Anti-skid) using Grout (Tile Joint Filler)	115,40	1155.72	Sgm	133370.09
	Supplying and Fixing of Glazed tiles using Grout (Tile Joint Filler)	395.20	1313.87	Sqnı	519241.42
	Supplying and fixing of vertified tile looring (Ivory) CM 1:3	918.00	1213.68	Sqm	1114158.24
7.2	White washing three coats	162.50	43.02	Sqm	6990.75
	1.			14	140905,22

28 White washing two coats for old ceiling				
White washing two coats for old ceiling	1071.70	35.90	Sqm	38473.39
Painting with two coats of Oil Bound Distember	7064.30	123.39	Sqin	√8 71663.98 871085.77 -
Painting with one coat of old wood work	7791.60	94.14	Sqm	74521.22
Painting with one coat of old iron work	136.10	86.97	Sqm	/11836.62
Painting with two coats of Plastic Emulsion Paint including primer for outer new walls	237.10	222.05	Sqm	52648.06
Painting with old walls two coats of Plastic Emulsion Paint	2486.30	158.95	Sqn	395197.39
Painting with Two coat enamel paint for new Iron work	7.20	133.44	Sqm	J 960.77
Supplying and fixing 4mm thick pin headed glass	25,90	√ <sup>726.70</sup> ×	Squi	18821.53
Run of 2 Wires of 1.5 sqmm PVC insulated single core copper cable insert into existing concealed PVC Pipe	14	95.51	Rmt \	12893.85
Run of 2 Wires of 2.5 sqmm PVC insulated single core copper cable insert into existing concealed PVC Pipe	100	\ 113.98 <i>×</i>	Rmt	∫ 30774.\$0
Run of 2 Wires of 4.0 sqmm PVC insulated single core copper cable insert into existing concealed PVC Pipe	t 360.00	151.98	Rmt	54712.80 54714.00
Supply and delivery of 48" (1200 mm) Fan with ISI mark with Eletronic Dimme	er 60.00	1437.40 \	Nos	86244,00
Charges for fixing of "Ceiling Fan"	60.00	520.80	Nox	31248.00
Supplying and Fixing of 4' 18W Crysta. Glass LED Tube Light fittings	1 108.00	660.19	Nos	71928.00 71300.52
Supplying and Fixing of 9 Watts LED bulb P-115	90.00	134.00	Nos	/12060.00
Supply and fixing of 15 watts LED bulb	39.00	268.00	Nos	10452.00
Supply and fixing of Bulk Head fitting suitable for 15W LED Bulb	39.00	486.50	Nos	18973.50
Supplying and Fixing of 16 Amps Porcelain Fuse Unit (500V)	33.00	47.60	Nos	4935 922.36

S.No	Descrption of work	Qty	Rate	Per	Amount
246	Supplying and Fixing of 32 Amps Porcelain Fuse Unit (500V)	59,00	84.40	Nos	4979.60
	Wirng with 1.5 sqmm copper PVC insulated unsheathed single core 1.1 KV grade cable with continuous earth by means of 1.5 sqmm copper PVC insulated unsheathed single core 1.1 KV grade cable confirming to IS 694 / 1980 with ISI mark in existing fully concealed PVC rigid conduit pipe heavy duty with ISI mark with existing MS Switch box covered with new 3mm thick laminated hylem sheet for 5 amps 5 pin PLUG SOCKET POINT AT SWITCH BOARD ITSELF including citcuit mains, cost of all materials, specials, etc., all complete,	60,00	477.69	point	28661.40
2) 2) 48	Wirng with 1.5 sqmm copper PVC insulated unsheathed single core 1.1 KV grade cable with continuous earth by means of 1.5 sqmm copper PVC insulated unsheathed single core 1.1 KV grade cable confirming to IS 694 / 1980 with ISI mark in existing fully concealed PVC rigid conduit pipe heavy duty with ISI mark with existing MS box of 16g thick covered with new 3mm thick laminated hylem sheet for 5 amps 5 pin PLUG SOCKET POINT AT CONVENIENT PLACES including citeuit mains, cost of all materials.	<b>1</b> 90.00	662.19	point	59597.40
349	specials, etc., all complete, Wirng with 1.5 sqmm copper PVC insulated unsheathed single core 1.1 KV grade cable with continuous earth by means of 1.5 sqmm copper PVC insulated unsheathed single core 1.1 KV grade cable confirming to IS 694 / 1980 with ISI mark in existing fully concealed PVC rigid conduit pipe heavy duty with ISI mark with existing MS box and covered with new 3mm thick laminated hylem sheet for FAN POINT controlled by 5 amps flush type switch including	60.00	890.51	point	<b>/</b> 53430.60
3 49	specials, etc., all complete, Wirng with 1.5 sqmm copper PVC insulated unsheathed single core 1.1 KV grade cable with continuous earth by means of 1.5 sqmm copper PVC insulated unsheathed single core 1.1 KV grade cable confirming to IS 694 / 1980 with ISI mark in existing fully concealed PVC rigid conduit pipe heavy duty with ISI mark with existing MS box and covered with new 3mm thick laminated hylem sheet for FAN POINT controlled by 5 amps flush type switch including citcuit mains, cost of all materials.		890.51	point	\sqrt{53430.60}

5096532.06

S.No	840	Qty	Rate	Per#	Amount
52	wring with 1.5 sqiffin copper PVC insulated unsheathed single core 1.1 KV grade cable with continuous earth by means of 1.5 sqmm copper PVC insulated unsheathed single core 1.1 KV grade cable confirming to IS 694 / 1980 with ISI mark in existing fully concealed PVC rigid conduit pipe heavy duty with ISI mark with existing MS Switch box covered with new 3mm thick laminated hylem sheet and controlled by 5 amps flush type switch including citcuit mains, cost of all materials, specials, etc., all		*		
	a. Light point with ceiling rose	128.00	867.94	Point	111096.32
	b. Light point without ceiling rose	129.00	872.94	Point	112609.26
	c. Calling bell point with Buzzer/Calling bell	30.00	749.95	Point	22498.50 /
53	Supplying of Miniature circuit breakers 240 v / 415v 50hz - ac supply suitable for	\	101	O.	7
10	(e )Double Pole 6A to 32A, 10KA P - 13	30.00	511:00	Nos >	15330.00
	Service Connection Accessories L.T. 1100v Pvc Aluminium Armoured Under				
14	(a )Supplying of 3.5 core 50 sq.mm. PVC Armoured Aluminium UG Cable	75.00	314.70	Rmt	23602.50
\$5.5	Supplying of Cable Gland suitable for 3.5 core 50 sq.mm. UG Cable	9.00	61.10	Nos	549.90
56	Supplying of 50 mm diameter GI Pipes "B" Class	75.00	209.00	Rmt	15675.00.
57 5	Supplying of Following GI Specials				
2	(a) 50mm dia GI Bend (PWD SR 2021- 22)	3.00	116.30,	Nos	837.60 11045-70 12518.46
	b) 50mm dia GI coupling (PWD SR 2021-22)	12.00	69.80	Nos	837.60
10	Laying of U.G. Cable below Ground	\$1.00	245.46	Rmt	12518.46
59 F	ixing of UG cables on Walls / Ceiling	30.00	150.70	Rmt	4521.00
60 8	SWG wire	30.00	23.80	Rmt×.	714.00 726.0
51 E	Earthing Station IS3043 (Type I)	3.00	2746.00	Nos A	8238.00
	upplying and fixing of 30W LED Street ight Fitting with LED(higher end)	16.00	4510.00	Nos X	72160.00
s s	upplying and fixing of 48W LED Street ight Fitting with LED(higher end)	4.00	6951.00	Nos	27804.00
L	B. T. T. BBB (Migher end)			1	V

5528387,50

s.N	o Descrption of work	Qty	Rate	Per	Amount
65	Earth work excavation in all soil and sub soil to the required depth (Including Refilling)				
	a) 0 to 2 m depth	26.70	224.84	Cum	6003.23
1.99	P.C.C. 1:5:10 using 40mm HBSJ for Foundation etc all complete	1.40	4659.77/	Cum	6523.68
7:1	Brick work in C.M. 1:5 using Fly ash bricks bricks in foundation and basement	22.30	6644.11	Cum	148163.65
708	Brick Partition wall in C.M. 1:4 70mm tk úsing Fly ash bricks etc all complete	110	837.36		8541.07
	a)In-Foundation & Basement G F	10.20	837.36 592.55	Sqm	16 34c.cl 8541.07
369	Plastering Iin C.M 1:5-12 mm thick	112.00	239.36	Sqm	26808.32
<i>γφ</i>	Plastering fin C.M 1:4-12 mm thick	82.70	245.37	Sqm	/ 20292.10 ×
	Plastering lin C.M 1:4-20 mm thick	15.80	486.90	Sqm \	7693.02
ション	Precast cupboard slab 40 mm tk using standardised concrete mix M20 (annexure)				<u> </u>
	a. In Foundation & basement	18.95	1546.27	Sqm X	29301.82 29294.09
773	Fabrication of Mild steel / RTS grills (without cement slurry) for all sizes of rods.	/ <sub>0.11</sub> ×	81012.50	M.T	/8911·38 8543.98-
1 5	Supplying and Laying and Jointing SN8 UPVC Pipe and Specialsbelow G.L				
(	b)160mm DIA UPVC Pipe Below G.L	153.00	770.06	Rmt	/ 117819.18
E	Bore Well				
75 b	Orilling of 160 mm (6") dia deep orewell in hard sedimentary rock except lay to the required depth as may directed y the departmental officers etc	270.00	295.00	Rmt	79650.00 74250.00 ×
76 di	upply and Erection of 6" -150 mm iameter-casing pipe as per IS-2818/2010 in cluding labour charges for rection of pipe inside the borewell etc	30.00	3 - 41 . ( )	Rmt TWAD SR 021-2022)p- 278 12	18 540.00 15786:00
SI fo	apply and Fixing of 6" dia PVC End cap r covering the borewell etc	1.00		Nos FWAD SR 021-2022)	15786:00
		1			004071.38

s.No	Descrption of work	Qty	Rate	Per	Amount
	EXTERNAL WATER SUPPLY				2
78	Supply and Delivery of 5 HP Submersible Pumpset for Bore well (50x250)	1.00	52000.00	Nos - (PWD SR- 2021-22)p-105	52000.00
	submersible pumpset in borewell/openwell including fixing and jointing submersible cable with proper clamps upto the starter to required depth and also fixing of riser pipes to the required depth valves erection clamps, pressure gauges upto the exterior wall of pump room and erection of panel board consisting of TPICN switches starter, Voltmeter, Ammeter, three pilot (indicating) lamps capacitor single phasing preventor, water level guard and laying and jointing the cables and twin earthing as per IE rules etc., complete and testing the pumpset and trail run for	1.00	10051.10	Nos (TWAD SR 2021- 2022),p.no.28 7	10051.10
100	Supply and delivery of direct online starter confirming to IS13947, IEC60947-1 and as amended thereafter with suitable KW rating for operation in AC/Three Phase/50HZ(± 5%) and 415 V(±10%) including Ammeter, Voltmeter, Thermal Overload relay, 16 Amps 2 pole Magnetic Contactor with under Voltage protection, Indication lamp, starting capacitor, running capacitor and On/Off Push button switches, 5 way connector, wiring with 1 sq. mm/1.5 sq. mm copper PVC insulated cable, powder coated vermin proof box including the capacitor (the cost of capacitor is to be taken separately).	/1.00	14492.00	Nos(TWAD SR 2021- 2022,p.no.111	14492.00
	Supply and Delivery of 32 mm UPVC Column pipe	260,00	124.00	Rmt (TWAD SR 2021- 2022,p.no.24)	32240.00
	Supply and Delivery of 32mm dia UPVC	20,00	114.80	Rmt (PWD SR- 2021-22)p-106	2296.00
	Supply and Delivery of 50mm dia UPVC	45.00	175.50	Rmt (PWD SR- 2021-22)p-106	7897.50

6123047.98

S.No	Descrption of wor		Qty	Rate	Per	Amount	0
27 84 Be	our Charges for laying of ow Ground Level	/	65.00	87.39	Rmt	5680.35	5
2385 core	ply and Laying of PVC Ins flat type copper cable con 94/1990 etc	ulated 3 forming to					
a. 4	sq.mm		280.72		(TWAD SR 2021-	52213.92	
/ Kg (	ly and Delivery of Nylon R of approved superior Qualit dersible pumpset in borewe	v for	70.00	61.20	Rmt (PWD SR- )21-22)p-105	16524.00	43
87 pipes with s	y and Delivery of "B" Class confirming to IS specificati ubsequent amendments wit at site of work etc.,	1070					
,	mm diameter	Y	0.00 12		Rmt PWD SR- 21-22)p-45	2560.00	000
Labout B" Cla	charges for laying of 25mr ass GI pipes Below Ground	n dia Level /20	.00 94	1.20	Rint X		8
Supply	ng and Fixing of following ials with ISI mark etc.,					1884.00	7
c (a). 25 r	nm dia GI Coupling	5.0	28.	1~	Nos ) SR-2021 2)p-47	143.00	52
d(b). 25 m	ım dia GI Bend	2.00	52.0	00 PWD	Nos SR-2021 ?)p-46	104.00	8.
e(c). 25 m	n dia GI Elbow	2.00	58.1	0 PWD	Nos SR-2021 )p-46	116.20	81.
(g). 32 mr	1 dia GI Hex Nipple	2.00	58.	(TW)	Nos pwo AD SR 121- 0.no.44)		5.5
(h). 32 mm	dia GI Union	3.00	127.50		os R-2021 9-46	382.50	1.9
		5 /		No	os X		. 0
	32mm dia GI Reducer	4.00	129.00	(TWA) 202 2022,p.1	1-	516.00	•?

1 Kademel rate

6203288115

No	Descrption of work	Qty	Rate	Per	Amount
L	(a) 50mm dia GM Non Return Valve	1.00	2082.00	Nos (TWAD SR 2021- 2022,p.no.45)	2082.00
į	(b) 32mm dia GM gate Valve	/1.00	753.00	Nos pW (TWAD SR 2021- 2022,p.no.45)	753.00
l,	(c) 40mm dia MS Clamp Set	1.00	193.00	Nos (TWAD SR 2021- 2022,p.no.44)	193.00
	Sub Total - I	620	1544.41	1/20/316-15	6207560.76
	GST @ 12% X	74	4905.34	7+149761	744907.29
	Sub Total - II	695	149.82	6951674,09	6952468.05
	Labour Welfare Fund @ 1%			62063.16	62075:61
	Contingencies, Unforeseen items& Petty Supervision Charges			१८६५ हे राष्ट्र १८६५	1-55189,02
	Supervsion Charges @ 7.5%	521	433.74	521336.56	465567.06
	Grand Total	7635	300.00	THE SAMPH	7635300.00
		Say	76-35	Lakhs	TH, 08,300/

S. Jayal 18/7/2022 Ac/man

1022 July 2010 102 /mls

LEGIS SOON ASSET AS

800 VI

あれた。 EXECUTIVE ENGINEER T.N.P.H.C. Ltd.,

Madurai Division, Madurai-1

19/7/22

SUPERINTENDING ENGINEER.
SOUTH CIRCLE.
TAMILEASU POLICE HOUSING CORPORATION LTD.

18/00

18/1/2010

HJ8-1722