

SE/South Circle. Agt. No. 02/2022-2023

FILE No. DB/SC/1806/2021

REPORT ACCOMPANYING SLIP FOR LUMP SUM AGREEMENT
(FOR OFFICE USE ONLY)

TAMILNADU POLICE HOUSING CORPORATION LTD.,
SOUTH CIRCLE, MADURAI – 625 014.

NAME OF PROJECT : Announcement made by the Hon'ble Chief Minister of Tamil Nadu during the Police demand held on 24.03.2020 ✓

NAME OF WORK : Construction of 1 No. of INS, 3 Nos. of SI and 46 Nos. of PC/HC quarters for Thirupathur Nagar Police Station at Thirupathur in Sivagangai District ✓

ESTIMATE AMOUNT : ₹ 7,47,70,000/- ✓

ESTIMATE No. : CER No.67/2021-2022 ✓

ESTIMATE AMOUNT PUT IN TENDER : ₹ 7,51,91,431.13 (2021-2022) ✓
(Including the GST @12%)

TENDER VALUE : ₹ 5,56,73,451.12 (Including the GST @12%) ✓

LESS AMOUNT : (-) ₹ 1,95,17,980.01 ✓

LESS PERCENTAGE : (-) 25.96 % ✓

TENDER ACCEPTED BY WHOM : The Chairman and Managing Director, TNPHC Ltd., Chennai-10

NAME OF THE CONTRACTOR : M/s. SRP CONSTRUCTION COMPANY ✓

No. OF ITEMS IN THE AGREEMENT : 158 (One hundred and fifty eight only)

No. OF PAGES IN THE AGREEMENT : 115 (One hundred and fifteen only)

No. OF CORRECTIONS IN THE AGREEMENT } : Nil


6.4.22
SUPERINTENDING ENGINEER
SOUTH CIRCLE, TNPHC LTD., 6/4



தமிழ்நாடு தமில்நாடு TAMILNADU

06 APR 2022 SRP Construction Company
Chennai

CN 042444
T. Manoj Bhana
T. சோமசுந்தரம்
முத்திரைத்தான் சிறப்பித்தவரான
19/3, சரஸ்வதி தெரு
கோகிலை போட்டு, மதுரை-2
RC. No. 1761 / B1 / 97-17

TAMIL NADU POLICE HOUSING CORPORATION LIMITED.,
SOUTH CIRCLE, MADURAI – 625 014.

ARTICLES OF AGREEMENT

ARTICLES OF AGREEMENT made this

6th day of APRIL 22

BETWEEN the Tamil Nadu Police Housing Corporation Limited, (hereinafter called the Corporation Limited which expression shall where the context so admits include its successors in office and assigns) of the ONE PART and

**M/s. SRP CONSTRUCTION COMPANY,
No. 17, HIG I, 3rd MAIN ROAD,
NOLAMBUR,
CHENNAI – 600 037.**

(Hereinafter called the contractor which expression shall where the context so admits include its heirs, executors, administrators and legal representatives) of the OTHER PART

For SRP CONSTRUCTION COMPANY

Contractor

No. of corrections

Superintending Engineer/ South Circle.

Partner

3

✓

✓

TAMIL NADU POLICE HOUSING CORPORATION LIMITED.,
SOUTH CIRCLE, MADURAI – 625 014.

ARTICLES OF AGREEMENT

ARTICLES OF AGREEMENT made this _____ day of _____
BETWEEN the Tamil Nadu Police Housing Corporation Limited, (hereinafter called the Corporation Limited which expression shall where the context so admits include its successors in office and assigns) of the ONE PART and

**M/s. SRP CONSTRUCTION COMPANY,
NO.17, HIG 1, 3rd MAIN ROAD,
NOLAMBUR,
CHENNAI – 600 037.**

(Hereinafter called the contractor which expression shall where the context so admits include its heirs, executors, administrators and legal representatives) of the OTHER PART ✓

WHEREAS the corporation Limited is desirous of **Construction of 1 No. of INS, 3 Nos. of SI and 46 Nos. of PC/HC quarters for Thirupathur Nagar Police Station at Thirupathur in Sivagangai District** and have caused an estimate of probable quantities contained in schedule A, drawings and specifications describing the work to be done to be prepared.

AND WHEREAS the said schedule A, drawings (schedule B) and the specifications (schedule C) and other schedules herewith annexed have been signed by or on behalf of the parties hereto.

AND WHEREAS the contractor have agreed to the retention, by the Corporation Limited of earnest money (with GST) of ₹ **3,54,100/- (Rupees three lakhs fifty four thousand and one hundred only) in the form of Online Payment gateway Mode eProcurement Reference Number : 247745460982** paid by them when they submitted their tender, as security for the due fulfillment of the contract to the satisfaction of the Corporation Limited or any other officer authorized by the Corporation Limited.

For SRP CONSTRUCTION COMPANY
Contractor

P. Sashree
Partner

✓
No. of corrections

[Signature]
Superintending Engineer/South Circle.

4 ✓ 5

AND WHEREAS the Contractor have requested a further sum of ₹ **15,11,400/- (Rupees fifteen lakhs eleven thousand and four hundred only)** shall be recovered from their first three consecutive running bills in equal installments towards the balance of the security deposit amount and additional security deposit amount for the due fulfillment of the contract to the satisfaction of the Corporation Limited or any other officer authorized by the Corporation Limited.

AND WHEREAS the Contractor have also signed a copy of the Tamilnadu Building practice and the addenda volume there to maintained in the office of the Superintending Engineer /South Circle Tamil Nadu Police Housing Corporation Limited in acknowledgement of being bound by all the conditions of the clauses of the general conditions of contract and all the standard specifications for items of works described by a standard Specification number in Schedule – A.

AND WHEREAS the contractor have agreed to execute upon and subject to the conditions set forth in the conditions of contract of the Tamil Nadu Building Practice and such other conditions as are contained in all the specifications forming part of this contract (hereinafter referred to as “the said conditions”) the work shown upon the drawings and described in the said specifications and set forth in Schedule –A as the “Probable Quantities” and comply with the rate of progress noted at the end of this ARTICLES OF AGREEMENT, for a sum of ₹ **5,56,73,451.12 (Rupees five crores fifty six lakhs seventy three thousand four hundred and fifty one and paise twelve only)** or such other sum as may be arrived at under the clause of the General conditions of contract relating to “Payment on lumpsum basis or by final measurement at Unit Prices”

Now it is hereby agreed as follows:

1. In consideration of the payment of the said sum of ₹ **5,56,73,451.12 (Rupees five crores, fifty six lakhs seventy three thousand four hundred and fifty one and paise twelve only)** or such other sum as may be arrived at under the clause of the General conditions of contract relating to Payment on lumpsum basis or by final measurement at unit prices, the contractor will upon and subject to the said conditions execute and complete the works shown upon the said drawings and described in the said specifications and to the extent of the probable quantities shown in schedule A, with such variations by way of alterations of, additions to, or deductions from, the said works and method of payment there for are as provided for in the said conditions.

For SRP CONSTRUCTION COMPANY

Contractor

3
No. of corrections

Superintending Engineer/South Circle .

Partner
pan. Sashree

- 27
2. The term "Corporation Limited" in the said conditions shall mean the Tamil Nadu Police Housing Corporation Limited or any officer of the Corporation Limited incharge of the works who shall be competent to exercise all the powers and privileges reserved herein, in favour of the Corporation Limited with the previous sanction of the Corporation Limited or any other officer authorized by the Corporation Limited.
 3. The arbitrator for fulfilling the duties set forth in the arbitration clause of the General conditions of contract shall be the Chief Engineer, Tamil Nadu Police Housing Corporation Limited upto value of claims of Rs. 50,000/- If the value of claims exceeds Rs. 50,000/- the matter shall be referred to the court having jurisdiction over Tamil Nadu state.
 4. Time shall be considered as the essence of the agreement and the Contractor hereby agrees to commence the work as soon as this agreement is accepted by the Corporation Limited or any other officer authorized by the Corporation Limited and the site (or premises) is handed over to them as provided for in the said conditions and agrees to complete the work within **TEN** months from the date of such handing over the site (or premises) and to show progress as defined in the tabular statement "RATE OF PROGRESS" below, subject nevertheless to the provisions for extension of time contained in clause 56 of the General conditions of contract.

Rate of Progress

The following rate of progress and proportionate value of work done from time to time, as will be indicated by the Executive Engineer's Certificate of the value of work done will be required.

Date of commencement of this programme will be the date on which the site (or premises) is handed over to the Contractor.

This subjected to the G.O. Ms. No: 101/Public works (G2)Dept. Dated: 10.06.2009. forms part of the agreement.

Period after date of commencement	Total percentage of work to be completed based on contract LS amount	Approximate quantity of cement	Approximate quantity of Steel
1 st Quarter (3 Months) ✓	30% ✓	205.20 MT ✓	42.35 MT ✓
2 nd Quarter (6 Months) ✓	60% ✓	205.20 MT ✓	42.35 MT ✓
3 rd Quarter (9 Months) ✓	90% ✓	205.20 MT ✓	42.35 MT ✓
4 th Quarter (10 Months) ✓	100% ✓	68.40 MT ✓	14.13 MT ✓

CRP CONSTRUCTION COMPANY

Contractor

Partner
Partner

No. of corrections

Superintending Engineer/South Circle.

2 9

5. "The said conditions " shall be read and construed as forming part of this agreement and the parties hereto will respectively abide by and submit themselves to the conditions and stipulations and perform the agreements on their parts, respectively.
6. Upon the terms and conditions of this agreement being fulfilled and performed to the satisfaction of the Corporation Limited or any other officer authorized by the Corporation Limited, the security deposited by the contractor as herein before recited or such portion thereof as they may be entitled to under the said conditions shall be returned to the contractor.

IN WITNESS WHERE OF the contractor **M/s. SRP CONSTRUCTION COMPANY**, have hereunto set their hand and the Superintending Engineer/South Circle of Tamil Nadu Police Housing Corporation Limited on behalf of the Corporation Limited have hereunto set their hand, the day and year first above written.

For SRP CONSTRUCTION COMPANY

Signed by the Contractor

pon. sashree
Partner

Address

**: M/s. SRP CONSTRUCTION COMPANY,
NO.17, HIG 1, 3rd MAIN ROAD,
NOLAMBUR,
CHENNAI - 600 037.**

In the presence of witness

Signed by the

In the Presence of

For SRP CONSTRUCTION COMPANY

Contractor

pon. sashree
Partner

2
No. of corrections

[Signature]
Superintending Engineer/South Circle

TAMIL NADU POLICE HOUSING CORPORATION LIMITED

No.1, INSPECTOR QUARTERS, TSP 6 TH BATTALION CAMPUS,
NEW NATHAM ROAD, MADURAI - 625014.

Schedule 'A'

Name of work: Construction of 1 No. of Ins, 3 Nos. of SI and 46 Nos. of PC/HC quarters
for THIRUPATHUR NAGAR POLICE STATION at Thirupathur in
Sivagangai District

- A. The quantities here given are those upon which the lumpsum tender cost of the work is based, but they are subject to alterations, omissions, deductions or additions are provided for in the conditions of this contract and do not necessarily show the actual quantities of work to be done. The unit rates noted below are the governing payments for extras or deductions for omissions according to the conditions of the contract set forth in the general conditions to the contract of the Tamil Nadu Building practice and other conditions or specifications of this contract.
- B. It is to be expressly understood that the measured work is to be taken net (not withstanding any custom of practice to the contrary) according to the actual quantities when in place and finished according to the drawing or as may be ordered from time to time by the Chief Engineer and the cost calculated by measurement or Weight at the respective prices without any additional charges for any necessary or contingent works connected herewith. The rates quoted are for works in site and complete in every respect.

For SRP CONSTRUCTION COMPANY
CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE

NAME OF WORK : CONSTRUCTION OF 1 NO. OF INS, 3 NOS. OF SI AND 46 NOS. OF PC/HC QUARTERS FOR THIRUPATHUR
NAGAR POLICE STATION AT THIRUPATHUR IN SIVAGANGAI DISTRICT

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
1.1		EARTH WORK EXCAVATION FOR FOUNDATION IN ALL SOILS AND SUB-SOILS TO THE REQUIRED DEPTH AS MAY BE DIRECTED EXCEPT IN HARD ROCK REQUIRING BLASTING BUT INCLUSIVE OF SHORING, STRUTTING, AND BAILING OUT WATER WHEREVER NECESSARY AND REFILLING THE SIDES OF FOUNDATION WITH EXCAVATED EARTH IN 150MM THICK LAYERS WELL WATERED RAMMED AND CONSOLIDATED AND DEPOSITING THE SURPLUS EARTH IN PLACES SHOWN CLEARING AND LEVELLING THE SITE WITH AN INITIAL LEAD OF 10 METRES AND LIFT AS SPECIFIED HERE UNDER ETC. COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS. (INCLUDING REFILLING)	17, 23 & 24			
	1530.60 Cu.M.	(a) 0 TO 2M DEPTH		Rs.120.00 (Rupees one hundred and twenty only)	1.Cu.M. (ONE CUBIC METRE)	183672.00
	488.90 Cu.M.	(b) 2 TO 3M DEPTH		Rs.150.00 (Rupees one hundred and fifty only)	1.Cu.M. (ONE CUBIC METRE)	73335.00
7.2	88.70 Sq.M.	SUPPLYING AND FIXING OF 20MM THICK BITUMINOUS EXPANSION JOINT FILLER PAD OF APPROVED QUALITY AND MAKE INCLUSIVE OF CONVEYANCE CHARGES, CUTTING THE PAD TO THE REQUIRED SIZE, COST OF MATERIALS AND LABOUR CHARGES FOR FIXING IN POSITION WHEREVER NECESSARY FOR ALL FLOORS ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.500.00 (Rupees five hundred only)	1.Sq.M. (ONE SQUARE METRE)	44350.00
13.1	287.30 Cu.M.	FILLING IN FOUNDATION AND BASEMENT AND OTHER SIMILAR WORKS WITH EXCAVATED EARTH IN LAYERS OF 150MM THICK WELL WATERED RAMMED AND CONSOLIDATED COMPLYING WITH RELEVANT STANDARD SPECIFICATION ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.	25	Rs.50.00 (Rupees fifty only)	1.Cu.M. (ONE CUBIC METRE)	14365.00
21.2		SUPPLYING AND FIXING OF TEAK WOOD WROUGHT AND PUT UP FOR FRAMES OF DOORS, WINDOWS, VENTILATORS, CUPBOARD AND ANY OTHER SIMILAR JOINERY WORKS WITH NECESSARY PLUGS, REBATES FOR SHUTTERS, PLASTER GROOVES ON ALL FACES ETC., INCLUDING LABOUR CHARGES FOR FIXING HOLD FASTS. COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC.. IN ALL RESPECTS.	72 & 74			
	1.574 Cu.M.	(a) TEAK WOOD OVER 2.00 METRE AND BELOW 3.00 METRE LENGTH		Rs.120000.00 (Rupees one lakh and twenty thousand only)	1.Cu.M. (ONE CUBIC METRE)	188880.00
	0.626 Cu.M.	(b) TEAK WOOD BELOW 2.00 METRE LENGTH		Rs.120000.00 (Rupees one lakh and twenty thousand only)	1.Cu.M. (ONE CUBIC METRE)	75120.00
						579722.00

For SRP CONSTRUCTION COMPANY

CONTRACTOR,

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO 1	QUANTITY 2	DESCRIPTION OF WORK 3	TNBP No. 4	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS 5	UNIT IN FIGURES AND IN WORDS 6	AMOUNT 7
23.3 ✓	150 NOS. ✓	SUPPLYING AND FIXING OF BEST APPROVED SUPERIOR VARIETY MAGNETIC DOOR CATCHES SUITABLE FOR DOORS INCLUDING COST OF DOOR CATCHES, ALUMINIUM / STAINLESS STEEL SCREWS FIXING IN POSITION ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.100.00 (Rupees one hundred only)	1.NO. (EACH)	579722.00 100.00
24 ✓	13478.40 KG. ✓	MANUFACTURING AND SUPPLYING OF STEEL WINDOWS CONFIRMING TO IS 1038/1983 SPECIFICATION WITH STEEL SECTION USED FOR FABRICATION OF WINDOWS AS PER IS7452/1982 SPECIFICATION AND AS PER THE APPROVED TYPE DESIGN FOR ALL SIZE APPLICABLE FOR THE WORK WITH IRON OXIDIZED HANDLES WITH LOCKING, ARRANGEMENTS, PEG STAYS AND INCLUDING COST FOR ONE COAT OF RED OXIDE PRIMER ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (WINDOWS SHOULD BE WEIGHED EXCLUDING ALUMINIUM BEEDING AND GLASS PANEL. THE STANDARD MODELS OF WINDOW WITH GRILL DESIGN DRAWINGS ARE ENCLOSED IN THE ANNEXURE. HOWEVER THE WINDOWS GRILL AND DESIGN SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE).	81 ✓	Rs.50.00 (Rupees fifty only)	1.KG. (ONE KILOGRAM)	673920.00 ✓
25 ✓	900 NOS. ✓	SUPPLYING AND FIXING OF MILD STEEL HOLD FASTS HORIZONTALLY TWISTED OF SIZE 230X40X4MM WITH PAIR OF SUITABLE IRON SCREWS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.	86 ✓	Rs.10.00 (Rupees ten only)	1.NO. (EACH)	9000.00 ✓
30 ✓	238.60 Sq.M. ✓	FINISHING THE TOP OF FLOORING WITH CEMENT CONCRETE 1:3 (ONE OF CEMENT AND THREE OF BLUE GRANITE CHIPS OF SIZE 10MM, AND BELOW) 20 MM THICK ELLIS PATTERN FLOORING (NO SAND) AND SURFACE RENDERED SMOOTH INCLUDING 50MM WIDE SKIRTING, PROVIDING PROPER SLOPES, THREAD LINING, CURING ETC., COMPLETE IN ALL FLOORS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.	39 - G ✓	Rs.220.00 (Rupees two hundred and twenty only)	1.Sq.M. (ONE SQUARE METRE)	52492.00 ✓
31 ✓	22.70 Cu.M. ✓	WEATHERING COURSE WITH CONCRETE BROKEN BRICK JELLY 20MM GAUGE IN PURE BURNT LIME STONE SLAKED AND SCREENED (NO SAND) OVER RCC ROOF SLAB WITH PROPORTION OF BRICK JELLY TO LIME (FAT LIME) BEING 32: 12 1/2 BY VOLUME WELL BEATEN WITH WOODEN BEATERS FOR GIVING THE REQUIRED SLOPE AND THICKNESS COMPLYING WITH RELEVANT STANDARD SPECIFICATION AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.	30 & 41 ✓	Rs.2200.00 (Rupees two thousand and two hundred only)	1.Cu.M. (ONE CUBIC METRE)	49940.00 ✓
37.1 ✓	3879.30 Sq.M. ✓	WHITE WASHING THREE COATS USING CLEAN SHELL LIME SLAKED INCLUDING COST OF LIME, GUM, BLUE, BRUSHES, INCLUDING SCAFFOLDING ETC., COMPLETE IN ALL RESPECTS.	63 ✓	Rs.25.00 (Rupees twenty five only)	1.Sq.M. (ONE SQUARE METRE)	96982.50 ✓
39 ✓	1197.50 KG. ✓	SUPPLYING AND FIXING MILD STEEL GRILLS AS PER THE DESIGN APPROVED TO VERANDAH ENCLOSURE OR GATE INCLUDING ONE COAT OF PRIMER AND LABOUR FOR FIXING IN POSITION ETC. ALL COMPLETE		Rs.60.00 (Rupees sixty only)	1.KG. (ONE KILOGRAM)	71850.00 ✓
						1548906.50

For SRP CONSTRUCTION COMPANY

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
40	509.10 Sq.M.	PAINTING THE NEW WOOD WORK WITH TWO COATS OF APPROVED FIRST CLASS SYNTHETIC ENAMEL READY MIXED PAINT IN ADDITION TO ONE COAT OF PRIMER OF APPROVED QUALITY AND SHADE. THE PAINT SHOULD BE SUPPLIED BY THE CONTRACTOR AT HIS OWN COST (THE QUALITY AND THE SHADE OF PAINT SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE) COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.	66 & 66 A	Rs.100.00 (Rupees one hundred only)	1.Sq.M. (ONE SQUARE METRE)	1548906.50 50910.00
41	1206.60 Sq.M.	PAINTING THE NEW IRON WORK AND OTHER SIMILAR WORKS SUCH AS PVC / ASTM PIPES, KERB STONE AND GRILLS WITH TWO COATS OF APPROVED FIRST CLASS SYNTHETIC ENAMEL READY MIXED PAINT OF APPROVED QUALITY AND BRAND, THE PAINT SHOULD BE SUPPLIED BY THE CONTRACTOR AT HIS OWN COST, (THE QUALITY AND THE BRAND OF PAINT SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE) COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.	66 & 66A	Rs.100.00 (Rupees one hundred only)	1.Sq.M. (ONE SQUARE METRE)	120660.00
46	106.70 Rmt.	SUPPLYING AND FIXING OF 20MM DIA ALUMINIUM HANGER RODS TO THE REQUIRED LENGTH WITH ALUMINIUM END BRACKETS INCLUDING COST OF SCREWS, TW PLUGS AND LABOUR CHARGES FOR FIXING IN POSITION ETC. COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.100.00 (Rupees one hundred only)	1.Rmt. (ONE RUNNING METRE)	10670.00
47	101 NOS.	SUPPLYING AND FIXING OF ALUMINIUM TOWEL RAILS OF 75CM LONG , INCLUDING COST OF SCREWS, TW PLUGS AND LABOUR CHARGES FOR FIXING IN POSITION ETC. COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS		Rs.100.00 (Rupees one hundred only)	1.NO. (EACH)	10100.00
48	100 NOS.	SUPPLYING AND FIXING OF ALUMINIUM PLATE WITH FIVE PINS FOR COAT STAND INCLUDING COST OF PLUGS, NAILS, SCREWS, AND LABOUR FOR FIXING IN POSITION ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.100.00 (Rupees one hundred only)	1.NO. (EACH)	10000.00
49	516 NOS.	PROVIDING AND FIXING IRON CHROMIUM PLATED 8 GAUGE PICTURE HOOKS INCLUDING FIXING IN POSITION ETC., ALL COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.5.00 (Rupees five only)	1.NO. (EACH)	2580.00
50.3	16 NOS.	SUPPLYING AND PLANTING OF AVENUE TREES INCLUDING EARTH WORK EXCAVATION FOR PIT OF SIZE 60X60X60CM FILLED WITH MANURE FOR 20CM DEPTH AND FILLING WITH RIVER SAND AND RED EARTH MIX IN THE RATIO OF 1:1 FOR 40CM DEPTH IN THE SAME PIT AND PLANTING THE AVENUE TREES OF APPROVED VARIETIES TO A HEIGHT OF 200CM FROM THE GROUND LEVEL AND MAINTAINING THEM FOR THE PERIOD OF 6 MONTH INCLUDING WATERING, PERIODICAL MANURING AND REPLACING THE AVENUE TREES IF DEAD ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (TREE SAPLING SHALL BE GOT APPROVED FROM EE BEFORE PLANTING).		Rs.200.00 (Rupees two hundred only)	1.NO. (EACH)	3200.00
50.4	16 NOS.	SUPPLYING AND FIXING OF TRIANGULAR SHAPE CHICKEN MESH TREE GUARD USING 8CM DIA CASURINA VERTICAL POST AND MIDDLE TIE USING COUNTRY WOOD REEPER OF SIZE 50X25MM AND 25 GAUGE CHICKEN MESH INCLUDING LABOUR CHARGES FOR FIXING THE TRIANGULAR TREE GUARD AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.300.00 (Rupees three hundred only)	1.NO. (EACH)	4800.00
						1761826.50

For SRP CONSTRUCTION COMPANY

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
						1761826.50
52		SUPPLYING, LAYING, FIXING AND JOINTING THE FOLLOWING PVC PIPES AS PER ASTM D - 1785 OF SCHEDULE 40 OF WALL THICKNESS NOT LESS THAN THE SPECIFIED IN IS 4985 SUITABLE FOR PLUMBING BY THREADING OF WALL THICKNESS INCLUDING THE COST OF SUITABLE PVC/GI SPECIALS /GM SPECIALS LIKE ELBOW, TEE REDUCERS, PLUG, UNION, BEND, COUPLER, NIPPLE/ GM GATE VALVE, CHECK AND WHEEL VALVE ETC., WHEREVER REQUIRED ABOVE THE GROUND LEVEL INCLUDING THE COST OF TEFLON TAPE, SPECIAL CLAMPS, NAILS, ETC., FIXING ON WALL TO THE PROPER GRADIENT AND ALIGNMENT AND REDOING THE CHIPPED OF MASONRY ETC., AS DIRECTED BY THE DEPARTMENTAL OFFICERS.				
	308.50 Rmt.	a) 32MM ASTM D SCHEDULE 40 THREADED PVC PIPE WITH NECESSARY PVC/GI SPECIALS		Rs.200.00 ✓ (Rupees two hundred only)	1.Rmt. (ONE RUNNING METRE)	61700.00
	2127.80 Rmt.	b) 25MM ASTM D SCHEDULE 40 THREADED PVC PIPE WITH NECESSARY PVC/GI SPECIALS		Rs.180.00 ✓ (Rupees one hundred and eighty only)	1.Rmt. (ONE RUNNING METRE)	383004.00
52.1	196.00 Rmt.	SUPPLYING AND FIXING OF 20 MM DIA GI PIPE 'B' CLASS OF BEST APPROVED QUALITY FOR HOT WATER LINE FULLY CONCEALED IN WALLS INCLUDING COST OF PIPES AND SPECIALS, LABOUR CHARGES FOR LAYING, JOINTING, TESTING AND REDOING THE DISMANTLED PORTIONS WITH NEAT FINISH ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.200.00 ✓ (Rupees two hundred only)	1.Rmt. (ONE RUNNING METRE)	39200.00
		ELECTRICAL ARRANGEMENTS				
69	196 NOS.	SUPPLYING AND FIXING OF 15 AMPS 3 PIN POWER PLUG TYPE SOCKET ON A SUITABLE MS BOX 16G THICK CONCEALED AND COVERED WITH 3 MM THICK LAMINATED HYLEM SHEET INCLUSIVE OF ALL CONNECTIONS AND COST OF ALL MATERIALS.		Rs.180.00 ✓ (Rupees one hundred and eighty only)	1 NO. (EACH)	35280.00
72	302 NOS.	SUPPLYING AND FIXING OF BEST APPROVED SUPERIOR VARIETY CONCEALED TYPE FIBRE BOX WITH M.S. FAN HOOK OF 100MM DIA, 75MM DEPTH AND 3MM THICK INCLUDING COST AND FIXING IN POSITION ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE).		Rs.40.00 ✓ (Rupees forty only)	1 NO. (EACH)	12080.00
73.1	50 NOS.	SUPPLYING AND FIXING OF 1 NO THREE PHASE DISTRIBUTION BOARD WITH 6 WAY PER PHASE 32A / PER WAY WITH NEUTRAL LINK ON SUITABLE WELL VARNISHED TEAKWOOD PLANK INCLUDING NECESSARY INTERCONNECTIONS AND EARTH CONNECTIONS COST OF ALL MATERIALS ETC., ALL COMPLETE		Rs.5000.00 ✓ (Rupees five thousand only)	1.NO (EACH)	250000.00
74	207 NOS.	CHARGES FOR ASSEMBLING AND FIXING OF CEILING FAN OF DIFFERENT SWEEP WITH NECESSARY CONNECTIONS AND FIXING OF FAN REGULATOR ON THE EXISTING BOARD ETC., ALL COMPLETE (EXCLUDING COST OF FAN)		Rs.200.00 ✓ (Rupees two hundred only)	1.NO (EACH)	41400.00
76	110.00 Rmt.	SUPPLYING AND FIXING OF 8 SWG GI WIRE ON WALL / BELOW GROUND LEVELS WITH NECESSARY 'U' NAILS, EARTH WORK EXCAVATION AND REFILLING ETC., INCLUDING COST OF ALL MATERIALS ETC., ALL COMPLETE		Rs.20.00 ✓ (Rupees twenty only)	1.Rmt. (ONE RUNNING METRE)	2200.00
						2586690.50

For SRP CONSTRUCTION COMPANY

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
						2586690.50
77.3	146 NOS	SUPPLYING, FIXING AND CONCEALING TW BOX OF SIZE 8"X6"X4" COVERED WITH 3MM THICK HYLEM SHEET INCLUDING COST OF TV LINE SOCKET / TELEPHONE LINE SOCKET ETC. , ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.50.00 (Rupees fifty only)	1 NO. (EACH)	7300.00
77.4	1709.00 Rmt.	SUPPLYING, LAYING AND CONCEALING OF PVC PIPE OF 20MM DIA WITH NECESSARY SPECIALS AND OTHER MATERIALS INCLUDING RUN OFF 1 NO. FISH WIRE (G.I. 22G) FOR DRAWING CABLE FOR T.V. / TELEPHONE ETC. , ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS		Rs.50.00 (Rupees fifty only)	1.Rmt. (ONE RUNNING METRE)	85450.00
78	8 NOS	PROVIDING EARTHING STATION (TYPE I) USING PIPE ELECTRODE AS PER IS 3043 USING 2.5M OF 40MM AND 1.0 M OF 20MM B-CLASS GI PIPE INCLUDING EARTH WORK EXCAVATION, BRICK WORK IN CEMENT MORTAR AND PLASTERING AND COST OF FUNNEL, GI NUTS, BOLTS, WASHERS, CHECK NUTS, GI BEND, REDUCER AND COUPLING, C.I. COVER OF 30X30CM AND INCLUDING CHARCOAL OF 40 KGS AND SALT 10 KG ETC., ALL COMPLETE.		Rs.2000.00 (Rupees two thousand only)	1 NO. (EACH)	16000.00
81	15.00 Sq.M.	SUPPLYING AND FIXING BEST COUNTRY WOOD METER CUPBOARD WITH SHUTTERS DOUBLE LEAVES WITH 230MMX25MM SIZE CW PLANKS FOR AROUND SIDES 62.5 MM X31.25MM STYLES AND RAILS FOR SHUTTERS AND 75MM X 25MM WELD MESH OF 6 AND 10 GAUGE FOR PANELS INCLUDING LABOUR CHARGES FOR FIXING IN POSITION OF SHUTTERS AND COST OF 'L' CLAMPS 6 NOS OF SIZE 150X150MM SIZE WITH 25MMX4MM MS FLATS, 1 NO OF 6" X 1/2" ALUMINIUM ALDROP WITH BOLTS AND NUTS 6 NOS OF 3" SIZE I.O. BUTT HINGES WITH SCREWS 2 NOS OF 2" SIZE I.O. HOOKS & EYES, TW PLUGS SCREWS ETC. COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS AND AS PER DRAWINGS.		Rs.1200.00 (Rupees one thousand and two hundred only)	1.Sq.M. (ONE SQUARE METRE)	18000.00
86	932.80 Sq.M.	PROVIDING PRE-CONSTRUCTION ANTITERMITE TREATMENT INCLUDING COST OF CHEMICALS LABOUR AS PER STANDARD SPECIFICATIONS FOR PREPARING THE AREA FOR TREATMENT BY SPRAYING CHEMICALS AND OTHER INCIDENTAL CHARGES ETC., COMPLETE. THE RATE SHOULD BE FOR CURING ANTITERMITE TREATMENT FROM THE PLINTH BEAM AND BRICK MASONRY WITH SUPER STRUCTURE IN CONTACT WITH THE BACK FILL EARTH AND AT THE JUNCTION OF THE WALLS. THE TOP SURFACE OF FILLED EARTH FOR FLOORING AND THE SOIL ALONG WITH THE PERIMETER OF THE BUILDING BY MAKING HOLES WITH THE CROW BAR AND POURED 5% TERMICIDE 'CHLORIPYRIFOS' AND SPRAYING THE SAME TERMICIDE SOLUTION ON THE WOODEN FRAMES AND TREATING THE OTHER PERIPHERY OF BUILDINGS ETC., COMPLETE IN ALL RESPECTS AS PER IS 6313 (PART II) /1981 AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS		Rs.35.00 (Rupees thirty five only)	1.Sq.M. (ONE SQUARE METRE)	32648.00
2.1.3	116.10 Cu.M.	ANNEXURE SUPPLYING AND FILLING IN FOUNDATION AND BASEMENT WITH FILLING CRUSHED STONE SAND IN LAYERS OF 150 MM THICKNESS WELL WATERED, RAMMED AND CONSOLIDATED COMPLYING WITH RELEVANT STANDARD SPECIFICATION INCLUDING COST OF SUPPLYING FILLING CRUSHED STONE SAND.		Rs.900.00 (Rupees nine hundred only)	1.Cu.M. (ONE CUBIC METRE)	104490.00
						2850578.50

for SRP CONSTRUCTION COMPANY

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
3.1.1	135.30 Cu.M.	PLAIN CEMENT CONCRETE 1:5:10 (ONE OF CEMENT, FIVE OF CRUSHED STONE SAND AND TEN OF HARD BROKEN STONE JELLY) FOR FOUNDATION AND BASEMENT USING 40MM GAUGE HARD BROKEN STONE JELLY INCLUSIVE OF SHORING, STRUTTING AND BAILING OUT WATER WHEREVER NECESSARY RAMMING, CURING ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.4000.00 (Rupees four thousand only)	1.Cu.M. (ONE CUBIC METRE)	2850578.50 541200.00
4.4.1		PROVIDING AND LAYING IN POSITION, STANDARDISED CONCRETE MIX M-20 GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING 20 MM AND DOWNGRADED HARD BROKEN STONE JELLY FOR ALL RCC WORKS NAMELY COLUMN, COLUMN FOOTINGS, PLINTH BEAM, GRADE BEAM, RAFT BEAM, RAFT SLAB ETC., WITH MINIMUM CEMENT CONTENT OF 325 KG/M3 AND MAXIMUM WATER CEMENT RATIO OF 0.55, INCLUDING ADMIXTURE (PLASTICISER/SUPER PLASTICISER) IN RECOMMENDED PROPORTIONS AS PER IS:9103 TO ACCELERATE, RETARD SETTING OF CONCRETE, IMPROVE WORKABILITY WITHOUT IMPAIRING STRENGTH AND DURABILITY WITH ABOUT (5.0 CU.M) 7730 KG. OF 20 MM MACHINE CRUSHED STONE JELLY AND WITH ABOUT (3.3 CU.M.) 5156 KG. OF 10 -12 MM MACHINE CRUSHED STONE JELLY AND WITH ABOUT (4.79 CU.M) 7670 KG. OF CRUSHED STONE SAND FOR MAKING 10M ³ CONCRETE BUT EXCLUDING COST OF REINFORCEMENT GRILL AND FABRICATING CHARGES, CENTERING AND SHUTTERING AND ALSO INCLUDING LAYING, VIBRATING WITH MECHANICAL VIBRATORS, FINISHING, CURING ETC., COMPLETE COMPLYING WITH STANDARD SPECIFICATION AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. THE COARSE AND FINE AGGREGATES TO BE USED SHOULD COMPLY WITH THE REQUIREMENTS OF IS STANDARDS. (NO SEPARATE PAYMENT WILL BE MADE BY THE DEPARTMENT FOR THE EXCESS USAGE OF MATERIALS)				
	357.40 Cu.M.	(a) IN FOUNDATION AND BASEMENT		Rs.5600.00 (Rupees five thousand and six hundred only)	1.Cu.M. (ONE CUBIC METRE)	2001440.00
6.6.1	65.30 Cu.M.	BRICK WORK IN CM 1:5 (ONE OF CEMENT AND FIVE OF CRUSHED STONE SAND) USING KILN BURNT COUNTRY BRICKS OF SIZE 8 1/4"X4 1/4"X2 1/4" (22X11X7CM) IN FOUNDATION AND BASEMENT INCLUDING DEWATERING WHEREVER NECESSARY PROPER SETTING, CURING ETC., COMPLETE WITH RELEVANT STANDARD SPECIFICATIONS		Rs.5300.00 (Rupees five thousand and three hundred only)	1.Cu.M. (ONE CUBIC METRE)	346090.00
6.7.1	8.80 Cu.M.	BRICK WORK IN C.M 1:5 (ONE OF CEMENT AND FIVE OF CRUSHED STONE SAND) USING FLY ASH BRICKS OF SIZE 23X11X7CM IN FOUNDATION AND BASEMENT INCLUDING DEWATERING WHEREVER NECESSARY PROPER SETTING, CURING ETC., COMPLETE WITH RELEVANT STANDARD SPECIFICATIONS.		Rs.5300.00 (Rupees five thousand and three hundred only)	1.Cu.M. (ONE CUBIC METRE)	46640.00
8.4.1		PROVIDING AND LAYING IN POSITION, STANDARDISED CONCRETE MIX M-20 GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING 20 MM AND DOWNGRADED HARD BROKEN STONE JELLY FOR ALL RCC ITEMS OF WORKS NAMELY TEE, ELL OR RECTANGULAR BEAMS, LINTELS, PARAPET CUM DROPS, WAIST AND LANDING SLAB, CANOPHY, CIRCULAR COLUMN, FIN PROJECTIONS, SUNSHADES, WINDOW BOXING SLAB, SLAB AND OTHER SIMILAR WORKS WITH MINIMUM CEMENT CONTENT OF 325 KG/M3 AND MAXIMUM WATER CEMENT RATIO OF 0.55, INCLUDING ADMIXTURE (PLASTICISER/SUPER PLASTICISER) IN RECOMMENDED PROPORTIONS				
						5785948.50

For SRP CONSTRUCTION COMPANY

CONTRACTOR -

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
		AS PER IS:9103 TO ACCELERATE, RETARD SETTING OF CONCRETE, IMPROVE WORKABILITY WITHOUT IMPAIRING STRENGTH AND DURABILITY WITH ABOUT (5.0 CU.M) 7730 KG. OF 20 MM MACHINE CRUSHED STONE JELLY AND WITH ABOUT (3.3 CU.M) 5156 KG. OF 10 -12 MM MACHINE CRUSHED STONE JELLY AND WITH ABOUT (4.79 CU.M) 7670 KG. OF CRUSHED STONE SAND FOR MAKING 10M3 CONCRETE BUT EXCLUDING COST OF REINFORCEMENT GRILL AND FABRICATING CHARGES, CENTERING AND SHUTTERING AND ALSO INCLUDING LAYING, VIBRATING WITH MECHANICAL VIBRATORS, FINISHING, CURING ETC., AND PROVIDING FIXTURES LIKE FAN CLAMPS IN THE RCC FLOOR/ROOF SLABS WHEREVER NECESSARY WITHOUT CLAIMING EXTRA, ETC., COMPLETE COMPLYING WITH STANDARD SPECIFICATION AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. THE COARSE AND FINE AGGREGATES TO BE USED SHOULD COMPLY WITH THE REQUIREMENTS OF IS STANDARDS. (NO SEPARATE PAYMENT WILL BE MADE BY THE DEPARTMENT FOR THE EXCESS USAGE OF MATERIALS).				5785948.50
	246.10 Cu.M.	(a) IN GROUND FLOOR		Rs.5600.00 (Rupees five thousand and six hundred only)	1.Cu.M. (ONE CUBIC METRE)	1378160.00
	227.30 Cu.M.	(b) IN FIRST FLOOR		Rs.5700.00 (Rupees five thousand and seven hundred only)	1.Cu.M. (ONE CUBIC METRE)	1295610.00
	225.20 Cu.M.	(c) IN SECOND FLOOR		Rs.5800.00 (Rupees five thousand and eight hundred only)	1.Cu.M. (ONE CUBIC METRE)	1306160.00
	196.30 Cu.M.	(d) IN THIRD FLOOR		Rs.5900.00 (Rupees five thousand and nine hundred only)	1.Cu.M. (ONE CUBIC METRE)	1158170.00
	68.50 Cu.M.	(e) IN FOURTH FLOOR		Rs.6000.00 (Rupees six thousand only)	1.Cu.M. (ONE CUBIC METRE)	411000.00
9.6.1		BRICK WORK IN CEMENT MORTAR 1:6 (ONE OF CEMENT AND SIX OF CRUSHED STONE SAND) USING KILN BURNT COUNTRY BRICKS OF SIZE 8½"X4½"X2½" (22X11X7CM) FOR SUPER STRUCTURE IN THE FOLLOWING FLOORS INCLUDING LABOUR FOR FIXING THE DOORS, WINDOWS AND VENTILATOR FRAMES IN POSITION, FIXING OF HOLD FASTS, SCAFFOLDINGS, CURING ETC., COMPLETE IN ALL RESPECT COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND DRAWINGS.				
	178.40 Cu.M.	(a) IN GROUND FLOOR		Rs.5400.00 (Rupees five thousand and four hundred only)	1.Cu.M. (ONE CUBIC METRE)	963360.00
	176.00 Cu.M.	(b) IN FIRST FLOOR		Rs.5500.00 (Rupees five thousand and five hundred only)	1.Cu.M. (ONE CUBIC METRE)	968000.00
						13266408.50

For SRP CONSTRUCTION COMPANY

CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO 1	QUANTITY 2	DESCRIPTION OF WORK 3	TNBP No. 4	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS 5	UNIT IN FIGURES AND IN WORDS 6	AMOUNT 7
	191.40 Cu.M.	(c) IN SECOND FLOOR		Rs.5600.00 (Rupees five thousand and six hundred only)	1.Cu.M. (ONE CUBIC METRE)	13266408.50 107 10.00
	219.50 Cu.M.	(d) IN THIRD FLOOR		Rs.5700.00 (Rupees five thousand and seven hundred only)	1.Cu.M. (ONE CUBIC METRE)	1251150.00
	45.00 Cu.M.	(e) IN FOURTH FLOOR		Rs.5800.00 (Rupees five thousand and eight hundred only)	1.Cu.M. (ONE CUBIC METRE)	261000.00
9.7.1		BRICK WORK IN C.M. 1:6 (ONE OF CEMENT AND SIX OF CRUSHED STONE SAND) USING FLY ASH BRICKS OF SIZE 23X11X7CM FOR SUPER STRUCTURE IN THE FOLLOWING FLOORS INCLUDING LABOUR FOR FIXING THE DOORS, WINDOWS AND VENTILATOR FRAMES IN POSITION, FIXING OF HOLD FASTS, SCAFFOLDING, CURING ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND DRAWINGS.				
	26.60 Cu.M.	(a) IN GROUND FLOOR		Rs.5200.00 (Rupees five thousand and two hundred only)	1.Cu.M. (ONE CUBIC METRE)	138320.00
	6.20 Cu.M.	(b) IN FIRST FLOOR		Rs.5300.00 (Rupees five thousand and three hundred only)	1.Cu.M. (ONE CUBIC METRE)	32860.00
10.6.1		BRICK PARTITION WALL IN CEMENT MORTAR 1:4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) 110MM THICK FOR SUPER STRUCTURE IN THE FOLLOWING FLOORS USING KILN BURNT COUNTRY BRICKS OF SIZE 8 1/4"X4 1/4"X2 1/4" (22X11X7CM) INCLUDING LABOUR FOR FIXING THE DOORS, WINDOWS AND VENTILATOR FRAMES IN POSITION, FIXING OF HOLD FASTS, SCAFFOLDINGS, CURING ETC., COMPLETE IN ALL RESPECT COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND DRAWINGS				
	510.40 Sq.M.	(b) IN GROUND FLOOR		Rs.500.00 (Rupees five hundred only)	1.Sq.M. (ONE SQUARE METRE)	255200.00
	510.40 Sq.M.	(c) IN FIRST FLOOR		Rs.500.00 (Rupees five hundred only)	1.Sq.M. (ONE SQUARE METRE)	255200.00
	542.30 Sq.M.	(d) IN SECOND FLOOR		Rs.500.00 (Rupees five hundred only)	1.Sq.M. (ONE SQUARE METRE)	271150.00
	404.90 Sq.M.	(e) IN THIRD FLOOR		Rs.500.00 (Rupees five hundred only)	1.Sq.M. (ONE SQUARE METRE)	202450.00
						17005578.50

SRP CONSTRUCTION COMPANY

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
10.7.1	67.00 Sq.M.	BRICK PARTITION WALL IN C.M 1:4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) 110MM THICK FOR SUPER STRUCTURE USING FLY ASH BRICKS OF SIZE 23X11X7CM IN THE FOLLOWING FLOORS INCLUDING LABOUR FOR FIXING DOORS, WINDOWS AND VENTILATOR FRAMES IN POSITION, FIXING OF HOLD FASTS, SCAFFOLDING, CURING ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND DRAWINGS. (b) IN GROUND FLOOR		Rs.500.00 (Rupees five hundred only)	1.Sq.M. (ONE SQUARE METRE)	33500.00
	8.70 Sq.M.	(c) IN FIRST FLOOR		Rs.500.00 (Rupees five hundred only)	1.Sq.M. (ONE SQUARE METRE)	4350.00
11.6.1	156.90 Sq.M.	BRICK PARTITION WALLS 70MM THICK USING KILN BURNT COUNTRY BRICKS OF SIZE 8 1/4"X4 1/4"X2 1/4" (22X11X7CM) IN CEMENT MORTAR 1:4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) FOR SUPER STRUCTURE IN THE FOLLOWING FLOORS INCLUDING SCAFFOLDINGS, CURING ETC., COMPLETE IN ALL RESPECT COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND DRAWINGS (a) IN GROUND FLOOR		Rs.400.00 (Rupees four hundred only)	1.Sq.M. (ONE SQUARE METRE)	62760.00
	156.90 Sq.M.	(b) IN FIRST FLOOR		Rs.400.00 (Rupees four hundred only)	1.Sq.M. (ONE SQUARE METRE)	62760.00
	156.90 Sq.M.	(c) IN SECOND FLOOR		Rs.400.00 (Rupees four hundred only)	1.Sq.M. (ONE SQUARE METRE)	62760.00
	121.00 Sq.M.	(d) IN THIRD FLOOR		Rs.400.00 (Rupees four hundred only)	1.Sq.M. (ONE SQUARE METRE)	48400.00
11.7.1	15.00 Sq.M.	BRICK PARTITION WALLS 70MM THICK USING FLY ASH BRICKS OF SIZE 23X11X7CM IN CEMENT MORTAR 1:4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) FOR SUPER STRUCTURE IN THE FOLLOWING FLOORS INCLUDING SCAFFOLDINGS, CURING ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND DRAWINGS. (a) IN GROUND FLOOR		Rs.400.00 (Rupees four hundred only)	1.Sq.M. (ONE SQUARE METRE)	6000.00
12.1.1		BRICK PARTITION WALLS 50MM THICK USING KILN BURNT COUNTRY BRICKS OF SIZE 8 1/4"X4 1/4"X2 1/4" (22X11X5CM) IN CEMENT MORTAR 1:4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) FOR SUPERSTRUCTURE IN THE FOLLOWING FLOORS INCLUDING SCAFFOLDINGS, CURING ETC., COMPLETE IN ALL RESPECT COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND DRAWINGS.				
						17005578.50
						17286108.50

For SRP CONSTRUCTION COMPANY

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
						17286108.50
	44.20 Sq.M.	(a) IN GROUND FLOOR		Rs.350.00 (Rupees three hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	15470.00
	38.20 Sq.M.	(b) IN FIRST FLOOR		Rs.350.00 (Rupees three hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	13370.00
	39.00 Sq.M.	(c) IN SECOND FLOOR		Rs.350.00 (Rupees three hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	13650.00
	27.50 Sq.M.	(d) IN THIRD FLOOR		Rs.350.00 (Rupees three hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	9625.00
14.2.2		SUPPLYING AND FIXING OF PRECAST CEMENT CONCRETE SLAB FOR CUPBOARD/WARD ROBES SHELVES, COVER SLAB FOR CHAMBERS, BAFFLE WALLS SIDE SLABS OF BOXING AROUND WINDOWS AND OTHER SIMILAR WORKS IN STANDARDISED CONCRETE MIX M-20 GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING CRUSHED STONE SAND AND 3 TO 10MM THICK HARD BROKEN STONE JELLY FOR THE ABOVE RCC ITEMS OF WORKS EXCLUDING THE COST AND FABRICATION OF REINFORCEMENT GRILLS BUT INCLUDING PRECASTING, MOULDING, CURING, FINISHING AND FIXING IN POSITION COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC., COMPLETE IN THE FOLLOWING FLOORS (MEASUREMENT WILL BE TAKEN INCLUDING BEARING IN WALL ALSO).				
		20 MM THICK				
	192.50 Sq.M.	(a) IN GROUND FLOOR		Rs.900.00 (Rupees nine hundred only)	1.Sq.M. (ONE SQUARE METRE)	173250.00
	180.50 Sq.M.	(b) IN FIRST FLOOR		Rs.900.00 (Rupees nine hundred only)	1.Sq.M. (ONE SQUARE METRE)	162450.00
	180.50 Sq.M.	(c) IN SECOND FLOOR		Rs.900.00 (Rupees nine hundred only)	1.Sq.M. (ONE SQUARE METRE)	162450.00
	138.50 Sq.M.	(d) IN THIRD FLOOR		Rs.900.00 (Rupees nine hundred only)	1.Sq.M. (ONE SQUARE METRE)	124650.00
14.2.3		SUPPLYING AND FIXING OF PRECAST CEMENT CONCRETE SLAB FOR CUPBOARD/WARD ROBES SHELVES, COVER SLAB FOR CHAMBERS, BAFFLE WALLS SIDE SLABS OF BOXING AROUND WINDOWS AND OTHER SIMILAR WORKS IN STANDARDISED CONCRETE MIX M-20 GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING CRUSHED STONE SAND AND 3 TO 10MM THICK HARD BROKEN STONE JELLY FOR THE ABOVE RCC ITEMS OF WORKS EXCLUDING THE COST AND FABRICATION OF REINFORCEMENT GRILLS BUT INCLUDING PRECASTING, MOULDING, CURING, FINISHING AND FIXING IN POSITION COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC., COMPLETE IN THE FOLLOWING FLOORS (MEASUREMENT WILL BE TAKEN INCLUDING BEARING IN WALL ALSO).				
						17961023.50

For SRP CONSTRUCTION COMPANY

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
						17961023.50
		40 MM THICK				
	20.40 Sq.M.	(a) IN FOUNDATION AND BASEMENT		Rs.1000.00 (Rupees one thousand only)	1.Sq.M. (ONE SQUARE METRE)	20400.00
	14.30 Sq.M.	(b) IN GROUND FLOOR		Rs.1000.00 (Rupees one thousand only)	1.Sq.M. (ONE SQUARE METRE)	14300.00
	13.60 Sq.M.	(c) IN FIRST FLOOR		Rs.1000.00 (Rupees one thousand only)	1.Sq.M. (ONE SQUARE METRE)	13600.00
	13.60 Sq.M.	(d) IN SECOND FLOOR		Rs.1000.00 (Rupees one thousand only)	1.Sq.M. (ONE SQUARE METRE)	13600.00
	10.50 Sq.M.	(e) IN THIRD FLOOR		Rs.1000.00 (Rupees one thousand only)	1.Sq.M. (ONE SQUARE METRE)	10500.00
16.1.1		PRECAST CEMENT CONCRETE JALLY VENTILATOR IN STANDARDISED CONCRETE MIX M-20 GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING 20MM AND DOWNGRADED HARD BROKEN STONE JELLY FOR THE ABOVE RCC ITEM OF WORK WITHOUT VIBRATING CHARGES EXCLUDING THE COST AND FABRICATION OF REINFORCEMENT GRILLS BUT INCLUDING PRECASTING, MOULDING, CURING, FINISHING AND FIXING IN POSITION COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC., COMPLETE IN THE FOLLOWING FLOORS.				
	29.00 Sq.M.	50 MM THICK (a) IN GROUND FLOOR		Rs.1000.00 (Rupees one thousand only)	1.Sq.M. (ONE SQUARE METRE)	29000.00
	30.00 Sq.M.	(b) IN FIRST FLOOR		Rs.1000.00 (Rupees one thousand only)	1.Sq.M. (ONE SQUARE METRE)	30000.00
	28.00 Sq.M.	(c) IN SECOND FLOOR		Rs.1000.00 (Rupees one thousand only)	1.Sq.M. (ONE SQUARE METRE)	28000.00
	24.20 Sq.M.	(d) IN THIRD FLOOR		Rs.1000.00 (Rupees one thousand only)	1.Sq.M. (ONE SQUARE METRE)	24200.00
	10.50 Sq.M.	(e) IN FOURTH FLOOR		Rs.1000.00 (Rupees one thousand only)	1.Sq.M. (ONE SQUARE METRE)	10500.00
18.1		PROVIDING FORM WORK AND CENTERING FOR REINFORCED CEMENT CONCRETE WORKS INCLUDING SUPPORTS AND STRUTTING UP TO 3.30M HEIGHT FOR PLANE SURFACES AS DETAILED BELOW WITH ALL CROSS BRACINGS USING MILD STEEL SHEETS OF SIZE 90CMX60CM AND MS 10 GAUGE STIFFENED WITH WELDED MILD STEEL ANGLES OF SIZE 25MMX25MMX3MM FOR BOARDING LAID OVER SILVER OAK OR COUNTRY WOOD JOISTS OF SIZE 10CMX6.5CM SPACED AT ABOUT 90CM CENTRE TO CENTRE AND SUPPORTED BY CASURINA PROPS 10CM TO 13CM DIA SPACED AT 75CM INTERVALS AND REMOVING THE SAME AFTER A SPECIFIED PERIOD WITHOUT DAMAGING THE R.C.C WORKS ETC., COMPLETE COMPLYING WITH STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.				
						18155123.50

for SRP CONSTRUCTION COMPANY

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
	1278.50 Sq.M.	(a) FOR COLUMN FOOTINGS, PLINTH BEAM, GRADE BEAM, RAFT BEAM, RAFT SLAB ETC.,		Rs.400.00 (Rupees four hundred only)	1.Sq.M. (ONE SQUARE METRE)	18155123.50 511400.00
	6956.40 Sq.M.	(b) PLAIN SURFACES SUCH AS ROOF SLAB, FLOOR SLAB, BEAMS LINTELS, LOFTS, SILL SLAB, STAIRCASE WAIST, PORTICO SLAB AND OTHER SIMILAR WORKS		Rs.400.00 (Rupees four hundred only)	1.Sq.M. (ONE SQUARE METRE)	2782560.00
	2831.80 Sq.M.	(c) FOR SQUARE AND RECTANGULAR COLUMNS, AND SMALL QUANTITIES SUCH AS SUNSHADE, PARAPET CUM DROPS, WINDOW BOXING, FIN PROJECTION AND OTHER SIMILAR WORKS		Rs.450.00 (Rupees four hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	1274310.00
	384.50 Sq.M.	(d) FOR VERTICAL WALL		Rs.500.00 (Rupees five hundred only)	1.Sq.M. (ONE SQUARE METRE)	192250.00
21.5.2	157.60 Sq.M.	PROVIDING AND FIXING OF FACTORY MADE UNPLASTICIZED POLYVINYL CHLORIDE (UPVC) DOOR FRAME OF SIZE 50X47MM WITH A WALL THICKNESS OF 5MM, MADE OUT OF EXTRUDED 5MM RIGID UPVC FOAM SHEET, MITERED AT TWO CORNERS AND JOINED WITH 2 NOS. OF 150MM LONG BRACKETS OF 15X15MM M.S SQUARE TUBE. THE TWO VERTICAL AND HORIZONTAL DOOR PROFILES ARE TO BE REINFORCED WITH 19X19MM M.S SQUARE TUBE OF 19 GAUGES WITH PRIMER COAT. THE DOOR FRAME SHALL BE FIXED TO THE WALL USING 65MM/100MM LONG M.S SCREW THROUGH THE FRAME BY USING PVC FASTENERS. A MINIMUM OF 4 NOS. SCREWS TO BE PROVIDED FOR EACH VERTICAL MEMBER AND MINIMUM 2 NOS. FOR HORIZONTAL MEMBER ETC., PROVIDING AND FIXING OF 30MM THICK FACTORY MADE DOOR SHUTTER WITH UNPLASTICIZED POLYVINYL CHLORIDE (UPVC) SOLID PANEL FOAM SHEET, STRUCTURED WITH M.S.TUBE OF 19 GAUGE THICKNESS AND SIZE 19MM X 19MM FOR STYLES AND 15MM X 15MM FOR TOP RAIL AND BOTTOM RAIL. PANELLING OF 5MM THICK UPVC ONE SIDE PRINTED LAMINATION SINGLE SHEET TO BE FITTED IN THE M.S.FRAME WELDED / SEALED TO THE STYLES AND RAILS COVERED WITH 5MM THICK HEAT MOULDED UPVC 'C' CHANNEL OF 30MMX50MM AND 5MM THICK 75MM WIDE UPVC SHEET FOR TOP RAIL, LOCK RAIL AND BOTTOM RAIL ON EITHER SIDE AND 10MM (5MM X 2 NOS.) THICK, 20MM WIDE CROSS UPVC SHEET AS GAP INSERT FOR TOP RAIL AND BOTTOM RAIL, AND JOINED TOGETHER WITH PVC SOLVENT CEMENT ADHESIVE. AN ADDITIONAL 5MM THICK UPVC STRIP OF 20MM WIDTH IS TO BE STUCK ON THE INTERIOR SIDE OF THE 'C' CHANNEL USING PVC SOLVENT CEMENT ADHESIVE. THE COST AND LABOUR CHARGES FOR FIXING OF 3 NOS. 4" SS BUTT HINGES AND ALUMINIUM FURNITURE FITTING SUCH AS 1 NO. 4" TOWER BOLT, 1 NO.5" ALDROP, 2 NOS. 6" FLAT 'D' TYPE HANDLE, ETC ARE INCLUDED. THE FITTING PROVIDED SHALL BEAR ISI MARKS, TO ENSURE THE GENUINITY OF PRODUCT, THE DOOR SET SHOULD HAVE 4 NUMBERS OF MANUFACTURER'S LOGO HOLOGRAM OF APPROVED BRAND, EACH AT FRAME, STYLE, RAIL AND INNER PANEL. (THE QUALITY AND BRAND OF DOOR SHUTTER AND FURNITURE FITTINGS SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)		Rs.3000.00 (Rupees three thousand only)	1.Sq.M. (ONE SQUARE METRE)	472800.00
						23388443.50

For SRP CONSTRUCTION COMPANY

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
21.6.2		SUPPLYING AND FIXING MONOLITHIC RCC DOOR FRAMES OF SIZE 100X75MM WITH ONE EDGE GROOVES SIZE 'T' X 20 MM ('T' REPRESENTS THE SHUTTER THICKNESS) IN STANDARDISED CONCRETE MIX M-20 GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING CRUSHED STONE SAND 20 MM AND DOWNGRADED HARD BROKEN STONE JELLY FOR THE ABOVE RCC ITEM OF WORK WITHOUT VIBRATING CHARGES INCLUDING COST OF STEEL AND FABRICATION OF REINFORCEMENT GRILLS WITH 3 NOS. OF 6MM M.S. ROD AROUND AND 3MM STEEL STIRRUPS AT 30CM CENTRE TO CENTRE INCLUDING FIXING OF 3 NOS. OF IRON BRACKET OF SIZE 100X100X5MM OR 3 NOS. OF TEAK WOOD PLUG FOR RECEIVING HINGES AND 2 NOS. OF TEAK WOOD PLUG FOR RECEIVING THE TOWER BOLTS INCLUDING FIXING OF 6 NOS. OF HOLD FASTS AND COST AND FIXING OF CHECK NUTS AND ALUMINIUM SLEEVES AND 2 NOS. IRON OXIDE TOWER BOLT RECEIVER ALL AS PER DRAWINGS, INCLUDING MOULDING IN STEEL MOULD AND CASTING WITH SMOOTH SURFACES AND FINE EDGES, CURING, TRANSPORTING ETC., ALL COMPLETE AS DIRECTED BY THE DEPARTMENTAL OFFICERS				23388443.50
	100 NOS.	SUITABLE FOR DOOR OF SIZE (a) 900 X 2100MM		Rs.1500.00 (Rupees one thousand and five hundred only)	1.NO (EACH)	150000.00
23.1.1		SUPPLYING AND FIXING OF BEST INDIAN TW SINGLE LEAF PANELLED DOOR SHUTTERS USING 9 MM THICK PHENOL BONDED BWR GRADE PLYWOOD AS PER IS 303-1989 (GENERAL) WITH IS 5539-1969 (FOR PRESERVATIVE TREATMENT AND IS 848 -1974 (FOR ADHESIVES) WITH RELEVANT IS SPECIFICATION AND ITS LATEST AMENDMENTS FOR SHUTTERS WITH 75MMX37.50MM TEAK WOOD STYLES AND 3 NOS. OF 150X37.50 MM TW RAILS (TOP, BOTTOM AND LOCK RAILS) USING THE ABOVE PANELS INCLUDING LABOUR CHARGES AND COST OF ALUMINIUM FURNITURE FITTINGS AS PER SCHEDULE 'E' WITH BRASS SCREWS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY OF BWR GRADE PLYWOOD AND ALUMINIUM FURNITURE FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE).				
	164.40 Sq.M.	SUITABLE FOR DOOR OF SIZE (a) 900 X 2100MM		Rs.4200.00 (Rupees four thousand and two hundred only)	1.Sq.M. (ONE SQUARE METRE)	690480.00
23.2.1	387.50 Sq.M.	SUPPLYING AND FIXING OF 4 MM THICK PIN HEADED GLASS PANELS WITH ALUMINIUM ANODIZED 'U' SHAPE BEADING OF SIZE 12X12 MM WITH 107 GRAM IN AVERAGE WEIGHT FOR 1 M LENGTH WITH ALUMINIUM BOLTS AND NUTS FOR THE SHUTTERS OF THE STEEL WINDOWS ALREADY SUPPLIED TO SUIT ALL THE SIZE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF GLASS AND ALUMINIUM BEEDING SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.400.00 (Rupees four hundred only)	1.Sq.M. (ONE SQUARE METRE)	155000.00
26.1	56.70 Cu.M.	FLOORING WITH A BED OF CEMENT CONCRETE 1:5:10 (ONE OF CEMENT, FIVE OF CRUSHED STONE SAND AND TEN OF HARD BROKEN STONE JELLY) USING 40MM SIZE HARD BROKEN STONE JELLY AND TOP LEFT ROUGH TO RECEIVE THE FLOOR FINISH WITH REQUIRED SLOPES INCLUDING RAMMING, CURING ETC., ALL COMPLETE COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.		Rs.4000.00 (Rupees four thousand only)	1.Cu.M. (ONE CUBIC METRE)	226800.00
						24610723.50

For SRP CONSTRUCTION COMPANY

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
28.1	366.20 Sq.M.	PLASTERING THE TOP OF FLOORING IN CM 1:4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) 20MM THICK INCLUDING SURFACE RENDERED SMOOTH INCLUDING PROVIDING PROPER SLOPES, THREAD LINING, CURING AND 150MM WIDE SKIRTING AROUND WITH THE SAME CEMENT MORTAR ETC., COMPLETE IN ALL RESPECTS.		Rs.220.00 (Rupees two hundred and twenty only)	1.Sq.M. (ONE SQUARE METRE)	24610723.50 78364.00
29.8.1	1583.10 Sq.M.	SUPPLYING AND FIXING OF COLOUR GLAZED TILES OF BEST APPROVED QUALITY (THE COLOUR AND SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING) OVER CEMENT PLASTERING IN CM 1:2 (ONE OF CEMENT AND TWO OF CRUSHED STONE SAND) 10MM THICK INCLUDING FIXING IN POSITION, CUTTING THE TILES TO THE REQUIRED SIZE WHEREVER NECESSARY, POINTING THE JOINTS WITH GROUT (TILE JOINT FILLER) , CURING, FINISHING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRAND AND QUALITY OF TILES SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE).		Rs.850.00 (Rupees eight hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	1345635.00
29.9.1	278.90 Sq.M.	SUPPLYING AND LAYING OF CERAMIC TILES (ANTI SKID) OF BEST APPROVED QUALITY FOR FLOORING AND OTHER SIMILAR WORKS (THE COLOUR AND SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING) OVER CEMENT MORTAR 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 20MM THICK INCLUDING FIXING IN POSITION, CUTTING THE TILES TO THE REQUIRED SIZE WHEREVER NECESSARY, POINTING THE JOINTS WITH GROUT (TILE JOINT FILLER) , CURING, FINISHING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE BRAND AND QUALITY OF TILES SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE).		Rs.850.00 (Rupees eight hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	237065.00
33.1	16935.50 Sq.M.	PLASTERING WITH CM 1:5 (ONE OF CEMENT AND FIVE OF CRUSHED STONE SAND) 12MM THICK FINISHED WITH NEAT CEMENT INCLUDING PROVIDING BAND CORNICE, CEILING CORNICE, CURING, SCAFFOLDING ETC., COMPLETE IN ALL RESPECTS AND COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.		Rs.180.00 (Rupees one hundred and eighty only)	1.Sq.M. (ONE SQUARE METRE)	3048390.00
34.1	625.30 Sq.M.	PLASTERING WITH CM 1:4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) 12MM THICK FINISHED WITH NEAT CEMENT INCLUDING PROVIDING BAND CORNICE, CEILING CORNICE, CURING, SCAFFOLDING ETC., COMPLETE IN ALL RESPECTS AND COMPLYING WITH STANDARD SPECIFICATIONS.		Rs.190.00 (Rupees one hundred and ninety only)	1.Sq.M. (ONE SQUARE METRE)	118807.00
35.1.1	252.40 Sq.M.	PLASTERING IN CM 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 12MM TK. MIXED WITH WATER PROOF COMPOUND AT 2% BY WEIGHT OF CEMENT FOR SUMP INCLUDING SCAFFOLDING CURING, FINISHING ETC., COMPLETE IN ALL RESPECTS AND COMPLYING WITH STANDARD SPECIFICATIONS.		Rs.200.00 (Rupees two hundred only)	1.Sq.M. (ONE SQUARE METRE)	50480.00
						29489464.50

or SRP CONSTRUCTION COMPANY

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
						29489464.50
35.2	3879.30 Sq.M.	SPECIAL CEILING PLASTERING IN CEMENT MORTAR 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 10MM THICK FOR BOTTOM OF ROOF, STAIR, WAIST, LANDING AND SUNSHADES IN ALL FLOORS FINISHED WITH NEAT CEMENT INCLUDING HACKING THE AREAS, PROVIDING BAND CORNICE, SCAFFOLDING, CURING ETC., COMPLETE		Rs.200.00 (Rupees two hundred only)	1.Sq.M. (ONE SQUARE METRE)	775860.00
36.1		PLASTERING FOR BORDER IN CM 1:5 (ONE OF CEMENT AND FIVE OF CRUSHED STONE SAND) 12MM THICK FINISH IN ALL FLOORS FOR ELEVATION PURPOSES, INCLUDING SCAFFOLDING, CURING, FINISHING ETC., ALL COMPLETE				
	584.00 Rmt.	(a) 150MM WIDE BORDER		Rs.50.00 (Rupees fifty only)	1.Rmt. (ONE RUNNING METRE)	29200.00
	2068.00 Rmt.	(b) 75MM WIDE BORDER		Rs.40.00 (Rupees forty only)	1.Rmt. (ONE RUNNING METRE)	82720.00
	824.30 Rmt.	(c) 50MM WIDE BORDER		Rs.30.00 (Rupees thirty only)	1.Rmt. (ONE RUNNING METRE)	24729.00
38.4.1	11395.00 Sq.M.	PAINTING THE NEW WALLS WITH TWO COATS OF OIL BOUND DISTEMPER OVER THE EXISTING PRIMING COAT OF WHITE CEMENT OF APPROVED BRAND OVER NEW CEMENT PLASTERED WALL SURFACES INCLUDING COST OF PAINTS, PUTTY, BRUSHES, WATERING, CURING, ETC., ALL COMPLETE AS DIRECTED BY THE DEPARTMENTAL OFFICERS (PAINTS AND ITS SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.40.00 (Rupees forty only)	1.Sq.M. (ONE SQUARE METRE)	455800.00
38.6	11395.00 Sq.M.	PAINTING PRIMER COAT USING APPROVED QUALITY OF WHITE CEMENT OVER THE CEMENT PLASTERED / CONCRETE NEW WALL SURFACES, CEILING OR OTHER SIMILAR WORKS INCLUDING COST OF WHITE CEMENT, PUTTY, BRUSHES, WATERING, CURING, ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.25.00 (Rupees twenty five only)	1.Sq.M. (ONE SQUARE METRE)	284875.00
43.1	141.180 M.T.	SUPPLYING, FABRICATING AND PLACING IN POSITION OF MILD STEEL GRILLS/RIBBED TOR STEELS (WITHOUT CEMENT SLURRY) OF ALL DIAMETERS FOR REINFORCEMENT FOR ALL FLOORS INCLUDING COST OF BINDING WIRE, BENDING, TYING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS FOR ALL SIZES.		Rs.70000.00 (Rupees seventy thousand only)	1 M.T. (ONE METRIC TONNE)	9882600.00
44.2.1.a	16 NOS.	PROVIDING RAIN WATER HARVESTING PIT OF 1M DIA AND 600MM DEPTH OF EARTH WORK EXCAVATION AND FILLING THE PIT WITH 40MM STONE JELLY TO A DEPTH OF 300MM FROM THE TOP OF THE AUGERING PORTION AND FILLING WITH CRUSHED STONE SAND TO A DEPTH OF 300MM OVER THE STONE JELLY AND COVERED WITH THE PRE-CAST RCC PERFORATED SLAB OF 40MM THICK IN STANDARDISED CONCRETE MIX M-20 GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING 3MM-10MM HARD BROKEN STONE JELLY FOR ALL RCC ITEMS OF WORKS EXCLUDING THE COST AND FABRICATION OF REINFORCEMENT GRILLS BUT INCLUDING PRECASTING, MOULDING, CURING, FINISHING AND FIXING IN POSITION ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.1200.00 (Rupees one thousand and two hundred only)	1.NO. (EACH)	19200.00
						41044448.50

For SRP CONSTRUCTION COMPANY

CONTRACT

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
44.2.1.b	48.00 Rmt.	AUGERING 30CM DIA BORE HOLE IN ALL SOILS AND SUB SOILS REQUIRED DEPTH TO PROVIDING RAIN WATER HARVESTING FROM THE CENTRE OF THE RAIN WATER HARVESTING PIT ALREADY EXCAVATED AND FILLING THE AUGERING PORTION WITH 40MM SIZE STONE JELLY ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS		Rs.250.00 (Rupees two hundred and fifty only)	1. Rmt. (ONE RUNNING METRE)	41044448.50 12000.00
44.6	441.20 Rmt.	SUPPLYING AND FIXING OF 110MM DIA PVC SWR PIPE WITH ISI MARK CONFIRMING TO IS 13952:1992- TYPE 'A' FOR RAIN WATER DOWN FALL PIPE WITH RELEVANT SPECIALS SUCH AS GRATINGS, SHOES, BENDS, OFFSETS CONFIRMING TO IS 14735 INCLUDING JOINTING WITH SEAL RING CONFIRMING IS 5382 WITH LEAVING A GAP ABOUT 10MM TO ALLOW THERMAL EXPANSION WITH NECESSARY CLAMPS, TEAK WOOD PLUGS, ETC., OF APPROVED QUALITY AND INCLUDING FIXING C.I. GRATINGS AT THE JUNCTION OF PARAPET AND FLOOR OR ROOF SLAB ETC., INCLUDING FINISHING ETC., COMPLETE COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS..		Rs.400.00 (Rupees four hundred only)	1. Rmt. (ONE RUNNING METRE)	176480.00
50.5.1	1 NO.	SUPPLYING, FABRICATION AND ERECTION IN POSITION OF M.S. SCHEME NAME AND LAYOUT BOARD WITH 50X50X6MM M.S. ANGLE FOR VERTICAL POST AND SUPPORT POSTS WITH 2.5 MM THICK M.S. SHEET FOR A SIZE AT 1.80X1.20M WITH 40X40X6MM M.S. ANGLE AROUND THE BOARD AND 50X6MM FLAT STIFFENERS ON BOTH DIRECTIONS INCLUDING COST OF WELDING CHARGES, PAINTING CHARGES AND DRAWING THE LAYOUT AND LETTERING THE SCHEME DETAILS AS DIRECTED BY THE DEPARTMENTAL OFFICERS INCLUDING EARTH WORK EXCAVATION FOR 4 NOS OF PITS, PCC 1:5:10 (ONE OF CEMENT, FIVE OF CRUSHED STONE SAND AND TEN OF HB STONE JELLY) FOR PITS, 0.45 X 0.45 X 0.60M BELOW GROUND LEVEL AND P.C.C 1 :2:4 (ONE OF CEMENT, TWO OF CRUSHED STONE SAND AND FOUR OF 20MM HB STONE JELLY) AT 0.30 X.0.30 X 0.30M ABOVE GROUND LEVEL FOR ERECTION, CONVEYANCE CHARGES ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.10000.00 (Rupees ten thousand only)	1.NO. (EACH)	10000.00
52.4	525.50 Rmt.	SUPPLYING, LAYING, FIXING AND JOINTING THE FOLLOWING PVC PIPES AS PER ASTM D - 1785 OF SCHEDULE 40 OF WALL THICKNESS NOT LESS THAN THE SPECIFIED IN IS 4985 SUITABLE FOR PLUMBING BY THREADING OF WALL THICKNESS INCLUDING THE COST OF SUITABLE PVC/GI SPECIALS /GM SPECIALS LIKE ELBOW, TEE REDUCERS, PLUG, UNIONS, BEND, COUPLER, NIPPLE/ GM GATE VALVE, CHECK AND WHEEL VALVE ETC., WHEREVER REQUIRED ABOVE THE GROUND LEVEL INCLUDING THE COST OF TEFLON TAPE ETC., FULLY CONCEALED IN WALLS TO THE PROPER GRADIENT AND ALIGNMENT AND REDOING THE CHIPPED PORTION OF MASONRY ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.200.00 (Rupees two hundred only)	1. Rmt. (ONE RUNNING METRE)	105100.00
53.4	50 NOS.	SUPPLYING AND FIXING OF C.I. MANHOLE COVER WITH LOCKING ARRANGEMENTS OF APPROVED QUALITY AND BRAND OF SIZE 0.6 M X 0.6 M(50 KG) AS PER STANDARD SPECIFICATIONS INCLUDING COST OF MATERIAL, LABOUR CHARGES FOR FIXING ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS		Rs.1100.00 (Rupees one thousand and one hundred only)	1.NO. (EACH)	55000.00
						41403028.50

For SRP CONSTRUCTION COMPANY

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
53.5	100 NOS.	SUPPLYING AND FIXING OF PORCELIN WASH HAND BASIN (WHITE WITHOUT PEDESTAL), SUPERIOR VARIETY OF SIZE 550X400MM WITH ALL ACCESSORIES SUCH AS POWDER COATED CAST IRON BRACKETS, 32MM DIA C.P. WASTE COUPLING, RUBBER PLUG AND ALUMINIUM CHAIN, 32MM DIA 'B' CLASS G.I. PVC WASTE PIPE, ANGLE VALVE, 15MM DIA NYLON CONNECTION, 15MM DIA BRASS NIPPLES, 15MM C.P. PILLAR TAP & REQUIRED GRATING ETC., COMPLETE IN ALL RESPECTS (WASH HAND BASIN SHALL BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE FIXING).		Rs.3000.00 (Rupees three thousand only)	1.NO. (EACH)	41403028.50 300000.00
54.1.1	150 NOS.	SUPPLYING AND FIXING OF HALF TURN BRASS CORE CP LONG BODY TAP OF 15MM DIA OF BEST QUALITY INCLUDING COST OF HALF TURN CP TAP WITH REQUIRED SPECIALS AND LABOUR FOR FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.450.00 (Rupees four hundred and fifty only)	1.NO. (EACH)	67500.00
54.2.1	101 NOS.	SUPPLYING AND FIXING OF HALF TURN BRASS CORE CP SHORT BODY TAP OF 15MM DIA OF BEST QUALITY INCLUDING COST OF HALF TURN CP TAP WITH REQUIRED SPECIALS AND LABOUR FOR FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.400.00 (Rupees four hundred only)	1.NO. (EACH)	40400.00
56.3.2	14 NOS.	SUPPLYING AND FIXING OF INDIAN WATER CLOSET WHITE GLAZED (ORIYA TYPE) OF SIZE 580MMX440MM OF APPROVED MAKE WITH ISI MARK (TO BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE) WITH PVC SWR GRADE P OR S TRAP INCLUDING CONCRETE PACKING, FILLING PORTION WITH EARTH, FLOORING THE AREA WITH 75MM THICK BRICK JELLY CONCRETE IN CC 1:8:16 (ONE OF CEMENT, EIGHT OF CRUSHED STONE SAND AND SIXTEEN OF BRICK JELLY) USING 40MM SIZE BRICK JELLY AND TOP LEFT ROUGH TO RECEIVE THE FLOOR PLASTERING BUT INCLUDING ANTISYPHONAGE CONNECTION, CURING, ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (IN GROUND FLOOR)		Rs.2500.00 (Rupees two thousand and five hundred only)	1.NO. (EACH)	35000.00
56.4.2	36 NOS.	SUPPLYING AND FIXING OF INDIAN WATER CLOSET WHITE GLAZED (ORIYA TYPE) OF SIZE 580MMX440MM OF APPROVED MAKE WITH ISI MARK (TO BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE) WITH PVC SWR GRADE P OR S TRAP INCLUDING CONCRETE FILLING THE SUNK PORTION WITH BRICK JELLY LIME CONCRETE PROPORTION OF BRICK JELLY TO LIME BEING 32:12½ BY VOLUME (32 CFT OF 20MM GAUGE BRICK JELLY AND 12 ½ CFT OF SLAKED LIME) (NO SAND) AND TOP 75MM THICK BRICK JELLY CONCRETE IN CC 1:8:16 (ONE OF CEMENT, EIGHT OF CRUSHED STONE SAND AND SIXTEEN OF BROKEN BRICK JELLY) USING 40MM SIZE BRICK JELLY INCLUDING PLASTERING THE SIDES OF SUNK PORTION IN CM 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 12MM THICK MIXED WITH WATER PROOFING COMPOUND AT 2KG/SQM AND TOP LEFT ROUGH TO RECEIVE THE FLOOR PLASTERING BUT INCLUDING ANTISYPHONAGE CONNECTION, ONE COAT OF BITUMEN FOR THE SIDES, BOTTOM AND CURING ETC., COMPLETE IN ALL FLOORS. (OTHER THAN GROUND FLOOR)		Rs.3200.00 (Rupees three thousand and two hundred only)	1.NO. (EACH)	115200.00
						41961128.50

For SRP CONSTRUCTION COMPANY
Partner
 Partner

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
						41961128.50
56.4.3	381.80 Sq.M.	SUPPLYING AND APPLYING OF WATER PROOFING 3MM THICK APP (ATACTIC POLY PROPYLENE) MEMBRANE IN TOILET SUNKEN PORTION AND SIMILAR NATURE OF WORKS APPROVED QUALITY BY MEANS OF GAS TORCHING, OVER THE ONE COAT OF BITUMEN PRIMER ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND OF THE MATERIALS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.600.00 (Rupees six hundred only)	1.Sq.M. (ONE SQUARE METRE)	22 30.00
57.2	50 NOS.	SUPPLYING AND FIXING EWC (WHITE) SUPERIOR VARIETY 500MM WITH PVC SWR GRADE 'P' OR 'S' TRAP INCLUDING COST AND FIXING OF DOUBLE FLAPPED PLASTIC SHEET COVER PVC FLUSHING CISTERN IN APPROPRIATE LEVEL AS DIRECTED BY THE DEPARTMENTAL OFFICERS AT A MAXIMUM LEVEL OF 5'6" AND OF APPROVED BRAND OF 10 LITRES CAPACITY INCLUDING FITTINGS SUCH AS CI BRACKETS, PVC CONNECTION GM WHEEL VALVE, HEX NIPPLE, ETC., COMPLETE (EWC AND PLASTIC COVER SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE FIXING).		Rs.4500.00 (Rupees four thousand and five hundred only)	1.NO. (EACH)	225000.00
58.3		SUPPLYING AND FIXING THE FOLLOWING DIA PVC (SWR) PIPE WITH ISI MARK CONFIRMING TO IS 13952:1992- TYPE 'B' FOR SOIL LINE WITH RELEVANT SPECIALS CONFIRMING TO IS 14735 INCLUDING JOINTING WITH SEAL RING CONFIRMING TO IS 5382 WITH LEAVING A GAP ABOUT 10MM TO ALLOW THERMAL EXPANSION, FIXING THE PIPES INTO WALLS WITH NECESSARY WOODEN PLUG, SCREWS, HOLDING WHEREVER NECESSARY AND MAKING GOOD OF THE DISMANTLED PORTION WITH NECESSARY CONNECTIONS TO SANITARY FITTINGS ETC., COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS				
	509.00 Rmt.	(a) 110MM DIA PVC SWR PIPE INCLUDING ALL REQUIRED PVC SPECIALS ETC., ALL COMPLETE.		Rs.450.00 (Rupees four hundred and fifty only)	1.Rmt. (ONE RUNNING METRE)	229050.00
	969.00 Rmt.	(b) 75MM DIA PVC SWR PIPE INCLUDING ALL REQUIRED PVC SPECIALS ETC., ALL COMPLETE.		Rs.350.00 (Rupees three hundred and fifty only)	1.Rmt. (ONE RUNNING METRE)	339150.00
58.4	256.00 Rmt.	SUPPLYING, LAYING AND CONCEALING THE 50MM DIA PVC (SWR) PIPE WITH ISI MARK CONFIRMING TO IS 13952:1992- TYPE 'B' FOR WASTE WATER LINE WITH RELEVANT SPECIALS CONFIRMING TO IS 14735 INCLUDING JOINTING AND MAKING GOOD OF THE DISMANTLED PORTION WITH NECESSARY CONNECTIONS TO SANITARY FITTINGS ETC., COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.250.00 (Rupees two hundred and fifty only)	1.Rmt. (ONE RUNNING METRE)	64000.00
59.5.2	45 NOS.	SUPPLYING AND FIXING 150MM X 100MM SIZE STONE WARE GULLY TRAP WITH IRON GRATINGS OVER A BED OF 150MM THICK BRICK JELLY CONCRETE IN CC 1:8:16 (ONE OF CEMENT, EIGHT OF CRUSHED STONE SAND AND SIXTEEN OF BROKEN BRICK JELLY) USING 40MM SIZE BRICK JELLY AND BRICK MASONRY WALL 110 MM THICK USING KILN BURNT COUNTRY BRICKS OF SIZE 8 1/2"x4 1/2"x2 1/4" (22X11X7CM) IN CM 1:5 (ONE OF CEMENT AND FIVE OF CRUSHED STONE SAND) PLASTERED WITH CM 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 12MM THICK ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.1000.00 (Rupees one thousand only)	1.No. (EACH)	45000.00
						43092408.50

SRP CONSTRUCTION COMPANY

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO 1	QUANTITY 2	DESCRIPTION OF WORK 3	TNBP No. 4	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS 5	UNIT IN FIGURES AND IN WORDS 6	AMOUNT 7
						43092408.50
60.1	248 NOS.	SUPPLYING AND FIXING OF PVC NAHANI TRAP NOT LESS THAN 75MM 4 WAY /2 WAY (SUPERIOR VARIETY) HAVING MINIMUM OF WATER SEAL OF 50MM CONFIRM TO RELEVANT IS SPECIFICATIONS WITH ITS LATEST AMENDMENTS INCLUDING RESTING ON THE BED OF BRICK JELLY CONCRETE 1:5:10 (ONE OF CEMENT, FIVE OF CRUSHED STONE SAND OF TEN OF 40 MM GAUGE BRICK JELLY) ETC., COMPLETE AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE PVC NAHANI TRAP SHOULD BE GOT APPROVED FROM THE EE BEFORE USE)		Rs.220.00 (Rupees two hundred and twenty only)	1 No. (EACH)	54560.00
61.1.1		SUPPLYING, LAYING AND JOINTING THE FOLLOWING DIA UPVC NON PRESSURE PIPE OF SN8 SDR 34 (S 16.5) AS PER IS 15328/2003 , SUPERIOR VARIETY AND TESTED WITH WATER INCLUDING NECESSARY EARTH WORK EXCAVATION FOR TRENCHES AND REFILLING THE SAME, WELL RAMMED AND CONSOLIDATED AFTER THE PIPES ARE JOINTED AND LAID TO PROPER GRADIENT TO THE ALIGNMENT AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (SN8 SDR 34 (S 16.5) AS PER IS 15328/2003 SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER.,/ SUPERINTENDING ENGINEER.,/ CHIEF ENGINEER., BEFORE USE IN WORKS)				
	192.00 Rmt.	(a) 110MM DIA UPVC NON PRESSURE PIPE		Rs.400.00 (Rupees four hundred only)	1.Rmt. (ONE RUNNING METRE)	76800.00
	110.00 Rmt.	(b) 160MM DIA UPVC NON PRESSURE PIPE		Rs.550.00 (Rupees five hundred and fifty only)	1.Rmt. (ONE RUNNING METRE)	60500.00
62.1.1		SUPPLYING AND FIXING OF FOLLOWING DIA OF PVC BEND FABRICATED 6 KSC PVC SPECIALS AS PER IS 10124/1982 PART II INCLUDING COST OF MATERIAL AND LABOUR CHARGES FOR FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND OF PVC BEND SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE).				
	28 NOS.	(a) 110MM DIA PVC BEND		Rs.150.00 (Rupees one hundred and fifty only)	1.No. (EACH)	4200.00
62.2.1		SUPPLYING AND FIXING OF FOLLOWING DIA PVC EQUAL TEE (MOULD) BIS 7834/1975 PVC SPECIALS AS PER IS 10124/1982 PART II INCLUDING COST OF MATERIAL AND LABOUR CHARGES FOR FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND OF PVC EQUAL TEE SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE).				
	24 NOS.	(a) 110MM DIA PVC EQUAL TEE		Rs.150.00 (Rupees one hundred and fifty only)	1.No. (EACH)	3600.00
						43292068.50

CONSTRUCTION COMPANY

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
64.1		WIRING WITH 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE IN FULLY CONCEALED PVC RIGID CONDUIT PIPE HEAVY DUTY WITH ISI MARK WITH SUITABLE SIZE MS BOX OF 16 G THICK CONCEALED AND COVERED WITH 3MM THICK LAMINATED HYLEM SHEET CONTROLLED BY 5 AMPS FLUSH TYPE SWITCH INCLUDING CIRCUIT MAINS COST OF ALL MATERIALS, SPECIALS ETC., ALL COMPLETE				43292068.50
	340 POINTS	(a) LIGHT POINT WITH CEILING ROSE		Rs.850.00 (Rupees eight hundred and fifty only)	1 POINT (EACH POINT)	289000.00
	514 POINTS	(b) LIGHT POINT WITHOUT CEILING ROSE		Rs.850.00 (Rupees eight hundred and fifty only)	1 POINT (EACH POINT)	436900.00
	50 POINTS	(c) POINT WIRING FOR CALLING BELL/ BUZZER WITH PUSH TYPE SWITCH		Rs.850.00 (Rupees eight hundred and fifty only)	1 POINT (EACH POINT)	42500.00
65.1	201 POINTS	WIRING WITH 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE IN FULLY CONCEALED PVC RIGID CONDUIT PIPE HEAVY DUTY WITH ISI MARK WITH SUITABLE SIZE MS BOX OF 16G THICK CONCEALED AND COVERED WITH 3MM THICK LAMINATED HYLEM SHEET FOR FAN POINT CONTROLLED BY 5 AMPS FLUSH TYPE SWITCH INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS, SPECIALS, ETC., ALL COMPLETE		Rs.900.00 (Rupees nine hundred only)	1 POINT (EACH POINT)	180900.00
66.1	39 POINTS	WIRING WITH 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE IN FULLY CONCEALED PVC RIGID CONDUIT PIPE HEAVY DUTY WITH ISI MARK WITH SUITABLE SIZE MS BOX OF 16G THICK CONCEALED AND COVERED WITH 3MM THICK LAMINATED HYLEM SHEET FOR STAIRCASE LIGHT POINT CONTROLLED BY 5 AMPS FLUSH TYPE TWO WAY SWITCH INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS, SPECIALS, ETC., ALL COMPLETE.		Rs.900.00 (Rupees nine hundred only)	1 POINT (EACH POINT)	35100.00
						44276468.50

For SRP CONSTRUCTION COMPANY

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
						44276468.50
67.1	264 POINTS	WIRING WITH 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE IN FULLY CONCEALED PVC RIGID CONDUIT PIPE HEAVY DUTY WITH ISI MARK WITH SUITABLE SIZE MS BOX OF 16G THICK CONCEALED AND COVERED WITH 3MM THICK LAMINATED HYLEM SHEET FOR 5 AMPS 5 PIN PLUG SOCKET POINT AT SWITCH BOARD ITSELF INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS, SPECIALS, ETC., ALL COMPLETE.		Rs.700.00 (Rupees seven hundred only)	1 POINT (EACH POINT)	184800.00
68.2	248 POINTS	WIRING WITH 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQ.MM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE IN FULLY CONCEALED PVC RIGID CONDUIT PIPE HEAVY DUTY WITH ISI MARK WITH SUITABLE SIZE MS BOX OF 1 NO (EACH) 16G THICK CONCEALED AND COVERED WITH 3MM THICK LAMINATED HYLEM SHEET FOR 5 AMPS 5 PIN PLUG SOCKET POINT AT CONVENIENT PLACES INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS, SPECIALS, ETC., ALL COMPLETE		Rs.800.00 (Rupees eight hundred only)	1 POINT (EACH POINT)	198400.00
71.2	58 NOS.	SUPPLYING AND FIXING OF 32 AMPS TRIPLE POLE MAIN SWITCH WITH FUSE AND NEUTRAL LINK ON A SUITABLE WELL VARNISHED TEAK WOOD BOARD INCLUDING NECESSARY INTER CONNECTION COST OF ALL MATERIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS		Rs.1000.00 (Rupees one thousand only)	1.NO. (EACH)	58000.00
75.1.2		SUPPLYING AND DELIVERY OF FOLLOWING ELECTRIC CEILING FAN WITH ISI MARK WITH BLADES AND DOUBLE BALL BEARING, CAPACITOR, ETC., COMPLETE WITH 300MM DOWN ROD, CANOPIES, CAPACITOR, SHACKLE BLADES WITH ELECTRONIC DIMMER SUITABLE FOR OPERATION ON 230 VOLTS 50 HTZ SINGLE PHASE AC SUPPLY CONFORMING TO ISS NO.374/79 AND PROVIDED WITH INSULATION. (THE BRAND SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE SUPPLY MADE)..				
	201 NOS.	(a) 48" ELECTRIC FAN 1200MM SWEEP		Rs.2500.00 (Rupees two thousand and five hundred only)	1.NO. (EACH)	502500.00
77.5	564.00 Rmt.	RUN OFF MAIN WITH 2 WIRES OF 1.5 SQ.MM. PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 KV GRADE CABLE WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQ.MM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE IN FULLY CONCEALED 19MM/20MM DIA RIGID PVC CONDUIT PIPE HEAVY DUTY WITH ISI MARK COST OF ALL MATERIALS, SPECIALS ETC., ALL COMPLETE.		Rs.140.00 (Rupees one hundred and forty only)	1.Rmt. (ONE RUNNING METRE)	78960.00
						45299128.50

For SRP CONSTRUCTION COMPANY

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
77.6	808.00 Rmt.	RUN OFF MAIN WITH 2 WIRES OF 4 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 KV GRADE CABLE WITH CONTINUOUS EARTH BY MEANS OF 2.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1. K.V. GRADE CABLE IN FULLY CONCEALED 19MM/20MM DIA RIGID PVC CONDUIT PIPE HEAVY DUTY WITH ISI MARK COST OF ALL MATERIALS, SPECIALS ETC., ALL COMPLETE.		Rs.180.00 (Rupees one hundred and eighty only)	1.Rmt. (ONE RUNNING METRE)	45299128.50 145440.00
77.7	951.00 Rmt.	RUN OFF MAIN WITH 2 WIRES OF 2.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 KV GRADE CABLE WITH CONTINUOUS EARTH BY MEANS OF 2.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 KV GRADE CABLE IN FULLY CONCEALED 19/20MM DIA RIGID PVC CONDUIT PIPE WITH ISI MARK ETC. INCLUDING COST OF ALL MATERIALS, SPECIALS ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.150.00 (Rupees one hundred and fifty only)	1.Rmt. (ONE RUNNING METRE)	142650.00
80.1	58 NOS.	SUPPLYING AND FIXING OF 1 NO. OF 450X375X20MM THICK TW PLANK WELL VARNISHED WITH 3 NOS. OF 32 AMPS 250 VOLTS PORCELIN FUSE UNIT AND 1 NO. COPPER EARTH PLATE OF SUITABLE SIZE BOLTS AND NUTS ON WALL FOR EB SERVICE CONNECTIONS INCLUDING COST OF ALL MATERIALS ETC., ALL COMPLETE		Rs.1200.00 (Rupees one thousand and two hundred only)	1.NO. (EACH)	69600.00
87.1	50 NOS.	SUPPLYING AND FIXING OF ELECTRO MECHANICALLY OPERATED THREE PHASE EARTH LEAKAGE CIRCUIT BREAKERS/RESIDUAL CURRENT CIRCUIT BREAKER (ELCB/RCCB) COMBINED WITH OVER LOAD AND SHORT CIRCUIT PROTECTION HAVING A RUPTURING CAPACITY OF 6 KA WITH 30 MILLI AMPS FIXED SETTING SENSITIVITY AND RATES FOR 25 A IN SUITABLE SHEET STEEL ENCLOSURE CONFIRMING TO IS 12640/1988 INCLUDING COST OF ELCB/RCCB ON FULLY CONCEALED SUITABLE M.S BOX WITH NECESSARY INTER CONNECTIONS AND EARTH CONNECTIONS USING COPPER CABLE INCLUDING COST OF ALL MATERIALS ETC., ALL COMPLETE.		Rs.2000.00 (Rupees two thousand only)	1.NO. (EACH)	100000.00
87.2	50 NOS.	SUPPLYING AND FIXING OF 20 AMPS DP PLUG AND SOCKET IN SHEET ENCLOSURE WITH 32A DP MCB IN FLUSH WITH WALL WITH EARTH CONNECTION (FOR AC PLUG) ETC ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRAND AND QUALITY OF THE MATERIAL SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE SUPPLY MADE).		Rs.500.00 (Rupees five hundred only)	1.NO. (EACH)	25000.00
99.1		SUPPLYING AND FIXING OF BEST INDIAN TEAK WOOD PANELLED DOOR SHUTTERS SINGLE LEAF IN POSITION USING 125MMX37.5MM STYLES AND 4 NOS. OF 150X37.5MM RAILS (TOP, MIDDLE, BOTTOM AND LOCK RAIL) 2 NOS. OF 125MMX37.5MM VERTICAL SHORTER STYLES AND 18.75MM THICK PLANKS FOR PANELS INCLUDING COST AND LABOUR FOR FIXING THE BRASS FITTINGS SUCH AS 2 NOS. OF 6" BRASS DOOR HANDLE, 3 NOS. OF 5" BRASS BUTT HINGES, 2 NOS. OF 6" X 1/2" BRASS TOWER BOLT, 1 NO. OF 10"X5/8" BRASS ALDROP, 1 NO. OF NYLON BUSH, 1 NO. OF DOOR STOPPER WITH BRASS SCREWS OF BEST APPROVED QUALITY AND SHADE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRASS FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING)				
						45781818.50

For SRP CONSTRUCTION COMPANY

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
	92.50 Sq.M	SUITABLE FOR DOOR OF SIZE (a) 1000 x 2100 MM		Rs.5000.00 (Rupees five thousand only)	1.Sq.M. (ONE SQUARE METRE)	45781818.50 462500.00
100	250 NOS.	SUPPLYING AND FIXING OF 9 WATTS LED BULB OF BEST QUALITY INCLUDING COST OF MATERIAL AND FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE 9 W LED LAMP SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.80.00 (Rupees eighty only)	1.NO. (EACH)	20000.00
101	26 NOS.	SUPPLYING AND FIXING OF 25 WATTS BULB WITH STREET LIGHT FITTINGS ARRANGEMENTS INCLUDING COST OF MATERIALS LABOUR CHARGES FOR FIXING OF LED STREET LIGHT FITTING ETC ALL COMPLETE AS PER RELEVANT STANDARD SPECIFICATION AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE 25 WATTS LED LAMP WITH STREET LIGHT FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.2200.00 (Rupees two thousand and two hundred only)	1.NO. (EACH)	57200.00
102	389 NOS.	SUPPLYING AND FIXING OF 4'18 WATTS CRYSTAL LED TUBE LIGHT AND FIXING THE TUBE LIGHT FITTINGS ON TEAK WOOD ROUND BLOCKS OF 75MM DIA OR 40MM DEEP SUSPENDED FROM CEILING OR MOUNTED ON THE WALL INCLUDING COST OF ALL MATERIALS AND LABOUR FOR FIXING IN POSITION ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE ENTIRE TUBE LIGHT FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.400.00 (Rupees four hundred only)	1.NO. (EACH)	155600.00
103	113 NOS.	SUPPLYING AND FIXING OF WATER TIGHT BULK HEAD FITTING WITH GUARD SUITABLE FOR 12 W LED BULB INCLUDING NECESSARY CONNECTIONS, COST OF MATERIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY OF THE BULK HEAD FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.400.00 (Rupees four hundred only)	1.NO. (EACH)	45200.00
104	113 NOS.	SUPPLYING AND FIXING OF 12 WATTS LED BULB FOR BULK HEAD FITTINGS OF BEST QUALITY INCLUDING COST OF MATERIAL AND FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE 12 WATTS LED LAMP SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.150.00 (Rupees one hundred and fifty only)	1.NO. (EACH)	16950.00
105.1	500.00 Rmt.	RUN OFF 4 WIRES OF 4 SQ.MM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990. WITH ONE RUN OF 7/20GI STAY WIRE SUSPENDED WITH PORCELAIN REEL INSULATORS AT 1.0M CENTRE TO CENTRE FOR SUPPORT OF PHASE AND NEUTRAL CABLE FROM TOP OF STREET POLE TO THE HOUSE/FLATS INCLUDING ALL MATERIALS ETC., ALL COMPLETE FOR EB SERVICE CONNECTIONS INCLUDING LABOUR CHARGES FOR FIXING GI WIRE AND MS ANGLES (FOR EB SERVICE CONNECTION THREE PHASE)		Rs.260.00 (Rupees two hundred and sixty only)	1.Rmt. (ONE RUNNING METRE)	130000.00
						46669268.50

CONSTRUCTION COMPANY

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
112.1	50 NOS.	SUPPLYING AND FIXING OF 225 MM DIA SWEEP AC EXHAUST FAN OF APPROVED ISI QUALITY INCLUDING NECESSARY WALL OPENING, FIXING AND FINISHING THE WALL OPENING AND MAKING GOOD INCLUDING COST OF MATERIALS, LABOUR FOR FIXING, CHIPPING AND REDOING NECESSARY INTER CONNECTION, SCAFFOLDING, HIRE CHARGES FOR TOOLS AND PLANTS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE 225 MM DIA SWEEP AC EXHAUST FAN SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.1500.00 (Rupees one thousand and five hundred only)	1.NO. (EACH)	46669268.50 75000.00
344.2	100 NOS.	SUPPLYING AND FIXING OF BEVELED EDGE MIRROR OF APPROVED QUALITY AND BRAND OF SIZE 500X400X5.5MM SHELF TYPE MOUNTED IN THE PVC/ FIBRE GLASS FRAMED WITH NECESSARY HARD BOARD BACKING INCLUDING LABOUR FOR FIXING IN POSITION ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.250.00 (Rupees two hundred and fifty only)	1.NO. (EACH)	25000.00
367	236.40 Sq.M.	PROVIDING WOODEN MELAMEN POLISH FOR MAIN DOOR NEW WOOD BY REMOVING BY BLADE SCRAPPING THE EXISTING DIRT FROM THE WOODEN SURFACE WITH M50 SAND PAPER AND REPEAT M80 SAND PAPER TO GET A SMOOTH SURFACE, LEAVE ATLEAST 4HRS DRYING AND PREPARE SURFACE BY M100 SAND PAPER AND CLEAR THE SURFACE APPLY ONE COAT OF TOUCH WOOD STAINER BY BRUSH AND LEAVE FOR TWO HRS. FOR DRYING, PREPARE THE SURFACE BY M100 SAND PAPER AND APPLY ONE COAT OF ASH SANDING SEALER MIXED WITH APPROVED QUALITY THINNER AFTER DRYING APPLY ONE COAT OF SANDING SEALER AND ATTEND THE SURFACE TO GET THOROUGHLY DRIED SMOOTHER SURFACE WITH NO.250 WATER EMERY WOOD CLEANER FILL THE HOLES AND DOTS BY PUTTY AND PACKING TO GET THE SURFACE CLEAN, APPLY SURFACE BY WAX EMERY SHEET NO.250, APPLY FIRST COAT OF MELAMEN SEALER WITH THE THINNER FOR PREPARING THE SURFACE AND APPLY SECOND COAT OF THE SAME BY AFTER DRYING PREPARING THE SURFACE WITH WATER EMERY NO.320 AND APPLY TWO COATS OF MELAMEN MATT MIXED WITH GLOZING AND THINNER 106 PREPARE THE SURFACE WATER EMERY NO.400 AND APPLY TWO COATS OF SAME AND FINALLY SMOOTHER ETC., ALL COMPLETE INCLUDING COST OF ALL MATERIALS AND LABOUR ETC., AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND SHADE OF THE POLISH SHOULD BE GOT APPROVED FROM THE EE BEFORE USE).		Rs.800.00 (Rupees eight hundred only)	1.Sq.M. (ONE SQUARE METRE)	189120.00
378.2	2078.80 Sq.M.	SUPPLYING AND FIXING OF VETRIFIED TILES OF BEST APPROVED QUALITY (IVORY) 600X600X8MM FOR FLOORING AND OTHER SIMILAR WORKS (THE COLOUR AND SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING) OVER CEMENT MORTAR 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 20MM THICK INCLUDING FIXING IN POSITION CUTTING THE TILES TO THE REQUIRED SIZE WHEREVER NECESSARY POINTING THE JOINTS WITH GROUT (TILE JOINT FILLER) CURING FINISHING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.1000.00 (Rupees one thousand only)	1.Sq.M. (ONE SQUARE METRE)	2078800.00
379.6.1		SUPPLYING AND FIXING OF GRANITE TILE (SUPER FINE POLISHED WITH MACHINE CUT EDGES OF SIZE 2' X 1', 10MM THICK (JET BLACK) FOR KITCHEN HEARTH SLAB IN CM 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 12MM TK OVER RCC PLATFORM INCLUDING FINISHING COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC., COMPLETE IN THE FOLLOWING FLOORS AS DIRECTED BY THE DEPARTMENTAL OFFICERS (QUALITY OF GRANITE TILE SHALL BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE FIXING)				49037188.50

P&P CONSTRUCTION COMPANY

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
	39.50 Sq.M.	a) IN GROUND FLOOR		Rs.1100.00 (Rupees one thousand and one hundred only)	1.Sq.M. (ONE SQUARE METRE)	43450.00
	37.20 Sq.M.	b) IN FIRST FLOOR		Rs.1100.00 (Rupees one thousand and one hundred only)	1.Sq.M. (ONE SQUARE METRE)	40920.00
	37.20 Sq.M.	c) IN SECOND FLOOR		Rs.1100.00 (Rupees one thousand and one hundred only)	1.Sq.M. (ONE SQUARE METRE)	40920.00
	29.00 Sq.M.	d) IN THIRD FLOOR		Rs.1100.00 (Rupees one thousand and one hundred only)	1.Sq.M. (ONE SQUARE METRE)	31900.00
383	50 NOS.	SUPPLY, DELIVERY AND FIXING OF CUDDAPPAH SLAB SINK OF SIZE 600MMX600MMX200MM THICK 32MM DIA 'B' CLASS G.I. WASTE WATER PIPE AND 32 MM DIA C.P. WASTE COUPLING (SAMPLE SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE) TRUE TO SPIRIT LEVEL INCLUDING FINISHING NEATLY, AND FIXING IN POSITION COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC., COMPLETE IN ALL FLOORS.		Rs.600.00 (Rupees six hundred only)	1.NO. (EACH)	30000.00
383.2	239.80 Rmt.	PROVIDING SINGLE NOSING TO THE EDGES OF GRANITE TILE OF 10MM THICK INCLUDING LABOUR, POWER CONSUMPTION, TOOLS & PLANTS REQUIRED, TRUE TO HORIZONTAL ETC., FOR KITCHEN PLATFORM IN ALL FLOORS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.200.00 (Rupees two hundred only)	1.Rmt. (ONE RUNNING METRE)	47960.00
448.2	150 NOS.	SUPPLYING AND FIXING OF PVC TEE WITH END CAP OF 32MM DIA AND COUPLING OF BEST APPROVED QUALITY WITH ISI MARK TO THE SINK AND WASH BASIN INSTEAD OF BOTTLE TRAP ETC., COMPLETE COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE BRAND AND QUALITY OF PVC SPECIALS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.150.00 (Rupees one hundred and fifty only)	1.NO. (EACH)	22500.00
796	4136.00 Sq.M.	PAINING THE NEW WALLS WITH TWO COATS OF APPROVED BEST READY MIXED PLASTIC EMULSION PAINT IN ADDITION TO ONE COAT OF APPROVED PRIMER COAT OVER CEMENT PLASTERED WALL SURFACES AND CEILING INCLUDING COST OF PLASTIC EMULSION PAINT, PUTTY, BRUSHES ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE EMULSION PAINT AND ITS SHADE SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING)		Rs.100.00 (Rupees one hundred only)	1.Sq.M. (ONE SQUARE METRE)	413600.00
		TOTAL AMOUNT (EXCLUDING GST)				49708438.50
		GST Amount for providing Service to Government Contract Works for the above Construction Works.				5965012.62
		GRAND TOTAL				55673451.12
(RUPEES FIVE CRORES FIFTY SIX LAKHS SEVENTY THREE THOUSAND FOUR HUNDRED AND FIFTY ONE AND PAISE TWELVE ONLY)						

CONSTRUCTION COMPANY

CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

