TAMILNADU POLICE HOUSING CORPORATION LTD.,



(Government of Tamil Nadu Undertaking)

(ISO 9001 - 2015 CERTIFIED COMPANY)

SOUTH CIRCLE

No.1 Inspector Quarters, TSP 6th Battalion Campus, New Natham Road, MADURAI - 625 014.

email id: sescmdutnphcl@gmail.com Phone: 0452- 2903019.

3

BUREAU VERITAS
Certification

S.V. SEKAR B.E., Superintending Engineer (i/c)

Lr.No.DB/SC/1922/2022(2)

To

Thiru. T. Chandrasekar, No.82, Valluvar Street, Jeeva Road, Kattabomman Nagar, Madurai -625 002. DA WALLANDARE 31.10.2022

Sir,

Sub: TNPHC Ltd., - South Circle - Tirunelveli Division - Construction of building for Fire and Rescue Services Station with development works at RAJAPALAYAM in Virudhunagar District - Original agreement Accepted - Copy of agreement communicated - Regarding.

Ref: SE/SC.Agt.No.80/2022-2023

The agreement for the above work is accepted and registered in this office as agreement No.SE/SC.Agt.No.80/2022-2023 and a copy of the agreement is sent herewith for your reference. You are requested to contact the Executive Engineer/TNPHC Ltd.,/ Tirunelveli Division to take over the site and to commence the work

Encl: Copy of SE/SC. Agt.No. 80/2022-2023

Superintending Engineer South Circle/TNPHC Ltd.,

Copy to

The Executive Engineer, TNPHC Ltd., Tirunelveli Division,

Tirunelveli-02 along with enclosure of copy of SE/SC Agt. No. 80/2022-2023

He is requested to commence the work after getting necessary planning permission for this scheme from the Local Planning Authority/DTCP and (i) Confirm whether the works are only carried out by the Original Contractor and (ii) instructed to execute the works as per this agreement conditions and specification with good quality and hand over the site to the contractor so as to do the work immediately, and also requested to depute one responsible person to this office to collect the original agreement along with documents as early. He is instructed to implement the revised GST rules before making payment.



SE/South Circle. Agt. No.80/2022-2023 FILE No. DB/SC/1922/2022 REPORT ACCOMPANYING SLIP FOR LUMPSUM AGREEMENT

(FOR OFFICE USE ONLY)

TAMILNADU POLICE HOUSING CORPORATION LTD., SOUTH CIRCLE, MADURAI - 625 014.

Announcement made by the Hon'ble Chief NAME OF PROJECT

Minister while replying to the Police, Fire and Rescue services Department Demand (No.23)

on 13.09.2021

Construction of building for Fire and Rescue NAME OF WORK

Services Station with development works at

Rajapalayam in Virudhunagar District.

2,14,11,000/-**ESTIMATE AMOUNT**

CER No.35/2022-2023 ESTIMATE No.

₹ 2,08,97,662.23 (2022-2023) 🦪 ESTIMATE AMOUNT PUT IN TENDER

(Including the GST @12%)

₹ 1,66,71,016.43 (Including the GST @12%) TENDER VALUE

(-) ₹ 42,26,645.80 LESS AMOUNT

(-) 20.23 % **~** LESS PERCENTAGE

The Chairman and Managing Director, TENDER ACCEPTED BY WHOM

TNPHC Ltd., Chennai-10

Thiru. T. CHANDRASEKAR NAME OF THE CONTRACTOR

162 (One hundred and sixty two only) No. OF ITEMS IN THE AGREEMENT

120 (One hundred and twenty only) No. OF PAGES IN THE AGREEMENT

No. OF CORRECTIONS IN THE Nil

AGREEMENT

SUPERINTENDING ENGINEER SOUTH CIRCLE, TNPHC LTD.,



தமிழ்நாடு तमिलनाडु TAMILNADU 27.10.2022 T சீர்றிரசேகள் அதுரை P. Jes

CU 910530

P. GREENLIN

முத்தின் நிற்கிகள் விற்கிகள் 1/88, நாஜகம்பிறம் Y. இத்தக்கடை, மதுவர் K.O.C. No: 5800 / B1 / 2008 2

TAMIL NADU POLICE HOUSING CORPORATION LIMITED., SOUTH CIRCLE, MADURAI – 625 014.

ARTICLES OF AGREEMENT

ARTICLES OF AGREEMENT made this

31st day of october 22

BETWEEN the Tamil Nadu Police Housing Corporation Limited, (hereinafter called the Corporation Limited which expression shall where the context so admits include its successors in office and assigns) of the ONE PART and

THIRU. T. CHANDRASEKAR, NO. 82, VALLUVAR STREET, JEEVA ROAD, KATTABOMMAN NAGAR, MADURAI – 625 002.

(Hereinafter called the contractor which expression shall where the context so admits include its heirs, executors, administrators and legal representatives) of the OTHER PART

Contractor

No.of corrections

Superintending Engineer/ South



3 7.4-

TAMIL NADU POLICE HOUSING CORPORATION LIMITED., SOUTH CIRCLE, MADURAI – 625 014.

ARTICLES OF AGREEMENT

ARTICLES OF AGREEMENT made this

day of

BETWEEN the Tamil Nadu Police Housing Corporation Limited, (hereinafter called the Corporation Limited which expression shall where the context soludmits include its successors in office and assigns) of the ONE PART and

THIRU. T. CHANDRASEKAR,
NO. 82, VALLUVAR STREET,
JEEVA ROAD, KATTABOMMAN NAGAR,
MADURAI – 625 002.

(Hereinafter called the contractor which expression shall where the context so admits include its heirs, executors, administrators and legal representatives) of the OTHER PART

WHEREAS the corporation Limited is desirous of Construction of building for Fire and Rescue Services Station with development works at Rajapalayam in Virudhunagar District and have caused an estimate of probable quantities contained in schedule A, drawings and specifications describing the work to be done to be prepared.

AND WHEREAS the said schedule A, drawings (schedule B) and the specifications (schedule C) and other schedules herewith annexed have been signed by or on behalf of the parties hereto.

AND WHEREAS the contractor has agreed to the retention, by the Corporation Limited of earnest money (with GST) of ₹ 1,07,400. (Rupees one lakh seven thousand and four hundred only) in the form of Online Payment gateway Mode eProcurement Reference Number: 287221538119 paid by him when he submitted his tender, as security for the due fulfillment of the contract to the satisfaction of the Corporation Limited or any other officer authorized by the Corporation Limited.

Contractor

No. of corrections

T Water

AND WHEREAS the Contractor and a further sum of ₹ 6,20,200/- (Rupees six lakhs twenty thousand and two hundred only) paid in the form of National (Small) Savings Scheme Pass Book Issued by Post Office Tallakulam H.O, Madurai, Department of Posts, India and the details are as follows

1. A/c No. 4110073967 Dated: 05.08.2018

2. A/c No. 4225532865 Pated: 12.12.2018

3. A/c No. 4285584781 Dated: 04.02.2019

4. A/c No. 4308176351 Dated: 19.02.2019

5. A/c No. 4875280352 Dated: 25.08.2020

: ₹ 1,69,000.00

: ₹ 1,24,000.00

₹ 70,000,00

:₹ 99,200.00

: ₹ 1,58,000.00

=========

Total

: ₹ 6,20,200.00

against the balance of the security deposit and additional security deposit amount of ₹ 6,15,500 (with GST) for the due fulfillment of the contract to the satisfaction of the Corporation Limited or any other officer authorized by the Corporation Limited

AND WHEREAS the Contractor has also signed a copy of the Tamilnadu Building practice and the addenda volume there to maintained in the office of the Superintending Engineer /South Circle Tamil Nadu Police Housing Corporation Limited in acknowledgement of being bound by all the conditions of the clauses of the general conditions of contract and all the standard specifications for items of works described by a standard Specification number in Schedule – A.

AND WHEREAS the contractor has agreed to execute upon and subject to the conditions set forth in the conditions of contract of the Tamil Nadu Building Practice and such other conditions as are contained in all the specifications forming part of this contract (hereinafter referred to as "the said conditions") the work shown upon the drawings and described in the said specifications and set forth in Schedule −A as the "Probable Quantities" and comply with the rate of progress noted at the end of this ARTICLES OF AGREEMENT, for a sum of ₹ 1,66,71,016.43 (Rupees one crore sixty six lakhs seventy one thousand and sixteen and paise forty three only) or such other sum as may be arrived at under the clause of the General conditions of contract relating to "Payment on lumpsum basis or by final measurement at Unit Prices"

Contractor

No. of corrections

7 74

Now it is hereby agreed as follows:

- 1. In consideration of the payment of the said sum of ₹ 1,66,71,016.43 (Rupees one crore sixty six lakhs seventy one thousand and sixteen and paise forty three only) or such other sum as may be arrived at under the clause of the General conditions of contract relating to Payment on lumpsum basis or by final measurement at unit prices, the contractor will upon and subject to the said conditions execute and complete the works shown upon the said drawings and described in the said specifications and to the extent of the probable quantities shown in schedule A, with such variations by way of alterations of, additions to, or deductions from, the said works and method of payment there for are as provided for in the said conditions.
- 2. The term "Corporation Limited" in the said conditions shall mean the Tamil Nadu Police Housing Corporation Limited or any officer of the Corporation Limited incharge of the works who shall be competent to exercise all the powers and privileges reserved herein, in favour of the Corporation Limited with the previous sanction of the Corporation Limited or any other officer authorized by the Corporation Limited.
- 3. The arbitrator for fulfilling the duties set forth in the arbitration clause of the General conditions of contract shall be the Chief Engineer, Tamil Nadu Police Housing Corporation Limited upto value of claims of Rs. 50,000/- If the value of claims exceeds Rs. 50,000/- the matter shall be referred to the court having jurisdiction over Tamil Nadu state.
- 4. Time shall be considered as the essence of the agreement and the Contractor hereby agrees to commence the work as soon as this agreement is accepted by the Corporation Limited or any other officer authorized by the Corporation Limited and the site (or premises) is handed over to them as provided for in the said conditions and agrees to complete the work within **ELEVEN** months from the date of such handing over the site (or premises) and to show progress as defined in the tabular statement "RATE OF PROGRESS" below, subject nevertheless to the provisions for extension of time contained in clause 56 of the General conditions of contract.

Rate of Progress

The following rate of progress and proportionate value of work done from time to time, as will be indicated by the Executive Engineer's Certificate of the value of work done will be required.

Date of commencement of this programme will be the date on which the site (or premises) is handed over to the Contractor.

This subjected to the G.O. Ms. No: 101/Public works (G2)Dept. Dated: 10.06.2009. forms part of the agreement.

No. of corrections

Period after date of commencement	Total percentage of work to be completed based on contract LS amount	Approximate quantity of cement	Approximate quantity of Steel
1 st Quarter (3 Months)	30%	72.00 MT 🗡	10.84 MT
2 nd Quarter (6 Months)	60%	96.00 MT 🗡	14.45 MT
3 rd Quarter (9 Months)	90%	60.00 MT ×	9.03 MT >
4 th Quarter (11 Months)	100%	12.00 MT 🗡	1.81 MT

- 5. "The said conditions" shall be read and construed as forming part of this agreement and the parties hereto will respectively abide by and submit themselves to the conditions and stipulations and perform the agreements on their parts, respectively.
- 6. Upon the terms and conditions of this agreement being fulfilled and performed to the satisfaction of the Corporation Limited or any other officer authorized by the Corporation Limited, the security deposited by the contractor as herein before recited or such portion thereof as they may be entitled to under the said conditions shall be returned to the contractor.

X

IN WITNESS WHERE OF the contractor **THIRU. T. CHANDRASEKAR** has hereunto set his hand and the Superintending Engineer/South Circle of Tamil Nadu Police Housing Corporation Limited on behalf of the Corporation Limited have hereunto set his hand, the day and year first above written.

Signed by the Contractor

Address

: THIRU. T. CHANDRASEKAR,

NO. 82, VALLUVAR STREET,

JEEVA ROAD, KATTABOMMAN NAGAR,

MADURAI - 625 002.

Contractor

No. of corrections

South Circle

TAMIL NADU POLICE HOUSING CORPORATION LIMITED

No.1, INSPECTOR QUARTERS, TSP 6 TH BATTALION CAMPUS, NEW NATHAM ROAD, MADURAI – 625014.

Schedule 'A'

Name of work: Construction of building for Fire and Rescue Services Station with development works at RAJAPALAYAM in Virudhunagar District

- A. The quantities here given are those upon which the lumpsum tender cost of the work is based, but they are subject to alterations, omissions, deductions or additions are provided for in the conditions of this contract and do not necessarily show the actual quantities of work to be done. The unit rates noted below are the governing payments for extras or deductions for omissions according to the conditions of the contract asset forth in the general conditions to the contract of the Tamil Nadu Building practice and other conditions or specifications of this contract.
- B. It is to be expressly understood that the measured work is to be taken net (not withstanding any custom of practice to the contrary) according to the actual quantities when in place and finished according to the drawing or as may be ordered from time to time by the Chief Engineer and the cost calculated-by measurement or Weight at the respective prices without any additional charges for any necessary or contingent works connected herewith. The rates quoted are for works in site and complete in every respect.

CONTRACTOR

NO. OF CORRECTIONS

SUPERINTE TO GENGINEER/SOUTH CIRCLE



NAME OF WORK : CONSTRUCTION OF BUILDING FOR FIRE AND RESCUE SERVICES STATION WITH DEVELOPMENT WORKS AT RAJAPALAYAM IN VIRUDHUNAGAR DISTRICT

ITEM NO	QUANTITY	DESCRIPTION OF WORK	INBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
1.1		EARTH WORK EXCAVATION FOR FOUNDATION IN ALL SOILS AND SUB-SOILS TO THE REQUIRED DEPTH AS MAY BE DIRECTED EXCEPT IN HARD ROCK REQUIRING BLASTING BUT INCLUSIVE OF SHORING, STRUTTING, AND BAILING OUT WATER WHEREVER NECESSARY AND REFILLING THE SIDES OF FOUNDATION WITH EXCAVATED EARTH IN 150MM THICK LAYERS WELL WATERED RAMMED AND CONSOLIDATED AND DEPOSITING THE SURPLUS EARTH IN PLACES SHOWN CLEARING AND LEVELLING THE SITE WITH AN INITIAL LEAD OF 10 METRES AND LIFT AS SPECIFIED HERE UNDER ETC. COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS (INCLUDING REFILLING)	17, 23 & 24			
	330.30 Cu.M.	(a) 0 TO 2M DEPTH		Rs.120.00 (Rupees one hundred and twenty only)	1.Cu.M. (ONE CUBIC METRE)	39636.00
1.3	•	EARTH WORK EXCAVATION FOR FOUNDATION IN SOFT DISINTEGRATED ROCK, SOFT LATERITE ROCK OR KANKAR SOFT ROCK NOT REQUIRING BLASTING INCLUSIVE OF SHORING, STRUTTING AND BAILING OUT WATER WHEREVER NECESSARY AND REFILLING THE SIDES OF FOUNDATION WITH EXCAVATED EARTH IN 150 MM THICK LAYERS WELL WATERED RAMMED AND CONSOLIDATED AND DEPOSITING THE SURPLUS EARTH IN PLACES SHOWN CLEARING AND LEVELING THE SITE WITH AN INITIAL LEAD OF 10 METRES AND LIFT AS SPECIFIED HEREUNDER ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS (INCLUDING REFILLING)	17, 23 & 24 ×			
	45.60 Cu.M.	(a) 0 TO 2M DEPTH		Rs.140.00 (Rupees one hundred and forty only)	1.Cu.M. (ONE CUBIC METRE)	6384.00
1.5		EARTH WORK EXCAVATION FOR OPEN FOUNDATION IN ALL SOILS AND SUB-SOILS TO THE REQUIRED DEPTH AS MAY BE DIRECTED EXCEPT IN HARD ROCK REQUIRING BLASTING, INCLUSIVE OF SHORING, STRUTTING AND BAILING OUT WATER WHEREVER NECESSARY (EXCLUDING REFILLING THE SIDES OF FOUNDATION) AND DEPOSITING THE EARTH IN PLACES SHOWN CLEARING AND LEVELLING THE SITE WITH AN INITIAL LEAD OF 10 METRES AND LIFT AS SPECIFIED HEREUNDER ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS. (EXCLUDING REFILLING)	17 & 20			
	269.30 Cu.M.	(a) 0 TO 2M DEPTH		Rs.60.00 💥 (Rupees sixty only)	1.Cu.M. (ONE CUBIC METRE)	16158.0
1.6		EARTH WORK EXCAVATION FOR OPEN FOUNDATION FOR DRAINS IN ALL SOILS AND SUBSOILS TO THE REQUIRED DEPTH AS MAY BE DIRECTED EXCEPT IN HARD ROCK REQUIRING BLASTING, INCI USIVE OF SHORING, STRUTTING AND BAILING OUT WATER WHEREVER NECESSARY, (EXCLUDING REFILLING THE SIDES OF FOUNDATION) AND DEPOSITING THE EARTH IN PLACES SHOWN CLEARING AND LEVELING THE SITE WITH AN INITIAL LEAD OF 10 METRES AND LIFT AS SPECIFIED HEREUNDER ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATION (EXCLUDING REFILLING) (DRAIN HAVING BED WIDTH UPTO 1.25 METRE).	17 & 20	*1		

CONTRACTOR

NO. OF CORRECTIONS

		PARAPALANASEPHI	Managard 1	1 8		$\alpha_{j} = (q_{i}) \cdot z$
M NO	QUANTITY	DESCRIPTION OF WORK	TNBP No	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS 6	AMOUNT
1	2 23.20 C u.M.	(a) 0 TO 2M DEPTH	4	Rs.100.00 (Rupees one hundred only)	1,Cu.M. (ONE CUBIC METRE)	62178.00
.8 *7		EARTH WORK EXCAVATION FOR OPEN FOUNDATION IN SOFT DISINTEGRATED ROCK, LATERITE KANKAR OR SOFT ROCK NOT REQUIRING BLASTING, INCLUSIVE OF SHORING, STRUTTING AND BAILING OUT WATER WHEREVER NECESSARY (EXCLUDING REFILLING THE SIDES OF FOUNDATION) AND DEPOSITING THE EARTH IN PLACES SHOWN CLEARING AND LEVELLING THE SITE WITH AN INITIAL LEAD OF 10 METRES AND LIFT AS SPECIFIED HEREUNDER ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS (EXCLUDING REFILLING).	17 & 20			
	84.50 Cu.M.	(a) 0 TO 2 M DEPTH		Rs.150.00 X (Rupees one hundred and fifty only)	1.Cu.M. (ONE CUBIC METRE)	12675.00
2.67	2.80 Gu.M.	SUPPLYING AND FILLING WITH 40MM SIZE HARD BROKEN STONE JELLY IN FOUNDATION AND BASEMENT AND OTHER SIMILAR WORKS INCLUDING COST OF MATERIALS, LABOUR CHARGES, ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.900.00 (Rupees nine hundred only)	1.Cu.M. (ONE CUBIC METRE)	2520.09
2.7	2.80 Cu.M.	SUPPLYING AND FILLING WITH 20MM SIZE HARD BROKEN STONE JELLY IN FOUNDATION AND BASEMENT AND OTHER SIMILAR WORKS INCLUDING COST OF MATERIALS, LABOUR CHARGES ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.) 3	Rs.1100.00 (Rupees one thousand and one hundred only)	1.Cu.M. (ONE CUBIC METRE)	3080.00
13.1	50.00 Cu.M.	FILLING IN FOUNDATION AND BASEMENT AND OTHER SIMILAR WORKS WITH EXCAVATED EARTH IN LAYERS OF 150MM THICK WELL WATERED RAMME AND CONSOLIDATED COMPLYING WITH RELEVAN STANDARD SPECIFICATION ETC., ALL COMPLETE AN AS DIRECTED BY THE DEPARTMENTAL OFFICERS	N D T	Rs.20.00 (Rupees twenty only)	1.Cu.M. (ONE CUBIC METRE)	1000,00
21.2)		SUPPLYING AND FIXING OF TEAK WOO WROUGHT AND PUT UP FOR FRAMES OF DOOR WINDOWS, VENTILATORS, CUPBOARD AND ANY OTHE SIMILAR JOINERY WORKS WITH NECESSARY PLUG REBATES FOR SHUTTERS, PLASTER GROOVES ON ALFACES ETC., INCLUDING LABOUR CHARGES FOR FIXING HOLD FASTS. COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC IN ALL RESPECTS.	S, ER S, LL 72 & 7	7		
	0.441 Cy.M.	(a) TEAK WOOD OVER 2.00 METRE AND BELOW 3.00 METRE LENGTH		Rs.115000.00 (Rupees one lakh and fifteen thousand only)	1,Cu.M. (ONE CUBIC METRE)	50715.0
	0.195 Cu.M.	(b) TEAK WOOD BELOW 2.00 METRE LENGTH		Rs.105000.00 (Rupees one lakh and five thousand only)	1.Cu.M. (ONE CUBIC METRE)	20475.0
						154963.0

To NO. OF CORRECTIONS

		RAYPALA AN OFF		RATE EXCLUSIVE FOR GST IN	UNIT IN FIGURES	AMOUNT
1 NC	OUANTITY	DESCRIPTION OF WORK	TNBP No.	FIGURES AND IN WORDS	AND IN WORDS	7
3	7 NOS.	SUPPLYING AND FIXING OF BEST APPROVED SUPERIOR VARIETY MAGNETIC DOOR CATCHES SUITABLE FOR DOORS INCLUDING COST OF DOOR CATCHES, ALUMINIUM / STAINLESS STEEL SCREWS FIXING IN		Rs.52.00 (Rupees fifty two only)	1.NO. (EACH)	154963.00 364.00
4	1355.90 KG .	POSITION ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY AND BRAND SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE) MANUFACTURING AND SUPPLYING OF STEEL WINDOWS CONFIRMING TO IS 1038/1983 SPECIFICATION WITH STEEL SECTION USED FOR FABRICATION OF WINDOWS AS PER IS7452/1982 SPECIFICATION AND AS PER THE APPROVED TYPE DESIGN FOR ALL SIZE APPLICABLE FOR THE WORK WITH IRON OXIDIZED HANDLES WITH LOCKING, ARRANGEMENTS, PEG STAYS AND INCLUDING COSTFOR ONE COAT OF RED OXIDE PRIMER ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (WINDOWS SHOULD BE WEIGHED EXCLUDING ALUMINIUM BEEDING AND GLASS PANEL. THE STANDARD MODELS OF WINDOW WITH GRILL DESIGN DRAWINGS ARE ENCLOSED IN THE ANNEXURE. HOWEVER THE WINDOWS GRILL AND DESIGN SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE).	81.	Rs.62.00 X (Rupees sixty (wo only)	1.KG. (ONE KILOGRAM)	84065.80
50	42 NOS.	SUPPLYING AND FIXING OF MILD STEEL HOLD FASTS HORIZONTALLY TWISTED OF SIZE 230X40X4MM WITH PAIR OF SUITABLE IRON SCREWS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.	K 98	Rs.8.00 (Rupees eight only)	1.NO. (EACH)	336,00
& 7	20.40 Sq.M.	FINISHING THE TOP OF FLOORING WITH CEMENT CONCRETE 1:3 (ONE OF CEMENT AND THREE OF BLUE GRANITE CHIPS OF SIZE 10MM, AND BELOW) 20 MM THICK ELLIS PATTERN FLOORING (NO SAND) AND SURFACE RENDERED SMOOTH INCLUDING 50MM WIDE SKIRTING, PROVIDING PROPER SLOPES, THREAD LINING, CURING ETC., COMPLETE IN ALL FLOORS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.	39 - G.)	Rs.200.00 (Rupees two hundred only)	1.Sq.M. (ONE SQUARE METRE)	4080.00
Up.	54.80 Cu.M.	WEATHERING COURSE WITH CONCRETE BROKEN BRICK JELLY 20MM GAUGE IN PURE BURNT LIME STONE SLAKED AND SCREENED (NO SAND) OVER RCC ROOF SLAB WITH PROPORTION OF BRICK JELLY TO LIME (FAT LIME) BEING 32: 12 1/2 BY VOLUME WELL BEATEN WITH WOODEN BEATERS FOR GIVING THE REQUIRED SLOPE AND THICKNESS COMPLYING WITH RELEVANT STANDARD SPECIFICATION AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.	30 & 41	Rs.2500.00 (Rupees two thousand and five hundred only)	1.Cu.M. (ONE CUBIC METRE)	137000.00
4	690.70 Sq.M.	WHITE WASHING THREE COATS USING CLEAN SHELL LIME SLAKED INCLUDING COST OF LIME, GUM BLUE, BRUSHES, INCLUDING SCAFFOLDING ETC. COMPLETE IN ALL RESPECTS.		Rs.25.00 (Rupees twenty five only)	1.Sq.M. (ONE SQUARE METRE)	17267,6
37	1347,20 KG.	SUPPLYING AND FIXING MILD STEEL GRILLS AS PER THE DESIGN APPROVED TO VERANDAH ENCLOSURE OF GATE INCLUDING ONE COAT OF PRIMER AND LABOUR FOR FIXING IN POSITION ETC. ALL COMPLETE.	3	Rs.62.00) (Rupees sixty two only)	1.KG. (ONE KILOGRAM)	83526.4
					1	481602.7

NO. OF CORRECTIONS

		RATAMATA AND THE AND THE		UNIT IN FIGURES	AMOUNT
NO:	VTIFRAUQ	DESCRIPTION OF WORK TNBP.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	AND IN WORDS	THE STATE OF THE S
	2	3	5	6	48 2 70
7	28.40, Sq.M.	PAINTING THE NEW WOOD WORK WITH TWO COATS OF APPROVED FIRST CLASS SYNTHETIC ENAMEL READY MIXED PAINT IN ADDITION TO ONE COAT OF PRIMER OF APPROVED QUALITY AND SHADE, THE PAINT SHOULD BE SUPPLIED BY THE CONTRACTOR AT HIS OWN COST (THE QUALITY AND THE SHADE OF PAINT SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE) COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.	only)	1.Sq.M. (ONE SQUARE METRE)	3692.00
	131.50 Sq.M.	PAINTING THE NEW IRON WORK AND OTHER SIMILAR WORKS SUCH AS PVC / ASTM PIPES, KERB STONE AND GRILLS WITH TWO COATS OF APPROVED FIRST CLASS SYNTHETIC ENAMEL READY MIXED PAINT OF APPROVED QUALITY AND BRAND, THE PAINT SHOULD BE SUPPLIED BY THE CONTRACTOR AT HIS OWN COST, (THE QUALITY AND THE BRAND OF PAINT SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE) COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.	Rs.100.00 (Rupees one hundred only)	1.Sq.M. (ONE SQUARE METRE)	13150.00
\$7	1.80 Rmt.	SUPPLYING AND FIXING OF 20MM DIA ALUMINIUM HANGER RODS TO THE REQUIRED LENGTH WITH ALUMINIUM END BRACKETS INCLUDING COST OF SCREWS, TW PLUGS AND LABOUR CHARGES FOR FIXING IN POSITION ETC. COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.	Rs.58.00 (Rupees fifty eight only)	1.Rmt. (ONE RUNNING METRE)	104.40
37	2 Nos.	SUPPLYING AND FIXING OF ALUMINIUM TOWEL RAILS OF 75CM LONG, INCLUDING COST OF SCREWS, TW PLUGS AND LABOUR CHARGES FOR FIXING IN POSITION ETC. COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.	Rs.95.00 7 (Rupees ninety five only)	1.NO. (EACH)	190.0
18,77	7 Nos.	SUPPLYING AND FIXING OF ALUMINIUM PLATE WITH FIVE PINS FOR COAT STAND INCLUDING COST OF PLUGS, NAILS, SCREWS, AND LABOUR FOR FIXING IN POSITION ETC, ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.	Rs.55.00-7 (Rupees fifty five only)	1.NO. (EACH)	385.0
494	36 N os .	PROVIDING AND FIXING IRON CHROMIUM PLATED 8 GAUGE PICTURE HOOKS INCLUDING FIXING IN POSITION ETC., ALL COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.	Rs.1.00 (Rupee one only)	1.NO. (EACH)	36.4
2.3	5 NOS.	SUPPLYING AND PLANTING OF AVENUE TREES INCLUDING EARTH WORK EXCAVATION FOR PIT OF SIZE 60X60X60CM FILLED WITH MANURE FOR 20CM DEPTH AND FILLING WITH RIVER SAND AND RED EARTH MIX IN THE RATIO OF 1:1 FOR 40CM DEPTH IN THE SAME PIT AND PLANTING THE AVENUE TREES OF APPROVED VARIETIES TO A HEIGHT OF 200CM FROM THE GROUND LEVEL AND MAINTAINING THEM FOR THE PERIOD OF 6 MONTH INCLUDING WATERING, PERIODICAL MANURING AND REPLACING THE AVENUE TREFS IF DEAD ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (TREE SAPLING SHALL BE GOT APPROVED FROM EE BEFORE PLANTING).	Rs.150.00 (Rupees one hundred and fift only)	y (EACH)	750.
50.4	5 NOS	SUPPLYING AND FIXING OF TRIANGULAR SHAPE CHICKEN MESH TREE GUARD USING BCM DIA CASURINA VERTICAL POST AND MIDDLE TIE USING COUNTRY WOOD REEPER OF SIZE 50X25MM AND 25 GAUGE CHICKEN MESH INCLUDING LABOUR CHARGES FOR FIXING THE TRIANGULAR TREE GUARD AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.	Rs.350.00 (Rupees three hundred and fifty only)	1.NO. (EAGH)	1750
				/	501660

NO. OF CORRECTIONS

		7 T. W. State
11.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	VAN EIR AND	DI VOLUME

		RAFAFALAYAM FIRE	AND RESCUE	1.00		toge No. 5
MINO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
52	2	SUPPLYING LAYING FIXING AND JOINTING THE FOLLOWING PVC PIPES AS PER ASTMD - 1785 OF SCHEDULE 40 OF WALL THICKNESS NOT LESS THAN THE SPECIFIED IN IS 4985 SUITABLE FOR PLUMBING BY THREADING OF WALL THICKNESS INCLUDING THE COST OF SUITABLE PVC/GI SPECIALS /GM SPECIALS LIKE ELBOW, TEE REDUCERS, PLUG, UNION, BEND, COUPLER, NIPPLE/ GM GATE VALVE, CHECK AND WHEEL VALVE ETC., WHEREVER REQUIRED ABOVE THE GROUND LEVEL INCLUDING THE COST OF TEFLON TAPE, SPECIAL CLAMPS, NAILS, ETC., FIXING ON WALL TO THE PROPER GRADIENT AND ALIGNMENT AND REDOING THE CHIPPED OF MASONRY ETC., AS		5	6	7 501660.10
	92.00 Rmt.	a) 32MM ASTM D SCHEDULE 40 THREADED PVC PIPE WITH NECESSARY PVC/GI SPECIALS		Rs.200.00 (Rupees two hundred only)	1.Rmt. (ONE RUNNING METRE)	18400.00
	17.50 Rmt.	b) 25MM ASTM D SCHEDULE 40 THREADED PVC PIPE WITH NECESSARY PVC/GI SPECIALS		Rs.190.00 (Rupees one hundred and ninety only)	1.Rmt. (ONE RUNNING METRE)	3325.00
	27.30 Rmt.	c) SOMM ASTM D SCHEDULE 40 THREADED PVO PIPE WITH NECESSARY PVC/GI SPECIALS		Rs.240.00 (Rupees two hundred and forty only)	1.Rmt. (ONE RUNNING METRE)	6552.00
3.3	4 Ngs.	SUPPLYING AND FIXING OF C.I. STEPS OF APPROVED QUALITY AND BRAND (NOT LESS THAN 5KG EACH INCLUDING COST OF MATERIAL LABOUR CHARGES FOR FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.	2	Rs.30.00 🗸 (Rupees thirty only)	1 NO. (EACH)	120.00
5.2	2 NOS.	SUPPLYING AND FIXING OF APPROVED BRAND PORCELAIN FLAT BACK URINAL SUPERIOR VARIETY INCLUDING COST OF URINAL LEAD PIPE, WASTE PIPE 15MM WHEEL VALVE, TW PLUG AND LABOUR FOI FIXING ETC., ALL COMPLETE AS DIRECTED BY TH DEPARTMENTAL OFFICERS (THE BRAND AND QUALITY SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)	Y X	Rs.1500.00 +/ (Rupees one thousand and five hundred only)	1 NO. (EACH)	3000.00
5 3 ()	8 NOS.	ELECTRICAL ARRANGEMENTS SUPPLYING AND FIXING OF 15 AMPS 3 PIN POWE PLUG TYPE SOCKET ON A SUITABLE MS BOX 16 THICK CONCEALED AND COVERED WITH 3 MM THIC LAMINATED HYLEM SHEET INCLUSIVE OF ALL CONNECTIONS AND COST OF ALL MATERIALS.	G K	Rs.135.00 (Rupees one hundred and thirty five only)	1 NO. (EACH)	1080.00
30	16 NOS.	SUPPLYING AND FIXING OF BEST APPROVED SUPERIO VARIETY CONCEALED TYPE FIBRE BOX WITH M.S. FAN HOOK OF 100MM DIA, 75MM DEPTH AND 3M THICK INCLUDING COST AND FIXING IN POSITION ETC COMPLETE AND AS DIRECTED BY THE DEPARTMENTA OFFICERS. (THE QUALITY SHOULD BE GOT APPROVE BY THE EXECUTIVE ENGINEER BEFORE USF)	M C.,	Rs.34.00 (Rupees thirty four only)	1 NO. (EACH)	544.00
3.1	1 19	SUPPLYING AND FIXING OF 1 NO THREE PHAS DISTRIBUTION BOARD WITH 6 WAY PER PHASE 32 / PER WAY WITH NEUTRAL LINK ON SUITABLE WEI VARNISHED TEAKWOOD PLANK INCLUDING NECESSAF INTERCONNECTIONS AND EARTH CONNECTIONS COSOF ALL MATERIALS ETC., ALL COMPLETE.	A L RY	Rs.2500.00 (Rupees two thousand and five hundred only)	1.NO (EACH)	2500.00
		7				537181.10

CONTINUETOR

NO. OF CORRECTIONS

2 1 NO.	SUPPLYING AND FIXING OF 1 NO THREE PHASE DISTRIBUTION BOARD WITH 4 WAY PER PHASE 32A PER WAY WITH NEUTRAL LINK ON SUITABLE WELL VARNISHED TEAKWOOD PLANK INCLUDING NECESSARY	TNBP No	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS 5	UNIT IN FIGURES AND IN WORDS 6	537. 01.10 2000.00
1 NO.	SUPPLYING AND FIXING OF 1 NO THREE PHASE DISTRIBUTION BOARD WITH 4 WAY PER PHASE 32A PER WAY WITH NEUTRAL LINK ON SUITABLE WELL VARNISHED TEAKWOOD PLANK INCLUDING NECESSARY				
	INTERCONNECTIONS AND EARTH CONNECTIONS COST OF ALL MATERIALS ETC., ALL COMPLETE.		(Rupees two thousand only)	(EACH)	7
16 NOS.	CHARGES FOR ASSEMBLING AND FIXING OF CEILING FAN OF DIFFERENT SWEEP WITH NECESSARY CONNECTIONS AND FIXING OF FAN REGULATOR ON THE EXISTING BOARD ETC., ALL COMPLETE (EXCLUDING COST OF FAN)		Rs.200.00 f (Rupees two hundred only)	1.NO (EACH)	3200.00
12.00 Rmt.	SUPPLYING AND FIXING OF 8 SWG GI WIRE ON WALL / BELOW GROUND LEVELS WITH NECESSARY 'U' NAILS, EARTH WORK EXCAVATION AND REFILLING ETC., INCLUDING COST OF ALL MATERIALS ETC., ALL COMPLETE.		Rs.10.00 🗸	1.Rmt. (ONE RUNNING METRE)	120.00
2 Nos	SUPPLYING, FIXING AND CONCEALING TW BOX OF SIZE 8"X6"X4" COVERED WITH 3MM THICK HYLEM SHEET INCLUDING COST OF TV LINE SOCKET / TELEPHONE LINE SOCKET ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.70.00 X? (Rupees seventy only)	1 NO. (EACH)	140.00
10.00 Bmt.	20MM DIA WITH NECESSARY SPECIALS AND OTHER MATERIALS INCLUDING RUN OFF 1 NO. FISH WIRE (G.I. 22G) FOR DRAWING CABLE FOR T.V. / TELEPHONE		Rs.75.00 (Rupees seventy five only)	1.Rmt. (ONE RUNNING METRE)	250.00
1 NO	PIPE ELECTRODE AS PER IS 3043 USING 2.5M OF 40MM AND 1.0 M OF 20MM B-CLASS GI PIPE INCLUDING EARTH WORK EXCAVATION, BRICK WORK IN CEMENT MORTAL AND PLASTERING AND COST OF FUNNEL, GI NUTS BOLTS, WASHERS, CHECK NUTS, GI BEND, REDUCEL AND COURTING CI. COVER OF 30X30CM AND	M H R S, R D	Rs.1800.00 (Rupees one thousand and eight hundred only)	1 NO. (EACH)	1800.0
0.70, Sq.M.	METER CUPBOARD WITH SHUTTERS DOUBLE LEAVE WITH 230MMX25MM SIZE CW PLANKS FOR ALROUN SIDES 62.5 MM X31.25MM STYLES AND RAILS FO SHUTTERS AND 75MM X 25MM WELD MESH OF 6 AND GAUGE FOR PANELS INCLUDING LABOUR CHARGE FOR FIXING IN POSITION OF SHUTTERS AND COST C'L' CLAMPS 6 NOS OF SIZE 150X150MM SIZE WIT 25MMX4MM MS FLATS, 1 NO OF 6" X 1/2" ALUMINIU ALDROP WITH BOLTS AND NUTS 6 NOS OF 3" SIZE LIBUTH HINGES WITH SCREWS 2 NOS OF 2" SIZE LIBUTH HINGES WITH SCREWS 2 NOS OF 2" SIZE LIBUTH SIZE AND PLUS SCREWS FTC. COMPLET	ES ID OR IT OF IT	Rs.1700.00 (Rupees one thousand and seven hundred only)	1.Sq.M. (ONE SQUARE METRE)	1190.0
	2 NOS	12.00 Bmt. 12.00 Bmt. SUPPLYING AND FIXING OF 8 SWG GI WIRE ON WALL / BELOW GROUND LEVELS WITH NECESSARY 'U' NAILS, EARTH WORK EXCAVATION AND REFILLING ETC., INCLUDING COST OF ALL MATERIALS ETC., ALL COMPLETE. 2 NOS SUPPLYING, FIXING AND CONCEALING TW BOX OF SIZE 8 8X6'X4" COVERED WITH 3MM THICK HYLEM SHEET INCLUDING COST OF TV LINE SOCKET / TELEPHONE LINE SOCKET ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. 10.00 Bmt. SUPPLYING, LAYING AND CONCEALING OF PVC PIPE OF 20MM DIA WITH NECESSARY SPECIALS AND OTHER MATERIALS INCLUDING RUN OFF 1 NO. FISH WIRE (G. 22G) FOR DRAWING CABLE FOR T.V. / TELEPHONIE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. 1 NO PROVIDING EARTHING STATION (TYPE I) USIN PIPE ELECTRODE AS PER IS 3043 USING 2.5M OF 40MM AND 1.0 M OF 20MM B-CLASS GI PIPE INCLUDING EART WORK EXCAVATION, BRICK WORK IN CEMENT MORTA AND PLASTERING AND COST OF FUNNEL, GI NUTL BOLTS, WASHERS, CHECK NUTS, GI BEND, REDUCE AND COUPLING, C.I. COVER OF 30X30CM AN INCLUDING CHARCOAL OF 40 KGS AND SALT 10 K ETC., ALL COMPLETE. 0.70 Sq.M. SUPPLYING AND FIXING BEST COUNTRY WOO METER CUPBOARD WITH SHUTTERS AND COST OF FUNNEL, GI NUTL SHOW THE SHUTTERS AND TOMM X 25MM WELD MESH OF 6 AND GAUGE FOR PANELS INCLUDING LABOUR CHARGE FOR FIXING IN POSITION OF SHUTTERS AND COST OF LOVE AND AND SIDES SCENEWS SIZE LE BUTT HINGES WITH SCREWS 2 NOS OF 2" SIZE I BUTT HINGES WITH SCREWS 2 NOS OF 2" SIZE I BUTT HINGES WITH SCREWS 2 NOS OF 2" SIZE I BUTT HINGES WITH SCREWS 2 NOS OF 2" SIZE I BUTT HINGES WITH SCREWS 2 NOS OF 2" SIZE I BUTT HINGES WITH SCREWS 2 NOS OF 2" SIZE I BUTT HINGES WITH SCREWS 2 NOS OF 2" SIZE I BUTT HINGES WITH SCREWS 2 NOS OF 2" SIZE I BUTT HINGES WITH SCREWS 2 NOS OF 2" SIZE I BUTT HINGES WITH SCREWS 2 NOS OF 2" SIZE I BUTT HINGES WITH SCREWS 2 NOS OF 2" SIZE I BUTT HINGES WITH SCREWS 2 NOS OF 2" SIZE I BUTT HINGES WITH SCREWS 2 NOS OF 2" SIZE I BUTT HINGES WITH SCREWS 2 NOS OF 2" SIZE I BUTT HINGES WITH SCREWS 2 NOS OF 2" SIZE I BUTT HINGES WITH SCREWS 2 NOS OF 2" SIZE	12.00 Bmt. SUPPLYING AND FIXING OF 8 SWG GI WIRE ON WALL/ BELOW GROUND LEVELS WITH NECESSARY "U" NAILS, EARTH WORK EXCAVATION AND REFILLING ETC., INCLUDING COST OF ALL MATERIALS ETC., ALL COMPLETE. 2 NOS SUPPLYING, FIXING AND CONCEALING TW BOX OF SIZE 8787X" COVERED WITH 3MM THICK HYLEM SHEET INCLUDING COST OF TV LINE SOCKET / TELEPHONE LINE SOCKET ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. 10.00 Rmt. SUPPLYING, LAYING AND CONCEALING OF PVC PIPE OF 20MM DIA WITH NECESSARY SPECIALS AND OTHER MATERIALS INCLUDING RUN OFF 1 NO. FISH WIRE (GI. 22G) FOR DRAWING CABLE FOR T.V. / TELEPHONE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. 1 NO PROVIDING EARTHING STATION (TYPE I) USING PIPE ELECTRODE AS PER IS 3043 USING 2.5M OF 40MM AND 1.0 M OF 20MM B-CLASS GI PIPE INCLUDING EARTH WORK EXCAVATION, BRICK WORK IN CEMENT MORTAR AND PLASTERING AND COST OF FUNNEL, GI NUTS, BOLTS, WASHERS, CHECK NUTS, GI BEND, REDUCER AND COUPLING, C.J. COVER OF 30X30CM AND INCLUDING CHARCOAL OF 40 KGS AND SALT 10 KG ETC., ALL COMPLETE 0.70 Sq.M. SUPPLYING AND FIXING BEST COUNTRY WOOD METER CUPBOARD WITH SHUTTERS DOUBLE LEAVES WITH 23MMX2SMM SIZE CW PLANKS FOR ALROUND SIDES 625 MM X3125MM STYLES AND RAILS FOR SHUTTERS AND 75MM X25MM WELD MESH OF 6 AND 10 GAUGE FOR PANELS INCLUDING LABOUR CHARGES FOR FIXING IN POSITION OF SHUTTERS AND COST OF 1" CLAMPS 6 NOS OF 5712 TSO/TSOMM SIZE UNIT 25MMX4MM MS FLATS. IN OO F 6" X 12" ALLIMINIUM ALDROP WITH BOLTS AND NUTS 6 NOS OF 2" SIZE LO. BUTT HINGES WITH SCREWS 2 NOS OF 2" SIZE LO. BUTT HINGES WITH SCREWS 2 NOS OF 2" SIZE LO. BUTCH HINGES WITH SCREWS 2 NOS OF 2" SIZE LO. BUTCH HINGES WITH SCREWS 2 NOS OF 2" SIZE LO. BUTCH HINGES WITH SCREWS 2 NOS OF 2" SIZE LO. BUTCH HINGES WITH SCREWS 2 NOS OF 2" SIZE LO. BUTCH HINGES WITH SCREWS 2 NOS OF 2" SIZE LO. BUTCH HINGES WITH SCREWS 2 NOS OF 2" SIZE LO. BUTCH HINGES WITH SCREWS 2 NOS OF 2" SIZE LO. BUTCH HINGES WITH SCREWS 2 NOS OF 2" SIZE LO. BUTCH AND AS DIRECTED DY TILL DETARTMENTAL OFFICERS	THE EXISTING BOARD ETC. ALL COMPLETE (EXCLUDING COST OF FAN) 12.00 Bmt. SUPPLYING AND FIXING OF 8 SWG GI WIRE ON WALL/ BELOW GROUND LEVELS WITH NECESSARY 'U' NAILS, EARTH WORK EXCAVATION AND REFILLING ETC., ALL COMPLETE. 2 NOS SUPPLYING, FIXING AND CONCEALING TW BOX OF SIZE BY SYX'Y COVERED WITH 9MM THICK HYLEM SHEET INCLUDING COST OF TALL MATERIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. 10.00 Bmt. SUPPLYING, LAYING AND CONCEALING OF PVC PIPE OF ZOMM DIA WITH NECESSARY SPECIALS AND OTHER MATERIALS INCLUDING RUN OFF 1 NO. FISH WIRE (G.I. 22G) FOR DRAWING CABLE FOR T.Y. / TELEPHONE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. 1 NO PROVIDING EARTHING STATION (TYPE I) USING PIPE ELECTRODE AS PER IS 3040 USING 25M OF 40MM AND 1.0 M OF AWARD AND SIDE INCLUDING EARTH MAD AND THE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. 1 NO PROVIDING EARTHING STATION (TYPE I) USING PIPE ELECTRODE AS PER IS 3040 USING 25M OF 40MM AND 1.0 M OF AWARD AND SIDE WITH SHOULD AND AS DIRECTED AND COST OF FUNNEL (IS IN UTS.) BOLTS, WASHERS, CHECK NUTS. GI BEND, REDUCER AND OUTLING, C.I. COVER OF 30X30GM AND INCLUDING CHARCOAL OF 40 KGS AND SALT 10 KG ETC., ALL COMPLETE. D.70. Sq.M. SUPPLYING AND FIXING BEST COUNTRY WOOD METER CUPBOARD WITH SHUTTERS DOUBLE LEAVES WITH 22MMAX25MM SIZE CWY PLANKS FOR ALLIGNORY OF SHUTTERS AND FAMILS. FOR SHUTTERS AND TSMM X 25MM WELD MESH OF 6 AND AS DIRECTED BY TILL ON 6 F X 127 EALUMINUM, ALDROP WITH BOLTS AND NUTS 8 NOS OF 3" SIZE LO. BUTH HINGES WITH SCREWS 2 NOS OF 2" SIZE LO. BUTH HINGES WITH SCREWS 2 NOS OF 2" SIZE LO. BUTH HINGES WITH SCREWS 2 NOS OF 2" SIZE LO. BUTH HINGES WITH SCREWS 2 NOS OF 2" SIZE LO. BUTH HINGES WITH SCREWS 2 NOS OF 2" SIZE LO. BUTH HINGES WITH SCREWS 2 NOS OF 2" SIZE LO. BUTH HINGES WITH SCREWS 2 NOS OF 2" SIZE LO. BUTH HINGES WITH SCREWS 2 NOS OF 2" SIZE LO. BUTH HINGES WITH SCREWS 2 NOS OF 2" SIZE LO. BUTH HINGES WITH SCREWS 2 NOS OF 2" SIZE LO. BUTH HINGES WITH SCREWS 2 NOS OF 2" SIZE LO. BUTH HINGES WITH SCREWS 2 NOS	THE EXISTING BOARD ETC., ALL COMPLETE (EXCLUDING COST OF FAN) 12.00 Bmt. SUPPLYING AND FROM G F 8 SWG GI WIRE ON WALL I BELOW GROUND LEVELS WITH INCESSARY VI NAULS. SINCLUDING COST OF ALL MATERIALS ETC., ALL COMPLETE. 2 NOS SUPPLYING, FIXING AND CONCEALING TW BOX OF SIZE EXXX COVERED WITH SAMM THICK INTEM SHEET INCLUDING COST OF ALL MATERIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. 10.00 Rmt. SUPPLYING, LAYING AND CONCEALING OF PVC PIPE OF 200M DIA WITH INCESSARY SPICIALS AND OTHER MATERIALS INCLUDING GOST OF TV LINE SOCKET TELEPHONE LINE SOCKET FOR, ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. 10.00 Rmt. SUPPLYING, LAYING AND CONCEALING OF PVC PIPE OF 200M DIA WITH INCESSARY SPICIALS AND OTHER MATERIALS INCLUDING ROUTE IT NO. FISH WIRE (GI. 12.20) FOR DRAWING CABLE FOR T.V. I TELEPHONE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. 1 NO PROVIDING EARTHING STATION (TYPE I) USING PIPE ELECTRODE AS PER IS 3049 USING 2.5M OF 40MM AND 1.0 M OF 200M BCLASS GIPPE NOLUDING BATTY WORK EXCANATIONS BROKE YOOK NOT SELECT WORK IN

TNO. OF CORRECTIONS

		PATAPALAY AM PIRO	and the second			Page Nec 7
EM NO	YTITMAUQ	DESCRIPTION OF WORK	NEW NO.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UND IN FIGURES	AMOUNT
16	2	3	4	5	6	7 546381.10
86	541.50 Sq.M.	PROVIDING PRE-CONSTRUCTIONAL ANTITERMITE TREATMENT INCLUDING COST OF CHEMICALS LABOUR AS PER STANDARD SPECIFICATIONS FOR PREPARING THE AREA FOR TREATMENT BY SPRAYING CHEMICALS AND OTHER INCIDENTAL CHARGES ETC COMPLETE. THE RATE SHOULD BE FOR CURING ANTITERMITE TREATMENT FROM THE PLINTH BEAM AND BRICK MASONRY WITH SUPER STRUCTURE IN CONTACT WITH THE BACK FILL EARTH AND AT THE JUNCTION OF THE WALLS, THE TOP SURFACE OF FILLED EARTH FOR FLOORING AND THE SOIL ALONG WITH THE PERIMETER OF THE BUILDING BY MAKING HOLES WITH THE CROW BAR AND POURED 5% TERMICIDE 'CHLORIPYRIFOS" AND SPRAYING THE SAME TERMICIDE SOLUTION ON THE WOODEN FRAMES AND TREATING THE OTHER PERIPHERY OF BUILDINGS ETC., COMPLETE IN ALL RESPECTS AS PER IS 6313 (PART II) //1981 AND AS DIRECTED BY THE DEPARTMENTAL		Rs.25.00 (Rupees tyrenty five only)	1.Sq.M, (ONE SQUARE METRE)	13537.50
1,2	415.90 Cu.M.	ANNEXURE SUPPLYING AND FILLING IN FOUNDATION AND BASEMENT WITH WELL GRAVEL IN LAYERS OF 150 MM THICKNESS WELL WATERED, RAMMED AND CONSOLIDATED COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS INCLUDING COST OF SUPPLYING WELL GRAVEL AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.350.00 (Rupees three hundred and fifty only)	1.Cu.M. (ONE CUBIC METRE)	145565.00
1,3	238.60 Cu.M.	SUPPLYING AND FILLING IN FOUNDATION AND BASEMENT WITH FILLING CRUSHED STONE SAND IN LAYERS OF 150 MM THICKNESS WELL WATERED, RAMMED AND CONSOLIDATED COMPLYING WITH RELEVANT STANDARD SPECIFICATION INCLUDING COST OF SUPPLYING FILLING CRUSHED STONE SAND.		Rs.800.00 (Rupees eight hundred only)	1.Cu.M. (ONE CUBIC METRE)	190880.00
1,5	468.60 Cu.M.	SUPPLYING, FILLING, AND SPREADING WITH CONVEYED WELL GRAVEL IN THE LOWLYING AREA IN LAYERS OF 150 MM THICKNESS WELL WATERED, WITH SPRINKLER AND CONSOLIDATED WITH 8 TO 10 TON CAPACITY POWER ROLLER INCLUDING COST OF WELL GRAVEL, LABOUR CHARGES ETC., ALL COMPLETE INCLUDING COST OF AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.340.00 (Rupees three hundred and forty only)	1.Cu.M. (ONE CUBIC METRE)	159324.0
节	172.70 Cu.M.	PLAIN CEMENT CONCRETE 1:5:10 (ONE OF CEMENT, FIVE OF CRUSHED STONE SAND AND TEN OF HARD BROKEN STONE JELLY) FOR FOUNDATION AND BASEMENT USING 40MM GAUGE HARD BROKEN STONE JELLY INCLUSIVE OF SHORING, STRUTTING AND BAILING OUT WATER WHEREVER NECESSARY RAMMING, CURING ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.2500.00 + (Rupees two thousand and five hundred only) +	1.Cu.M. (ONE CUBIC METRE)	431750.00
2.7	94.00 Cu.M.	PLAIN CEMENT CONCRETE 1:2:4 (ONE OF CEMENT TWO OF CRUSHED STONE SAND AND FOUR OF HARD BROKEN STONE JELLY) USING 20M GAUGE HARD BROKEN STONE JELLY EXCLUDING SHUTTERING AND CENTERING BUT INCLUDING LAYING, CURING AND FINISHING WITH RELEVANT STANDARD SPECIFICATIONS IN FOUNDATION AND BASEMENT, AND OTHER SIMILAR WORKS & AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.3200.00 (Rupees three thousand and two hundred only)	1.Cu.M. (ONE CUBIC METRE)	300800.0
1)	1788237.60

NO. OF CORRECTIONS

		KARANATA TO	au se o i			Rage Marit
M NO	QUANTITY	DESCRIPTION OF WORK	BP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5_	6	7 178٤ :.60
3.1	5.70 Ca.M.	PLAIN CEMENT CONCRETE 1:8:16 (ONE OF CEMENT EIGHT OF CRUSHED STONE SAND AND SIXTEEN OF BROKEN BRICK JELLY) FOR FOUNDATION AND OTHER SIMILAR WORKS USING 20MM GAUGE BROKEN BRICK JELLY INCLUSIVE OF SHORING, STRUTTING AND BAILING OUT WATER WHEREVER NECESSARY RAMMING, CURING ETC., COMPLETE IN ALL, RESPECTS COMPLYING WITH REI FVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.2000.00 (Rupees two thousand only)	1.Cu.M. (ONE CUBIC METRE)	11400.00
10.1	67.00 Cu.M.	PLAIN CEMENT CONCRETE 1:3:6 (ONE OF CEMENT, THREE OF CRUSHED STONE SAND AND SIX OF HARD BROKEN STONE JELLY) FOR FOUNDATION USING 20MM GAUGE HARD BROKEN STONE JELLY FOR STORM WATER DRAINS SIDE WALL AND OTHER SIMILAR WORKS USING 20MM GAUGE HARD BROKEN STONE JELLY EXCLUDING THE COST AND FABRICATION OF REINFORCEMENT GRILLS, SHUTTERING, CENTERING AND VIBRATING BUT INCLUDING LAYING, CURING, FINISHING ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.3000.00 (Rupees three thousand only)	1.Cu.M. (ONE CUBIC METRE)	201000.00
47		PROVIDING AND LAYING IN POSITION, STANDARDISED CONCRETE MIX M-20 GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING 20 MM AND DOWNGRADED HARD BROKEN STONE JELLY FOR ALL RCC WORKS NAMELY COLUMN, COLUMN FOOTINGS, PLINTH BEAM, GRADE BEAM, RAFT BEAM, RAFT SLAB ETC., WITH MINIMUM CEMENT CONTENT OF 325 KG/M3 AND MAXIMUM WATER CEMENT RATIO OF 0.55, INCLUDING ADMIXTURE (PLASTICISER) IN RECOMMENDED PROPORTIONS AS PER IS:9103 TO ACCELERATE, RETARD SETTING OF CONCRETE, IMPROVE WORKABILITY WITHOUT IMPAIRING STRENGTH AND DURABILITY WITH ABOUT (5.0 CU.M) 7730 KG, OF 20 MM MACHINE CRUSHED STONE JELLY AND WITH ABOUT (4.79 CU.M) 7670 KG, OF CRUSHED STONE SAND FOR MAKING 10M3 CONCRETE BUT EXCLUDING COST OF REINFORCEMENT GRILL AND FABRICATING CHARGES, CENTERING AND SHUTTERING AND ALSO INCLUDING LAYING, VIBRATING WITH MECHANICAL VIBRATORS, FINISHING, CURING ETC., COMPLETE COMPLYING WITH STANDARD SPECIFICATION AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. THE COARSE AND FINE AGGREGATES TO BE USED SHOULD COMPLY WITH THE REQUIREMENTS OF IS STANDARDS. (NO SEPARATE PAYMENT WILL BE MADE BY THE DEPARTMENT FOR THE EXCESS USAGE OF MATERIALS)				
	179.50 Cu.M.	(a) IN FOUNDATION AND BASEMENT		Rs.5800.00 (Rupees five thousand and eight hundred only)	1.Cu.M. (ONE CUBIC METRE)	1041100.
5.6.1	108.60 Cu.M.	BRICK WORK IN CM 1:5 (ONE OF CEMENT AND FIVE OF CRUSHED STONE SAND) WITH ADMIXTURE USING KILN BURNT COUNTRY BRICKS OF SIZE 87 X4/X2/2* (22X11X7CM) IN FOUNDATION AND BASEMENT INCLUDING DEWATERING WHEREVER NECESSARY PROPER SETTING, CURING ETC., COMPLETE WITH RELEVANT STANDARD SPECIFICATIONS.		Rs.4500.00 (Rupees four thousand and fi	1.Cu.M. (ONE CUBIC METRE)	488700.
						3530437.

TNO. OF CORRECTIONS

		RMAPALAYAM DIRI;	29			Page No. 9
M NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS 5	UNIT IN FIGURES AND IN WORDS	AMOUNT 7
						3530437.60
4.4		PROVIDING AND LAYING IN POSITION STANDARDISED				
4.1		CONCRETE MIX M-20 GRADE IN ACCORDANCE WITH				
		IS: 456 - 2000 USING 20 MM AND DOWNGRADED HARD				
		BROKEN STONE JELLY FOR ALL RCC ITEMS OF WORKS NAMELY TEE, ELL OR RECTANGULAR BEAMS, LINTELS,				
		PARAPET CUM DROPS, WAIST AND LANDING SLAB, CANOPHY, CIRCULAR COLUMN, FIN PROJECTIONS,				
		SUNSHADES, WINDOW BOXING SLAB, SLAB AND OTHER				
		SIMILAR WORKS WITH MINIMUM CEMENT CONTENT OF 325 KG/M3 AND MAXIMUM WATER CEMENT RATIO OF				
		0.55, INCLUDING ADMIXTURE (PLASTICISER/SUPER PLASTICISER) IN RECOMMENDED PROPORTIONS				
		AS PER IS:9103 TO ACCELERATE, RETARD SETTING OF				
		CONCRETE, IMPROVE WORKABILITY WITHOUT				
		IMPAIRING STRENGTH AND DURABILITY WITH ABOUT (5.0 CU.M) 7730 KG. OF 20 MM MACHINE CRUSHED				
		STONE JELLY AND WITH ABOUT (3,3 CU M.) 5156 KG. OF 10 -12 MM MACHINE CRUSHED STONE JELLY AND WITH				
		ABOUT (4.79 CU.M) 7670 KG. OF CRUSHED STONE				
		SAND FOR MAKING 10M3 CONCRETE BUT EXCLUDING				
		COST OF REINFORCEMENT GRILL AND FABRICATING CHARGES, CENTERING AND SHUTTERING AND ALSO				
		INCLUDING LAYING, VIBRATING WITH MECHANICAL VIBRATORS, FINISHING, CURING ETC., AND PROVIDING	7			
		FIXTURES LIKE FAN CLAMPS IN THE RCC FLOOR/ROOF	t			
		SLABS WHEREVER NECESSARY WITHOUT CLAIMING EXTRA, ETC., COMPLETE COMPLYING WITH STANDARD				
		SPECIFICATION AND AS DIRECTED BY THE				
		DEPARTMENTAL OFFICERS. THE COARSE AND FINE AGGREGATES TO BE USED SHOULD COMPLY WITH THE				
		REQUIREMENTS OF IS STANDARDS. (NO SEPARATE PAYMENT WILL BE MADE BY THE DEPARTMENT FOR				
		THE EXCESS USAGE OF MATERIALS).				
			-			
	60.10 CuM.	(a) IN GROUND FLOOR		Rs.5800.00-Y	1.Cu.M.	348580.00
	1	7		(Rupees five thousand and	(ONE CUBIC METRE)	all the same of th
				eight hundred only)	7	
	404 30 Cu M	(5) IN EIRST ELOOP		Rs.6000.00	1.Cu.M.	607800.00
	101.30 Cu,M.	(b) IN FIRST FLOOR		(Rupees six thousand only)	(ONE CUBIC	607800.00
					METRE)	
				\	7.	-
.6.1		BRICK WORK IN CEMENT MORTAR 1:6 (ONE OF CEMENT AND SIX OF CRUSHED STONE SAND) WITH	-			
V		ADMIXTURE USING KILN BURNT COUNTRY BRICKS				
		OF SIZE 8%"X4%"X2%" (22X11X7CM) FOR SUPER				
		STRUCTURE IN THE FOLLOWING FLOORS INCLUDING LABOUR FOR FIXING THE DOORS, WINDOWS AND				
		VENTILATOR FRAMES IN POSITION, FIXING OF HOLD				
		FASTS, SCAFFOLDINGS, CURING ETC., COMPLETE IN ALL RESPECT COMPLYING WITH RELEVANT STANDARD				
		SPECIFICATIONS AND DRAWINGS.				
	102.50 Cy ₁ M.	(a) IN GROUND FLOOR		Rs.4500.00	1.Cu.M.	461250.00
	37	× ×		(Rupees four thousand and five	(ONE CUBIC METRE)	L. P.
				hundred only)		
					/	
	30.30 Cu.M.	(b) IN FIRST FLOOR		Rs.4500.00 X	1.Cu.M.	136350.0
	14	1		(Rupees four thousand and five	(ONE CUBIC	47
				hundred only)	MFTRE)	
						5084417.6

NO. OF CORRECTIONS

	RAIAPALAY AM FIRO	13 to 13 Col / /	The		ng= 54m 10
YTIFNAUQ ON E	DESCRIPTION OF WORK	TNBP No	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS 5	UNIT IN FIGURES AND IN WORDS 6	AMOUNT
.6.1	BRICK PARTITION WALL IN CEMENT MORTAR 1;4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) WITH ADMIXTURE 110MM THICK FOR SUPER STRUCTURE IN THE FOLLOWING FLOORS USING KILN BURNT COUNTRY BRICKS OF SIZE 8½ X4½ X2½ (22X11X7CM) INCLUDING LABOUR FOR FIXING THE DOORS, WINDOWS AND VENTILATOR FRAMES IN POSITION, FIXING OF HOLD FASTS, SCAFFOLDINGS, CURING ETC., COMPLETE IN ALL RESPECT COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND	4	5	0	508460
190.30 Sq.M.	(a) IN FOUNDATION AND BASEMENT		Rs.450.00 (Rupees four hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	85635.00
341.50 Sq.M.	(b) IN GROUND FLOOR		Rs.450.00 (Rupees four hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	153675.00
.6. <u>1</u>	BRICK PARTITION WALLS 70MM THICK USING KILN BURNT COUNTRY BRICKS OF SIZE 8%"X4%"X2%" (22X11X7CM) IN CEMENT MORTAR 1:4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) WITH ADMIXTURE FOR SUPER STRUCTURE IN THE FOLLOWING FLOORS INCLUDING SCAFFOLDINGS, CURING ETC., COMPLETE IN ALL RESPECT COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND DRAWINGS				
19.70 Sq.M.	(a) IN GROUND FLOOR		Rs.350.00 (Rupees three hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	6895.00
1.2.2	SUPPLYING AND FIXING OF PRECAST CEMENT CONCRETE SLAB FOR CUPBOARD/WARD ROBES SHELVES, COVER SLAB FOR CHAMBERS, BAFFLE WALLS SIDE SLABS OF BOXING AROUND WINDOWS AND OTHER SIMILAR WORKS IN STANDARDISED CONCRETE MIX M-20 GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING CRUSHED STONE SAND AND TO 10MM THICK HARD BROKEN STONE JELLY FOR THE ABOVE RCC ITEMS OF WORKS EXCLUDING THE COST AND FABRICATION OF REINFORCEMENT GRILLS BUT INCLUDING PRECASTING, MOULDING, CURING FINISHING AND FIXING IN POSITION COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC. COMPLETE IN THE FOLLOWING FLOORS (MEASUREMENT WILL BE TAKEN INCLUDING BEARING IN WALL ALSO).	7			
34.00 Sq.M.	20 MM THICK (a) IN GROUND FLOOR		Rs.750.00 X/ (Rupees seven hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	25590.00
1.2.3	SUPPLYING AND FIXING OF PRECAST CEMEN CONCRETE SLAB FOR CUPBOARD/WARD ROBE SHELVES, COVER SLAB FOR CHAMBERS, BAFFL WALLS SIDE SLABS OF BOXING AROUND WINDOWS AND OTHER SIMILAR WORKS IN STANDARDISEI CONCRETE MIX M-20 GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING CRUSHED STONE SAND AND TO 10MM THICK HARD BROKEN STONE JELLY FOR THABOVE RCC ITEMS OF WORKS EXCLUDING THE COSAND FABRICATION OF REINFORCEMENT GRILLS BUINCI UDING PRECASTING, MOULDING, CURING FINISHING AND FIXING IN POSITION COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETCOMPLETE IN THE FOLLOWING FLOOR (MEASUREMENT WILL BE TAKEN INCLUDING BEARIN IN WALL ALSO).	S E T T T S S E T T S S E T T S S E T T S S E T T S S E T T S S E T T S S E T S E T S S E T S S E T S E			5356122.6

NO. OF CORRECTIONS

		RAIAPALAYAM [FIK]	VND RID CL	The state of the s		Page No. Li	
n em no	QUARTITY	DESCRIPTION OF WORK	TI V BP No	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS 5	UNIT IN FIGURES AND IN WORDS 6	AMOUNT	
	8,00 Sq.M.	(a) IN FOUNDATION AND BASEMENT		Rs.850.00 (Rupees eight hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	5356122.60 6800.00	V
18.1		PROVIDING FORM WORK AND CENTERING FOR REINFORCED CEMENT CONCRETE WORKS INCLUDING SUPPORTS AND STRUTTING UP TO 3.30M HEIGHT FOR PLANE SURFACES AS DETAILED BELOW WITH ALL CROSS BRACINGS USING MILD STEEL SHEETS OF SIZE 90CMX60CM AND MS 10 GAUGE STIFFENED WITH WELDED MILD STEEL ANGLES OF SIZE 25MMX25MMX3MM FOR BOARDING LAID OVER SILVER OAK OR COUNTRY WOOD JOISTS OF SIZE 10CMX6.5CM SPACED AT ABOUT 90CM CENTRE TO CENTRE AND SUPPORTED BY CASURINA PROPS 10CM TO 13CM DIA SPACED AT 75CM INTERVALS AND REMOVING THE SAME AFTER A SPECIFIED PERIOD WITHOUT DAMAGING THE R.C.C WORKS ETC., COMPLETE COMPLYING WITH STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.					
V	1029.30 Sq.M.	(a) FOR COLUMN FOOTINGS, PLINTH BEAM, GRADE BEAM, RAFT BEAM, RAFT SLAB ETC.,		Rs.850.00 X (Rupees eight hundred and fifty only) Y	1.Sq.M. (ONE SQUARE METRE)	874905.00	V
*	943.60 Sq.M.	(b) PLAIN SURFACES SUCH AS ROOF SLAB, FLOOR SLAB, BEAMS LINTELS, LOFTS, SILL SLAB, STAIRCASE WAIST, PORTICO SLAB AND OTHER SIMILAR WORKS		Rs.950.00 (Rupees nine hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	896420.00	\rightarrow \tag{1}
	403.10 Sq.M.	(c) FOR SQUARE AND RECTANGULAR COLUMNS, AND SMALL QUANTITIES SUCH AS SUNSHADE, PARAPET CUM DROPS, WINDOW BOXING, FIN PROJECTION AND OTHER SIMILAR WORKS		Rs.1220.00 (Rupees one thousand two hundred and twenty only)	1.Sq.M. (ONE SQUARE METRE)	491782.00	~
~	24.20 Sq.M.	(d) FOR VERTICAL WALL		Rs.910.00 (Rupees nine hundred and ten only)	1.Sq.M. (ONE SQUARE METRE)	22022.00	~
~	16.70 Sq.M.	(f) FOR CURVED SURFACE		Rs.1100.00 (Rupees one thousand and one hundred only)	1.Sq.M. (ONE SQUARE METRE)	18370.00	V
✓	521.50 Sq.M.	(g) DOUBLE CENTERING		Rs.2020.00 (Rupees two thousand and twenty only)	1.Sq.M. (ONE SQUARE METRE)	1053430.00	~
21.5.2	14.30 Sq.M.	PROVIDING AND FIXING OF FACTORY MADE UNPLASTICIZIED POLYVINYL CHLORIDE (UPVC) DOOR FRAME OF SIZE 50X47MM WITH A WALL THICKNESS OF 5MM, MADE OUT OF EXTRUDED 5MM RIGID UPVC FOAM SHEET, MITERED AT TWO CORNERS AND JOINED WITH 2 NOS. OF 150MM LONG BRACKETS OF 15X15MM M.S SQUARE TUBE. THE TWO VERTICAL AND HORIZONTAL DOOR PROFILES ARE TO BE REINFORCED WITH 19X19MM M.S SQUARE TUBE OF 19 GAUGES WITH PRIMER COAT. THE DOOR FRAME SHALL BE FIXED TO THE WALL USING 65MM/100MM LONG M.S SCREW THROUGH THE FRAME BY USING PVC FASTENERS. A MINIMUM OF 4 NOS. SCREWS TO BE PROVIDED FOR EACH VERTICAL MEMBER AND MINIMUM 2 NOS. FOR HORIZONTAL MEMBER ETC., PROVIDING AND FIXING OF		Rs.2500.00 (Rupees two thousand and five hundred only)	1.Sq.M. (ONE SQUARE METRE)	-11	
	\.		-		1	8755601.60	
	. \ _				7		

TNO. OF CORRECTIONS

		RAJAPALAYAM FIR:	3N138 St 11	13-		D-E-19-17
IEW NO	QUANTITY	DESCRIPTION OF WORK	TMBP No	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS 5	UNIT IN FIGURES AND IN WORDS 6	AMOUN1
		30MM THICK FACTORY MADE DOOR SHUTTER WITH UNPLASTICIZED POLYVINYL CHLORIDE (UPVC) SOLID PANEL FOAM SHEET, STRUCTURED WITH M S TUBE OF 19 GAUGE THICKNESS AND SIZE 19MM X 19MM FOR STYLES AND 15MM X 15MM FOR TOP RAIL AND BOTTOM RAIL PANELLING OF 5MM THICK UPVC ONE SIDE PRINTED LAMINATION SINGLE SHEET TO BE FITTED IN THE M.S. FRAME WELDED / SEALED TO THE STYLES AND RAILS COVERED WITH 5MM THICK HEAT MOULDED UPVC 'C' CHANNEL OF 30MMX50MM AND 5MM THICK 75MM WIDE UPVC SHEET FOR TOP RAIL, LOCK RAIL AND BOTTOM RAIL ON EITHER SIDE AND 10MM (5MM X 2 NOS.) THICK, 20MM WIDE CROSS UPVC SHEET AS GAF INSERT FOR TOP RAIL AND BOTTOM RAIL, AND JOINED TOGETHER WITH PVC SOLVENT CEMENT ADHESIVE. AN ADDITIONAL 5MM THICK UPVC STRIP OF 20MM WIDTH IS TO BE STUCK ON THE INTERIOR SIDE OF THE 'C' CHANNEL USING PVC SOLVENT CEMENT ADHESIVE THE COST AND LABOUR CHARGES FOR FIXING OF SINOS. 4" SS BUTT HINGES AND ALUMINIUM FURNITURE FITTING SUCH AS 1 NO. 4" TOWER BOLT, 1 NO.5 ALDROP, 2 NOS. 6" FLAT 'D' TYPE HANDLE, ETC ARE INCLUDED. THE FITTING PROVIDED SHALL BEAR IS MARKS. TO ENSURE THE GENUINITY OF PRODUCT, THE DOOR SET SHOULD HAVE 4 NUMBERS OF MANUFACTURER'S LOGO HOLOGRAM OF APPROVED BRAND, EACH AT FRAME, STYLE, RAIL AND INNER PANEL. (THE QUALITY AND BRAND OF DOOR SHUTTER AND FURNITURE FITTINGS SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)				8755 :.60
22.3.3	20.30 Sq.M.	PROVIDING T.W. DOUBLE LEAF SHUTTERS FOR CUPBOARD/WARD ROBES WITH 9MM THICK PHENOL BONDED BWR GRADE PLYWOOD AS PEIS 303-1989 (GENERAL) WITH IS 5539-1969 (FO PRESERVATIVE TREATMENT) AND IS 848-1974 (FO ADHESIVE) WITH RELEVANT IS SPECIFICATIONS AN ITS LATEST AMENDMENT FOR SHUTTERS. THE ALROUND FRAME MADE UP OF T.W SCANTLING OF 75MMX37.50MM AND THE STYLES MADE UP OF T.W SCANTLINGS OF 75MM X 37.50MM AND SHUTTE MIDDLE RAIL (HORIZONTAL) MADE UP OF T.W. SCANTLINGS OF 150MM X 37.50MM INCLUDING COST OF TAME AND SHUTTE MIDDLE RAIL (HORIZONTAL) MADE UP OF T.W. SCANTLING OF 150MM X 37.50MM INCLUDING COST OF TAME AND SHUTTE MIDDLE RAIL (HORIZONTAL) MADE UP OF T.W. SCANTLING OF 150MM X 37.50MM INCLUDING COST OF TAME AND SHUTTER AND	K R R R R D L F V R W	Rs.3000.00 (Rupees three thousand only)	1.Sq.M. (ONE SQUARE METRE)	60900.00
		BWR GRADE PLYWOOD AND LABOUR FOR FIXING IN POSITION, COST OF MATERIALS, ALUMINIU FURNITURE FITTINGS SUCH AS 6 NOS. OF 3° C ALUMINIUM BUTT HINGES, 2 NOS. OF 4° X 5′ ALUMINIUM TOWER BOLT, 2 NOS OF 4° ORNAMENT/ HANDLE, LOCK AND KEY ARRANGEMENTS (LEAVE TYPE) OF BEST APPROVED QUALITY WITH BRASSCREWS AND ALSO PAINTING WITH TWO COATS OF APPROVED FIRST CLASS SYNTHETIC ENAMEL REAL MIXED PAINT OVER ONE COAT OF WOOD PRIMER OF APPROVED QUALITY ALL COMPLETE AND AS DIRECTE BY THE DEPARTMENTAL OFFICERS (THE LOCK AN KEY, BWR GRADE PLYWOOD QUALITY AND SHADE AN ALUMINIUM FURNITURE FITTINGS SHOULD BE GO APPROVED BY THE EXECUTIVE ENGINEER BEFOR USE)	PF 88 W.L. RR SS PF 17 PF ED ID			
22.9		SUPPLYING AND FIXING OF SINGLE LEAF SOLICORE FLUSH DOOR SHUTTERS USING BOILD WATER RESISTANCE (BWR) TEAK WOOD PLY AS PER 303-1989, THE CROSS BAND AND FACE VENEERS AT TO BE BANDED WITH PHENOL FORMALDEHYD SYNTHETIC RESIN IN HOT PRESS BOTH SIDES AT MANUFACTURING THE SHUTTER BY USING QUALITIMBER OF TERMITE PROOF AND SEASONED MOISTURE CONTENT NOT MORE THAN 10%, HI PRESSED WITH HYDRAULIC PRESS AT A TEMPERATULIOF 1500C TO THE NORMS AS PER IS 2002-1983 AND TOLLY ON BOTH SIDE WITH TEAK WOOD LIPPUR AROUND, 35MM THICK INCLUDING COST AND FIXING CO	ED IS			8816501.60

NO. OF CORRECTIONS

		BAINPALAYAM FIRE	CONTROL		P	sge No. 13
K-NO	YIITMAUQ	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	ALUMINIUM FURNITURE FITTINGS SUCH AS 2 NOS OF OF DOOR HANDLE 3 NOS OF 5 BUTT HINGES, 2 NOS OF 6"X1/2" TOWER BOLT, 1 NO OF 10"X5/8" ALDROP, 1 NO 40MM DIA 8 60MM LONG RUBBER BUSH, 1 NO OF ALUMINIUM DOOR STOPPER WITH RUBBER BUSH WITH REQUIRED BRASS SCREWS, LABOUR CHARGES FOR WROUGHT AND PUTUP AND FIXING IN POSITION OF FLUSH DOOR SHUTTERS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE OUALITY AND BRAND OF MATERIALS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)	4			8816501.60
	7.40 Sq.M.	SUITABLE FOR DOOR OF SIZE (a) 1000 X 2100MM		Rs.2850.00 (Rupees two thousand eight hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	21090.00
	1.70 Sq.M.	SUITABLE FOR DOOR OF SIZE (b) 900 X 2100MM		Rs.2850.00 (Rupees two thousand eight hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	4845.00
3.2.1	33.40 Sq.M.	SUPPLYING AND FIXING OF 4 MM THICK PIN HEADER GLASS PANELS WITH ALUMINIUM ANODIZED TO SHAPE BEADING OF SIZE 12X12 MM WITH 107 GRAM IN AVERAGE WEIGHT FOR 1 M LENGTH WITH ALUMINIUM BOLTS AND NUTS FOR THE SHUTTERS OF THE STEE WINDOWS ALREADY SUPPLIED TO SUIT ALL THE SIZE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY OF GLASS AND ALUMINIUM BEEDING SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.600.00 (Rupees six hundred only)	1.Sq.M. (ONE SQUARE METRE)	20040.00
26.1	78.30 Cu.M.	FLOORING WITH A BED OF CEMENT CONCRET 1:5:10 (ONE OF CEMENT, FIVE OF CRUSHED STON SAND AND TEN OF HARD BROKEN STONE JELLY USING 40MM SIZE HARD BROKEN STONE JELLY AN TOP LEFT ROUGH TO RECEIVE THE FLOOR FINISH WIT REQUIRED SLOPES INCLUDING RAMMING, CURING ETC ALL COMPLETE COMPLYING WITH RELEVAN STANDARD SPECIFICATIONS.	E O D H	Rs.2500.00 (Rupees two thousand and find the hundred only)	1.Cu.M. (ONE CUBIC METRE)	195750.00
28.1	214.60 Sq.M.	PLASTERING THE TOP OF FLOORING IN CM 1: (ONE OF CEMENT AND FOUR OF CRUSHED STON SAND) 20MM THICK INCLUDING SURFACE RENDERE SMOOTH INCLUDING PROVIDING PROPER SLOPE THREAD LINING, CURING AND 150MM WIDE SKIRTIN ALROUND WITH THE SAME CEMENT MORTAR ETC.	ED S, IG	Rs.200.00 Y (Rupees two hundred only)	1.Sq.M. (ONE SQUARE METRE)	42920.00
29.8.1	73.00 Sq.M.	SUPPLYING AND FIXING OF COLOUR GLAZED TILE OF BEST APPROVED QUALITY (THE COLOUR AN SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING) OVER CEMEL PLASTERING IN CM 1:2 (ONE OF CEMENT AND TWO C CRUSHED STONE SAND) 10MM THICK INCLUDIN FIXING IN POSITION, CUTTING THE TILES TO TI REQUIRED SIZE WHEREVER NECESSARY, POINTIN THE JOINTS WITH GROUT (TILE JOINT FILLE) CURING, FINISHING ETC., ALL COMPLETE AND DIRECTED BY THE DEPARTMENTAL OFFICERS. (TI BRAND AND QUALITY OF TILES SHOULD BE APPROVED FROM THE EXECUTIVE ENGINEER BEFORE	ND HE NT OF NG HE NG NG HE OF NG OF	Rs.700.00 (Rupees seven hundred only	1.Sq.M. (ONE SQUARE METRE)	51100.00
		- /			1	9152246.6

		R 21 25 21 27 2 24 1 16 2	ND REST	*		H-MIE14
ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No ,	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	TRUOMA
,	2	3	-4	FIGURES AND IN WORDS	6	7
29.9.1	16.90 Sq.M.	SUPPLYING AND LAYING OF CERAMIC TILES (ANTI SKID) OF BEST APPROVED GUALITY FOR FLOORING AND OTHER SIMILAR WORKS (THE COLOUR AND SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING) OVER CEMENT MORTOR 1 3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 20MM THICK INCLUDING FIXING IN POSITION, CUTTING THE TILES TO THE REQUIRED SIZEWHEREVER NECESSARY, POINTING THE JOINTS WITH GROUT (TILE JOINT FILLER), CURING, FINISHING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE BRAND AND QUALITY		Rs.700.00 M (Rupees seven hundred only)	1,Sq.M. (ONE SQUARE METRE)	11830.00
32.1.1	705.50 Sq.M.	OF TILES SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE) FINISHING TOP OF ROOF WITH ONE COURSE OF HYDRAULIC PRESSED TILES OF APPROVED SUPERIOR QUALITY OF SIZE 23CMX 23CMX20MM THICK LAID OVER WEATHERING COURSE IN CM 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 12MM THICK MIXED WITH WATER PROOFING COMPOUND AT 2% BY WEIGHT OF CEMENT USED AND POINTED NEATLY WITH THE SAME CEMENT MORTAR MIXED WITH WATER PROOFING COMPOUND INCLUDING CURING ETC., AS PER STANDARD SPECIFICATIONS (THE QUALITY OF TILES SHALL BE GOT APPROVED FROM THE EE BEFORE USE)		Rs.700.00 (Rupees seven hundred only)	1.Sq.M. (ONE SQUARE METRE)	493850.00
33,7	3173.30 Sq.M.	PLASTERING WITH CM 1:5 (ONE OF CEMENT AND FIVE OF CRUSHED STONE SAND) 12MM THICK FINISHED WITH NEAT CEMENT INCLUDING PROVIDING BAND CORNICE, CEILING CORNICE, CURING, SCAFFOLDING ETC., COMPLETE IN ALL RESPECTS AND COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.		Rs.175.00 A (Rupees one hundred and seventy five only)	1.Sq.M. (ONE SQUARE METRE)	555327.50
34.1	95.70 Sq.M.	PLASTERING WITH CM 1:4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) 12MM THICK FINISHED WITH NEAT CEMENT INCLUDING PROVIDING BAND CORNICE, CURING CORNICE, CURING SCAFFOLDING ETC., COMPLETE IN ALL RESPECTS AND COMPLYING WITH STANDARD SPECIFICATIONS.		Rs.180.00 (Rupees one hundred and eighty only)	1.Sq.M. (ONE SQUARE METRE)	17226.00
35.1,3	98.00 Sq.M.	PLASTERING IN CM 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 12MM TK MIXED WITH WATER PROOF COMPOUND AT 2% BY WEIGHT OF CEMENT FOR SUMP INCLUDING SCAFFOLDING CURING, FINISHING ETC., COMPLETE IT ALL RESPECTS AND COMPLYING WITH STANDARD SPECIFICATIONS.	Y 3	Rs.185.00 (Rupees one hundred and eighty five only)	1.Sq.M. (ONE SQUARE METRE)	18130,00
35.2	707.50 Sq.M.	SPECIAL CEILING PLASTERING IN CEMEN' MORTAR 1:3 (ONE OF CEMENT AND THREE O CRUSHED STONE SAND) 10MM THICK FO BOTTOM OF ROOF, STAIR, WAIST, LANDING AN SUNSHADES IN ALL FLOORS FINISHED WITH NEA CEMENT INCLUDING HACKING INE AREAS, PROVIDIN BAND CORNICE, SCAFFOLDING, CURING ETC. COMPLETE.	F R D T	Rs.185.00 (Rupees one hundred and eighty five only)	1.Sq.M. (ONE SQUARE METRE)	130887.50
36.1		PLASTERING FOR BORDER IN CM 1:5 (ONE CONTROL OF CRUSHED STONE SANGE 12MM THICK FINISH IN ALL FLOORS FOR ELEVATION PURPOSES, INCLUDING SCAFFOLDING, CURING FINISHING ETC., ALL COMPLETE.)))			
					/	10379497.60

Tho, of corrections

SUPERIN CHOING ENGINEER/SOUTH CIRCLE.

		RAINFALANAMERK	vojsta i i	Total	·p	genta.
EW NO	OUANHTY 2	DESCRIPTION OF WORK	TUBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS 5	UNIT IN FIGURES AND IN WORDS 6	AMOUNT 7 10379497.60
	295.40 Rmt.	(a) 150MM WIDE BORDER 🎻		Rs.30.00 (Rupees thirty only)	1.Rmt. (ONE RUNNING METRE)	8862.00
	415.20 Rmt.	(b) 75MM WIDE BORDER		Rs.25.00 (Rupees twenty five only)	1.Rmt (ONE RUNNING METRE)	10380.00
	160.70 Rmt.	(c) 50MM WIDE BORDER		Rs.25.00 (Rupees twenty five only)	1.Rmt. (ONE RUNNING METRE)	4017.50
38.4.1	854.90 Sq.M.	PAINTING THE NEW WALLS WITH TWO COATS OF OIL BOUND DISTEMPER OVER THE EXISTING PRIMING COAT OF WHITE CEMENT OF APPROVED BRAND OVER NEW CEMENT PLASTERED WALL SURFACES INCLUDING COST OF PAINTS, PUTTY, BRUSHES, WATERING, CURING, ETC., ALL COMPLETE AS DIRECTED BY THE DEPARTMENTAL OFFICERS (PAINTS AND ITS SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.65.00 (Rupees sixty five only)	1.Sq.M. (ONE SQUARE METRE)	55568.50 V
3816	815.00 Sq.M.	PAINTING PRIMER COAT USING APPROVED QUALITY OF WHITE CEMENT OVER THE CEMENT PLASTERED. CONCRETE NEW WALL SURFACES, CEILING OR OTHER SIMILAR WORKS INCLUDING COST OF WHITE CEMENT PUTTY, BRUSHES, WATERING, CURING, ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.30.00 (Rupees thirty only)	1.Sq.M. (ONE SQUARE METRE)	24450,00
43.1	36.130 M.T.	SUPPLYING, FABRICATING AND PLACING IN POSITION OF MILD STEEL GRILLS/RIBBED TOR STEELS (WITHOUT CEMENT SLURRY) OF ALL DIAMETERS FOR REINFORCEMENT FOR ALL FLOORS INCLUDING COST OF BINDING WIRE, BENDING, TYING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTA OFFICERS FOR ALL SIZES.	5 5 5 L	Rs.94000.00 (Rupees ninety four thousand only)	1 M.T. (ONE METRIC TONNE)	3396220.00
14.2.1.2	4 NOS.	PROVIDING RAIN WATER HARVESTING PIT OF 17 DIA AND 600MM DEPTH OF EARTH WORK EXCAVATION AND FILLING THE PIT WITH 40MM STONE JELLY TO DEPTH OF 300MM FROM THE TOP OF THE AUGERIN PORTION AND FILLING WITH CRUSHED STONE SAN TO A DEPTH OF 300MM OVER THE STONE JELLY AN COVERED WITH THE PRE-CAST RCC PERFORATE SLAB OF 40MM THICK IN STANDARDISED CONCRET MIX M-20 GRADE IN ACCORDANCE WITH IS: 456 - 200 USING 3MM-10MM HARD BROKEN STONE JELLY FOR AUGUST OF WORKS EXCLUDING THE COST AN FABRICATION OF REINFORCEMENT GRILLS BUINCLUDING PRECASTING, MOULDING, CURING FINISHING AND FIXING IN POSITION ETC., AUGUSTEERS.	NAGG DDDDEEDOLL DDTGG	Rs.1400.00. (Rupees one thousand and fou hundred only)	1.NO. (EACH)	5600.00
14.2.1.b	12.00 Rmt.	AUGERING 30CM DIA BORE HOLE IN ALL SOILS AN SUB SOILS REQUIRED DEPTH TO PROVIDING RA WATER HARVESTING FROM THE CENTRE OF THE RA WATER HARVESTING PIT ALREADY EXCAVATED AN FILLING THE AUGUERING PORTION WITH 40MM SITONE JELLY ETC., ALL COMPLETE AND AS DIRECTE BY THE DEPARTMENTAL OFFICERS	IN IN ID	Rs.100.00 V (Rupees one hundred only)	1. Rmt. (ONE RUNNING METRE)	1200.00
					1	13885795.60





		HAINPALAS AN JURE	OST BENEFIT	J. G.		Page No. 16
ITEM NO	QUANTITY 2	DESCRIPTION OF WORK	TMBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS 5	UNIT IN FIGURES AND IN WORDS	AMOUNT 7
44.6	84.00 Rmt.	SUPPLYING AND FIXING OF 110MM DIA PVC SWR PIPE WITH ISI MARK CONFIRMING TO IS 13952 1992-17PE 'A' FOR RAIN WATER DOWN FALL PIPE WITH RELEVANT SPECIALS SUCH AS GRATINGS, SHOES, BENDS, OFFSETS CONFIRMING TO IS 14735 INCLUDING JOINTING WITH SEAL RING CONFIRMING IS 5382 WITH LEAVING A GAP ABOUT 10MM TO ALLOW THERMAL EXPANSION WITH NECESSARY CLAMPS, TEAK WOOD PLUGS, ETC., OF APPROVED QUALITY AND INCLUDING FIXING C.I. GRATINGS AT THE JUNCTION OF PARAPET AND FLOOR OR ROOF SLAB ETC., INCLUDING FINISHING ETC., COMPLETE COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.		Rs.220.00 (Rupees two hundred and twenty only)	1. Rmt. (ONE RUNNING METRE)	18480.00
50.2.1	140.40 Rmt.	SUPPLYING AND FIXING OF PRECAST KERB STONE OF SIZE 450X300X150MM MADE IN CC 1:3:6 (ONE OF CEMENT, THREE OF CRUSHED STONE SAND AND SIX OF HARD BROKEN STONE JELLY) USING 20MM SIZE HARD BROKEN STONE JELLY INCLUDING THE COST OF KERB STONE MOULDING, LAYING, CURING TRANSPORTING, POINTING AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.230.00 V (Rupees two hundred and thirty only)	1. Rmt. , (ONE RUNNING METRE)	32292.00
50.5.1	1 NO.	SUPPLYING, FABRICATION AND ERECTION IN POSITION OF M.S. SCHEME NAME AND LAYOUT BOARD WITH 50X50X6MM M.S. ANGLE FOR VERTICAL POST AND SUPPORT POSTS WITH 2.5 MM THICK M.S. SHEET FOR A SIZE AT 1.80X1.20M WITH 40X40X6MM M.S. ANGLE AROUND THE BOARD AND 50X6MM FLAT STIFFENERS ON BOTH DIRECTIONS INCLUDING COST OF WELDING CHARGES, PAINTING CHARGES AND DRAWING THI LAYOUT AND LETTERING THE SCHEME DETAILS AS DIRECTED BY THE DEPARTMENTAL OFFICERS INCLUDING EARTH WORK EXCAVATION FOR 4 NOS OF PITS, PCC 1:5:10 (ONE OF CEMENT, FIVE OF CRUSHED STONE SAND AND TEN OF HB STONE JELLY) FOR PITS. 0.45 X 0.45 X 0.60M BELOW GROUND LEVEL AND P.C.C 1:2:4 (ONE OF CEMENT, TWO OF CRUSHES STONE SAND AND FOUR OF 20MM HB STONE JELLY) AT 0.30 X 0.30 X 0.30M ABOVE GROUND LEVEL FOR ERECTION, CONVEYANCE CHARGES ETC., AL COMPLETE AND AS DIRECTED BY THE DEPARTMENTA OFFICERS.		Rs.12000.00 (Rupees twelve thousand only)	1.NO. (EACH)	12000,00
50.6.1	34.60 sg.M.	SUPPLYING AND FIXING OF FIBRE MIXED PRECAS SLAB OF 50MM THICK OF ALL REQUIRED SHAPE MADE IN CEMENT CONCRETE 1:3:6(ONE OF CEMEN THREE OF CRUSHED STONE SAND AND SIX OF 20M HARD BROKEN STONE JELLY USING 20MM HAR BROKEN STONE JELLY MIXED WITH SECONDAR REINFORCEMENT FIBRE OF APPROVED QUALITY O.25% BY WEIGHT OF CEMENT (125GM OF FIBRE FO.186G I.E., 50KG OF CEMENT) USED INCLUDING COST OALL MATERIALS, MOULDING, CURIN TRANSPORTATION, LAYING, POINTING ETC., FO. APPROACH ROAD, PAVEMENT SLAB AND OTHE SIMILAR WORKS ETC., COMPLETE AS PER THRELEVANT STANDARD SPECIFICATIONS AND ADDIRECTED BY THE DEPARTMENTAL OFFICERS. (T) SHAPE OF SLAB AND BRAND AND QUALITY OF FIBRE SHOULD BE GOT APPROVED FROM THE EXECUTIVE	ST. MDYTEREGREESE	Rs.250.00 (Rupees two hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	8650,00
						13957217.60
	,		1		1/	





		BALAPALAYAM PIRE ASI				Pago Uu 17
M NO	QUANTITY		NBP No	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	AND IN WORDS	TAUDOMA
	2	3	4	5	6	7 13957217.60
1.2	1 NO.	SUPPLYING AND ERECTION OF WHITE FRP/PPRP SINTEX TRIPLE LAYER WATER TANK 1500 LITRES CAPACITY, NEITHER CORRODE NOR RUST DUE TO THE EMPLOYMENT OF HIGH QUALITY MATERIAL, WHEREAS THE THREE LAYERS OF THE TANKS ARE UV STABILIZED AND CONTROL THE INSIDE TEMPERATURE OF THE WATER WITH TOP LID WITH PROVISIONS OF LOCKING INCLUDING NECESSARY SPECIALS AND FITTINGS FOR STORING POTABLE WATER AND MANUFACTURED WITH MATERIAL WHICH DO NOT IMPORT ANY TASTE/ODOUR/ANY TOXIC EFFECT AND NOT TO CONTAMINATE ETC WITH CARBON BLOCK CONTENT AND DISPERSION IN ACCORDANCE WITH RELEVANT SPECIFICATION AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS ETC. COMPLETE. (THE QUALITY OF THE WATER TANK SHOULD BE GOT APPROVED FROM THE EE BEFORE USE)		Rs.14000.00 (Rupees fourteen thousand only)	1.NO. (EACH)	14000.00
.1.1		SUPPLYING LAYING, FIXING AND JOINTING THE FOLLOWING PVC PIPES AS PER ASTMD - 1785 OF SCHEDULE 40 OF WALL THICKNESS NOT LESS THAN THE SPECIFIED IN IS 4985 SUITABLE FOR PLUMBING BY THIRFADING OF WALL THICKNESS INCLUDING THE COST OF SUITABLE PVC/GI SPECIALS LIKE ELBOW, TEE REDUCERS, PLUG, UNION, BEND, COUPLER, NIPPLE ETC., WHEREVER REQUIRED ABOVE THE GROUND LEVEL INCLUDING THE COST OF TEFLON TAPE, SPECIAL CLAMPS, NAILS, ETC., FIXING ON WALL TO THE PROPER GRADIENT AND ALIGNMENT AND REDOING THE CHIPPED OF MASONRY ETC., AS DIRECTED BY THE DEPARTMENTAL OFFICERS.	7			
	32.00 Rmt.	(a) 50MM DIA PVC PIPE 6 KG/CM ²		Rs.175.00 (Rupees one hundred and seventy five only)	1. Rmt. (ONE RUNNING METRE)	5600.00
2.4		SUPPLYING, LAYING, FIXING AND JOINTING THE FOLLOWING PVC PIPES AS PER ASTM D - 1785 OF SCHEDULE 40 OF WALL THICKNESS NOT LESS THAN THE SPECIFIED IN IS 4985 SUITABLE FOR PLUMBING BY THREADING OF WALL THICKNESS INCLUDING THE COST OF SUITABLE PVC/GI SPECIALS /GM SPECIALS LIKE ELBOW, TEE REDUCERS, PLUG, UNIONS, BEND, COUPLER, NIPPLE/ GM GATE VALVE, CHECK AND WHEEL VALVE ETC., WHEREVER REQUIRED ABOVE THE GROUND LEVEL INCLUDING THE COST OF TEFLON TAPE ETC., FULLY CONCEALED IN WALLS TO THE PROPER GRADIENT AND ALIGNMENT AND REDOING THE CHIPPED PORTION OF MASONRY ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.	7			
	12.00 Rmt.	(c) 20MM ASTM D SCHEDULE 40 THREADED PVC PIPE WITH NECESSARY PVC/GI SPECIALS		Rs.150.00 (Rupees one hundred and fifty only)	1. Rmt. (ONE RUNNING METRE)	1800.00
3.4	6 NOS.	SUPPLYING AND FIXING OF C.I. MANHOLE COVER WITH LOCKING ARRANGEMENTS OF APPROVED QUALITY AND BRAND OF SIZE 0.6 M X 0.6 M(50 KG) AS PER STANDARD SPECIFICATIONS INCLUDING COST OF MATERIAL, LABOUR CHARGES FOR FIXING ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.1500.00 (Rupees one thousand and five hundred only)	1.NO. (EACH)	9000.0
3.5	2 NOS.	SUPPLYING AND FIXING OF PORCELIN WASH HAND BASIN (WHITE WITHOUT PEDESTAL TYPE), SUPERIOR VARIETY OF SIZE 550X400MM (22"X16") WITH ALL ACCESSORIES SUCH AS POWDER COATED CAST IRON BRACKETS, 32MM DIA C.P. WASTE COUPLING, RUBBER PLUG AND ALUMINIUM CHAIN, 32MM DIA GI 'B' CLASS PVC WASTE PIPE, 15MM DIA CP ANGLE VALVE, 15MM DIA NYLON CONNECTION, 15MM DIA BRASS NIPPLES, 15MM C.P. PILLAR TAP & REQUIRED GRATING ETC., COMPLETE IN ALL RESPECTS (WASH HAND BASIN WITH CP FITTINGS SHALL BE GOT APPROVED BY THE		Rs.1800.00 (Rupecs one thousand and eight hundred only)	1.NO. (EACH)	3600,6
		EXECUTIVE ENGINEER BEFORE FIXING).				

NO. OF CORRECTIONS

		RAIAPALAYAM ERG	xXII juse tii	186		lage for 13
- NO	QUANTITY	DESCRIPTION OF WORK	INBENI.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS 5	UNIT IN FIGURES AND IN WORDS	AMOUNT
1.1.1	6 NOS	SUPPLYING AND FIXING OF HALF TURN BRASS CORE. CP LONG BODY TAP OF 15MM DIA OF BEST QUALITY		Rs.475.00 (Rupees four hundred and	1.NO. (EACH)	139912.7.60
		INCLUDING COST OF HALF TURN OP TAP WITH REQUIRED SPECIALS AND LABOUR FOR FIXING ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		seventy five only	y	y
2.0	6 NOS.	SUPPLYING AND FIXING OF HALF TURN BRASS CORE CP SHORT BODY TAP OF 15MM DIA OF BEST QUALITY INCLUDING COST OF HALF TURN CP TAP WITH REQUIRED SPECIALS AND LABOUR FOR FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS, (THE QUALITY AND BRAND SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		(Rupees four hundred and twenty only)	1.NO. (EACH)	2520.00
.3.2	4 NOS.	SUPPLYING AND FIXING OF INDIAN WATER CLOSET WHITE GLAZED (ORIYA TYPE) OF SIZE		Rs.2000.00 (Rupees two thousand only)	1.NO. (EACH)	8000.00
7		S80MMX440MM OF APPROVED MAKE WITH ISI MARK (TO BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE) WITH PVC SWR GRADE P OR S TRAP INCLUDING CONCRETE PACKING, FILLING PORTION WITH EARTH, FLOORING THE AREA WITH 75MM THICK BRICK JELLY CONCRETE IN CC 1:8:16 (ONE OF CEMENT, EIGHT OF CRUSHED STONE SAND AND SIXTEEN OF BRICK JELLY USING 40MM SIZE BRICK JELLY AND TOP LEFT ROUGH TO RECEIVE THE FLOOR PLASTERING BUT INCLUDING ANTISYPHONAGE CONNECTION, CURING ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (IN GROUND FLOOR)		(Kupees two industrial only)	7	7
57,3	1 NO.	SUPPLYING AND FIXING EWC (WHITE) SUPERIOR VARIETY 500MM WITH PVC SWR GRADE 'P' OR 'S' TRAFINCLUDING COST AND FIXING OF DOUBLE FLAPPED PLASTIC SHEET COVER PVC FLUSHING CISTERN IN APPROPRIATE LEVEL AS DIRECTED BY THE DEPARTMENTAL OFFICERS AT A MAXIMUM LEVEL OF 5'6" AND OF APPROVED BRAND OF 10 LITRES CAPACITY INCLUDING FITTINGS SUCH AS CI BRACKETS. PVC CONNECTION GM WHEEL VALVE, HEX NIPPLE, ETC. COMPLETE (EWC AND PLASTIC COVER SHALL BE GO'APPROVED FROM THE EXECUTIVE ENGINEER BEFOREFIXING).		Rs.4500.00	1.NO. (EACH)	4500.00
8.3		SUPPLYING AND FIXING THE FOLLOWING DIA PWG (SWR) PIPE WITH ISI MARK CONFIRMING TO IS 13952:1992- TYPE 'B' FOR SOIL LINE WITH RELEVAN' SPECIALS CONFIRMING TO IS 14735 INCLUDING JOINTING WITH SEAL RING CONFIRMING TO IS 538 WITH LEAVING A GAP ABOUT 10MM TO ALLOW THERMAL EXPANSION, FIXING THE PIPES INTO WALL- WITH NECESSARY WOODEN PLUG, SCREWS, HOLDING WHEREVER NECESSARY AND MAKING GOOD OF THE DISMANTLED PORTION WITH NECESSAR CONNECTIONS TO SANITARY FITTINGS ETC COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS	6 C C C C C C C C C C C C C C C C C C C			
	5.00 R mt.	(a) 110MM DIA PVC SWR PIPE INCLUDING ALL REQUIRED PVC SPECIALS ETC., ALL COMPLETE.		(Rupees four hundred only)	1.Rmt. (ONE RUNNING METRE)	12000.00
	9.00 Rpd.	(b) 75MM DIA PVC SWR PIPE INCLUDING AL REQUIRED PVC SPECIALS ETC., ALL COMPLETE.	L	Rs.300.00 (Rupees three hundred only)	1.Rmt. (ONE RUNNING METRE)	3700.00
					1	14013787.60

No. of Corrections

		RAISPALAS AM ERRE	AND RENGL	Tit		Page No. 10	
ITÉM RO	QUANTITY	DESCRIPTION OF WORK	TNBP No	RATE EXCLUSIVE FOR GST IN	UNIT IN FIGURES	TNDOMA	
10	2	3	4	FIGURES AND IN WORDS 5	AND IN WORDS 6	7	
58.4	6.00 Rmt.	SUPPLYING LAYING AND CONCEALING THE 50MM DIA PVC (SWR) PIPE WITH ISI MARK CONFIRMING TO IS 13952-1992- TYPE 'B' FOR WASTE WATER LINE WITH RELEVANT SPECIALS CONFIRMING TO IS 14735 INCLUDING JOINTING AND MAKING GOOD OF THE DISMANTLED PORTION WITH NECESSARY CONNECTIONS TO SANITARY FITTINGS ETC., COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.85.00. (Rupees eighty five only)	1,Rmt. (ONE RUNNING METRE)	510.00	V
58.5		SUPPLYING AND FIXING THE FOLLOWING DIA PVC(SWR) PIPE WITH ISI MARK CONFIRMING TO IS 13952:1992-TYPE 'A' WITH PVC COWL AND RELEVANT SPECIALS CONFIRMING TO IS 14735 INCLUDING JOINTING WITH SEAL RING CONFIRMING TO IS 5382 WITH LEAVING A GAP 10MM TO ALLOW THERMAL EXPANSION AND FIXING THE PIPES INTO WALLS OR OVER THE SEPTIC TANK WITH NECESSARY WOODEN PLUG, SCREWS, HOLDING WHEREVER NECESSARY AND MAKING GOOD OF THE DISMANTLED PORTION WITH NECESSARY CONNECTIONS TO SANITARY FITTINGS ETC., COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.					
	1 NO.7	(a) 110MM DIA PVC SWR PIPE OF 3METRE WITH REQUIRED PVC COWL & PVC SPECIALS ETC., ALL COMPLETE.		Rs.400.00 (Rupees four hundred only)	1.No. (EACH)	400.00	~
59.5.2	6 NOS	SUPPLYING AND FIXING 150MM X 100MM SIZE STONE WARE GULLY TRAP WITH IRON GRATINGS OVER A BED OF 150MM THICK BRICK JELLY CONCRETE IN CO 1:8:16 (ONE OF CEMENT, EIGHT OF CRUSHED STONE SAND AND SIXTEEN OF BROKEN BRICK JELLY) USING 40MM SIZE BRICK JELLY AND BRICK MASONRY WALL 110 MM THICK USING KILN BURNT COUNTRY BRICKS OF SIZE 8%"X4%"X2%" (22X11X7CM) IN CM 1:5 (ONE OF CEMENT AND FIVE OF CRUSHED STONE SAND PLASTERED WITH CM 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 12MM THICK ETC. COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.1200.00 (Rupees one thousand and two hundred only)	1.No. (EACH)	7200.00	
60.1	3 NOS	SUPPLYING AND FIXING OF PVC NAHANI TRAP NO LESS THAN 75MM 4 WAY /2 WAY (SUPERIOR VARIETY HAVING MINIMUM OF WATER SEAL OF 50MM CONFIRM TO RELEVANT I.S. SPECIFICATIONS WITH ITS LATES AMENDMENTS INCLUDING RESTING ON THE BED OBRICK JELLY CONCRETE 1:5:10 (ONE OF CEMENT, FIV) OF CRUSHED STONE SAND OF TEN OF 40 MM GAUG BRICK JELLY) ETC., COMPLETE AS DIRECTED BY TH DEPARTMENTAL OFFICERS (THE PVC NAHANI TRASHOULD BE GOT APPROVED FROM THE EE BEFOR USE)	O) M T E E E E	Rs.100.00 (Rupees one hundred only)	1.No. (EACH)	300,00	~
61.1.1		SUPPLYING, LAYING AND JOINTING THE FOLLOWIND DIA UPVC NON PRESSURE PIPE OF SN8 SDR 34 (16.5) AS PER IS 15328/2003, SUPERIOR VARIET AND TESTED WITH WATER INCLUDING NECESSAR EARTH WORK EXCAVATION FOR TRENCHES AN CONSOLIDATED AFTER THE PIPES ARE JOINTED AN LAID TO PROPER GRADIENT TO THE ALIGNMENT AN AS DIRECTED BY THE DEPARTMENTAL OFFICERS (SN SDR 34 (S 16.5) AS PFR IS 15328/2003 SHOULD BE GO APPROVED BY THE EXECUTIVE ENGINEER SUPERINTENDING ENGINEER, CHIEF ENGINEER BEFORE USE IN WORKS)	S Y Y D D D D D D D D D D				
	57.00 Rmt.	(a) 110MM DIA UPVC NON PRESSURE PIPE		(Rupees three hundred only)	1.Rmt. (ONE RUNNIN METRE)	17100/0	0
					1	14039297.6	0
6					7		114
1	(0)	5		2)	Fren,		
cd	ontractor	NO. OF COL	RRECTION	S SUPERINTEND	ENGINEER/SOI	UTH CIRCLE.	

		garapalayam (BC)	(VD RESET	1	Ρ.	Le 13 - 50
1.00	OUANTITY	DESCRIPTION OF WORK	INBP NO	RATIL EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	FNUOMA
	Ż	3	4	5	6	7 14035 .60
	11.00 Rmt.	(b) 160MM DIA UPVC NON PRESSURE PIPE		Rs.500.00 (Rupees five hundred only)	1.Rmt (ONE RUNNING METRE)	5500(00
7		SUPPLYING AND FIXING OF FOLLOWING DIA OF PVC BEND FABRICATED 6 KSC PVC SPECIALS AS PER IS 10124/1982 PART II INCLUDING COST OF MATERIAL AND LABOUR CHARGES FOR FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND OF PVC BEND SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE).				
	2 NOS.	(a) 110MM DIA PVC BEND		(Rupees one hundred and fifty only)	1.No. (EACH)	300.00/
2.1		SUPPLYING AND FIXING OF FOLLOWING DIA PYO EQUAL TEE (MOULD) BIS 7834/1975 PVC SPECIALS AS PER IS 10124/1982 PART II INCLUDING COST OF MATERIAL AND LABOUR CHARGES FOR FIXING ETC ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRANT OF PVC EQUAL TEE SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE).	S F D			
	2 NOS.	(a) 110MM DIA PVC EQUAL TEE		Rs.350.00 (Rupees three hundred and fifty only)	1.No. (EACH)	700.00
	2 NOS	(b) 160MM DIA PVC EQUAL TEE		Rs.350.00 (Rupees three hundred and fifty only)	1.No. (EACH)	700.00
Ÿ		WIRING WITH 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDAN FLEXIBLE COPPER CABLE WITH ISI MAFT CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQMM PV INSULATED SINGLE CORE MULTI STRAND FIRETARDANT FLEXIBLE COPPER CABLE WITH ISI MAFT CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE FULLY CONCEALED PVC RIGID CONDUIT PIPE HEADDUTY WITH ISI MARK WITH SUITABLE SIZE MS BOX COMPLETE WITH SIMPLE CONTROLLED BY AMPS FLUSH TYPE SWITCH INCLUDING CIRCUIT MAIN COST OF ALL MATERIALS, SPECIALS ETC., A COMPLETE.	RK LE CC RE RK IN VY OF			
	50 POINT	S (a) LIGHT POINT WITH CEILING ROSE?		Rs.700.00 (Rupees seven hundred only)	1 POINT (EACH POINT)	35000.0
	23 POINT	S (b) LIGHT POINT WITHOUT CEILING ROSE		Rs.700.00 (Rupees seven hundred only)	1 POINT (EACH POINT)	16100.0
	2 POINT	rs (c) POINT WIRING FOR CALLING BELL/ BUZZ WITH PUSH TYPE SWITCH	ER	Rs.700.00 (Rupees seven hundred only	1 POINT (EAGH POINT)	1400.0
						14098997.6

NO. OF CORRECTIONS

		PARAPALAYAM FIRE AN	ND HISKING	1 40	- 16	ge Ro-21
10	YTIFKAUO	DESCRIPTION OF WORK T	NBPNO	RATE EXCLUSIVE FOR GS1 IN FIGURES AND IN WORDS	UNIT IN FIGURES 1 AND IN WORDS	AMOUNT
10	- E	3	4	5	6	14098997.60
37	7	WIRING WITH 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS 694/1990. 1.1 K.V. GRADE CABLE WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990. 1.1 K.V. GRADE CABLE IN FULLY CONCEALED PVC RIGID CONDUIT PIPE HEAVY DUTY WITH ISI MARK WITH SUITABLE SIZE MS BOX OF 16G THICK CONCEALED AND COVERED WITH 3MM THICK LAMINATED HYLEM SHEET FOR FAN POINT CONTROLLED BY 5 AMPS FLUSH TYPE SWITCH INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS, SPECIALS, ETC., ALL COMPLETE.		Rs.740.00 (Rupees seven hundred and forty only)	1 POINT (EACH POINT)	11840.00
· †	7	WIRING WITH 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1.K.V. GRADE CABLE WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLEWITH ISI MARK CONFORMING TO IS: 694/1990,1.1.K.V. GRADE CABLE IN FULLY CONCEALED PVC RIGID CONDUIT PIPE HEAVY DUTY WITH ISI MARK WITH SUITABLE SIZE MS BOX OF 16G THICK CONCEALED AND COVERED WITH 3MM THICK LAMINATED HYLEM SHEET FOR 5 AMPS 5 PIN PLUG SOCKET POINT AT SWITCH BOARD ITSELF INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS, SPECIALS, ETC., ALL COMPLETE		Rs.250.00 (Rupees two hundred and fifty only)	1 POINT (EACH POINT)	2500.00
3.2	11 POINTS	WIRING WITH 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 11 K.V. GRADE CABLE WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQ.MM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLEWITH ISI MARK CONFORMING TO IS: 694/1990, 1.1.K.V. GRADE CABLE IN FULLY CONCEALED PVC RIGID CONDUIT PIPE HEAVY DUTY WITH ISI MARK WITH SUITABLE SIZE MS BOX OF 1		Rs.400.00 (Rupees four hundred only)	1 POINT (EACH POINT)	4400.00
1.2	1 NO.3	NO (EACH) 16G THICK CONCEALED AND COVERED WITH 3MM THICK LAMINATED HYLEM SHEET FOR 5 AMPS 5 PIN PLUG SOCKET POINT AT CONVENIENT PLACES INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS, SPECIALS, ETC., ALL COMPLETE. SUPPLYING AND FIXING OF 32 AMPS TRIPLE POLE MAIN SWITCH WITH FUSE AND NEUTRAL LINK ON A		Rs.1200.00 77 (Rupees one thousand and to	1.NO. (EACH)	1200.0
2,1	2 NOS.	SUITABLE WELL VARNISHED TEAK WOOD BOARD INCLUDING NECESSARY INTER CONNECTION COST OF ALL MATERIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. SUPPLYING AND FIXING OF 63 AMPS TRIPLE POLE		Rs.1800.00 (Rupees one thousand and	1.10. (EACH)	3600.0
-\/	7	MAIN SWITCH WITH FUSE AND NEUTRAL LINK ON A SUITABLE WELL VARNISHED TEAK WOOD BOARD OF SUITABLE SIZE INCLUDING NECESSARY INTERCONNECTION AND EARTH CONNECTION COST OF ALL MATERIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.	R	eight hundred only)		14122537.

NO. OF CORRECTIONS

		EVEVEVE AV 1181	SD RI SCUE	T		uje tv. 27
NO	QUANTITY	DESCRIPTION OF WORK	TNBP No	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7 14122 60
.2	16 NOS.	SUPPLYING AND DELIVERY OF FOLLOWING ELECTRIC CEILING FAN WITH ISI MARK WITH BLADES AND DOUBLE BALL BEARING, CAPACITOR, ETC., COMPLETE WITH 300MM DOWN ROD, CANOPIES, CAPACITOR, SHACKLE BLADES WITH ELECTRONIC DIMMER SUITABLE FOR OPERATION ON 230 VOLTS 50 HTZ SINGLE PHASE AC SUPPLY CONFORMING TO ISS NO.374779 AND PROVIDED WITH INSULATION, (THE BRAND SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE SUPPLY MADE)		Rs.1400.00	1.NO. (EACH)	22400.00
	T	7		(Rupees one thousand and four	P	
4	358.50 Rmt.	RUN OFF MAIN WITH 2 WIRES OF 1.5 SQ.MM. PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990,1.1 KV GRADE CABLE WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQ.MM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE IN FULLY CONCEALED 19MM/20MM DIA RIGID PVC CONDUIT PIPE HEAVY DUTY WITH ISI MARK COST OF ALL MATERIALS, SPECIALS ETC., ALL COMPLETE.		(Rupees one hundred and ten only)	1.Rmt. (ONE RUNNING METRE)	39435,00
7.6	200.00 Rmt.	RUN OFF MAIN WITH 2 WIRES OF 4 SQMM PVO INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH IS MARK CONFORMING TO IS: 694/1990, 1.1 KV GRADIC CABLE WITH CONTINUOUS EARTH BY MEANS OF 2. SQMM PVC INSULATED SINGLE CORE MULTI STRANFIRE RETARDANT FLEXIBLE COPPER CABLE WITH IS MARK CONFORMING TO IS: 694/1990, 1.1. K.V. GRADIC CABLE IN FULLY CONCEALED 19MM/20MM DIA RIGID PVC CONDUIT PIPE HEAVY DUTY WITH ISI MARK COSOF ALL MATERIALS, SPECIALS ETC., ALL COMPLETE.	E 55 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Rs.140.00 (Rupees one hundred and fort only)	1.Rmt. (ONE RUNNING METRE)	28000.00
0.2.1	1 NO.	SUPPLYING AND FIXING 3 NOS. OF 32 AMPS 50 VOLTS GRADE PORCELAIN FUSE UNIT O SUITABLE TEAKWOOD PLANK VARNISHED TO BE FIXE ON THE TOP OF POLE EB STREET POLE WIT NECESSARY CLAMPS INCLUDING COST OF AL MATERIALS ETC., ALL COMPLETE AND AS DIRECTED B THE DEPARTMENTAL OFFICERS.	N H L	Rs.500.00 (Rupees five hundred only)	1.NO. (EACH)	500.00
30.1	1 NO.7	SUPPLYING AND FIXING OF 1 NO. OF 450X375X20M THICK TW PLANK WELL VARNISHED WITH 3 NOS. OF 32 AMPS 250 VOLTS PORCELIN FUSE UNIT AND 1 NOT	OF O. ND	Rs.500.00 (Rupees five hundred only)	1.NO. (EACH)	500.0
85.4	106.00 Rmt.	SUPPLYING AND FIXING OF 40MM DIA 'B' CLASS PIPE CONFIRMING TO ISS FOR EB SERVI CONNECTION FOR PASSING THROUGH FROM TOP HOUSE/FLATS BUILDING TO THE EB BOARD INCLUDII COST OF PIPE, SPECIALS, LABOUR FOR FIXING ET COMPLETE COMPLYING WITH RELEVANT STANDA SPECIFICATIONS.	CE OF NG	Rs.165.00 (Rupees one hundred and strive only)	1.Rmt. (ONE RUNNIN METRE)	17490.0 14230862.
						14230862.

NO. OF CORRECTIONS

		RMAPALAY AM PIR	AND RESCT	() 25		Pige Ne. 23
ENGO	QUANTITY	DESCRIPTION OF WORK	THE TO	FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
17	2	3	:4	5	6	7 14230862.60
87.1	1 NO.	SUPPLYING AND FIXING OF ELECTRO MECHANICALLY OPERATED THREE PHASE EARTH LEAKAGE CIRCUIT BREAKERS (RESIDUAL CURRENT CIRCUIT BREAKER (ELCB/RCCB) COMBINED WITH OVER LOAD AND SHORT CIRCUIT PROTECTION HAVING A RUPTURING CAPACITY OF 6 KA WITH 30 MILLI AMPS FIXED SETTING SENSITIVITY AND RATES FOR 25 A IN SUITABLE SHEET STEEL ENCLOSURE CONFIRMING TO IS 12640/1988 INCLUDING COST OF ELCB/RCCB ON FULLY CONCEALED SUITABLE M.S. BOX WITH NECESSARY INTER CONNECTIONS AND EARTH CONNECTIONS USING COPPER CABLE INCLUDING COST OF ALL MATERIALS ETC., ALL COMPLETE		Rs.2000.00 (Rupees two thousand only)	1.NO (EACH)	2000.00
99.1		SUPPLYING AND FIXING OF BEST INDIAN TEAK WOOD PANELLED DOOR SHUTTERS SINGLE LEAF IN POSITION USING 125MMX37.5MM STYLES AND 4 NOS. OF 150X37.5MM RAILS (TOP, MIDDLE, BOTTOM AND LOCK RAIL) 2 NOS. OF 125MMX37.5MM VERTICAL SHORTER STYLES AND 18.75MM THICK PLANKS FOR PANELS INCLUDING COST AND LABOUR FOR FIXING THE BRASS FITTINGS SUCH AS 2 NOS. OF 6" BRASS DOOR HANDLE, 3 NOS. OF 5" BRASS BUTT HINGES, 2 NOS. OF 6"X½" BRASS TOWER BOLT, 1 NO. OF 10"X56" BRASS ALDROP, 1 NO. OF NYLON BUSH, 1 NO. OF DOOR STOPPER WITH BRASS SCREWS OF BEST APPROVED QUALITY AND SHADE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRASS FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING)	1			
3	3.70 Sq.M.	SUITABLE FOR DOOR OF SIZE (a) 1000 x 2100 MM		(Rupees four thousand only)	1.Sq.M. (ONE SQUARE (METRE)	14800.00
100]	11 NOS p	SUPPLYING AND FIXING OF 9 WATTS LED BULB OF BEST QUALITY INCLUDING COST OF MATERIAL AND FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE 9 W LED LAMP SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.90.00 (Rupees ninety only)	1.NO. (EACH)	980.00
101	11 NOS.	SUPPLYING AND FIXING OF 25 WATTS BULB WITH STREET LIGHT FITTINGS ARRANGEMENTS INCLUDING COST OF MATERIALS LABOUR CHARGES FOR FIXING OF LED STREET LIGHT FITTING ETC ALI COMPLETE AS PER RELEVANT STANDART SPECIFICATION AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE 25 WATTS LED LAMP WITH STREET LIGHT FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)	55555	Rs.1900.00 (Rupees one thousand and nine hundred only)	1.NO. (EAGH)	20900.00
103	35 NOS.	SUPPLYING AND FIXING OF 4'18 WATTS CRYSTAIL LED TUBE LIGHT AND FIXING THE TUBE LIGHT FITTINGS ON TEAK WOOD ROUND BLOCKS OF 75MM DIV. OR 40MM DEEP SUSPENDED FROM CEILING OF MOUNTED ON THE WALL INCLUDING COST OF ALL MATERIALS AND I ABOUR FOR FIXING IN POSITION ETC ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE ENTIRE TUBE LIGHTITINGS SHOULD BE GOT ATTROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)	T A R L	Rs.400.00 (Rupees four hundred only)	1.NO. (EACH)	14000:00

NO. OF CORRECTIONS

		RATADAR SYAM 1997	ASSESSATE	THE		U d 6 780 25
M NO	QUANTITY 2	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS 5	UNIT IN FIGURES AND IN WORDS 6	AMOUNT 7 14283! 0
03	3 NOS. S	CUPPLYING AND FIXING OF WATER TIGHT BULK IEAD FITTING WITH GUARD SUITABLE FOR 12 W LED BULB INCLUDING NECESSARY CONNECTIONS, COST OF MATERIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY OF THE BULK HEAD FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.400.00 (Rupees four hundred only)	1.NO. (EACH)	1200.00
104	1	SUPPLYING AND FIXING OF 12 WATTS LED BULB FOR BULK HEAD FITTINGS OF BEST QUALITY INCLUDING COST OF MATERIAL AND FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY OF THE 12 WATTS LED LAMP SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)	E	Rs.120.00 (Rupees one hundred and twenty only)	1.NO. (EACH)	J360.00 V
105.1	Y	RUN OFF 4 WIRES OF 4 SQ.MM PVC INSULATEISINGLE CORE MULTI STRAND FIRE RETARDAN FLEXIBLE COPPER CABLE WITH ISI MAR CONFORMING TO IS: 694/1990, WITH ONE RUN OF 7/200 STAY WIRE SUSPENDED WITH PORCELAIN REEINSULATORS AT 1.0M CENTRE TO CENTRE FO SUPPORT OF PHASE AND NEUTRAL CABLE FROM TO OF STREET POLE TO THE HOUSE/FLATS INCLUDING AIMATERIALS ETC., ALL COMPLETE FOR EB SERVIC CONNECTIONS INCLUDING LABOUR CHARGES FOR FIXING GI WIRE AND MS ANGLES (FOR EB SERVIC CONNECTION THREE PHASE)	RK GGI ELL DP LL CE DR	Rs.130.00 X (Rupees one hundred and thi	1.Rmt. (ONE RUNNING METRE)	5460.00
112.1	2 NOS.	SUPPLYING AND FIXING OF 225 MM DIA SWEEP A EXHAUST FAN OF APPROVED ISI QUALITY INCLUDING NECESSARY WALL OPENING, FIXING AND FINISHIT THE WALL OPENING AND MAKING GOOD INCLUDING COST OF MATERIALS, LABOUR FOR FIXING, CHIPPIN AND REDOING NECESSARY INTER CONNECTIC SCAFFOLDING, HIRE CHARGES FOR TOOLS A PLANTS ETC., ALL COMPLETE AND AS DIRECTED THE DEPARTMENTAL OFFICERS, (THE QUALITY OF T 225 MM DIA SWEEP AC EXHAUST FAN SHOULD BE GAPPROVED FROM THE EXECUTIVE ENGINEER BEFOUSE)	NG NG NG NG ON, ND BY THE GOT	Rs.1100.00 (Rupees one thousand and chundred only)	1.NO. (EACH)	2200.00
114	90.00 Rmt.	SUPPLYING AND DELIVERY OF 4 CORE 10 SQN PVC ALUMINIUM ARMOURED LTUG CABLE (FALUMINIUM ARMOURED LTUG 1100V GRADE) WITH MARK INCLUDING COST OF CABLE AND CONVEYING THE SITE OF WORK ETC., ALL COMPLETE AND DIRECTED BY THE DEPARTMENTAL OFFICERS. [BRAND AND QUALITY OF THE UG CABLE SHOULD GOT APPROVED FROM THE EXECUTIVE ENGINE BEFORE USE].	PVC I ISI S TO AS THE	Rs.150.00 (Rupees one hundred and toolly)	1.Rmt. (ONE RUNNI METRE)	13500.00
119	1 NO.	SUPPLYING AND DELIVERY OF 5 HP CLEAR WAY VERTICAL WET TYPE SUBMERSIBLE PUMP THREE PHASE SUITABLE FOR 150MM DIA BOREV CONFORMING TO IS 8034/2002 WITHOUT PANEL BO AS AMENDED THEREAFTER AND BEE 3 STAR RAY CAPABLE OF DISCHARGING NOTED LPM AGAINST HOF WATER COLUMN DUE TO ALL CAUSES. THE P SHALL BE WITH STAINLESS STEEL SHAFT DYNAMICALLY BALANCED DRONZE OR CAST IMPELLER, BRASS SCREWS AND CL FG 200 GR PUMP BOWL/DIFFUSER WITH ISLMARK, THE PUMP	VELL DARD ATED HEAD PUMP AND SS	Rs.35000.00 (Rupees thirty live thousa only)	1.NO. (EACH)	35000.00
						14341272.60

NO. OF CORRECTIONS

		ICALAPAT AYAM TIRE	7.7	18		Perie No. 25
(TEM:NO):	QUANTITY	DESCRIPTION OF WORK	TNBP No	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES	TAUOMA
-10	2	3	4	5	6	7
		SHALL BE DIRECTLY COUPLED TO A CONTINUOUS RATED TWO POLE SUITABLE WET TYPE VERTICAL SQUIRREL CAGE INDUCTION MOTOR AS PER IS 9283/1995 AS AMENDED THEREAFTER, SUITABLE FOR OPERATION IN AC THREE PHASE 415 V+/-10%, 50HZ +/-5% ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND OF THE SUBMERSIBLE PUMP SET ARRANGEMENTS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)				14341272.60
		DUTY - 50 LPM X 175 M				
119.1	2 NOS.	SUPPLYING AND DELIVERY OF SINGLE PHASE 2 HP OPEN WELL SUBMERSIBLE PUMPSET CONFORMING TO IS 14220/2002 WITHOUT PANEL BOARD AND AS AMENDED THEREAFTER AND BEE 3 STAR RATED CAPABLE OF DISCHARGING THE FOLLOWING DUTIES DUE TO ALL CAUSES. THE PUMP SHALL BE WITH STAINLESS STEEL SHAFT AND DYNAMICALLY BALANCED BRONZE MIXED TYPE IMPELLER, CI FG 200		Rs.11000.00 (Rupees eleven thousand only)	1.NO. (EACH)	22000.00
		GRADE CASING AND BRASS SCREWS AND ROTOR SHALL BE OF COPPER ROD AS PER IS 613/1984 WITH ISI MARK. THE PUMP SUITABLE FOR INSTALLATION IN SUMP WITH 1,1 KV GRADE 3 CORE SUITABLE COPPER FLAT SUBMERSIBLE CABLE TO A LENGTH OF 15 M WITH NECESSARY CABLE JOINTS. THE NONRETURN VALVE LOCATED AT THE TOP OF THE PUMP IN THE DISCHARGE OUTLET CONNECTION IS TO BE DESIGNED WITH MINIMUM FRICTION. THE PUMP SHOULD BE DIRECTLY COUPLED TO 2880 RPM, THREE PHASE, 50HZ (±5), 415V +6% & 415V -15% SQUIRREL CAGE INDUCTION MOTOR SUITABLE FOR DOL UPIO 5 HP, FULLY AUTOMATIC AIR BREAK STAR DELTA UPTO 20 HP AND AUTO TRANSFORMER STARTER FOR ABOVE 20HE STARTING AND FOR CONTINUOUS OPERATION SUITABLE FOR THE FOLLOWING DUTIES ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND OF THE OPEN WELL, SUBMERSIBLE PUMP SET ARRANGEMENTS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE) DUTY - 50 LPM X 60 M				
120	2 NOS.	LABOUR CHARGES FOR THE ERECTION OF SUBMERSIBLE PUMPSET IN BOREWELL/OPENWELF (UPTO 5 HP) INCLUDING FIXING AND JOINTING SUBMERSIBLE CABLE WITH PROPER CLAMPS UPTO THE STARTER TO THE REQUIRED DEPTH AND ALSO FIXING OF RISER PIPES TO THE REQUIRED DEPTH VALVES ERECTION CLAMPS, PRESSURE GAUGES UPTO THE EXTERIOR WALL OF PUMP ROOM AND ERECTION OF PANEL BOARD CONSISTING OF TPICN SWITCHES STARTER, VOLTMETER, AMMETER, THREE PILOS (INDICATING) LAMPS CAPACITOR SINGLE PHASING PREVENTOR, WATER LEVEL GUARD AND LAYING AND JOINTING THE CABLES AND TWIN EARTHING AS PER INRULES ETC., COMPLETE AND TESTING THE PUMPSE AND TRAIL RUN FOR 10 DAYS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICIARS.		Rs.3500.00 (Rupees three thousand and five hundred only)	1.NO. (EACH)	7000.00
121.1	1 NO.	SUPPLYING AND FIXING OF THREE PHASE PANE BOARD OF DIRECT ONLINE STARTER WITH TWO LEVEL GUARD AND AUTO START (5 HP CONFIRMING TO IS 13947 AND IEC 60947-1 SUITABLE KY RATING FOR OPERATION IN AC/THREE PHASE/50 H2 (5%) AND 415 V (± 10%) INCLUDING AMMETER VOLTMETER, THERMAL OVER LOAD RELAY, 16 AMPS POLE MAGNETIC CONTACTOR WITH UNDER VOLTAGE PROTECTION, INDICATION LAMP, STARTIN CAPACITOR, RUNNING CAPACITOR AND ON/OFF PUSBUTTON SWITCHES, 5 WAY CONNECTOR, WIRING WIT 1 SQMM / 1.5 SQMM COPPER PVC INSULATED CABLIPOWDER COATED VERMIN PROOF BOX INCLUDING TH CAPACITOR (THE COST OF CAPACITOR IS TO BE TAKE SEPARATELY) AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS, (THE THREE PHASE PANE BOARD ASSEMBLY SHOULD BE GOT APPROVED FROTHE EXECUTIVE ENGINEER BEFORE USE)	N ± N 2 E G H H E E E E E E E E E E E E E E E E	Rs.8000.00 (Rupees eight thousand only)	1.NO. (EACH)	8000.00
					,	14378272.60
	\ _		1	- 10	/	
/	1:00	r.t		.0	rutur	
C	ONTRACTOR	NO. OF COR	RECTION	S SUPERILTERS	NG ENGINEER/SOU	TH CIRCLE.

		EALAPALAY AM HRI	refrains at	19		эд (Кор. 20
LFW"NO	QUANTITY	DESCRIPTION OF WORK	INEF No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS 5	UNIT IN FIGURES AND IN WORDS 6	AMOUNT
121.2	1 NO.	SUPPLYING AND FIXING OF THREE PHASE PANEL. BOARD OF DIRECT ONLINE STARTER WITH TWO LEVEL GUARD AND AUTO START (2 HP) CONFIRMING TO IS 13947 AND IEC 60947-1 SUITABLE KW RATING FOR OPERATION IN AC/THREE PHASE/50 HZ (± 5%) AND 415 V (± 10%) INCLUDING AMMETER, VOLTMETER, THERMAL OVER LOAD RELAY, 16 AMPS 2 POLE MAGNETIC CONTACTOR WITH UNDER VOLTAGE PROTECTION, INDICATION LAMP, STARTING CAPACITOR, RUNNING CAPACITOR AND ON/OFF PUSH BUTTON SWITCHES, 5 WAY CONNECTOR, WIRING WITH 1 SQMM./1.5 SQMM COPPER PVC INSULATED CABLE, POWDER COATED VERMIN PROOF BOX INCLUDING THE CAPACITOR (THE COST OF CAPACITOR IS TO BE TAKEN SEPARATELY) AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE THREE PHASE PANEL BOARD ASSEMBLY SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.3500.00 (Rupees three thousand and five hundred only)	1.NO, (EACH)	3500.00
123	206.00 Rmt.	SUPPLYING AND DELIVERY OF PVC INSULATED AND SHEATHED 3 CORE 4 SQ.MM FLAT TYPE COPPER CABLE CONFIRMING TO IS 694/1990 BEST APPROVED QUALITY WITH ISI MARK INCLUDING COST OF CABLE DELIVERY AT SITE AND FIXING THE CABLE IN BORE WELL ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE MATERIAL SHOULD BE GOT APPROVED FROM EXECUTIVE FINGINEER BEFORE USE)		Rs.120.00 (Rupees one nundred and twenty only)	1.Rmt. (ONE RUNNING METRE)	24720.00
125	15.00 Rmt	SUPPLYING AND DELIVERY OF FOLLOWING DIA UPVO PIPES OF BEST APPROVED SUPERIOR QUALITY WITH ISI MARK INCLUDING COST OF ALL MATERIALS ETC ALL COMPLETE AND AS DIRECTED BY THOUSE AND THE UPVO PIPE SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEE BEFORE USE) a) 50MM DIA UPVC PIPE	E	Rs.160.00 (Rupees one hundred and six only)	1.Rmt. (ONE RUNNING METRE)	2400.00
	165.00 Rmt.	b) 32MM DIA UPVC PIPE		Rs.110.00 (Rupees one hundred and tell only)	1.Rmt. (ONE RUNNING METRE)	18150.00
125.1		LABOUR CHARGES FOR LAYING OF FOLLOWING E PVC PIPE BELOW GROUND LEVEL INCLUDIN EARTH WORK EXCAVATION, CUTTING, THREADIN JOINTING, LOWERING, LAYING TO PROPER GRADE AL ALIGNMENT AND REFILLING THE TRENCH WI EXCAVATED EARTH ETC., ALL COMPLETE AND DIRECTED BY THE DEPARTMENTAL OFFICERS.	IG G, VD TH	A		
	27.30 Rmt.	a) 50MM DIA PVC PIPE		(Rupees seventy only)	1.Rmt. (ONE RUNNIN METRE)	G 1911.00 V
	70.00 Rmt.	b) 32MM DIA PVC PIPE		(Rupees fifty five only)	1.Rmt. (ONE RUNNIN METRE)	3850.00
127	165.00 Rmt.	SUPPLY AND DELIVERY OF REQUIRED DIA NYL ROPE OF SUPERIOR QUALITY FOR SUBMERSI PUMPSET IN BOREWELL AND AS DIRECTED BY DEPARTMENTAL OFFICERS (THE QUALITY OF NYL ROPE SHOULD BE GOT APPROVED BY THE EXECUT	BLE THE ON	Rs.40.00 (Rupees forty only)	1.Rmt. (ONE RUNNII METRE)	6600.00 NG

ANO	QUANTITY	DESCRIPTION OF WORK	TOP No.	TOTAL CASESSINE TOTAL	UNIT IN FIGURES	TANDONA
'n.	2	5	4	FIGURES AND IN WORDS 5	AND IN WORDS	7
						14439403.60
29		SUPPLYING AND FIXING IN POSITION OF ALUMINIUM DIECASTING TAMILNADU POLICE ROUND LOGO EMBLEM IN BRASS MIXED ALLOY METAL EDGING PLATE HAVING 16 GAUGE IMPORTED SHEET ACCOMPANIED WALL PIECE OF 18 GAUGE WITH DISK WELD ENGRAVING ACID PROCESS WITH LATEST TECHNOLOGY IN IMPORTED MACHINE THROUGH BY COMPUTER TECHNOLOGY WITH ISI BRAND PAINT COLOUR COATING IN THE ENGRAVING PLACE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE DESIGN SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE MOULDING)				
	1 NO.	a) 45 CM SIZE		(Rupees three thousand only)	1.NO. (EACH)	3000,00
30		SUPPLYING AND FIXING OF ALUMINIUM LETTERS OF APPROVED SIZE AND COLOUR. THE COLOUR TREATMENT PROCESS IS ACHIEVED WITH MRF COLOUR COAT AND THEN THE PROCESSED COLOURED LAYER IS SET INTO THE KILN FOR THE HEAT TREATMENT PROCESS FOR THE FOLLOWING SIZES ETC, ALL COMPLETE., AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE DESIGN SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE MOULDING)				
	1 NO.	a) ALUMINIUM LETTERS (TAMIL) 12" SIZE		Rs.700.00 (Rupees seven hundred only)	1.NO. (EACH)	700.00
	56 NOS.	b) ALUMINIUM LETTERS 9" SIZE		Rs.500.00 (Rupees five hundred only)	1.NO. (EACH)	28000.00
30.1	0.720 Sq.M.	SUPPLYING AND FIXING OF PLASTIC NAME BOARD 4MM THICK OF REQUIRED SIZE WITH STIKNESS CUIN COMPUTER TO THE DEPTH INCLUDING COST OF IXING CHARGES ETC., ALL COMPLETE AND AND DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF PLASTIC NAME BOARD SHOULD BE GO APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)	T & S E T	Rs.950.00 (Rupees nine hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	684.0
337	172.00 Rmt.	DRILLING OF (150MM) VERTICAL BORES IN HAR ROCK AREA TO ANY REQUIRED DEPTH AS DESIRED BY THE OFFICIALS AND GROUTING THE CASING PIP AFTER INSERTING THE CASING PIPE IN THE DRILLINHOLE ETC., AND INCLUDING TRANSPORTING CHARGE FOR THE RIG AND SUPPORTING VEHICLES FROM ON PLACE TO ANOTHER PLACE INCLUDING HIRE AND FUE CHARGES AS DIRECTED BY THE DEPARTMENTAL OFFICERS.	Y E G S S S E E	Rs.295.00 (Rupees two hundred and ninety five only)	1.Rmt. (ONE RUNNING METRE)	50740.0
32.1	16.00 Rmt.	DRILLING OF 150MM DIA BORE WELLS IN ALLUVIA SOILS TO THE REQUIRED DEPTH INCLUDING LABOU CHARGES FOR INSERTING CASING PIPES, INCLUDIN COST OF RIG, FUEL ETC., ALL COMPLETE AND A DIRECTED BY THE DEPARTMENTAL OFFICERS.	JR IG	Rs.295.00 (Rupees two hundred and ninety five only)	1.Rmt. (ONE RUNNING METRE)	4720.0
133		SUPPLYING AND FIXING OF FOLLOWING DIA PV CASING PIPE AS PER IS 12818/2010 ETC., A COMPLETE AND AS DIRECTED BY THE DEPARTMENT OFFICERS. (THE QUALITY OF THE CASING PIPE SHOUL BE GOT APPROVED FROM THE EXECUTIVE ENGINEE	AL LD			

1

NO. OF CORRECTIONS

		RAJAPALAYAM FIRE	(ZD) (LS)		P(s	10 No 22
ITEW NO	QUANTITY	DESCRIPTION OF WORK	TNBP No	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS 5	UNIT IN FIGURES AND IN WORDS 6	AMOUNT
3	16.00 Rmt	a) 150MM DIA PVC CASING PIPE (CASING SHALLOW DEPTH)	4	Rs.825.00 / (Rupees eight hundred and twenty five only)		13200.00
134	1 NO.	SUPPLYING AND FIXING OF 160MM DIA PVC END CAP FOR CORRECTING THE BOREWELL CASING PIPE OF APPROVED BRAND ETC ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY AND BRAND OF PVC END CAP SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)		Rs.150.00 X (Rupees one hundred and fifty only)	1.NO. (EACH)	150.00
145	1 NO. Y	SUPPLYING AND FIXING OF CP TWO WAY BIB COCK WITH HEALTH FAUCET INCLUDING COST OF MATERIALS AND LABOUR CHARGES FOR FIXING IN POSITION ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRAND AND QUALITY OF THE MATERIALS SHOULD BE GO APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)	r N	Rs.700.00 (Rupees seven hundred only)	1.NO. (EACH)	700.00
146	1 NO.Y	SUPPLYING AND FIXING OF CP ANGLE COCK TAINCLUDING COST OF MATERIALS AND LABOUT CHARGES FOR FIXING IN POSITION ETC., ALCOMPLETE AND AS DIRECTED BY THE DEPARTMENTA OFFICERS. (THE BRAND AND QUALITY OF THE MATERIALS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)	R L L E	Rs.500.00 (Rupees five hundred only)	1.NO. (EACH)	509:00
147	5.00 Rmt.	SUPPLYING AND FIXING OF PVC TRIMS (BEADING INCLUDING COST OF MATERIALS AND LABOUT CHARGES FOR FIXING IN POSITION ETC., A COMPLETE AND AS DIRECTED BY THE DEPARTMENT. OFFICERS. (THE QUALITY OF THE MATERIALS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINE BEFORE USE)	JR LL AL LD	Rs.50.00 X	1.Rmt. (ONE RUNNING METRE)	250.00
344.2	2 NOS.	SUPPLYING AND FIXING OF BEVELED EDGE MIRRO OF APPROVED QUALITY AND BRAND OF SI 500X400X5.5MM SHELF TYPE MOUNTED IN THE PYFIBRE GLASS FRAMED WITH NECESSARY HARD BOA BACKING INCLUDING LABOUR FOR FIXING IN POSITIETC., COMPLETE AND AS DIRECTED BY TO DEPARTMENTAL OFFICERS	ZE /C/ RD ON	Rs.380.00 (Rupees three hundred and eighty only)	1.NO. (EACH)	760.00
367	9.50 Sq.M	DOOR NEW WOOD BY REMOVING BY BLASCRAPPING THE EXISTING DIRT FROM THE WOOL SURFACE WITH M50 SAND PAPER AND REPEAT IN SAND PAPER TO GET A SMOOTH SURFACE, LEATLEAST 4HRS DRYING AND PREPARE SURFACE M100 SAND PAPER AND CLEAR THE SURFACE APIONE COAT OF TOUCH WOOD STAINER BY BRUSH A LEAVE FOR TWO HRS. FOR DRYING, PREPARE SURFACE BY M100 SAND PAPER AND APPLY ONE COAT SANDING SEALER MIXED WITH APPROVING APPLY ONE COAT SANDING SEALER AND ATTEND THE SURFACE TO THOROUGHLY DRIED SMOOTHER SURFACE WITH NO.250 WATER EMERY WOOD CLEANER FILL HOLES AND DOTS BY PUTTY AND PACKING TO GET SURFACE CLEAN, APPLY SURFACE BY WAX EM SHEET NO.250 APPLY FIRST COAT OF MELAN	DE DEN M80 M80 M90 M90 M90 M90 M90 M90 M90 M90 M90 M9	Rs.800.00 (Rupees eight hundred only	1.Sq.M. (ONE SQUARE METRE)	7600.00
		SEALER WITH THE THINNER FOR PREPARING SURFACE AND APPLY SECOND COAT OF THE SAME	IME			14550407.60

NO. OF CORRECTIONS

TEM NO	QUANTITY 2	DESCRIPTION OF WORK	FNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS 5	UNIT IN FIGURES AND IN WORDS	AMOUNT
		AFTER DRYING PREPARING THE SURFACE WITH WATER EMERY NO.320 AND APPLY TWO COATS OF MELAMEN MATT MIXED WITH GLOZING AND THINNER 106 PREPARE THE SURFACE WATER EMERY NO.400 AND APPLY TWO COATS OF SAME AND FINALLY SMOOTHER ETC., ALL COMPLETE INCLUDING COST OF ALL MATERIALS AND LABOUR ETC., AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND SHADE OF THE POLISH SHOULD BE GOT APPROVED FROM THE EE BEFORE USE)				14550407.60
378.2	157.80 Sq.M.	SUPPLYING AND FIXING OF VETRIFIED TILES OF BEST APPROVED QUALITY (IVORY) 600X600X8MM FOR FLOORING AND OTHER SIMILAR WORKS (THE COLOUR AND SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING) OVER CEMENT MORTAR 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 20MM THICK INCLUDING FIXING IN POSITION CUTTING THE TILES TO THE REQUIRED SIZE WHEREVER NECESSARY POINTING THE JOINTS WITH GROUT (TILE JOINT FILLER) CURING FINISHING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.	/	Rs.850.00 (Rupees eight hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	134130.00
448.2 7	2 NOS.	SUPPLYING AND FIXING OF PVC TEE WITH END CAP OF 32MM DIA AND COUPLING OF BEST APPROVED QUALITY WITH ISI MARK TO THE SINK AND WASH BASIN INSTEAD OF BOTTLE TRAP ETC., COMPLETE COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS, (THE BRAND AND QUALITY OF PVC SPECIALS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.100.00 X (Rupees one hundred only)	1.NO. (EACH)	200.00
796	1905.70 sq.M. 식	PAINTING THE NEW WALLS WITH TWO COATS OF APPROVED BEST READY MIXED PLASTIC EMULSION PAINT IN ADDITION TO ONE COAT OF APPROVED PRIMER COAT OVER CEMENT PLASTERED WALL SURFACES AND CEILING INCLUDING COST OF PLASTIC EMULSION PAINT, PUTTY, BRUSHES ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE EMULSION PAINT AND ITS SHADE SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING)		Rs.105.00 🔀 (Rupees one hundred and five only)	1.Sq.M. (ONE SQUARE METRE)	200098.50
		TOTAL AMOUNT (EXCLUDING GST)			4	14884836.10
		GST Amount for providing Service to Government Contract Works for the above Construction Works.	t			7 1786180.33
		GRAND TOTAL			J	16671016.43

NO. OF CORRECTIONS



