

**SE/South Circle. Agt. No.21/2023-2024**  
**FILE No. DB/SC/1203/2023**  
**REPORT ACCOMPANYING SLIP FOR LUMP SUM AGREEMENT**  
**(FOR OFFICE USE ONLY)**

**TAMILNADU POLICE HOUSING CORPORATION LTD.,**  
**SOUTH CIRCLE, MADURAI – 625 014.**

|                                     |   |   |
|-------------------------------------|---|---|
| NAME OF PROJECT                     | : | Police – Buildings – Announcement made by the Hon'ble Chief Minister on the Floor of the Assembly during the Police Demand for the year 2022-2023 – Special repair works in 751 Unoccupied quarters in various districts. |
| NAME OF WORK                        | : | Special repair works for the existing 1 No. of INS, 2 Nos. of SI and 16 Nos. of PC/HC quarters and Construction of Septic tank at Vilathikulam in Thoothukudi District.   |
| ESTIMATE AMOUNT                     | : | ₹ 1,06,74,800/-   |
| ESTIMATE No.                        | : | CER No.09/2023-2024   |
| ESTIMATE AMOUNT PUT IN TENDER       | : | ₹ 97,26,728.14 (2023-2024)<br>(Including the GST @18%)  |
| TENDER VALUE                        | : | ₹ 82,84,611.26 (Including the GST @18%)   |
| LESS AMOUNT                         | : | (-) ₹ 14,42,116.88  |
| LESS PERCENTAGE                     | : | (-) 14.83 %   |
| TENDER ACCEPTED BY WHOM             | : | <b>The Chairman and Managing Director,<br/>TNPHC Ltd., Chennai-10</b>   |
| NAME OF THE CONTRACTOR              | : | <b>Thiru. M. MAHESH</b>   |
| No. OF ITEMS IN THE AGREEMENT       | : | <b>122 (One hundred and twenty two only)</b>  |
| No. OF PAGES IN THE AGREEMENT       | : | <b>84 (Eighty four only)</b>  |
| No. OF CORRECTIONS IN THE AGREEMENT | : | <b>Nil</b>  |

*800720/6/23*  
**SUPERINTENDING ENGINEER**  
**SOUTH CIRCLE, TNPHC LTD.,**



தமிழ்நாடு தமில்நாடு TAMILNADU

30 JUN 2023

M. MAHESH  
VEPPALODAI

CV 101807

T. Mooneswami

T. மூணேஸ்வாமி

முத்திரைத்தாள் விற்பனையாளர்

19/3, சுரண் சென்னை

சென்னை மாநகர், மதுரை-2

HC. No. 1781/BI/30/17

TAMIL NADU POLICE HOUSING CORPORATION LIMITED.,  
SOUTH CIRCLE, MADURAI - 625 014.

### ARTICLES OF AGREEMENT

ARTICLES OF AGREEMENT made this

30<sup>th</sup>

day of

June 2023

BETWEEN the Tamil Nadu Police Housing Corporation Limited, (hereinafter called the Corporation Limited which expression shall where the context so admits include its successors in office and assigns) of the ONE PART and

**Thiru. M. MAHESH,**  
**DOOR NO.5/246,**  
**V. PANDIYAPURAM STREET,**  
**VEPPALODAI,**  
**OTTAPIDARAM TALUK,**  
**THOOTHUKUDI DISTRICT - 628 903.**

(Hereinafter called the contractor which expression shall where the context so admits include its heirs, executors, administrators and legal representatives) of the OTHER PART

Contractor

No. of corrections

Superintending Engineer/ South Circle

TAMIL NADU POLICE HOUSING CORPORATION LIMITED.,  
SOUTH CIRCLE, MADURAI – 625 014.

**ARTICLES OF AGREEMENT**

ARTICLES OF AGREEMENT made this \_\_\_\_\_ day of \_\_\_\_\_  
BETWEEN the Tamil Nadu Police Housing Corporation Limited, (hereinafter called the Corporation Limited which expression shall where the context so admits include its successors in office and assigns) of the ONE PART and

**Thiru. M. MAHESH,**  
**DOOR NO.5/246,**  
**V. PANDIYAPURAM STREET,**  
**VEPPALODAI,**  
**OTTAPIDARAM TALUK,**  
**THOOTHUKUDI DISTRICT – 628 903.**

(Hereinafter called the contractor which expression shall where the context so admits include its heirs, executors, administrators and legal representatives) of the OTHER PART

WHEREAS the corporation Limited is desirous of **Special repair works for the existing 1 No. of INS, 2 Nos. of SI and 16 Nos. of PC/HC quarters and Construction of Septic tank at Vilathikulam in Thoothukudi District** and have caused an estimate of probable quantities contained in schedule A, drawings and specifications describing the work to be done to be prepared.

AND WHEREAS the said schedule A, drawings (schedule B) and the specifications (schedule C) and other schedules herewith annexed have been signed by or on behalf of the parties hereto.

AND WHEREAS the contractor has agreed to the retention, by the Corporation Limited of earnest money (with GST) of ₹ **57,700/-** (**Rupees fifty seven thousand and seven hundred only**) **in the form of Online Payment gateway Mode eProcurement Reference Number : 367499698621** paid by him when he submitted his tender, as security for the due fulfillment of the contract to the satisfaction of the Corporation Limited or any other officer authorized by the Corporation Limited.

  
Contractor

  
No. of corrections

  
Superintending Engineer/South Circle .



AND WHEREAS the Contractor has remitted a further sum of ₹ 3,10,000/- (Rupees three lakhs and ten thousand only) paid in the form of National (Small) Savings Schemes Pass Book Issued by Post Office Tuticorin HPO 628 001, Department of Posts, India and the details are as follows

1. A/c No. 020078770808 Dated: 14.06.2023

: ₹ 3,10,000.00

=====

Total

: ₹ 3,10,000.00

=====

against the balance of the security deposit and additional security deposit amount of ₹ 3,02,600/- (with GST) for the due fulfillment of the contract to the satisfaction of the Corporation Limited or any other officer authorized by the Corporation Limited

AND WHEREAS the Contractor has also signed a copy of the Tamilnadu Building practice and the addenda volume there to maintained in the office of the Superintending Engineer /South Circle Tamil Nadu Police Housing Corporation Limited in acknowledgement of being bound by all the conditions of the clauses of the general conditions of contract and all the standard specifications for items of works described by a standard Specification number in Schedule – A.

AND WHEREAS the contractor has agreed to execute upon and subject to the conditions set forth in the conditions of contract of the Tamil Nadu Building Practice and such other conditions as are contained in all the specifications forming part of this contract (hereinafter referred to as “the said conditions”) the work shown upon the drawings and described in the said specifications and set forth in Schedule –A as the “Probable Quantities” and comply with the rate of progress noted at the end of this ARTICLES OF AGREEMENT, for a sum of ₹ 82,84,611.26 (Rupees eighty two lakhs eighty four thousand six hundred and eleven and paise twenty six only) or such other sum as may be arrived at under the clause of the General conditions of contract relating to “Payment on lumpsum basis or by final measurement at Unit Prices”

Now it is hereby agreed as follows:

1. In consideration of the payment of the said sum of ₹ 82,84,611.26 (Rupees eighty two lakhs eighty four thousand six hundred and eleven and paise twenty six only) or such other sum as may be arrived at under the clause of the General conditions of contract relating to Payment on lumpsum basis or by final measurement at unit prices, the contractor will upon and subject to the said conditions execute and complete the works shown upon the said drawings and

Contractor

No. of corrections

Superintending Engineer/South Circle.

7

described in the said specifications and to the extent of the probable quantities shown in schedule A, with such variations by way of alterations of, additions to, or deductions from, the said works and method of payment there for are as provided for in the said conditions.

2. The term "Corporation Limited" in the said conditions shall mean the Tamil Nadu Police Housing Corporation Limited or any officer of the Corporation Limited incharge of the works who shall be competent to exercise all the powers and privileges reserved herein, in favour of the Corporation Limited with the previous sanction of the Corporation Limited or any other officer authorized by the Corporation Limited.
3. The arbitrator for fulfilling the duties set forth in the arbitration clause of the General conditions of contract shall be the Chief Engineer, Tamil Nadu Police Housing Corporation Limited upto value of claims of Rs. 50,000/- If the value of claims exceeds Rs. 50,000/- the matter shall be referred to the court having jurisdiction over Tamil Nadu state.
4. Time shall be considered as the essence of the agreement and the Contractor hereby agrees to commence the work as soon as this agreement is accepted by the Corporation Limited or any other officer authorized by the Corporation Limited and the site (or premises) is handed over to them as provided for in the said conditions and agrees to complete the work within **SIX** months from the date of such handing over the site (or premises) and to show progress as defined in the tabular statement "RATE OF PROGRESS" below, subject nevertheless to the provisions for extension of time contained in clause 56 of the General conditions of contract.

#### Rate of Progress

The following rate of progress and proportionate value of work done from time to time, as will be indicated by the Executive Engineer's Certificate of the value of work done will be required.

Date of commencement of this programme will be the date on which the site (or premises) is handed over to the Contractor.

| Period after date of<br>Commencement<br>(1) | Percentage of work completed<br>( Based on Contract lumpsum amount)<br>(2) |
|---|--|
| I - Month                                   | 15 %   |
| II - Month                                  | 30 %   |
| III - Month                                 | 45 %   |
| IV - Month                                  | 60 %   |
| V - Month                                   | 80 %   |
| VI - Month                                  | 100 %  |

Contractor

No. of corrections

Superintending Engineer/South Circle .

5. "The said conditions " shall be read and construed as forming part of this agreement and the parties hereto will respectively abide by and submit themselves to the conditions and stipulations and perform the agreements on their parts, respectively.
6. Upon the terms and conditions of this agreement being fulfilled and performed to the satisfaction of the Corporation Limited or any other officer authorized by the Corporation Limited, the security deposited by the contractor as herein before recited or such portion thereof as they may be entitled to under the said conditions shall be returned to the contractor.

IN WITNESS WHERE OF the contractor **Thiru. M. MAHESH** has hereunto set his hand and the Superintending Engineer/South Circle of Tamil Nadu Police Housing Corporation Limited on behalf of the Corporation Limited have hereunto set his hand, the day and year first above written.

Signed by the Contractor

: 

Address

: **Thiru. M. MAHESH,**  
**DOOR NO.5/246,**  
**V. PANDIYAPURAM STREET,**  
**VEPPALODAI,**  
**OTTAPIDARAM TALUK,**  
**THOOTHUKUDI DISTRICT - 628 903.**

  
Contractor

  
No. of corrections

  
Superintending Engineer/South Circle.

**TAMIL NADU POLICE HOUSING CORPORATION LIMITED**

No.1, INSPECTOR QUARTERS, TSP 6 TH BATTALION CAMPUS,  
NEW NATHAM ROAD, MADURAI - 625014.

**Schedule 'A'**

✓ ✓  
Name of work: Special repair works for the existing 1 No. of INS, 2 Nos. of SI and  
16 Nos. of PC/HC quarters and Construction of Septic tank at  
VILATHIKULAM in Thoothukudi District ✓

- A. The quantities here given are those upon which the lumpsum tender cost of the work is based, but they are subject to alterations, omissions, deductions or additions are provided for in the conditions of this contract and do not necessarily show the actual quantities of work to be done. The unit rates noted below are the governing payments for extras or deductions for omissions according to the conditions of the contract set forth in the general conditions to the contract of the Tamil Nadu Building practice and other conditions or specifications of this contract.
- B. It is to be expressly understood that the measured work is to be taken net (not withstanding any custom of practice to the contrary) according to the actual quantities when in place and finished according to the drawing or as may be ordered from time to time by the Chief Engineer and the cost calculated by measurement or Weight at the respective prices without any additional charges for any necessary or contingent works connected herewith. The rates quoted are for works in site and complete in every respect.

CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/ SOUTH CIRCLE

## SCHEDULE - A

NAME OF WORK : SPECIAL REPAIR WORKS FOR THE EXISTING 1 NO. OF INS, 2 NOS. OF SI AND 16 NOS. OF PC/HC QUARTERS AND CONSTRUCTION OF SEPTIC TANK AT VILATHIKULAM IN THOOTHUKUDI DISTRICT

| ITEM.NO<br>1 | QUANTITY<br>2 | DESCRIPTION OF WORK<br>3   | TNBP No.<br>4 | RATE EXCLUSIVE FOR GST IN<br>FIGURES AND IN WORDS<br>5         | UNIT IN FIGURES<br>AND IN WORDS<br>6 | AMOUNT<br>7 |
|--------------|---------------|--|---------------|--|--------------------------------------|-------------|
| 1.5          | 47.80 Cu.M.   | <b>EARTH WORK EXCAVATION FOR OPEN FOUNDATION</b> IN ALL SOILS AND SUB-SOILS TO THE REQUIRED DEPTH AS MAY BE DIRECTED EXCEPT IN HARD ROCK REQUIRING BLASTING, INCLUSIVE OF SHORING, STRUTTING AND BAILING OUT WATER WHEREVER NECESSARY (EXCLUDING REFILLING THE SIDES OF FOUNDATION) AND DEPOSITING THE EARTH IN PLACES SHOWN CLEARING AND LEVELLING THE SITE WITH AN INITIAL LEAD OF 10 METRES AND LIFT AS SPECIFIED HEREUNDER ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS. (EXCLUDING REFILLING) | 17 & 20       | Rs.80.00<br>(Rupees eighty only)                               | 1.Cu.M.<br>(ONE CUBIC METRE)         | 3824.00     |
| 2.6          | 13.60 Cu.M.   | <b>SUPPLYING AND FILLING WITH 40MM SIZE HARD BROKEN STONE JELLY IN FOUNDATION AND BASEMENT</b> AND OTHER SIMILAR WORKS INCLUDING COST OF MATERIALS, LABOUR CHARGES, ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.   |               | Rs.1250.00<br>(Rupees one thousand two hundred and fifty only) | 1.Cu.M.<br>(ONE CUBIC METRE)         | 17000.00    |
| 2.7          | 27.20 Cu.M.   | <b>SUPPLYING AND FILLING WITH 20MM SIZE HARD BROKEN STONE JELLY IN FOUNDATION AND BASEMENT</b> AND OTHER SIMILAR WORKS INCLUDING COST OF MATERIALS, LABOUR CHARGES ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.  |               | Rs.1700.00<br>(Rupees one thousand and seven hundred only)     | 1.Cu.M.<br>(ONE CUBIC METRE)         | 46240.00    |
| 13.1         | 7.40 Cu.M.    | <b>FILLING IN FOUNDATION AND BASEMENT</b> AND OTHER SIMILAR WORKS <b>WITH EXCAVATED EARTH</b> IN LAYERS OF 150MM THICK WELL WATERED RAMMED AND CONSOLIDATED COMPLYING WITH RELEVANT STANDARD SPECIFICATION ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS   | 25            | Rs.35.00<br>(Rupees thirty five only)                          | 1.Cu.M.<br>(ONE CUBIC METRE)         | 259.00      |
| 30           | 55.00 Sq.M.   | FINISHING THE TOP OF FLOORING WITH CEMENT CONCRETE 1:3 (ONE OF CEMENT AND THREE OF BLUE GRANITE CHIPS OF SIZE 10MM, AND BELOW) 20 MM THICK <b>ELLIS PATTERN FLOORING</b> (NO SAND) AND SURFACE RENDERED SMOOTH INCLUDING 50MM WIDE SKIRTING, PROVIDING PROPER SLOPES, THREAD LINING, CURING ETC., COMPLETE IN ALL FLOORS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.  | 39 - G        | Rs.300.00<br>(Rupees three hundred only)                       | 1.Sq.M.<br>(ONE SQUARE METRE)        | 16500.00    |
| 31           | 26.90 Cu.M.   | <b>WEATHERING COURSE</b> WITH CONCRETE BROKEN BRICK JELLY 20MM GAUGE IN PURE BURNT LIME STONE SLAKED AND SCREENED (NO SAND) OVER RCC ROOF SLAB WITH PROPORTION OF BRICK JELLY TO LIME (FAT LIME) BEING 32: 12 1/2 BY VOLUME WELL BEATEN WITH WOODEN BEATERS FOR GIVING THE REQUIRED SLOPE AND THICKNESS COMPLYING WITH RELEVANT STANDARD SPECIFICATION AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.   | 30 & 41       | Rs.3200.00<br>(Rupees three thousand and two hundred only)     | 1.Cu.M.<br>(ONE CUBIC METRE)         | 86080.00    |
|              |               |  |               |  |                                      | 169903.00   |



| ITEM.NO<br>1 | QUANTITY<br>2     | DESCRIPTION OF WORK<br>3  | TNBP No.<br>4 | RATE EXCLUSIVE FOR GST IN<br>FIGURES AND IN WORDS<br>5      | UNIT IN FIGURES<br>AND IN WORDS<br>6 | AMOUNT<br>7   |
|--------------|-------------------|---|---------------|---|--------------------------------------|---------------|
|              |                   |   |               |   |                                      | 169903.00     |
| 37.1<br>7    | 985.90 Sq.M.<br>7 | WHITE WASHING THREE COATS USING CLEAN SHELL LIME SLAKED INCLUDING COST OF LIME, GUM, BLUE, BRUSHES, INCLUDING SCAFFOLDING ETC., COMPLETE IN ALL RESPECTS.<br>7  | 63<br>7       | Rs.40.00<br>(Rupees forty only)<br>7                        | 1.Sq.M.<br>(ONE SQUARE METRE)<br>7   | 39436.00<br>7 |
| 52<br>7      |                   | SUPPLYING, LAYING, FIXING AND JOINTING THE FOLLOWING <b>PVC PIPES</b> AS PER ASTM D - 1785 OF SCHEDULE 40 OF WALL THICKNESS NOT LESS THAN THE SPECIFIED IN IS 4985 SUITABLE FOR PLUMBING BY THREADING OF WALL THICKNESS INCLUDING THE COST OF SUITABLE PVC/GI SPECIALS /GM SPECIALS LIKE ELBOW, TEE REDUCERS, PLUG, UNION, BEND, COUPLER, NIPPLE/ GM GATE VALVE, CHECK AND WHEEL VALVE ETC., WHEREVER REQUIRED ABOVE THE GROUND LEVEL INCLUDING THE COST OF TEFLON TAPE, SPECIAL CLAMPS, NAILS, ETC., FIXING ON WALL TO THE PROPER GRADIENT AND ALIGNMENT AND REDOING THE CHIPPED OF MASONRY ETC., AS DIRECTED BY THE DEPARTMENTAL OFFICERS.<br>7 |               |   |                                      |               |
|              | 70.00 Rmt.<br>7   | a) 32MM ASTM D SCHEDULE 40 THREADED PVC PIPE WITH NECESSARY PVC/GI SPECIALS<br>7  |               | Rs.200.00<br>(Rupees two hundred only)<br>7                 | 1.Rmt.<br>(ONE RUNNING METRE)<br>7   | 14000.00<br>7 |
|              | 450.00 Rmt.<br>7  | b) 25MM ASTM D SCHEDULE 40 THREADED PVC PIPE WITH NECESSARY PVC/GI SPECIALS<br>7  |               | Rs.180.00<br>(Rupees one hundred and eighty only)<br>7      | 1.Rmt.<br>(ONE RUNNING METRE)<br>7   | 81000.00<br>7 |
|              | 95.00 Rmt.<br>7   | c) 20MM ASTM D SCHEDULE 40 THREADED PVC PIPE WITH NECESSARY PVC/GI SPECIALS<br>7  |               | Rs.170.00<br>(Rupees one hundred and seventy only)<br>7     | 1.Rmt.<br>(ONE RUNNING METRE)<br>7   | 16150.00<br>7 |
| 61.2<br>7    |                   | SUPPLYING AND LAYING AND <b>LOOSE JOINTING</b> THE FOLLOWING DIA <b>STONE WARE PIPES</b> WITH ISI MARK SUPERIOR VARIETY (GLAZED) WITH SPIGOT AND SOCKET ENDS IN DRY CONDITIONS AND TESTED WITH WATER, AFTER THE PIPES ARE LAID TO PROPER GRADIENT TO THE ALIGNMENT ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICES.<br>7   |               |   |                                      |               |
|              | 68.00 Rmt.<br>7   | a) 100 MM DIA S.W. PIPE<br>7  |               | Rs.180.00<br>(Rupees one hundred and eighty only)<br>7      | 1.Rmt.<br>(ONE RUNNING METRE)<br>7   | 12240.00<br>7 |
| 62.2<br>7    |                   | SUPPLYING AND FIXING OF THE FOLLOWING DIA <b>STONE WARE TEE</b> SUPERIOR VARIETY AND JOINTING WITH CEMENT AND TARRED YARN LAID TO PROPER GRADIENT INCLUDING EARTH WORK EXCAVATION, REFILLING TRENCHES, CONCRETING, CURING AND TESTING THE JOINT ETC., COMPLETE.<br>7  |               |   |                                      |               |
|              | 4 NOS.<br>7       | a) 100 MM DIA S.W. TEE<br>7   |               | Rs.163.00<br>(Rupees one hundred and sixty three only)<br>7 | 1 NO.<br>(EACH)<br>7                 | 652.00<br>7   |
| 69<br>7      | 25 NOS.<br>7      | <b>ELECTRICAL ARRANGEMENTS</b><br>SUPPLYING AND FIXING OF <b>15 AMPS 3 PIN POWER PLUG</b> TYPE SOCKET ON A SUITABLE MS BOX 16G THICK CONCEALED AND COVERED WITH 3 MM THICK LAMINATED HYLEM SHEET INCLUSIVE OF ALL CONNECTIONS AND COST OF ALL MATERIALS.<br>7   |               | Rs.150.00<br>(Rupees one hundred and fifty only)<br>7       | 1 NO.<br>(EACH)<br>7                 | 3750.00<br>7  |
|              |                   |   |               |   |                                      | 337131.00     |

| ITEM.NO | QUANTITY   | DESCRIPTION OF WORK   | TNBP No. | RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS             | UNIT IN FIGURES AND IN WORDS  | AMOUNT           |
|---------|------------|---|----------|--|-------------------------------|------------------|
| 1       | 2          | 3   | 4        | 5  | 6                             | 7                |
|         |            |   |          |  |                               | <b>337131.00</b> |
| 72      | 29 NOS.    | SUPPLYING AND FIXING OF BEST APPROVED SUPERIOR VARIETY CONCEALED TYPE <b>FIBRE BOX WITH M.S. FAN HOOK</b> OF 100MM DIA, 75MM DEPTH AND 3MM THICK INCLUDING COST AND FIXING IN POSITION ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)   |          | Rs.30.00<br>(Rupees thirty only)                           | 1 NO.<br>(EACH)               | 870.00           |
| 74      | 40 NOS.    | CHARGES FOR ASSEMBLING AND <b>FIXING OF CEILING FAN</b> OF DIFFERENT SWEEP WITH NECESSARY CONNECTIONS AND FIXING OF FAN REGULATOR ON THE EXISTING BOARD ETC., ALL COMPLETE (EXCLUDING COST OF FAN)  |          | Rs.300.00<br>(Rupees three hundred only)                   | 1.NO<br>(EACH)                | 12000.00         |
| 77.3    | 12 NOS     | SUPPLYING, FIXING AND CONCEALING TW BOX OF SIZE 8'X6'X4" COVERED WITH 3MM THICK HYLEM SHEET INCLUDING COST OF <b>TV LINE SOCKET / TELEPHONE LINE SOCKET</b> ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS   |          | Rs.70.00<br>(Rupees seventy only)                          | 1 NO.<br>(EACH)               | 840.00           |
| 77.4    | 75.00 Rmt. | SUPPLYING, LAYING AND CONCEALING OF PVC PIPE OF <b>20MM DIA</b> WITH NECESSARY SPECIALS AND OTHER MATERIALS INCLUDING RUN OFF 1 NO. FISH WIRE (G.I. 22G) FOR DRAWING <b>CABLE FOR T.V. / TELEPHONE</b> ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.   |          | Rs.75.00<br>(Rupees seventy five only)                     | 1.Rmt.<br>(ONE RUNNING METRE) | 5625.00          |
| 3.1.1   | 0.30 Cu.M. | <b>ANNEXURE</b><br><b>PLAIN CEMENT CONCRETE 1:5:10</b> (ONE OF CEMENT, FIVE OF <b>CRUSHED STONE SAND</b> AND TEN OF HARD BROKEN STONE JELLY) FOR <b>FOUNDATION</b> AND BASEMENT USING 40MM GAUGE HARD BROKEN STONE JELLY INCLUSIVE OF SHORING, STRUTTING AND BAILING OUT WATER WHEREVER NECESSARY RAMMING, CURING ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS |          | Rs.4500.00<br>(Rupees four thousand and five hundred only) | 1.Cu.M.<br>(ONE CUBIC METRE)  | 1350.00          |
| 3.2.1   | 7.90 Cu.M. | <b>PLAIN CEMENT CONCRETE 1:2:4</b> (ONE OF CEMENT TWO OF <b>CRUSHED STONE SAND</b> AND FOUR OF HARD BROKEN STONE JELLY) WITH ADMIXTURE USING 20M GAUGE HARD BROKEN STONE JELLY EXCLUDING SHUTTERING AND CENTERING BUT INCLUDING LAYING, CURING AND FINISHING WITH RELEVANT STANDARD SPECIFICATIONS IN <b>FOUNDATION AND BASEMENT</b> , AND OTHER SIMILAR WORKS & AS DIRECTED BY THE DEPARTMENTAL OFFICERS                                     |          | Rs.5500.00<br>(Rupees five thousand and five hundred only) | 1.Cu.M.<br>(ONE CUBIC METRE)  | 43450.00         |
| 3.3.1   | 0.20 Cu.M. | <b>PLAIN CEMENT CONCRETE 1:8:16</b> (ONE OF CEMENT, EIGHT OF <b>CRUSHED STONE SAND</b> AND SIXTEEN OF BROKEN BRICK JELLY) FOR <b>FOUNDATION</b> AND OTHER SIMILAR WORKS USING 20MM GAUGE BROKEN BRICK JELLY INCLUSIVE OF SHORING, STRUTTING AND BAILING OUT WATER WHEREVER NECESSARY RAMMING, CURING ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS              |          | Rs.4000.00<br>(Rupees four thousand only)                  | 1.Cu.M.<br>(ONE CUBIC METRE)  | 800.00           |
|         |            |   |          |  |                               | <b>402066.00</b> |

| ITEM.NO | QUANTITY    | DESCRIPTION OF WORK   | TNBP No. | RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS | UNIT IN FIGURES AND IN WORDS | AMOUNT           |
|---------|-------------|---|----------|--|------------------------------|------------------|
| 1       | 2           | 3   | 4        | 5  | 6                            | 7                |
|         |             | PROVIDING AND LAYING IN POSITION, <b>STANDARDISED CONCRETE MIX M-20 GRADE</b> IN ACCORDANCE WITH IS: 456 - 2000 USING 20 MM AND DOWNGRADED HARD BROKEN STONE JELLY FOR ALL RCC WORKS NAMELY COLUMN, COLUMN FOOTINGS, PLINTH BEAM, GRADE BEAM, RAFT BEAM, RAFT SLAB ETC., WITH MINIMUM CEMENT CONTENT OF 325 KG/M3 AND MAXIMUM WATER CEMENT RATIO OF 0.55, INCLUDING ADMIXTURE (PLASTICISER / SUPER PLASTICISER) IN RECOMMENDED PROPORTIONS AS PER IS:9103 TO ACCELERATE, RETARD SETTING OF CONCRETE, IMPROVE WORKABILITY WITHOUT IMPAIRING STRENGTH AND DURABILITY WITH ABOUT (5.0 CU.M) 7730 KG. OF 20 MM MACHINE CRUSHED STONE JELLY AND WITH ABOUT (3.3 CU.M.) 5156 KG. OF 10 -12 MM MACHINE CRUSHED STONE JELLY AND WITH ABOUT (4.79 CU.M) 7670 KG. OF <b>CRUSHED STONE SAND</b> FOR MAKING 10M <sup>3</sup> CONCRETE BUT EXCLUDING COST OF REINFORCEMENT GRILL AND FABRICATING CHARGES, CENTERING AND SHUTTERING AND ALSO INCLUDING LAYING, VIBRATING WITH MECHANICAL VIBRATORS, FINISHING, CURING ETC., COMPLETE COMPLYING WITH STANDARD SPECIFICATION AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. THE COARSE AND FINE AGGREGATES TO BE USED SHOULD COMPLY WITH THE REQUIREMENTS OF IS STANDARDS. (NO SEPARATE PAYMENT WILL BE MADE BY THE DEPARTMENT FOR THE EXCESS USAGE OF MATERIALS)  |          |  |                              | <b>402066.00</b> |
| 4.4.1   | 3.20 Cu.M.  | (a) IN FOUNDATION AND BASEMENT  |          | Rs.7000.00<br>(Rupees seven thousand only)     | 1.Cu.M.<br>(ONE CUBIC METRE) | 22400.00         |
| 6.6.1   | 22.50 Cu.M. | <b>BRICK WORK IN CM 1:5</b> (ONE OF CEMENT AND FIVE OF <b>CRUSHED STONE SAND</b> ) WITH ADMIXTURE USING <b>KILN BURNT COUNTRY BRICKS</b> OF SIZE 8 1/4"X4 1/4"X2 1/4" (22X11X7CM) IN <b>FOUNDATION AND BASEMENT</b> INCLUDING DEWATERING WHEREVER NECESSARY PROPER SETTING, CURING ETC., COMPLETE WITH RELEVANT STANDARD SPECIFICATIONS.  |          | Rs.6000.00<br>(Rupees six thousand only)       | 1.Cu.M.<br>(ONE CUBIC METRE) | 135000.00        |
| 8.4.1   |             | PROVIDING AND LAYING IN POSITION, <b>STANDARDISED CONCRETE MIX M-20 GRADE</b> IN ACCORDANCE WITH IS: 456 - 2000 USING 20 MM AND DOWNGRADED HARD BROKEN STONE JELLY FOR ALL RCC ITEMS OF WORKS NAMELY TEE, ELL OR RECTANGULAR BEAMS, LINTELS, PARAPET CUM DROPS, WAIST AND LANDING SLAB, CANOPHY, CIRCULAR COLUMN, FIN PROJECTIONS, SUNSHADES, WINDOW BOXING SLAB, SLAB AND OTHER SIMILAR WORKS WITH MINIMUM CEMENT CONTENT OF 325 KG/M3 AND MAXIMUM WATER CEMENT RATIO OF 0.55, INCLUDING ADMIXTURE (PLASTICISER/SUPER PLASTICISER) IN RECOMMENDED PROPORTIONS AS PER IS:9103 TO ACCELERATE, RETARD SETTING OF CONCRETE, IMPROVE WORKABILITY WITHOUT IMPAIRING STRENGTH AND DURABILITY WITH ABOUT (5.0 CU.M) 7730 KG. OF 20 MM MACHINE CRUSHED STONE JELLY AND WITH ABOUT (3.3 CU.M.) 5156 KG. OF 10 -12 MM MACHINE CRUSHED STONE JELLY AND WITH ABOUT (4.79 CU.M) 7670 KG. OF <b>CRUSHED STONE SAND</b> FOR MAKING 10M <sup>3</sup> CONCRETE BUT EXCLUDING COST OF REINFORCEMENT GRILL AND FABRICATING CHARGES, CENTERING AND SHUTTERING AND ALSO INCLUDING LAYING, VIBRATING WITH MECHANICAL VIBRATORS, FINISHING, CURING ETC., AND PROVIDING FIXTURES LIKE FAN CLAMPS IN THE RCC FLOOR/ROOF SLABS WHEREVER NECESSARY WITHOUT CLAIMING EXTRA, ETC., COMPLETE COMPLYING WITH STANDARD SPECIFICATION AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. THE COARSE AND FINE AGGREGATES TO BE USED SHOULD COMPLY WITH THE REQUIREMENTS OF IS STANDARDS. (NO SEPARATE PAYMENT WILL BE MADE BY THE DEPARTMENT FOR THE EXCESS USAGE OF MATERIALS). |          |  |                              |                  |
|         |             |   |          |  |                              | <b>559466.00</b> |

| ITEM.NO | QUANTITY    | DESCRIPTION OF WORK  | TNBP No. | RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS              | UNIT IN FIGURES AND IN WORDS  | AMOUNT     |
|---------|-------------|--|----------|---|-------------------------------|------------|
| 1       | 2           | 3  | 4        | 5   | 6                             | 7          |
|         |             |  |          |   |                               | 559466.00  |
|         | 12.40 Cu.M. | (a) GROUND FLOOR   |          | Rs.7900.00<br>(Rupees seven thousand and nine hundred only) | 1.Cu.M.<br>(ONE CUBIC METRE)  | 97960.00   |
|         | 13.40 Cu.M. | (b) IN FIRST FLOOR   |          | Rs.8000.00<br>(Rupees eight thousand only)                  | 1.Cu.M.<br>(ONE CUBIC METRE)  | 107200.00  |
|         | 16.80 Cu.M. | (c) IN SECOND FLOOR  |          | Rs.8000.00<br>(Rupees eight thousand only)                  | 1.Cu.M.<br>(ONE CUBIC METRE)  | 134400.00  |
|         | 2.30 Cu.M.  | (d) IN THIRD FLOOR   |          | Rs.8100.00<br>(Rupees eight thousand and one hundred only)  | 1.Cu.M.<br>(ONE CUBIC METRE)  | 18630.00   |
| 9.6.1   |             | <b>BRICK WORK IN CEMENT MORTAR 1:6</b> (ONE OF CEMENT AND SIX OF <b>CRUSHED STONE SAND</b> ) WITH ADMIXTURE USING <b>KILN BURNT COUNTRY BRICKS</b> OF SIZE 8 $\frac{1}{4}$ "X4 $\frac{1}{2}$ "X2 $\frac{1}{4}$ " ( <b>22X11X7CM</b> ) FOR SUPER STRUCTURE IN THE FOLLOWING FLOORS INCLUDING LABOUR FOR FIXING THE DOORS, WINDOWS AND VENTILATOR FRAMES IN POSITION, FIXING OF HOLD FASTS, SCAFFOLDINGS, CURING ETC., COMPLETE IN ALL RESPECT COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND DRAWINGS.                               |          |   |                               |            |
|         | 2.60 Cu.M.  | (a) IN GROUND FLOOR  |          | Rs.5500.00<br>(Rupees five thousand and five hundred only)  | 1.Cu.M.<br>(ONE CUBIC METRE)  | 14300.00   |
|         | 11.10 Cu.M. | (b) IN FIRST FLOOR   |          | Rs.5600.00<br>(Rupees five thousand and six hundred only)   | 1.Cu.M.<br>(ONE CUBIC METRE)  | 62160.00   |
|         | 4.00 Cu.M.  | (c) IN SECOND FLOOR  |          | Rs.5700.00<br>(Rupees five thousand and seven hundred only) | 1.Cu.M.<br>(ONE CUBIC METRE)  | 22800.00   |
|         | 6.00 Cu.M.  | (d) IN THIRD FLOOR   |          | Rs.5800.00<br>(Rupees five thousand and eight hundred only) | 1.Cu.M.<br>(ONE CUBIC METRE)  | 34800.00   |
| 10.6.1  |             | <b>BRICK PARTITION WALL IN CEMENT MORTAR 1:4</b> (ONE OF CEMENT AND FOUR OF <b>CRUSHED STONE SAND</b> ) WITH ADMIXTURE <b>110MM THICK</b> FOR SUPER STRUCTURE IN THE FOLLOWING FLOORS USING <b>KILN BURNT COUNTRY BRICKS</b> OF SIZE 8 $\frac{1}{4}$ "X4 $\frac{1}{2}$ "X2 $\frac{1}{4}$ " ( <b>22X11X7CM</b> ) INCLUDING LABOUR FOR FIXING THE DOORS, WINDOWS AND VENTILATOR FRAMES IN POSITION, FIXING OF HOLD FASTS, SCAFFOLDINGS, CURING ETC., COMPLETE IN ALL RESPECT COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND DRAWINGS. |          |   |                               |            |
|         | 42.60 Sq.M. | (a) IN FOUNDATION AND BASEMENT   |          | Rs.650.00<br>(Rupees six hundred and fifty only)            | 1.Sq.M.<br>(ONE SQUARE METRE) | 27690.00   |
|         |             |  |          |   |                               | 1079406.00 |



| ITEM.NO | QUANTITY    | DESCRIPTION OF WORK   | TNBP No. | RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS     | UNIT IN FIGURES AND IN WORDS  | AMOUNT     |
|---------|-------------|---|----------|--|-------------------------------|------------|
| 1       | 2           | 3   | 4        | 5  | 6                             | 7          |
|         |             |   |          |  |                               | 1079406.00 |
|         | 38.00 Sq.M. | (b) IN GROUND FLOOR   |          | Rs.660.00<br>(Rupees six hundred and sixty only)   | 1.Sq.M.<br>(ONE SQUARE METRE) | 25080.00   |
|         | 42.60 Sq.M. | (c) IN FIRST FLOOR  |          | Rs.670.00<br>(Rupees six hundred and seventy only) | 1.Sq.M.<br>(ONE SQUARE METRE) | 28542.00   |
|         | 10.40 Sq.M. | (d) IN SECOND FLOOR   |          | Rs.680.00<br>(Rupees six hundred and eighty only)  | 1.Sq.M.<br>(ONE SQUARE METRE) | 7072.00    |
|         | 4.10 Sq.M.  | (e) IN THIRD FLOOR  |          | Rs.680.00<br>(Rupees six hundred and eighty only)  | 1.Sq.M.<br>(ONE SQUARE METRE) | 2788.00    |
| 11.6.1  |             | BRICK PARTITION WALLS 70MM THICK USING KILN BURNT COUNTRY BRICKS OF SIZE 8 3/4"X4 1/4"X2 1/2" (22X11X7CM) IN CEMENT MORTAR 1:4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) WITH ADMIXTURE FOR SUPER STRUCTURE IN THE FOLLOWING FLOORS INCLUDING SCAFFOLDINGS, CURING ETC., COMPLETE IN ALL RESPECT COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND DRAWINGS.                                       |          |  |                               |            |
|         | 4.50 Sq.M.  | (a) IN GROUND FLOOR   |          | Rs.480.00<br>(Rupees four hundred and eighty only) | 1.Sq.M.<br>(ONE SQUARE METRE) | 2160.00    |
|         | 9.50 Sq.M.  | (b) IN FIRST FLOOR  |          | Rs.490.00<br>(Rupees four hundred and ninety only) | 1.Sq.M.<br>(ONE SQUARE METRE) | 4655.00    |
|         | 3.60 Sq.M.  | (c) IN SECOND FLOOR   |          | Rs.500.00<br>(Rupees five hundred only)            | 1.Sq.M.<br>(ONE SQUARE METRE) | 1900.00    |
| 12.1.1  |             | SUPPLYING AND FIXING OF PRECAST CEMENT BRICK PARTITION WALLS 50MM THICK USING KILN BURNT COUNTRY BRICKS OF SIZE 8 3/4"X4 1/4"X2 1/2" (22X11X5CM) IN CEMENT MORTAR 1:4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) WITH ADMIXTURE FOR SUPERSTRUCTURE IN THE FOLLOWING FLOORS INCLUDING SCAFFOLDINGS, CURING ETC., COMPLETE IN ALL RESPECT COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND DRAWINGS. |          |  |                               |            |
|         | 0.90 Sq.M.  | (a) IN GROUND FLOOR   |          | Rs.300.00<br>(Rupees three hundred only)           | 1.Sq.M.<br>(ONE SQUARE METRE) | 270.00     |
|         | 2.70 Sq.M.  | (b) IN FIRST FLOOR  |          | Rs.300.00<br>(Rupees three hundred only)           | 1.Sq.M.<br>(ONE SQUARE METRE) | 810.00     |
|         |             |   |          |  |                               | 1152683.00 |

| ITEM.NO | QUANTITY    | DESCRIPTION OF WORK   | TNBP No. | RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS             | UNIT IN FIGURES AND IN WORDS  | AMOUNT            |
|---------|-------------|---|----------|--|-------------------------------|-------------------|
| 1       | 2           | 3   | 4        | 5  | 6                             | 7                 |
|         |             |   |          |  |                               | <b>1152683.00</b> |
|         | 1.35 Sq.M.  | (c) IN SECOND FLOOR   |          | Rs.330.00<br>(Rupees three hundred and thirty only)        | 1.Sq.M.<br>(ONE SQUARE METRE) | 445.50            |
| 14.2.2  |             | SUPPLYING AND FIXING OF PRECAST CEMENT CONCRETE SLAB FOR CUPBOARD/WARD ROBES SHELVES, COVER SLAB FOR CHAMBERS, BAFFLE WALLS SIDE SLABS OF BOXING AROUND WINDOWS AND OTHER SIMILAR WORKS IN <b>STANDARDISED CONCRETE MIX M-20 GRADE</b> IN ACCORDANCE WITH IS 456 - 2000 USING <b>CRUSHED STONE SAND</b> AND 3 TO 10MM THICK HARD BROKEN STONE JELLY WITH ADMIXTURE FOR THE ABOVE RCC ITEMS OF WORKS EXCLUDING THE COST AND FABRICATION OF REINFORCEMENT GRILLS BUT INCLUDING PRECASTING, MOULDING, CURING, FINISHING AND FIXING IN POSITION COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC., COMPLETE IN THE FOLLOWING FLOORS (MEASUREMENT WILL BE TAKEN INCLUDING BEARING IN WALL ALSO).  |          |  |                               |                   |
|         | 27.60 Sq.M. | 20 MM THICK<br>(a) GROUND FLOOR   |          | Rs.1100.00<br>(Rupees one thousand and one hundred only)   | 1.Sq.M.<br>(ONE SQUARE METRE) | 30360.00          |
|         | 23.10 Sq.M. | (b) IN FIRST FLOOR  |          | Rs.1100.00<br>(Rupees one thousand and one hundred only)   | 1.Sq.M.<br>(ONE SQUARE METRE) | 25410.00          |
|         | 12.90 Sq.M. | (c) IN SECOND FLOOR   |          | Rs.1100.00<br>(Rupees one thousand and one hundred only)   | 1.Sq.M.<br>(ONE SQUARE METRE) | 14190.00          |
| 14.2.3  |             | SUPPLYING AND FIXING OF PRECAST CEMENT CONCRETE SLAB FOR CUPBOARD/WARD ROBES SHELVES, COVER SLAB FOR CHAMBERS, BAFFLE WALLS SIDE SLABS OF BOXING AROUND WINDOWS AND OTHER SIMILAR WORKS IN <b>STANDARDISED CONCRETE MIX M-20 GRADE</b> IN ACCORDANCE WITH IS: 456 - 2000 USING <b>CRUSHED STONE SAND</b> AND 3 TO 10MM THICK HARD BROKEN STONE JELLY WITH ADMIXTURE FOR THE ABOVE RCC ITEMS OF WORKS EXCLUDING THE COST AND FABRICATION OF REINFORCEMENT GRILLS BUT INCLUDING PRECASTING, MOULDING, CURING, FINISHING AND FIXING IN POSITION COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC., COMPLETE IN THE FOLLOWING FLOORS (MEASUREMENT WILL BE TAKEN INCLUDING BEARING IN WALL ALSO). |          |  |                               |                   |
|         | 15.90 Sq.M. | 40 MM THICK<br>(a) IN FOUNDATION AND BASEMENT   |          | Rs.1200.00<br>(Rupees one thousand and two hundred only)   | 1.Sq.M.<br>(ONE SQUARE METRE) | 19080.00          |
|         | 4.90 Sq.M.  | (b) GROUND FLOOR  |          | Rs.1300.00<br>(Rupees one thousand and three hundred only) | 1.Sq.M.<br>(ONE SQUARE METRE) | 6370.00           |
|         | 3.80 Sq.M.  | (c) IN FIRST FLOOR  |          | Rs.1300.00<br>(Rupees one thousand and three hundred only) | 1.Sq.M.<br>(ONE SQUARE METRE) | 4940.00           |
|         |             |   |          |  |                               | <b>1253478.50</b> |

| ITEM.NO | QUANTITY     | DESCRIPTION OF WORK  | TNBP No. | RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS             | UNIT IN FIGURES AND IN WORDS  | AMOUNT     |
|---------|--------------|--|----------|--|-------------------------------|------------|
| 1       | 2            | 3  | 4        | 5  | 6                             | 7          |
|         |              |  |          |  |                               | 1253478.50 |
| 16.1.2  | 2.70 Sq.M.   | (d) IN SECOND FLOOR  |          | Rs.1300.00<br>(Rupees one thousand and three hundred only) | 1.Sq.M.<br>(ONE SQUARE METRE) | 3510.00    |
|         |              | SUPPLYING AND FIXING OF <b>TERRA COTTA JALLY</b> (NOT BELOW 110MM THICK) OF BEST QUALITY AND FIXING IN POSITION WITH CEMENT PASTE AND RED OXIDE PUTTY INCLUDING COST OF ALL MATERIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE TERRA COTTA JALLY QUALITY AND DESIGN SHALL BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)   |          |  |                               |            |
|         | 5.40 Sq.M.   | (a) IN GROUND FLOOR  |          | Rs.600.00<br>(Rupees six hundred only)                     | 1.Sq.M.<br>(ONE SQUARE METRE) | 3240.00    |
|         | 4.40 Sq.M.   | (b) IN FIRST FLOOR   |          | Rs.620.00<br>(Rupees six hundred and twenty only)          | 1.Sq.M.<br>(ONE SQUARE METRE) | 2728.00    |
|         | 2.20 Sq.M.   | (c) IN SECOND FLOOR  |          | Rs.630.00<br>(Rupees six hundred and thirty only)          | 1.Sq.M.<br>(ONE SQUARE METRE) | 1386.00    |
| 18.1    |              | PROVIDING <b>FORM WORK</b> AND CENTERING FOR REINFORCED CEMENT CONCRETE WORKS INCLUDING SUPPORTS AND STRUTTING UP TO 3.30M HEIGHT FOR PLANE SURFACES AS DETAILED BELOW WITH ALL CROSS BRACINGS USING MILD STEEL SHEETS OF SIZE 90CMX60CM AND MS 10 GAUGE STIFFENED WITH WELDED MILD STEEL ANGLES OF SIZE 25MMX25MMX3MM FOR BOARDING LAID OVER SILVER OAK OR COUNTRY WOOD JOISTS OF SIZE 10CMX6.5CM SPACED AT ABOUT 90CM CENTRE TO CENTRE AND SUPPORTED BY CASURINA PROPS 10CM TO 13CM DIA SPACED AT 75CM INTERVALS AND REMOVING THE SAME AFTER A SPECIFIED PERIOD WITHOUT DAMAGING THE R.C.C WORKS ETC., COMPLETE COMPLYING WITH STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. |          |  |                               |            |
|         | 5.30 Sq.M.   | (a) FOR COLUMN FOOTINGS, PLINTH BEAM, GRADE BEAM, RAFT BEAM, RAFT SLAB ETC.,   |          | Rs.700.00<br>(Rupees seven hundred only)                   | 1.Sq.M.<br>(ONE SQUARE METRE) | 3710.00    |
|         | 335.60 Sq.M. | (b) PLAIN SURFACES SUCH AS ROOF SLAB, FLOOR SLAB, BEAMS LINTELS, LOFTS, SILL SLAB, STAIRCASE WAIST, PORTICO SLAB AND OTHER SIMILAR WORKS   |          | Rs.790.00<br>(Rupees seven hundred and ninety only)        | 1.Sq.M.<br>(ONE SQUARE METRE) | 265124.00  |
|         | 61.60 Sq.M.  | (c) FOR SQUARE AND RECTANGULAR COLUMNS, AND SMALL QUANTITIES SUCH AS SUNSHADE, PARAPET CUM DROPS, WINDOW BOXING, FIN PROJECTION AND OTHER SIMILAR WORKS  |          | Rs.890.00<br>(Rupees eight hundred and ninety only)        | 1.Sq.M.<br>(ONE SQUARE METRE) | 54824.00   |
|         |              |  |          |  |                               | 1588000.50 |



| ITEM.NO | QUANTITY    | DESCRIPTION OF WORK   | TNBP No. | RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS             | UNIT IN FIGURES AND IN WORDS  | AMOUNT     |
|---------|-------------|---|----------|--|-------------------------------|------------|
| 1       | 2           | 3   | 4        | 5  | 6                             | 7          |
|         |             |   |          |  |                               | 1588000.50 |
| 21.5.2  | 34.70 Sq.M. | <p>PROVIDING AND FIXING OF FACTORY MADE UNPLASTICIZED POLYVINYL CHLORIDE (UPVC) DOOR FRAME OF SIZE 50X47MM WITH A WALL THICKNESS OF 5MM, MADE OUT OF EXTRUDED 5MM RIGID UPVC FOAM SHEET, MITERED AT TWO CORNERS AND JOINED WITH 2 NOS. OF 150MM LONG BRACKETS OF 15X15MM M.S SQUARE TUBE. THE TWO VERTICAL AND HORIZONTAL DOOR PROFILES ARE TO BE REINFORCED WITH 19X19MM M.S SQUARE TUBE OF 19 GAUGES WITH PRIMER COAT. THE DOOR FRAME SHALL BE FIXED TO THE WALL USING 65MM/100MM LONG M.S SCREW THROUGH THE FRAME BY USING PVC FASTENERS. A MINIMUM OF 4 NOS. SCREWS TO BE PROVIDED FOR EACH VERTICAL MEMBER AND MINIMUM 2 NOS. FOR HORIZONTAL MEMBER ETC., PROVIDING AND FIXING OF 30MM THICK FACTORY MADE DOOR SHUTTER WITH UNPLASTICIZED POLYVINYL CHLORIDE (UPVC) SOLID PANEL FOAM SHEET, STRUCTURED WITH M.S.TUBE OF 19 GAUGE THICKNESS AND SIZE 19MM X 19MM FOR STYLES AND 15MM X 15MM FOR TOP RAIL AND BOTTOM RAIL. PANNELLING OF 5MM THICK UPVC ONE SIDE PRINTED LAMINATION SINGLE SHEET TO BE FITTED IN THE M.S.FRAME WELDED / SEALED TO THE STYLES AND RAILS COVERED WITH 5MM THICK HEAT MOULDED UPVC 'C' CHANNEL OF 30MMX50MM AND 5MM THICK 75MM WIDE UPVC SHEET FOR TOP RAIL, LOCK RAIL AND BOTTOM RAIL ON EITHER SIDE AND 10MM (5MM X 2 NOS.) THICK, 20MM WIDE CROSS UPVC SHEET AS GAP INSERT FOR TOP RAIL AND BOTTOM RAIL, AND JOINED TOGETHER WITH PVC SOLVENT CEMENT ADHESIVE. AN ADDITIONAL 5MM THICK UPVC STRIP OF 20MM WIDTH IS TO BE STUCK ON THE INTERIOR SIDE OF THE 'C' CHANNEL USING PVC SOLVENT CEMENT ADHESIVE. THE COST AND LABOUR CHARGES FOR FIXING OF 3 NOS. 4" SS BUTT HINGES AND ALUMINIUM FURNITURE FITTING SUCH AS 1 NO. 4" TOWER BOLT, 1 NO. 5" ALDROP, 2 NOS. 6" FLAT 'D' TYPE HANDLE, ETC ARE INCLUDED. THE FITTING PROVIDED SHALL BEAR ISI MARKS. TO ENSURE THE GENUINITY OF PRODUCT, THE DOOR SET SHOULD HAVE 4 NUMBERS OF MANUFACTURER'S LOGO HOLOGRAM OF APPROVED BRAND, EACH AT FRAME, STYLE, RAIL AND INNER PANEL. (THE QUALITY AND BRAND OF DOOR SHUTTER AND FURNITURE FITTINGS SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)</p> |          | Rs.3000.00<br>(Rupees three thousand only)                 | 1.Sq.M.<br>(ONE SQUARE METRE) | 104100.00  |
| 23.1.1  |             | <p>SUPPLYING AND FIXING OF BEST INDIAN TW SINGLE LEAF PANNELLED DOOR SHUTTERS USING 9 MM THICK PHENOL BONDED BWR GRADE PLYWOOD AS PER IS 303-1989 (GENERAL) WITH IS 5539- 1969 (FOR PRESERVATIVE TREATMENT AND IS 848 - 1974 (FOR ADHESIVES) WITH RELEVANT IS SPECIFICATION AND ITS LATEST AMENDMENTS FOR SHUTTERS WITH 75MMX37.50MM TEAK WOOD STYLES AND 3 NOS. OF 150X37.50 MM TW RAILS (TOP, BOTTOM AND LOCK RAILS) USING THE ABOVE PANELS INCLUDING LABOUR CHARGES AND COST OF ALUMINIUM FURNITURE FITTINGS AS PER SCHEDULE 'E' WITH BRASS SCREWS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY OF BWR GRADE PLYWOOD AND ALUMINIUM FURNITURE FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE).</p>   |          |  |                               |            |
|         | 19.70 Sq.M. | <p>SUITABLE FOR DOOR OF SIZE<br/>a) 900 X 2100MM</p>  |          | Rs.3200.00<br>(Rupees three thousand and two hundred only) | 1.Sq.M.<br>(ONE SQUARE METRE) | 63040.00   |
|         |             |   |          |  |                               | 1755140.50 |



| ITEM.NO<br>1 | QUANTITY<br>2     | DESCRIPTION OF WORK<br>3   | TNBP No.<br>4 | RATE EXCLUSIVE FOR GST IN<br>FIGURES AND IN WORDS<br>5   | UNIT IN FIGURES<br>AND IN WORDS<br>6 | AMOUNT<br>7    |
|--------------|-------------------|--|---------------|--|--------------------------------------|----------------|
|              |                   |  |               |  |                                      | 1755140.50     |
| 23.2.2<br>4  | 44.00 Sq.M.<br>7  | SUPPLYING AND FIXING OF <b>5.0MM THICK PIN HEADED GLASS</b> WITH ALUMINIUM BEEDING OF SIZE 12X12 MM WITH REQUIRED ALUMINIUM BOLTS AND NUTS TO SUIT ALL THE SIZE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF GLASS AND ALUMINIUM BEEDING SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)  |               | Rs.800.00<br>(Rupees eight hundred only)                 | 1.Sq.M.<br>(ONE SQUARE METRE)        | 35200.00<br>4  |
| 28.1<br>4    | 13.70 Sq.M.<br>7  | PLASTERING THE TOP OF FLOORING IN CM 1:4 (ONE OF CEMENT AND FOUR OF <b>CRUSHED STONE SAND</b> ) 20MM THICK WITH ADMIXTURE INCLUDING SURFACE RENDERED SMOOTH INCLUDING PROVIDING PROPER SLOPES, THREAD LINING, CURING AND 150MM WIDE SKIRTING AROUND WITH THE SAME CEMENT MORTAR ETC., COMPLETE IN ALL RESPECTS   |               | Rs.400.00<br>(Rupees four hundred only)                  | 1.Sq.M.<br>(ONE SQUARE METRE)        | 5480.00<br>4   |
| 29.8.1<br>4  | 243.10 Sq.M.<br>7 | SUPPLYING AND FIXING OF COLOUR <b>GLAZED TILES</b> OF BEST APPROVED QUALITY (THE COLOUR AND SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING) OVER CEMENT PLASTERING IN CM 1:2 (ONE OF CEMENT AND TWO OF <b>CRUSHED STONE SAND</b> ) 10MM THICK INCLUDING FIXING IN POSITION, CUTTING THE TILES TO THE REQUIRED SIZE WHEREVER NECESSARY, POINTING THE JOINTS WITH <b>GROUT (TILE JOINT FILLER)</b> , CURING, FINISHING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRAND AND QUALITY OF TILES SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE).                                    |               | Rs.1080.00<br>(Rupees one thousand and eighty only)      | 1.Sq.M.<br>(ONE SQUARE METRE)        | 262548.00<br>4 |
| 29.9.1<br>4  | 33.10 Sq.M.<br>7  | SUPPLYING AND LAYING OF <b>CERAMIC TILES (ANTI SKID)</b> OF BEST APPROVED QUALITY FOR FLOORING AND OTHER SIMILAR WORKS (THE COLOUR AND SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING) OVER CEMENT MORTAR 1:3 (ONE OF CEMENT AND THREE OF <b>CRUSHED STONE SAND</b> ) 20MM THICK INCLUDING FIXING IN POSITION, CUTTING THE TILES TO THE REQUIRED SIZE WHEREVER NECESSARY, POINTING THE JOINTS WITH <b>GROUT (TILE JOINT FILLER)</b> , CURING, FINISHING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRAND AND QUALITY OF TILES SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE). |               | Rs.1000.00<br>(Rupees one thousand only)                 | 1.Sq.M.<br>(ONE SQUARE METRE)        | 33100.00<br>4  |
| 32.1.1<br>4  | 490.00 Sq.M.<br>7 | FINISHING TOP OF ROOF WITH ONE COURSE OF HYDRAULIC <b>PRESSED TILES</b> OF APPROVED SUPERIOR QUALITY OF SIZE <b>23CMX 23CMX20MM THICK</b> LAID OVER WEATHERING COURSE IN CM 1:3 (ONE OF CEMENT AND THREE OF <b>CRUSHED STONE SAND</b> ) 12MM THICK <b>MIXED WITH WATER PROOFING COMPOUND</b> AT 2% BY WEIGHT OF CEMENT USED AND POINTED NEATLY WITH THE SAME CEMENT MORTAR MIXED WITH WATER PROOFING COMPOUND INCLUDING CURING ETC., AS PER STANDARD SPECIFICATIONS. (THE QUALITY OF TILES SHALL BE GOT APPROVED FROM THE EE BEFORE USE)   |               | Rs.1100.00<br>(Rupees one thousand and one hundred only) | 1.Sq.M.<br>(ONE SQUARE METRE)        | 539000.00<br>4 |
|              |                   |  |               |  |                                      | 2630400.50     |

| ITEM.NO<br>1 | QUANTITY<br>2 | DESCRIPTION OF WORK<br>3  | TNBP No.<br>4 | RATE EXCLUSIVE FOR GST IN<br>FIGURES AND IN WORDS<br>5 | UNIT IN FIGURES<br>AND IN WORDS<br>6 | AMOUNT<br>7 |
|--------------|---------------|---|---------------|--|--------------------------------------|-------------|
|              |               |   |               |  |                                      | 2630468.50  |
| 33.1         | 4118.00 Sq.M. | PLASTERING WITH CM 1:5 (ONE OF CEMENT AND FIVE OF CRUSHED STONE SAND) 12MM THICK WITH ADMIXTURE FINISHED WITH NEAT CEMENT INCLUDING PROVIDING BAND CORNICE, CEILING CORNICE, CURING, SCAFFOLDING ETC., COMPLETE IN ALL RESPECTS AND COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.  |               | Rs.166.00<br>(Rupees one hundred and sixty six only)   | 1.Sq.M.<br>(ONE SQUARE METRE)        | 683588.00   |
| 34.1         | 118.70 Sq.M.  | PLASTERING WITH CM 1:4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) 12MM THICK WITH ADMIXTURE FINISHED WITH NEAT CEMENT INCLUDING PROVIDING BAND CORNICE, CEILING CORNICE, CURING, SCAFFOLDING ETC., COMPLETE IN ALL RESPECTS AND COMPLYING WITH STANDARD SPECIFICATIONS.   |               | Rs.180.00<br>(Rupees one hundred and eighty only)      | 1.Sq.M.<br>(ONE SQUARE METRE)        | 21366.00    |
| 35.1.1       | 21.20 Sq.M.   | PLASTERING IN CM 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 12MM TK. WITH ADMIXTURE MIXED WITH WATER PROOF COMPOUND AT 2% BY WEIGHT OF CEMENT FOR SUMP INCLUDING SCAFFOLDING CURING, FINISHING ETC., COMPLETE IN ALL RESPECTS AND COMPLYING WITH STANDARD SPECIFICATIONS.  |               | Rs.190.00<br>(Rupees one hundred and ninety only)      | 1.Sq.M.<br>(ONE SQUARE METRE)        | 4028.00     |
| 35.2         | 894.00 Sq.M.  | SPECIAL CEILING PLASTERING IN CEMENT MORTAR 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 10MM THICK WITH ADMIXTURE FOR BOTTOM OF ROOF, STAIR, WAIST, LANDING AND SUNSHADES IN ALL FLOORS FINISHED WITH NEAT CEMENT INCLUDING HACKING THE AREAS, PROVIDING BAND CORNICE, SCAFFOLDING, CURING ETC., COMPLETE.  |               | Rs.180.00<br>(Rupees one hundred and eighty only)      | 1.Sq.M.<br>(ONE SQUARE METRE)        | 160920.00   |
| 36.1         |               | PLASTERING FOR BORDER IN CEMENT MORTAR 1:5 (ONE OF CEMENT AND FIVE OF CRUSHED STONE SAND) 12MM THICK WITH ADMIXTURE FINISH IN ALL FLOORS FOR ELEVATION PURPOSES, INCLUDING SCAFFOLDING, CURING, FINISHING ETC., ALL COMPLETE.   |               |  |                                      |             |
|              | 378.00 Rmt.   | (a) 150MM WIDE BORDER   |               | Rs.100.00<br>(Rupees one hundred only)                 | 1.Rmt.<br>(ONE RUNNING METRE)        | 37800.00    |
|              | 376.70 Rmt.   | (b) 75MM WIDE BORDER  |               | Rs.65.00<br>(Rupees sixty five only)                   | 1.Rmt.<br>(ONE RUNNING METRE)        | 24485.50    |
|              | 213.20 Rmt.   | (c) 50MM WIDE BORDER  |               | Rs.45.00<br>(Rupees forty five only)                   | 1.Rmt.<br>(ONE RUNNING METRE)        | 9594.00     |
| 38.4.1       | 2973.80 Sq.M. | PAINTING THE NEW WALLS WITH TWO COATS OF OIL BOUND DISTEMPER OVER THE EXISTING PRIMING COAT OF WHITE CEMENT OF APPROVED BRAND OVER NEW CEMENT PLASTERED WALL SURFACES INCLUDING COST OF PAINTS, PUTTY, BRUSHES, WATERING, CURING, ETC., ALL COMPLETE AS DIRECTED BY THE DEPARTMENTAL OFFICERS (PAINTS AND ITS SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE) |               | Rs.120.00<br>(Rupees one hundred and twenty only)      | 1.Sq.M.<br>(ONE SQUARE METRE)        | 356856.00   |
|              |               |   |               |  |                                      | 3929106.00  |

| ITEM.NO  | QUANTITY     | DESCRIPTION OF WORK  | TNBP No. | RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS    | UNIT IN FIGURES AND IN WORDS   | AMOUNT            |
|----------|--------------|--|----------|---|--------------------------------|-------------------|
| 1        | 2            | 3  | 4        | 5   | 6                              | 7                 |
|          |              |  |          |   |                                | <b>3929106.00</b> |
| 40.1     | 479.60 Sq.M. | TWO COATS OF PAINTING OVER THE <b>OLD WOOD WORK</b> WITH APPROVED FIRST-CLASS SYNTHETIC ENAMEL READY MIXED PAINT INCLUDING THOROUGH SCRAPPING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY AND THE SHADE OF ENAMEL PAINT SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)  |          | Rs.150.00<br>(Rupees one hundred and fifty only)  | 1.Sq.M.<br>(ONE SQUARE METRE)  | 71940.00          |
| 41.1     | 146.50 Sq.M. | TWO COATS OF PAINTING OVER THE <b>OLD IRON WORK</b> AND OTHER SIMILAR WORKS SUCH AS PVC / ASTM PIPES, KERB STONE AND GRILLS WITH APPROVED FIRST CLASS SYNTHETIC ENAMEL READY MIXED PAINT INCLUDING THOROUGH SCRAPPING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY AND THE BRAND OF ENAMEL PAINT SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)  |          | Rs.150.00<br>(Rupees one hundred and fifty only)  | 1.Sq.M.<br>(ONE SQUARE METRE)  | 21975.00          |
| 43.1     | 5.875 M.T.   | SUPPLYING, FABRICATING AND PLACING IN POSITION OF <b>MILD STEEL GRILLS/RIBBED TOR STEELS (WITHOUT CEMENT SLURRY)</b> OF ALL DIAMETERS FOR REINFORCEMENT FOR ALL FLOORS INCLUDING COST OF BINDING WIRE, BENDING, TYING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS FOR ALL SIZES.   |          | Rs.76000.00<br>(Rupees seventy six thousand only) | 1 M.T.<br>(ONE METRIC TONNE)   | 446500.00         |
| 44.2.1.a | 10 NOS.      | <b>PROVIDING RAIN WATER HARVESTING PIT</b> OF 1M DIA AND 600MM DEPTH OF EARTH WORK EXCAVATION AND FILLING THE PIT WITH 40MM STONE JELLY TO A DEPTH OF 300MM FROM THE TOP OF THE AUGERING PORTION AND FILLING WITH <b>CRUSHED STONE SAND</b> WITH ADMIXTURE TO A DEPTH OF 300MM OVER THE STONE JELLY AND COVERED WITH THE PRE-CAST RCC PERFORATED SLAB OF 40MM THICK IN STANDARDISED CONCRETE MIX M-20 GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING 3MM-10MM HARD BROKEN STONE JELLY FOR ALL RCC ITEMS OF WORKS EXCLUDING THE COST AND FABRICATION OF REINFORCEMENT GRILLS BUT INCLUDING PRECASTING, MOULDING, CURING, FINISHING AND FIXING IN POSITION ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. |          | Rs.2000.00<br>(Rupees two thousand only)          | 1.NO.<br>(EACH)                | 20000.00          |
| 44.2.1.b | 30.00 Rmt.   | <b>AUGERING 30CM DIA</b> BORE HOLE IN ALL SOILS AND SUB SOILS REQUIRED DEPTH TO PROVIDING RAIN WATER HARVESTING FROM THE CENTRE OF THE RAIN WATER HARVESTING PIT ALREADY EXCAVATED AND FILLING THE AUGERING PORTION WITH 40MM SIZE STONE JELLY ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.  |          | Rs.450.00<br>(Rupees four hundred and fifty only) | 1. Rmt.<br>(ONE RUNNING METRE) | 13500.00          |
| 44.6     | 186.10 Rmt.  | SUPPLYING AND FIXING OF <b>110MM DIA PVC SWR PIPE</b> WITH ISI MARK CONFIRMING TO IS 13952:1992-TYPE 'A' FOR RAIN WATER DOWN FALL PIPE WITH RELEVANT SPECIALS SUCH AS GRATINGS, SHOES, BENDS, OFFSETS CONFIRMING TO IS 14735 INCLUDING JOINTING WITH SEAL RING CONFIRMING IS 5382 WITH LEAVING A GAP ABOUT 10MM TO ALLOW THERMAL EXPANSION WITH NECESSARY CLAMPS, TEAK WOOD PLUGS, ETC., OF APPROVED QUALITY AND INCLUDING FIXING C.I. GRATINGS AT THE JUNCTION OF PARAPET AND FLOOR OR ROOF SLAB ETC., INCLUDING FINISHING ETC., COMPLETE COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.  |          | Rs.310.00<br>(Rupees three hundred and ten only)  | 1. Rmt.<br>(ONE RUNNING METRE) | 57691.00          |
|          |              |  |          |   |                                | <b>4560712.00</b> |



| ITEM.NO | QUANTITY    | DESCRIPTION OF WORK  | TNBP No. | RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS             | UNIT IN FIGURES AND IN WORDS  | AMOUNT     |
|---------|-------------|--|----------|--|-------------------------------|------------|
| 1       | 2           | 3  | 4        | 5  | 6                             | 7          |
|         |             |  |          |  |                               | 4560712.00 |
| 50.6.1  | 45.00 Sq.M. | SUPPLYING AND FIXING OF FIBRE MIXED <b>PRECAST SLAB OF 50MM THICK</b> OF ALL REQUIRED SHAPES MADE IN CEMENT CONCRETE 1:3:6 (ONE OF CEMENT, THREE OF <b>CRUSHED STONE SAND</b> AND SIX OF 20MM HARD BROKEN STONE JELLY) USING 20MM HARD BROKEN STONE JELLY MIXED WITH SECONDARY REINFORCEMENT FIBRE OF APPROVED QUALITY AT 0.25% BY WEIGHT OF CEMENT (125GM OF FIBRE FOR 1BAG I.E., 50KG OF CEMENT) USED INCLUDING COST OF ALL MATERIALS, MOULDING, CURING, TRANSPORTATION, LAYING, POINTING ETC., FOR APPROACH ROAD, PAVEMENT SLAB AND OTHER SIMILAR WORKS ETC., COMPLETE AS PER THE RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE SHAPE OF SLAB AND BRAND AND QUALITY OF FIBRE SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE) |          | Rs.350.00<br>(Rupees three hundred and fifty only)         | 1.Sq.M.<br>(ONE SQUARE METRE) | 15750.00   |
| 51.1    | 6 NOS.      | SUPPLYING AND FIXING OF <b>HDPE WATER TANK 700 LITRE CAPACITY</b> OF ROTATIONAL MOULDED POLYETHYLENE WATER STORAGE TANKS ( <b>HDPE CYLINDRICAL VERTICAL TYPE</b> ) FOR <b>OUTDOOR USE HAVING CAPACITY OF 700 LITRES</b> (EXCLUDING FREE BOARD) OF APPROVED BRAND (SUPERIOR VARIETY) WITH ISI MARK (MARKED IN THE TANK ITSELF) WITH TOP LID WITH PROVISIONS OF LOCKING INCLUDING NECESSARY SPECIALS AND FITTINGS FOR STORING POTABLE WATER AND MANUFACTURED WITH MATERIAL WHICH DO NOT IMPORT ANY TASTE/ODOUR/ANY TOXIC EFFECT AND NOT TO CONTAMINATE ETC WITH CARBON BLOCK CONTENT AND DISPERSION IN ACCORDANCE WITH RELEVANT I.S. SPECIFICATION AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS ETC. COMPLETE. (THE TANK SHOULD BE GOT APPROVED FROM THE EE BEFORE USE)                |          | Rs.6000.00<br>(Rupees six thousand only)                   | 1.NO.<br>(EACH)               | 36000.00   |
| 51.2    | 13 NOS.     | SUPPLYING AND FIXING OF <b>700 LITRES CAPACITY HDPE WATER TANK TOP COVER</b> (BLACK) TO THE EXISTING PVC WATER TANK INCLUDING COST OF ALL MATERIALS AND LABOUR CHARGES ETC., ALL COMPLETE COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND OF THE MATERIAL SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)  |          | Rs.300.00<br>(Rupees three hundred only)                   | 1.NO.<br>(EACH)               | 3900.00    |
| 52.4    | 2 NOS.      | SUPPLYING AND FIXING OF <b>C.I. MANHOLE COVER</b> WITH LOCKING ARRANGEMENTS OF APPROVED QUALITY AND BRAND OF SIZE 0.6 M X 0.6 M(50 KG) AS PER STANDARD SPECIFICATIONS INCLUDING COST OF MATERIAL, LABOUR CHARGES FOR FIXING ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.  |          | Rs.1800.00<br>(Rupees one thousand and eight hundred only) | 1.NO.<br>(EACH)               | 3600.00    |
| 53.5    | 22 NOS.     | SUPPLYING AND FIXING OF PORCELIN <b>WASH HAND BASIN</b> (WHITE WITHOUT PEDESTAL TYPE), SUPERIOR VARIETY OF SIZE 550X400MM (22"X16") WITH ALL ACCESSORIES SUCH AS POWDER COATED CAST IRON BRACKETS, 32MM DIA C.P. WASTE COUPLING, RUBBER PLUG AND ALUMINIUM CHAIN, 32MM DIA GI 'B' CLASS PVC WASTE PIPE, 15MM DIA CP ANGLE VALVE, 15MM DIA NYLON CONNECTION, 15MM DIA BRASS NIPPLES, 15MM C.P. PILLAR TAP & REQUIRED GRATING ETC., COMPLETE IN ALL RESPECTS (WASH HAND BASIN WITH CP FITTINGS SHALL BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE FIXING).   |          | Rs.3000.00<br>(Rupees three thousand only)                 | 1.NO.<br>(EACH)               | 66000.00   |
|         |             |  |          |  |                               | 4685962.00 |



| ITEM.NO | QUANTITY | DESCRIPTION OF WORK  | TNBP No. | RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS             | UNIT IN FIGURES AND IN WORDS | AMOUNT     |
|---------|----------|--|----------|--|------------------------------|------------|
| 1       | 2        | 3  | 4        | 5  | 6                            | 7          |
|         |          |  |          |  |                              | 4685962.00 |
| 54.1.1  | 41 NOS.  | SUPPLYING AND FIXING OF HALF TURN BRASS CORE <b>CP LONG BODY TAP</b> OF 15MM DIA OF BEST QUALITY INCLUDING COST OF HALF TURN CP TAP WITH REQUIRED SPECIALS AND LABOUR FOR FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)  |          | Rs.450.00<br>(Rupees four hundred and fifty only)          | 1.NO.<br>(EACH)              | 18450.00   |
| 54.2.1  | 22 NOS.  | SUPPLYING AND FIXING OF HALF TURN BRASS CORE <b>CP SHORT BODY TAP</b> OF 15MM DIA OF BEST QUALITY INCLUDING COST OF HALF TURN CP TAP WITH REQUIRED SPECIALS AND LABOUR FOR FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)   |          | Rs.480.00<br>(Rupees four hundred and eighty only)         | 1.NO.<br>(EACH)              | 10560.00   |
| 56.3.2  | 7 NOS.   | SUPPLYING AND FIXING OF <b>INDIAN WATER CLOSET WHITE GLAZED (ORIYA TYPE)</b> OF SIZE 580MMX440MM OF APPROVED MAKE WITH ISI MARK (TO BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE) WITH PVC SWR GRADE P OR S TRAP INCLUDING CONCRETE PACKING, FILLING PORTION WITH EARTH, FLOORING THE AREA WITH 75MM THICK BRICK JELLY CONCRETE IN CC 1:8:16 (ONE OF CEMENT, EIGHT OF <b>CRUSHED STONE SAND</b> AND SIXTEEN OF BRICK JELLY) USING 40MM SIZE BRICK JELLY AND TOP LEFT ROUGH TO RECEIVE THE FLOOR PLASTERING BUT INCLUDING ANTISYPHONAGE CONNECTION, CURING, ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. <b>(IN GROUND FLOOR)</b>  |          | Rs.3000.00<br>(Rupees three thousand only)                 | 1.NO.<br>(EACH)              | 21000.00   |
| 56.4.2  | 12 NOS.  | SUPPLYING AND FIXING OF <b>INDIAN WATER CLOSET WHITE GLAZED (ORIYA TYPE)</b> OF SIZE 580MMX440MM OF APPROVED MAKE WITH ISI MARK (TO BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE) WITH PVC SWR GRADE P OR S TRAP INCLUDING CONCRETE FILLING THE SUNK PORTION WITH BRICK JELLY LIME CONCRETE PROPORTION OF BRICK JELLY TO LIME BEING 32:12½ BY VOLUME (32 CFT OF 20MM GAUGE BRICK JELLY AND 12 ½ CFT OF SLAKED LIME) (NO SAND) AND TOP 75MM THICK BRICK JELLY CONCRETE IN CC 1:8:16 (ONE OF CEMENT, EIGHT OF <b>CRUSHED STONE SAND</b> AND SIXTEEN OF BROKEN BRICK JELLY) USING 40MM SIZE BRICK JELLY<br><br>INCLUDING PLASTERING THE SIDES OF SUNK PORTION IN CM 1:3 (ONE OF CEMENT AND THREE OF <b>CRUSHED STONE SAND</b> ) 12MM THICK MIXED WITH WATER PROOFING COMPOUND AT 2KG/SQM AND TOP LEFT ROUGH TO RECEIVE THE FLOOR PLASTERING BUT INCLUDING ANTISYPHONAGE CONNECTION, ONE COAT OF BITUMEN FOR THE SIDES, BOTTOM AND CURING ETC., COMPLETE IN ALL FLOORS. <b>(OTHER THAN GROUND FLOOR)</b> |          | Rs.5500.00<br>(Rupees five thousand and five hundred only) | 1.NO.<br>(EACH)              | 66000.00   |
| 57.2    | 3 NOS.   | SUPPLYING AND FIXING <b>EWC (WHITE)</b> SUPERIOR VARIETY 500MM WITH PVC SWR GRADE 'P' OR 'S' TRAP INCLUDING COST AND FIXING OF DOUBLE FLAPPED PLASTIC SHEET COVER PVC FLUSHING CISTERN IN APPROPRIATE LEVEL AS DIRECTED BY THE DEPARTMENTAL OFFICERS AT A MAXIMUM LEVEL OF 5'6" AND OF APPROVED BRAND OF 10 LITRES CAPACITY INCLUDING FITTINGS SUCH AS CI BRACKETS. PVC CONNECTION GM WHEEL VALVE, HEX NIPPLE, ETC., COMPLETE (EWC AND PLASTIC COVER SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE FIXING).   |          | Rs.6000.00<br>(Rupees six thousand only)                   | 1.NO.<br>(EACH)              | 18000.00   |
|         |          |  |          |  |                              | 4819972.00 |

| ITEM.NO | QUANTITY    | DESCRIPTION OF WORK  | TNBP No. | RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS            | UNIT IN FIGURES AND IN WORDS   | AMOUNT     |
|---------|-------------|--|----------|---|--------------------------------|------------|
| 1       | 2           | 3  | 4        | 5   | 6                              | 7          |
|         |             |  |          |   |                                | 4819972.00 |
| 58.3    | 123.70 Rmt. | SUPPLYING AND FIXING THE FOLLOWING DIA <b>PVC (SWR) PIPE</b> WITH ISI MARK CONFIRMING TO IS 13952:1992- TYPE 'B' FOR SOIL LINE WITH RELEVANT SPECIALS CONFIRMING TO IS 14735 INCLUDING JOINTING WITH SEAL RING CONFIRMING TO IS 5382 WITH LEAVING A GAP ABOUT 10MM TO ALLOW THERMAL EXPANSION, FIXING THE PIPES INTO WALLS WITH NECESSARY WOODEN PLUG, SCREWS, HOLDING WHEREVER NECESSARY AND MAKING GOOD OF THE DISMANTLED PORTION WITH NECESSARY CONNECTIONS TO SANITARY FITTINGS ETC., COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.   |          |   |                                |            |
|         |             | (a) 110MM DIA PVC SWR PIPE INCLUDING ALL REQUIRED PVC SPECIALS ETC., ALL COMPLETE.   |          | Rs.550.00<br>(Rupees five hundred and fifty only)         | 1.Rmt.<br>(ONE RUNNING METRE)  | 68035.00   |
|         | 163.50 Rmt. | (b) 75MM DIA PVC SWR PIPE INCLUDING ALL REQUIRED PVC SPECIALS ETC., ALL COMPLETE.  |          | Rs.400.00<br>(Rupees four hundred only)                   | 1.Rmt.<br>(ONE RUNNING METRE)  | 65400.00   |
| 58.4    | 26.10 Rmt.  | SUPPLYING, LAYING AND <b>CONCEALING THE 50MM DIA PVC (SWR) PIPE</b> WITH ISI MARK CONFIRMING TO IS 13952:1992- TYPE 'B' FOR WASTE WATER LINE WITH RELEVANT SPECIALS CONFIRMING TO IS 14735 INCLUDING JOINTING AND MAKING GOOD OF THE DISMANTLED PORTION WITH NECESSARY CONNECTIONS TO SANITARY FITTINGS ETC., COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.   |          | Rs.143.00<br>(Rupees one hundred and forty three only)    | 1. Rmt.<br>(ONE RUNNING METRE) | 3732.30    |
| 58.5    | 1 NO.       | SUPPLYING AND FIXING THE FOLLOWING DIA PVC(SWR) PIPE WITH ISI MARK CONFIRMING TO IS 13952:1992- TYPE 'A' WITH <b>PVC COWL</b> AND RELEVANT SPECIALS CONFIRMING TO IS 14735 INCLUDING JOINTING WITH SEAL RING CONFIRMING TO IS 5382 WITH LEAVING A GAP 10MM TO ALLOW THERMAL EXPANSION AND FIXING THE PIPES INTO WALLS OR OVER THE SEPTIC TANK WITH NECESSARY WOODEN PLUG, SCREWS, HOLDING WHEREVER NECESSARY AND MAKING GOOD OF THE DISMANTLED PORTION WITH NECESSARY CONNECTIONS TO SANITARY FITTINGS ETC., COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.                              |          | Rs.567.00<br>(Rupees five hundred and sixty seven only)   | 1.No.<br>(EACH)                | 567.00     |
| 59.5.2  | 10 NOS.     | SUPPLYING AND FIXING 150MM X 100MM SIZE <b>STONE WARE GULLY TRAP</b> WITH IRON DOUBLE GRATINGS OVER A BED OF 150MM THICK BRICK JELLY CONCRETE IN CC 1:8:16 (ONE OF CEMENT, EIGHT OF <b>CRUSHED STONE SAND</b> AND SIXTEEN OF BROKEN BRICK JELLY) USING 40MM SIZE BRICK JELLY AND BRICK MASONRY WALL 110 MM THICK USING KILN BURNT COUNTRY BRICKS OF SIZE 8 1/4"X4 1/4"X2 1/4" (22X11X7CM) IN CM 1:5 (ONE OF CEMENT AND FIVE OF <b>CRUSHED STONE SAND</b> ) PLASTERED WITH CM 1:3 (ONE OF CEMENT AND THREE OF <b>CRUSHED STONE SAND</b> ) 12MM THICK ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. |          | Rs.1500.00<br>(Rupees one thousand and five hundred only) | 1.No.<br>(EACH)                | 15000.00   |
|         |             |  |          |   |                                | 4972706.30 |

| ITEM.NO | QUANTITY   | DESCRIPTION OF WORK   | TNBP No. | RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS     | UNIT IN FIGURES AND IN WORDS  | AMOUNT            |
|---------|------------|---|----------|--|-------------------------------|-------------------|
| 1       | 2          | 3   | 4        | 5  | 6                             | 7                 |
|         |            |   |          |  |                               | <b>4972706.30</b> |
| 60.1    | 18 NOS.    | SUPPLYING AND FIXING OF <b>PVC NAHANI TRAP</b> NOT LESS THAN 75MM 4 WAY /2 WAY (SUPERIOR VARIETY) HAVING MINIMUM OF WATER SEAL OF 50MM CONFIRM TO RELEVANT I.S. SPECIFICATIONS WITH ITS LATEST AMENDMENTS INCLUDING RESTING ON THE BED OF BRICK JELLY CONCRETE 1:5:10 (ONE OF CEMENT, FIVE OF <b>CRUSHED STONE SAND</b> OF TEN OF 40 MM GAUGE BRICK JELLY) ETC., COMPLETE AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE PVC NAHANI TRAP SHOULD BE GOT APPROVED FROM THE EE BEFORE USE)  |          | Rs.140.00<br>(Rupees one hundred and forty only)   | 1.No.<br>(EACH)               | 2520.00           |
| 61.1.1  |            | SUPPLYING, LAYING AND JOINTING THE FOLLOWING DIA UPVC NON PRESSURE PIPE OF <b>SN8 SDR 34 (S 16.5) AS PER IS 15328/2003</b> , SUPERIOR VARIETY AND TESTED WITH WATER INCLUDING NECESSARY EARTH WORK EXCAVATION FOR TRENCHES AND REFILLING THE SAME, WELL RAMMED AND CONSOLIDATED AFTER THE PIPES ARE JOINTED AND LAID TO PROPER GRADIENT TO THE ALIGNMENT AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (SN8 SDR 34 (S 16.5) AS PER IS 15328/2003 SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER./ SUPERINTENDING ENGINEER./ CHIEF ENGINEER, BEFORE USE IN WORKS)   |          |  |                               |                   |
|         | 48.00 Rmt. | (a) <b>110MM DIA UPVC NON PRESSURE PIPE</b>   |          | Rs.500.00<br>(Rupees five hundred only)            | 1.Rmt.<br>(ONE RUNNING METRE) | 24000.00          |
|         | 28.00 Rmt. | (b) <b>160MM DIA UPVC NON PRESSURE PIPE</b>   |          | Rs.600.00<br>(Rupees six hundred only)             | 1.Rmt.<br>(ONE RUNNING METRE) | 16800.00          |
| 64.1.2  |            | <b>WIRING WITH 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE</b> WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE FOR <b>OPEN WIRING</b> WITH PVC RIGID CONDUIT PIPE OF 19MM/20MM DIA HEAVY DUTY WITH ISI MARK WITH SUITABLE SPECIALS, TW SWITCH BOX OF SIZE 100X100X75 MM AND JUNCTION BOX OF SIZE 150X100X75MM, COVERED WITH 3MM THICK LAMINATED HYLEM SHEET, TW ROUND BLOCK, PVC BENDS, TEES, JUNCTION BOXES, TW PLUGS, BRASS SCREWS ETC., CONTROLLED BY 5 AMPS FLUSH TYPE SWITCH INCLUDING CIRCUIT MAINS COST OF ALL MATERIALS, SPECIALS ETC., ALL COMPLETE. <b>(OPEN WIRING)</b> |          |  |                               |                   |
|         | 54 POINTS  | (a) <b>LIGHT POINT WITH CEILING ROSE</b>  |          | Rs.800.00<br>(Rupees eight hundred only)           | 1 POINT<br>(EACH POINT)       | 43200.00          |
|         | 65 POINTS  | (b) <b>LIGHT POINT WITHOUT CEILING ROSE WITH BAKELITE BATTERN HOLDER</b>  |          | Rs.800.00<br>(Rupees eight hundred only)           | 1 POINT<br>(EACH POINT)       | 52000.00          |
|         | 15 POINTS  | (c) <b>POINT WIRING FOR CALLING BELL/ BUZZER WITH PUSH TYPE SWITCH</b>  |          | Rs.850.00<br>(Rupees eight hundred and fifty only) | 1 POINT<br>(EACH POINT)       | 12750.00          |
|         |            |   |          |  |                               | <b>5123976.30</b> |



| ITEM.NO | QUANTITY  | DESCRIPTION OF WORK   | TNP No. | RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS           | UNIT IN FIGURES AND IN WORDS | AMOUNT     |
|---------|-----------|---|---------|--|------------------------------|------------|
| 1       | 2         | 3   | 4       | 5  | 6                            | 7          |
|         |           |   |         |  |                              | 5123976.30 |
| 65.1.2  | 44 POINTS | <p><b>WIRING WITH 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE</b> WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE FOR <b>OPEN WIRING</b> WITH PVC RIGID CONDUIT PIPE OF 19MM/20MM DIA HEAVY DUTY WITH ISI MARK WITH SUITABLE SPECIALS T.W. SWITCH BOX 12"X8"X3" FOR SWITCH AND REGULATOR AND JUNCTION BOX OF SIZE 150X100X75MM COVERED WITH 3MM THICK LAMINATED HYLEM SHEET FOR <b>FAN POINT</b> PVC BENDS, TEES, JUNCTION BOXES, TW PLUGS, BRASS SCREWS CONTROLLED BY 5 AMPS FLUSH TYPE SWITCH INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS, SPECIALS, ETC., ALL COMPLETE. <b>(OPEN WIRING)</b></p> |         | Rs.850.00<br>(Rupees eight hundred and fifty only)       | 1 POINT<br>(EACH POINT)      | 37400.00   |
| 67.1    | 26 POINTS | <p><b>WIRING WITH 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE</b> WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE FOR OPEN WIRING WITH PVC RIGID CONDUIT PIPE OF 19/20MM DIA FOR 5 AMPS 3 PIN &amp; 2 PIN COMBINED FLUSH TYPE WALL SOCKET ONLY AT <b>SWITCH BOARD ITSELF</b> INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS, SPECIALS, ETC., ALL COMPLETE. <b>(OPEN WIRING)</b></p>  |         | Rs.600.00<br>(Rupees six hundred only)                   | 1 POINT<br>(EACH POINT)      | 15600.00   |
| 68.2.2  | 26 POINTS | <p><b>WIRING WITH 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE</b> WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE FOR <b>OPEN WIRING</b> WITH PVC RIGID CONDUIT PIPE OF 19MM/20MM DIA HEAVY DUTY WITH ISI MARK WITH SUITABLE SPECIALS, TW BOX OF SIZE 150X100X75MM, COVERED WITH 3MM THICK LAMINATED HYLEM SHEET FOR <b>5 AMPS 5 PIN PLUG SOCKET POINT AT CONVENIENT PLACES</b> INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS, SPECIALS, ETC., ALL COMPLETE.</p>  |         | Rs.750.00<br>(Rupees seven hundred and fifty only)       | 1 POINT<br>(EACH POINT)      | 19500.00   |
| 75.1.2  | 40 NOS.   | <p>SUPPLYING AND DELIVERY OF FOLLOWING <b>ELECTRIC CEILING FAN WITH ISI MARK</b> WITH BLADES AND DOUBLE BALL BEARING, CAPACITOR, ETC., COMPLETE WITH 300MM DOWN ROD, CANOPIES, CAPACITOR, SHACKLE BLADES WITH <b>ELECTRONIC DIMMER</b> SUITABLE FOR OPERATION ON 230 VOLTS 50 HTZ SINGLE PHASE AC SUPPLY CONFORMING TO ISS NO.374/79 AND PROVIDED WITH INSULATION. (THE BRAND SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE SUPPLY MADE).</p> <p><b>(a) 48" ELECTRIC FAN 1200MM SWEEP</b></p>   |         | Rs.1600.00<br>(Rupees one thousand and six hundred only) | 1.NO.<br>(EACH)              | 64000.00   |
|         |           |   |         |  |                              | 5260476.30 |



| ITEM.NO | QUANTITY     | DESCRIPTION OF WORK  | TNBP No. | RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS    | UNIT IN FIGURES AND IN WORDS  | AMOUNT            |
|---------|--------------|--|----------|---|-------------------------------|-------------------|
| 1       | 2            | 3  | 4        | 5   | 6                             | 7                 |
|         |              |  |          |   |                               | <b>5260476.30</b> |
| 77.5.1  | 1045.00 Rmt. | <b>RUN OFF MAIN WITH 2 WIRES OF 1.5 SQ.MM. PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE</b> WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE FOR <b>OPEN WIRING</b> WITH PVC RIGID CONDUIT PIPE OF 19MM/20MM DIA HEAVY DUTY WITH ISI MARK WITH SUITABLE SPECIALS, TW PLUGS, CONDUIT SADDLES 19MM (3/4"), BRASS SCREWS ETC., CONTROLLED BY 5 AMPS FLUSH TYPE SWITCH INCLUDING CIRCUIT MAINS COST OF ALL MATERIALS, SPECIALS ETC., ALL COMPLETE. |          | Rs.100.00<br>(Rupees one hundred only)            | 1.Rmt.<br>(ONE RUNNING METRE) | 104500.00         |
| 77.7.1  | 427.00 Rmt.  | <b>RUN OFF MAIN WITH 2 WIRES OF 2.5 SQ.MM. PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE</b> WITH CONTINUOUS EARTH BY MEANS OF 2.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE FOR <b>OPEN WIRING</b> WITH PVC RIGID CONDUIT PIPE OF 19MM/20MM DIA HEAVY DUTY WITH ISI MARK WITH SUITABLE SPECIALS, TW PLUGS, CONDUIT SADDLES 19MM (3/4"), BRASS SCREWS ETC., CONTROLLED BY 5 AMPS FLUSH TYPE SWITCH INCLUDING CIRCUIT MAINS COST OF ALL MATERIALS, SPECIALS ETC., ALL COMPLETE. |          | Rs.120.00<br>(Rupees one hundred and twenty only) | 1.Rmt.<br>(ONE RUNNING METRE) | 51240.00          |
| 100     | 137 NOS.     | SUPPLYING AND FIXING OF <b>9 WATTS LED BULB</b> OF BEST QUALITY INCLUDING COST OF MATERIAL AND FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS, (THE QUALITY OF THE 9 W LED BULB SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)   |          | Rs.130.00<br>(Rupees one hundred and thirty only) | 1.NO.<br>(EACH)               | 17810.00          |
| 101     | 20 NOS.      | SUPPLYING AND FIXING OF <b>25 WATTS BULB WITH STREET LIGHT FITTINGS</b> ARRANGEMENTS INCLUDING COST OF MATERIALS LABOUR CHARGES FOR FIXING OF LED STREET LIGHT FITTING ETC ALL COMPLETE AS PER RELEVANT STANDARD SPECIFICATION AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE 25 WATTS LED BULB WITH STREET LIGHT FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)   |          | Rs.3000.00<br>(Rupees three thousand only)        | 1.NO.<br>(EACH)               | 60000.00          |
| 102     | 80 NOS.      | SUPPLYING AND FIXING OF <b>4'18 WATTS CRYSTAL LED TUBE LIGHT</b> AND FIXING THE TUBE LIGHT FITTINGS ON TEAK WOOD ROUND BLOCKS OF 75MM DIA OR 40MM DEEP SUSPENDED FROM CEILING OR MOUNTED ON THE WALL INCLUDING COST OF ALL MATERIALS AND LABOUR FOR FIXING IN POSITION ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE ENTIRE TUBE LIGHT FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)   |          | Rs.650.00<br>(Rupees six hundred and fifty only)  | 1.NO.<br>(EACH)               | 52000.00          |
| 103     | 56 NOS.      | SUPPLYING AND FIXING OF <b>WATER TIGHT BULK HEAD FITTING</b> WITH GUARD SUITABLE FOR <b>12 W LED BULB</b> INCLUDING NECESSARY CONNECTIONS, COST OF MATERIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY OF THE BULK HEAD FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)   |          | Rs.500.00<br>(Rupees five hundred only)           | 1.NO.<br>(EACH)               | 28000.00          |
|         |              |  |          |   |                               | <b>5574026.30</b> |

| ITEM.NO | QUANTITY     | DESCRIPTION OF WORK   | TNBP No. | RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS                        | UNIT IN FIGURES AND IN WORDS  | AMOUNT     |
|---------|--------------|---|----------|---|-------------------------------|------------|
| 1       | 2            | 3   | 4        | 5   | 6                             | 7          |
|         |              |   |          |   |                               | 5574026.30 |
| 104     | 56 NOS.      | SUPPLYING AND FIXING OF <b>12 WATTS LED BULB</b> FOR BULK HEAD FITTINGS OF BEST QUALITY INCLUDING COST OF MATERIAL AND FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE 12 WATTS LED LAMP SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)   |          | Rs.170.00<br>(Rupees one hundred and seventy only)                    | 1.NO.<br>(EACH)               | 9520.00    |
| 272     |              | PROVIDING <b>TWO LEGGED SCAFFOLDING</b> USING 13 TO 15 CM DIA CASURINA POST WITH COUNTRY WOOD PLANKS (SILVER OAK 40MM THICK) INCLUDING COST OF MATERIALS, COIR, NAIL LABOUR CHARGES ETC ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.  |          |   |                               |            |
|         | 40.30 Rmt.   | a) 3M HEIGHT  |          | Rs.280.00<br>(Rupees two hundred and eighty only)                     | 1.Rmt.<br>(ONE RUNNING METRE) | 11284.00   |
|         | 53.70 Rmt.   | b) 5.5M HEIGHT IN ADDITION TO 2.5M HEIGHT   |          | Rs.570.00<br>(Rupees five hundred and seventy only)                   | 1.Rmt.<br>(ONE RUNNING METRE) | 30609.00   |
|         | 113.30 Rmt.  | c) 8.00M HEIGHT IN ADDITION TO 2.5M HEIGHT  |          | Rs.800.00<br>(Rupees eight hundred only)                              | 1.Rmt.<br>(ONE RUNNING METRE) | 90640.00   |
| 378.2   | 589.50 Sq.M. | SUPPLYING AND FIXING OF <b>VITRIFIED TILES</b> OF BEST APPROVED QUALITY ( <b>IVORY</b> ) 600X600X8MM FOR FLOORING AND OTHER SIMILAR WORKS (THE COLOUR AND SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING) OVER CEMENT MORTAR 1:3 (ONE OF CEMENT AND THREE OF <b>CRUSHED STONE SAND</b> ) 20MM THICK INCLUDING FIXING IN POSITION CUTTING THE TILES TO THE REQUIRED SIZE WHEREVER NECESSARY POINTING THE JOINTS WITH GROUT (TILE JOINT FILLER) CURING FINISHING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. |          | Rs.1175.00<br>(Rupees one thousand one hundred and seventy five only) | 1.Sq.M.<br>(ONE SQUARE METRE) | 692662.50  |
| 379.5.1 |              | SUPPLYING AND FIXING OF <b>GRANITE TILE</b> (SUPER FINE POLISHED WITH MACHINE CUT EDGES OF SIZE 2' X 1', 10MM THICK (JET BLACK) FOR <b>KITCHEN HEARTH SLAB</b> IN CM 1:3 (ONE OF CEMENT AND THREE OF <b>CRUSHED STONE SAND</b> ) 12MM TK OVER RCC PLATFORM INCLUDING FINISHING COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC., COMPLETE IN THE FOLLOWING FLOORS AS DIRECTED BY THE DEPARTMENTAL OFFICERS (QUALITY OF GRANITE TILE SHALL BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE FIXING)  |          |   |                               |            |
|         | 14.50 Sq.M.  | (a) IN GROUND FLOOR   |          | Rs.1100.00<br>(Rupees one thousand and one hundred only)              | 1.Sq.M.<br>(ONE SQUARE METRE) | 15950.00   |
|         | 12.30 Sq.M.  | (b) IN FIRST FLOOR  |          | Rs.1100.00<br>(Rupees one thousand and one hundred only)              | 1.Sq.M.<br>(ONE SQUARE METRE) | 13530.00   |
|         |              |   |          |   |                               | 6438221.80 |

| ITEM.NO | QUANTITY      | DESCRIPTION OF WORK  | TNBP No. | RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS                         | UNIT IN FIGURES AND IN WORDS  | AMOUNT     |
|---------|---------------|--|----------|--|-------------------------------|------------|
| 1       | 2             | 3  | 4        | 5  | 6                             | 7          |
|         |               |  |          |  |                               | 6438221.80 |
|         | 7.20 Sq.M.    | (c) IN SECOND FLOOR  |          | Rs.1100.00<br>(Rupees one thousand and one hundred only)               | 1.Sq.M.<br>(ONE SQUARE METRE) | 7920.00    |
| 796     | 1282.50 Sq.M. | PAINTING THE NEW WALLS WITH TWO COATS OF APPROVED BEST READY MIXED <b>PLASTIC EMULSION PAINT</b> IN ADDITION TO ONE COAT OF APPROVED PRIMER COAT OVER CEMENT PLASTERED WALL SURFACES AND CEILING INCLUDING COST OF PLASTIC EMULSION PAINT, PUTTY, BRUSHES ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE EMULSION PAINT AND ITS SHADE SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING) |          | Rs.220.00<br>(Rupees two hundred and twenty only)                      | 1.Sq.M.<br>(ONE SQUARE METRE) | 282150.00  |
| 800.1   | 41.10 Cu.M.   | <b>DISMANTLING CLEARING AWAY AND CAREFULLY STACKING MATERIALS USEFUL FOR RE-USE OF REINFORCEMENT CEMENT CONCRETE</b> WITHOUT AFFECTING THE ADJACENT STRUCTURES, INCLUDING THE COST OF REQUIRED TOOLS AND PLANTS AND SCAFFOLDING IF NECESSARY AND CLEARING THE DISMANTLED MATERIALS AWAY FROM THE SITE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.   |          | Rs.4896.00<br>(Rupees four thousand eight hundred and ninety six only) | 1.Cu.M.<br>(ONE CUBIC METRE)  | 201225.60  |
| 800.2   | 352.60 Sq.M.  | <b>DISMANTLING CLEARING AWAY AND CAREFULLY STACKING MATERIALS USEFUL FOR RE-USE OF PRESSED TILES AND WEATHERING COURSE</b> WITHOUT AFFECTING THE ADJACENT STRUCTURES, INCLUDING THE COST OF REQUIRED TOOLS AND PLANTS AND SCAFFOLDING IF NECESSARY AND CLEARING THE DISMANTLED MATERIALS AWAY FROM THE SITE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.   |          | Rs.39.00<br>(Rupees thirty nine only)                                  | 1.Sq.M.<br>(ONE SQUARE METRE) | 13751.40   |
| 800.3   | 4516.60 Sq.M. | <b>CLEAN REMOVAL OF CEMENT PLASTER FROM THE EXISTING WALL SURFACES</b> WITHOUT AFFECTING THE ADJACENT STRUCTURES, INCLUDING THE COST OF REQUIRED TOOLS AND PLANTS AND SCAFFOLDING IF NECESSARY AND CLEARING THE DISMANTLED MATERIALS AWAY FROM THE SITE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.   |          | Rs.7.00<br>(Rupees seven only)   | 1.Sq.M.<br>(ONE SQUARE METRE) | 31616.20   |
| 800.4   |               | <b>DISMANTLING CLEARING AWAY AND CAREFULLY STACKING MATERIALS USEFUL FOR REUSE OF BRICK MASONRY IN CEMENT MORTAR WALLS</b> WITHOUT AFFECTING THE ADJACENT STRUCTURES, INCLUDING THE COST OF REQUIRED TOOLS AND PLANTS AND SCAFFOLDING IF NECESSARY AND CLEARING THE DISMANTLED MATERIALS AWAY FROM THE SITE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.   |          |  |                               |            |
|         | 13.10 Cu.M.   | (a) UPTO 6.00M HEIGHT  |          | Rs.240.00<br>(Rupees two hundred and forty only)                       | 1.Cu.M.<br>(ONE CUBIC METRE)  | 3144.00    |
|         | 12.10 Cu.M.   | (b) UPTO 9.00M HEIGHT  |          | Rs.240.00<br>(Rupees two hundred and forty only)                       | 1.Cu.M.<br>(ONE CUBIC METRE)  | 2904.00    |
|         |               |  |          |  |                               | 6980933.00 |

| ITEM.NO<br>1  | QUANTITY<br>2 | DESCRIPTION OF WORK<br>3   | TNBP No.<br>4 | RATE EXCLUSIVE FOR GST IN<br>FIGURES AND IN WORDS<br>5 | UNIT IN FIGURES<br>AND IN WORDS<br>6 | AMOUNT<br>7           |
|---|---------------|--|---------------|--|--------------------------------------|-----------------------|
|   | 10.90 Cu.M.   | (c) UPTO 12.00M HEIGHT   |               | Rs.240.00<br>(Rupees two hundred and forty only)       | 1.Cu.M.<br>(ONE CUBIC METRE)         | 6980933.00<br>2616.00 |
| 800.5   | 932.70 Sq.M.  | CLEAN REMOVAL OF FLOOR FINISH AND DADOING WALLS IN CEMENT MORTAR WITH <b>MOSAIC TILES / GLAZED TILES / CLAY TILES / CUDDAPPAN SLAB</b> WITHOUT AFFECTING THE ADJACENT STRUCTURES, INCLUDING THE COST OF REQUIRED TOOLS AND PLANTS AND SCAFFOLDING IF NECESSARY AND CLEARING THE DEBRIS AWAY FROM THE SITE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. |               | Rs.40.00<br>(Rupees forty only)                        | 1.Sq.M.<br>(ONE SQUARE METRE)        | 37308.00              |
|   |               | TOTAL AMOUNT (EXCLUDING GST)   |               |  |                                      | 7020857.00            |
|   |               | GST Amount for providing Service to Government Contract Works for the above Construction Works. (GST @ 18%)  |               |  |                                      | 1263754.26            |
|   |               | GRAND TOTAL  |               |  |                                      | 8284611.26            |
| (RUPEES EIGHTY TWO LAKHS EIGHTY FOUR THOUSAND SIX HUNDRED AND ELEVEN AND PAISE TWENTY SIX ONLY) |               |  |               |  |                                      |                       |