

TAMILNADU POLICE HOUSING CORPORATION LTD.,

(Government of Tamil Nadu Undertaking)

(ISO 9001 - 2015 CERTIFIED COMPANY)

SOUTH CIRCLE

No.1 Inspector Quarters, TSP 6th Battalion Campus,
New Natham Road, MADURAI - 625 014.

email id: sescmdutnphcl@gmail.com

Phone: 0452- 2903019.




S.V. SEKAR B.E.,
Superintending Engineer (i/c)

Lr.No.DB/SC/1414/2021(2)

Date :24.05.2022

To

M/s. Chendur Construction Company,
Chendur Illam, L-4/77 Sector IV,
TNHB Colony,
Madurai - 625 018.



Sir,

Sub: TNP HC Ltd., - South Circle - Tirunelveli Division - Construction of 128 Nos. of PC/HC quarters with development works at Nagercoil Armed Reserve Campus in Kanniyakumari District - Original agreement Accepted - Copy of agreement communicated - Regarding.

Ref : SE/SC.Agt.No. 23/2022-2023

The agreement for the above work is accepted and registered in this office as agreement No.SE/SC.Agt.No. 23/2022-2023 and a copy of the agreement is sent herewith for your reference. You are requested to contact the Executive Engineer/TNP HC Ltd.,/ Tirunelveli Division to take over the site and to commence the work

Encl : Copy of SE/SC. Agt.No. 23/2022-2023

Superintending Engineer
South Circle/TNP HC Ltd.,

Copy to

The Executive Engineer, TNP HC Ltd.,
Tirunelveli Division,

Tirunelveli-02 along with enclosure of copy of SE/SC Agt. No.23/2022-2023

He is requested to **commence the work after getting necessary planning permission for this scheme from the Local Planning Authority/DTCP** and (i) Confirm whether the works are only carried out by the Original Contractor and (ii) instructed to execute the works as per this agreement conditions and specification with good quality and hand over the site to the contractor so as to do the work immediately, and also requested to depute one responsible person to this office to collect the original agreement along with documents as early. He is instructed to implement the revised GST rules before making payment.

Bg
24/5/2022

24.5.22

SE/South Circle. Agt. No.23/2022-2023 ✓
FILE No. DB/SC/1414/2021 ✓
REPORT ACCOMPANYING SLIP FOR LUMP SUM AGREEMENT
(FOR OFFICE USE ONLY)

TAMILNADU POLICE HOUSING CORPORATION LTD.,
SOUTH CIRCLE, MADURAI – 625 014.

NAME OF PROJECT	:	Announcement made by the Hon'ble Chief Minister of Tamil Nadu during the Police demand held on 24.03.2020 ✓
NAME OF WORK	:	Construction of 128 Nos. of PC/HC quarters with development works at Nagercoil Armed Reserve Campus in Kanniyakumari District.
ESTIMATE AMOUNT	:	₹ 21,02,00,000/- ✓
ESTIMATE No.	:	CER No.38/2021-2022 ✓
ESTIMATE AMOUNT PUT IN TENDER	:	₹ 18,91,46,404.24 (2020-2021) ✓ (Including the GST @12%)
TENDER VALUE	:	₹ 14,88,62,229.04 (Including the GST @12%) ✓
LESS AMOUNT	:	(-) ₹ 4,02,84,175.20 ✓
LESS PERCENTAGE	:	(-) 21.30 % ✓
TENDER ACCEPTED BY WHOM	:	The Chairman and Managing Director, TNPHC Ltd., Chennai-10 ✓
NAME OF THE CONTRACTOR	:	M/s. Chendur Construction Company ✓
No. OF ITEMS IN THE AGREEMENT	:	243 (Two hundred and forty three only) ✓
No. OF PAGES IN THE AGREEMENT	:	134 (One hundred and thirty four only) ✓
No. OF CORRECTIONS IN THE AGREEMENT	}	Nil ✓

24.3.22
SUPERINTENDING ENGINEER
SOUTH CIRCLE, TNPHC LTD.,



தமிழ்நாடு தமில்நாடு TAMILNADU

P. J. J.

CN 051599

16/5/2022

சென்டூர் கன்ஸ்ட்ரக்ஷன் கம்பனி லிமிடெட்

P. ஜெயபாதி
முத்திரைத்தாள் நிற்பனாவை
1/58, ராஜகம்பீரம்
Y. குத்தகை... மதுரை

R.C.C. No: 5800 / B1 / 2000

TAMIL NADU POLICE HOUSING CORPORATION LIMITED.,
SOUTH CIRCLE, MADURAI - 625 014.



ARTICLES OF AGREEMENT

ARTICLES OF AGREEMENT made this

24th day of May '22

BETWEEN the Tamil Nadu Police Housing Corporation Limited, (hereinafter called the Corporation Limited which expression shall where the context so admits include its successors in office and assigns) of the ONE PART and

**M/s. CHENDUR CONSTRUCTION COMPANY,
CHENDUR ILLAM,
L-4/77 SECTOR IV,
TNHB COLONY,
MADURAI - 625 018.**

(Hereinafter called the contractor which expression shall where the context so admits include its heirs, executors, administrators and legal representatives) of the OTHER PART

for Chendur Construction Company

Partner

P. Man
Contractor

No. of corrections

Superintending Engineer/ South Circle .

24.5.22

12
3

12

TAMIL NADU POLICE HOUSING CORPORATION LIMITED.,
SOUTH CIRCLE, MADURAI – 625 014.

ARTICLES OF AGREEMENT

ARTICLES OF AGREEMENT made this _____ day of _____
BETWEEN the Tamil Nadu Police Housing Corporation Limited, (hereinafter called the Corporation Limited which expression shall where the context so admits include its successors in office and assigns) of the ONE PART and

M/s. CHENDUR CONSTRUCTION COMPANY,
CHENDUR ILLAM,
L-4/77 SECTOR IV,
TNHB COLONY,
MADURAI – 625 018.

(Hereinafter called the contractor which expression shall where the context so admits include its heirs, executors, administrators and legal representatives) of the OTHER PART

WHEREAS the corporation Limited is desirous of **Construction of 128 Nos. of PC/HC quarters with development works at Nagercoil Armed Reserve Campus in Kanniyakumari District** and have caused an estimate of probable quantities contained in schedule A, drawings and specifications describing the work to be done to be prepared.

AND WHEREAS the said schedule A, drawings (schedule B) and the specifications (schedule C) and other schedules herewith annexed have been signed by or on behalf of the parties hereto.

AND WHEREAS the contractor have agreed to the retention, by the Corporation Limited of earnest money (with GST) of ₹ **9,55,800/- (Rupees nine lakhs fifty five thousand and eight hundred only)** in the form of Online Payment gateway Mode **eProcurement Reference Number : 244480452866** paid by them when they submitted their tender, as security for the due fulfillment of the contract to the satisfaction of the Corporation Limited or any other officer authorized by the Corporation Limited.

For **Chendur Construction Company**
Contractor

No. of corrections

Superintending Engineer/South Circle.

Partner

5. "The said conditions" shall be read and construed as forming part of this agreement and the parties hereto will respectively abide by and submit themselves to the conditions and stipulations and perform the agreements on their parts, respectively.

6. Upon the terms and conditions of this agreement being fulfilled and performed to the satisfaction of the Corporation Limited or any other officer authorized by the Corporation Limited, the security deposited by the contractor as herein before recited or such portion thereof as they may be entitled to under the said conditions shall be returned to the contractor.

IN WITNESS WHERE OF the contractor **M/s. CHENDUR CONSTRUCTION COMPANY,** have hereunto set their hand and the Superintending Engineer/South Circle of Tamil Nadu Police Housing Corporation Limited on behalf of the Corporation Limited have hereunto set their hand, the day and year first above written.

For Chendur Construction Company

Signed by the Contractor :

P. Mani

Address

Partner
: **M/s. CHENDUR CONSTRUCTION COMPANY,
CHENDUR ILLAM,
L-4/77 SECTOR IV,
TNHB COLONY,
MADURAI - 625 018.**

In the presence of witness ...

Signed by the :

In the Presence of

P. Mani
Contractor
For Chendur Construction Company

M
No. of corrections

[Signature]
Superintending Engineer/South Circle.

Partner

TAMIL NADU POLICE HOUSING CORPORATION LIMITED

No.1, INSPECTOR QUARTERS, TSP 6 TH BATTALION CAMPUS,
NEW NATHAM ROAD, MADURAI - 625014.

Schedule 'A'

**Name of work: Construction of 128 Nos. of PC/HC quarters with development works at
Nagercoil Armed Reserve Campus in Kanniyakumari District**

- A. The quantities here given are those upon which the lumpsum tender cost of the work is based, but they are subject to alterations, omissions, deductions or additions are provided for in the conditions of this contract and do not necessarily show the actual quantities of work to be done. The unit rates noted below are the governing payments for extras or deductions for omissions according to the conditions of the contract asset forth in the general conditions to the contract of the Tamil Nadu Building practice and other conditions or specifications of this contract.
- B. It is to be expressly understood that the measured work is to be taken net (not withstanding any custom of practice to the contrary) according to the actual quantities when in place and finished according to the drawing or as may be ordered from time to time by the Chief Engineer and the cost calculated-by measurement or Weight at the respective prices without any additional charges for any necessary or contingent works connected herewith. The rates quoted are for works in site and complete in every respect.


For: **Chendur Construction Company**

NO. OF CORRECTIONS

Partner


SUPERINTENDING ENGINEER/SOUTH CIRCLE

SCHEDULE - A

NAME OF WORK : CONSTRUCTION OF 128 NOS. OF PG/HQ QUARTERS WITH DEVELOPMENT WORKS AT NAGERCOIL ARMED RESERVE CAMPUS IN KANNIYAKUMARI DISTRICT

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
1.1		EARTH WORK EXCAVATION FOR FOUNDATION IN ALL SOILS AND SUB-SOILS TO THE REQUIRED DEPTH AS MAY BE DIRECTED EXCEPT IN HARD ROCK REQUIRING BLASTING BUT INCLUSIVE OF SHORING, STRUTTING, AND BAILING OUT WATER WHEREVER NECESSARY AND REFILLING THE SIDES OF FOUNDATION WITH EXCAVATED EARTH IN 150MM THICK LAYERS WELL WATERED RAMMED AND CONSOLIDATED AND DEPOSITING THE SURPLUS EARTH IN PLACES SHOWN CLEARING AND LEVELLING THE SITE WITH AN INITIAL LEAD OF 10 METRES AND LIFT AS SPECIFIED HERE UNDER ETC. COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS. (INCLUDING REFILLING)	17, 23 & 24			
	2467.20 Cu.M.	(a) 0 TO 2M DEPTH		Rs.200.00 (Rupees two hundred only)	1.Cu.M. (ONE CUBIC METRE)	493440.00
	123.20 Cu.M.	(b) 2 TO 3M DEPTH		Rs.200.00 (Rupees two hundred only)	1.Cu.M. (ONE CUBIC METRE)	24640.00
1.5		EARTH WORK EXCAVATION FOR OPEN FOUNDATION IN ALL SOILS AND SUB-SOILS TO THE REQUIRED DEPTH AS MAY BE DIRECTED EXCEPT IN HARD ROCK REQUIRING BLASTING, INCLUSIVE OF SHORING, STRUTTING AND BAILING OUT WATER WHEREVER NECESSARY (EXCLUDING REFILLING THE SIDES OF FOUNDATION) AND DEPOSITING THE EARTH IN PLACES SHOWN CLEARING AND LEVELLING THE SITE WITH AN INITIAL LEAD OF 10 METRES AND LIFT AS SPECIFIED HEREUNDER ETC. COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS. (EXCLUDING REFILLING)	17 & 20			
	501.20 Cu.M.	(a) 0 TO 2M DEPTH		Rs.150.00 (Rupees one hundred and fifty only)	1.Cu.M. (ONE CUBIC METRE)	75180.00
	104.70 Cu.M.	(b) 2 TO 3M DEPTH		Rs.150.00 (Rupees one hundred and fifty only)	1.Cu.M. (ONE CUBIC METRE)	15705.00
1.6		EARTH WORK EXCAVATION FOR OPEN FOUNDATION FOR DRAINS IN ALL SOILS AND SUBSOILS TO THE REQUIRED DEPTH AS MAY BE DIRECTED EXCEPT IN HARD ROCK REQUIRING BLASTING, INCLUSIVE OF SHORING, STRUTTING AND BAILING OUT WATER WHEREVER NECESSARY. (EXCLUDING REFILLING THE SIDES OF FOUNDATION) AND DEPOSITING THE EARTH IN PLACES SHOWN CLEARING AND LEVELING THE SITE WITH AN INITIAL LEAD OF 10 METRES AND LIFT AS SPECIFIED HEREUNDER ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATION (EXCLUDING REFILLING) (DRAIN HAVING BED WIDTH UPTO 1.25 METRE).	17 & 20			
	153.50 Cu.M.	(a) 0 TO 2M DEPTH		Rs.150.00 (Rupees one hundred and fifty only)	1.Cu.M. (ONE CUBIC METRE)	23025.00
						631990.00

For Chendur Construction Company

P. man
CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	
						631990.00
2.6	57.60 Cu.M.	SUPPLYING AND FILLING WITH 40MM SIZE HARD BROKEN STONE JELLY IN FOUNDATION AND BASEMENT AND OTHER SIMILAR WORKS INCLUDING COST OF MATERIALS, LABOUR CHARGES, ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.1000.00 (Rupees one thousand only)	1.Cu.M. (ONE CUBIC METRE)	57600.00
2.7	19.20 Cu.M.	SUPPLYING AND FILLING WITH 20MM SIZE HARD BROKEN STONE JELLY IN FOUNDATION AND BASEMENT AND OTHER SIMILAR WORKS INCLUDING COST OF MATERIALS, LABOUR CHARGES, ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.1000.00 (Rupees one thousand only)	1.Cu.M. (ONE CUBIC METRE)	19200.00
7.2	423.00 Sq.M.	SUPPLYING AND FIXING OF 20MM THICK BITUMINOUS EXPANSION JOINT FILLER PAD OF APPROVED QUALITY AND MAKE INCLUSIVE OF CONVEYANCE CHARGES, CUTTING THE PAD TO THE REQUIRED SIZE, COST OF MATERIALS AND LABOUR CHARGES FOR FIXING IN POSITION WHEREVER NECESSARY FOR ALL FLOORS ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.600.00 (Rupees six hundred only)	1.Sq.M. (ONE SQUARE METRE)	253800.00
13.1	756.80 Cu.M.	FILLING IN FOUNDATION AND BASEMENT AND OTHER SIMILAR WORKS WITH EXCAVATED EARTH IN LAYERS OF 150MM THICK WELL WATERED RAMMED AND CONSOLIDATED COMPLYING WITH RELEVANT STANDARD SPECIFICATION ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS	25	Rs.40.00 (Rupees forty only)	1.Cu.M. (ONE CUBIC METRE)	30272.00
16.2		SUPPLYING AND FIXING OF TERRA COTTA JALLY (NOT BELOW 50MM THICK) OF BEST QUALITY AND FIXING IN POSITION WITH CEMENT PASTE AND RED-OXIDE PUTTY INCLUDING COST OF ALL MATERIALS AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE TERRA COTTA JALLY QUALITY AND DESIGN SHALL BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE).	72 & 74			
	12.80 Sq.M.	(a) IN GROUND FLOOR		Rs.600.00 (Rupees six hundred only)	1.Sq.M. (ONE SQUARE METRE)	7680.00
	12.80 Sq.M.	(b) IN FIRST FLOOR		Rs.600.00 (Rupees six hundred only)	1.Sq.M. (ONE SQUARE METRE)	7680.00
	12.80 Sq.M.	(c) IN SECOND FLOOR		Rs.600.00 (Rupees six hundred only)	1.Sq.M. (ONE SQUARE METRE)	7680.00
	32.00 Sq.M.	(d) IN THIRD FLOOR		Rs.600.00 (Rupees six hundred only)	1.Sq.M. (ONE SQUARE METRE)	19200.00
21.2		SUPPLYING AND FIXING OF TEAK WOOD WROUGHT AND PUT UP FOR FRAMES OF DOORS, WINDOWS, VENTILATORS, CUPBOARD AND ANY OTHER SIMILAR JOINERY WORKS WITH NECESSARY PLUGS, REBATES FOR SHUTTERS, PLASTER GROOVES ON ALL FACES ETC., INCLUDING LABOUR CHARGES FOR FIXING HOLD FASTS, COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC., IN ALL RESPECTS.				
						1035102.00

For Chendur Construction Company


 CONTRACTOR

Partner

NO. OF CORRECTIONS


 SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
						1035102.00
	4.032 Cu.M.	(a) TEAK WOOD OVER 2.00 METRE AND BELOW 3.00 METRE LENGTH		Rs.120000.00 (Rupees one lakh and twenty thousand only)	1.Cu.M. (ONE CUBIC METRE)	483840.00
	1.600 Cu.M.	(b) TEAK WOOD BELOW 2.00 METRE LENGTH		Rs.120000.00 (Rupees one lakh and twenty thousand only)	1.Cu.M. (ONE CUBIC METRE)	192000.00
23.3	384 NOS.	SUPPLYING AND FIXING OF BEST APPROVED SUPERIOR VARIETY MAGNETIC DOOR CATCHES SUITABLE FOR DOORS INCLUDING COST OF DOOR CATCHES, ALUMINIUM / STAINLESS STEEL SCREWS FIXING IN POSITION ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.60.00 (Rupees sixty only)	1.NO. (EACH)	23040.00
25	2304 NOS.	SUPPLYING AND FIXING OF MILD STEEL HOLD FASTS HORIZONTALLY TWISTED OF SIZE 230X40X4MM WITH PAIR OF SUITABLE IRON SCREWS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.	86	Rs.10.00 (Rupees ten only)	1.NO. (EACH)	23040.00
30	616.20 Sq.M.	FINISHING THE TOP OF FLOORING WITH CEMENT CONCRETE 1:3 (ONE OF CEMENT AND THREE OF BLUE GRANITE CHIPS OF SIZE 10MM, AND BELOW) 20 MM THICK ELLIS PATTERN FLOORING (NO SAND) AND SURFACE RENDERED SMOOTH INCLUDING 50MM WIDE SKIRTING, PROVIDING PROPER SLOPES, THREAD LINING, CURING ETC., COMPLETE IN ALL FLOORS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS	39 - G	Rs.200.00 (Rupees two hundred only)	1.Sq.M. (ONE SQUARE METRE)	123240.00
31	140.80 Cu.M.	WEATHERING COURSE WITH CONCRETE BROKEN BRICK JELLY 20MM GAUGE IN PURE BURNT LIME STONE SLAKED AND SCREENED (NO SAND) OVER RCC ROOF SLAB WITH PROPORTION OF BRICK JELLY TO LIME (FAT LIME) BEING 32: 12 1/2 BY VOLUME WELL BEATEN WITH WOODEN BEATERS FOR GIVING THE REQUIRED SLOPE AND THICKNESS COMPLYING WITH RELEVANT STANDARD SPECIFICATION AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.	30 & 41	Rs.2500.00 (Rupees two thousand and five hundred only)	1.Cu.M. (ONE CUBIC METRE)	352000.00
37	9923.20 Sq.M.	WHITE WASHING THREE COATS USING CLEAN SHELL LIME SLAKED INCLUDING COST OF LIME, GUM, BLUE, BRUSHES, INCLUDING SCAFFOLDING ETC., COMPLETE IN ALL RESPECTS.	63	Rs.25.00 (Rupees twenty five only)	1.Sq.M. (ONE SQUARE METRE)	248080.00
39	22641.20 KG.	SUPPLYING AND FIXING MILD STEEL GRILLS AS PER THE DESIGN APPROVED TO VERANDAH ENCLOSURE OR GATE INCLUDING ONE COAT OF PRIMER AND LABOUR FOR FIXING IN POSITION ETC. ALL COMPLETE.		Rs.80.00 (Rupees eighty only)	1.KG. (ONE KILOGRAM)	1811296.00
40	1259.20 Sq.M.	PAINTING THE NEW WOOD WORK WITH TWO COATS OF APPROVED FIRST CLASS SYNTHETIC ENAMEL READY MIXED PAINT IN ADDITION TO ONE COAT OF PRIMER OF APPROVED QUALITY AND SHADE, THE PAINT SHOULD BE SUPPLIED BY THE CONTRACTOR AT HIS OWN COST (THE QUALITY AND THE SHADE OF PAINT SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE) COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.	66 & 66 A	Rs.150.00 (Rupees one hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	188880.00
						4480518.00

Mondur Construction Con.,

P. man
CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
						4480518.00
41	3319.50 Sq.M.	PAINTING THE NEW IRON WORK AND OTHER SIMILAR WORKS SUCH AS PVC / ASTM PIPES, KERB STONE AND GRILLS WITH TWO COATS OF APPROVED FIRST CLASS SYNTHETIC ENAMEL READY MIXED PAINT OF APPROVED QUALITY AND BRAND. THE PAINT SHOULD BE SUPPLIED BY THE CONTRACTOR AT HIS OWN COST. (THE QUALITY AND THE BRAND OF PAINT SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE) COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.	66 & 66A	Rs.100.00 (Rupees one hundred only)	1.Sq.M. (ONE SQUARE METRE)	331950.00
46	272.00 Rmt.	SUPPLYING AND FIXING OF 20MM DIA ALUMINIUM HANGER RODS TO THE REQUIRED LENGTH WITH ALUMINIUM END BRACKETS INCLUDING COST OF SCREWS, TW PLUGS AND LABOUR CHARGES FOR FIXING IN POSITION ETC. COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.100.00 (Rupees one hundred only)	1.Rmt. (ONE RUNNING METRE)	27200.00
47	256 NOS.	SUPPLYING AND FIXING OF ALUMINIUM TOWEL RAILS OF 75CM LONG, INCLUDING COST OF SCREWS, TW PLUGS AND LABOUR CHARGES FOR FIXING IN POSITION ETC. COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.100.00 (Rupees one hundred only)	1.NO. (EACH)	25600.00
48	256 NOS.	SUPPLYING AND FIXING OF ALUMINIUM PLATE WITH FIVE PINS FOR COAT STAND INCLUDING COST OF PLUGS, NAILS, SCREWS, AND LABOUR FOR FIXING IN POSITION ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.60.00 (Rupees sixty only)	1.NO. (EACH)	15360.00
49	384 NOS.	PROVIDING AND FIXING IRON CHROMIUM PLATED 8 GAUGE PICTURE HOOKS INCLUDING FIXING IN POSITION ETC., ALL COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.2.00 (Rupees two only)	1.NO. (EACH)	768.00
50.3	64 NOS.	SUPPLYING AND PLANTING OF AVENUE TREES INCLUDING EARTH WORK EXCAVATION FOR PIT OF SIZE 60X60X60CM FILLED WITH MANURE FOR 20CM DEPTH AND FILLING WITH RIVER SAND AND RED EARTH MIX IN THE RATIO OF 1:1 FOR 40CM DEPTH IN THE SAME PIT AND PLANTING THE AVENUE TREES OF APPROVED VARIETIES TO A HEIGHT OF 200CM FROM THE GROUND LEVEL AND MAINTAINING THEM FOR THE PERIOD OF 6 MONTH INCLUDING WATERING, PERIODICAL MANURING AND REPLACING THE AVENUE TREES IF DEAD ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (TREE SAPLING SHALL BE GOT APPROVED FROM EE BEFORE PLANTING).		Rs.300.00 (Rupees three hundred only)	1.NO. (EACH)	19200.00
50.4	64 NOS.	SUPPLYING AND FIXING OF TRIANGULAR SHAPE CHICKEN MESH TREE GUARD USING 8CM DIA CASURINA VERTICAL POST AND MIDDLE TIE USING COUNTRY WOOD REEPER OF SIZE 50X25MM AND 25 GAUGE CHICKEN MESH INCLUDING LABOUR CHARGES FOR FIXING THE TRIANGULAR TREE GUARD AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.600.00 (Rupees six hundred only)	1.NO. (EACH)	38400.00
52.3	192.00 Rmt.	SUPPLYING AND FIXING OF 20 MM DIA GI PIPE 'B' CLASS OF BEST APPROVED QUALITY FOR HOT WATER LINE FULLY CONCEALED IN WALLS INCLUDING COST OF PIPES AND SPECIALS. LABOUR CHARGES FOR LAYING, JOINTING, TESTING AND REDOING THE DISMANTLED PORTIONS WITH NEAT FINISH ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.180.00 (Rupees one hundred and eighty only)	1.Rmt. (ONE RUNNING METRE)	34560.00
						4973556.00

Pranav Construction Company

P. Man
CONTRACTOR

Partner

NO. OF CORRECTIONS

[Signature]
SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
2	3	4	5	6	7	
						4973556.00
53.3	12 NOS.	SUPPLYING AND FIXING OF C.I. STEPS OF APPROVED QUALITY AND BRAND (NOT LESS THAN 5KG EACH) INCLUDING COST OF MATERIAL LABOUR CHARGES FOR FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.90.00 (Rupees ninety only)	1.NO. (EACH)	1080.00
61.2	32.00 Rmt.	SUPPLYING AND LAYING AND LOOSE JOINTING THE FOLLOWING DIA STONE WARE PIPES WITH ISI MARK SUPERIOR VARIETY (GLAZED) WITH SPIGOT AND SOCKET ENDS IN DRY CONDITIONS AND TESTED WITH WATER, AFTER THE PIPES ARE LAID TO PROPER GRADIENT TO THE ALIGNMENT ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. b) 150MM DIA SW PIPE		Rs.200.00 (Rupees two hundred only)	1.Rmt. (ONE RUNNING METRE)	6400.00
62.1	4 NOS.	SUPPLYING AND FIXING OF THE FOLLOWING DIA STONE WARE BEND SUPERIOR VARIETY AND JOINTING WITH CEMENT AND TARRED YARN LAID TO PROPER GRADIENT INCLUDING EARTH WORK EXCAVATION, REFILLING TRENCHES, CONCRETING, CURING AND TESTING THE JOINT ETC., COMPLETE. b) 150MM DIA SW BEND		Rs.200.00 (Rupees two hundred only)	1 NO. (EACH)	800.00
72	768 NOS.	ELECTRICAL ARRANGEMENTS SUPPLYING AND FIXING OF BEST APPROVED SUPERIOR VARIETY CONCEALED TYPE FIBRE BOX WITH M.S. FAN HOOK OF 100MM DIA, 75MM DEPTH AND 3MM THICK INCLUDING COST AND FIXING IN POSITION ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS, (THE QUALITY SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE).		Rs.50.00 (Rupees fifty only)	1 NO. (EACH)	38400.00
73.1	128 NOS.	SUPPLYING AND FIXING OF 1 NO THREE PHASE DISTRIBUTION BOARD WITH 6 WAY PER PHASE 30A / PER WAY WITH NEUTRAL LINK ON SUITABLE WELL VARNISHED TEAKWOOD PLANK INCLUDING NECESSARY INTERCONNECTIONS AND EARTH CONNECTIONS COST OF ALL MATERIALS ETC., ALL COMPLETE.		Rs.2000.00 (Rupees two thousand only)	1.NO (EACH)	256000.00
74	512 NOS.	CHARGES FOR ASSEMBLING AND FIXING OF CEILING FAN OF DIFFERENT SWEEP WITH NECESSARY CONNECTIONS AND FIXING OF FAN REGULATOR ON THE EXISTING BOARD ETC., ALL COMPLETE (EXCLUDING COST OF FAN)		Rs.200.00 (Rupees two hundred only)	1.NO (EACH)	102400.00
76	112.00 Rmt.	SUPPLYING AND LAYING OF 8 SWG GI WIRE ON WALL / BELOW GROUND LEVELS WITH NECESSARY 'U' NAILS, EARTH WORK EXCAVATION AND REFILLING ETC., INCLUDING COST OF ALL MATERIALS ETC., ALL COMPLETE.		Rs.10.00 (Rupees ten only)	1.Rmt. (ONE RUNNING METRE)	1120.00
77.3	256 NOS	SUPPLYING, FIXING AND CONCEALING TW BOX OF SIZE 8'X6'X4" COVERED WITH 3MM THICK HYLEM SHEET INCLUDING COST OF TV LINE SOCKET / TELEPHONE LINE SOCKET ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS		Rs.50.00 (Rupees fifty only)	1 NO. (EACH)	12800.00
						5392556.00

For Shendur Construction Company

P. Manu
CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
						5392556.00
77.4	768.00 Rmt.	SUPPLYING, LAYING AND CONCEALING OF PVC PIPE OF 20MM DIA WITH NECESSARY SPECIALS AND OTHER MATERIALS INCLUDING RUN OFF 1 NO. FISH WIRE (G.I. 22G) FOR DRAWING CABLE FOR T.V. / TELEPHONE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.60.00 (Rupees sixty only)	1.Rmt. (ONE RUNNING METRE)	46080.00
78	16 NOS	PROVIDING EARTHING STATION (TYPE I) USING PIPE ELECTRODE AS PER IS 3043 USING 2.5M OF 40MM AND 1.0 M OF 20MM B-CLASS GI PIPE INCLUDING EARTH WORK EXCAVATION, BRICK WORK IN CEMENT MORTAR AND PLASTERING AND COST OF FUNNEL, GI NUTS, BOLTS, WASHERS, CHECK NUTS, GI BEND, REDUCER AND COUPLING, C.I. COVER OF 30X30CM AND INCLUDING CHARCOAL OF 40 KGS AND SALT 10 KG ETC., ALL COMPLETE.		Rs.2000.00 (Rupees two thousand only)	1 NO. (EACH)	32000.00
86	2067.20 Sq.M.	PROVIDING PRE-CONSTRUCTIONAL ANTITERMITE TREATMENT INCLUDING COST OF CHEMICALS LABOUR AS PER STANDARD SPECIFICATIONS FOR PREPARING THE AREA FOR TREATMENT BY SPRAYING CHEMICALS AND OTHER INCIDENTAL CHARGES ETC., COMPLETE. THE RATE SHOULD BE FOR CURING ANTITERMITE TREATMENT FROM THE PLINTH BEAM AND BRICK MASONRY WITH SUPER STRUCTURE IN CONTACT WITH THE BACK FILL EARTH AND AT THE JUNCTION OF THE WALLS. THE TOP SURFACE OF FILLED EARTH FOR FLOORING AND THE SOIL ALONG WITH THE PERIMETER OF THE BUILDING BY MAKING HOLES WITH THE CROW BAR AND POURED 5% TERMICIDE 'CHLORIPYRIFOS' AND SPRAYING THE SAME TERMICIDE SOLUTION ON THE WOODEN FRAMES AND TREATING THE OTHER PERIPHERY OF BUILDINGS ETC., COMPLETE IN ALL RESPECTS AS PER IS 6313 (PART II) /1981 AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.30.00 (Rupees thirty only)	1.Sq.M. (ONE SQUARE METRE)	62016.00
238	316.032 M.T.	APPLYING ONE COAT OF ANTICORROSIVE TREATMENT ON STEEL REINFORCEMENT RODS (20 ITRS. OF ANTICORROSIVE CHEMICAL FOR ONE METRIC TONNE OF STEEL REINFORCEMENT RODS) AT SITE INCLUDING COST OF REQUIRED QUANTITY OF ANTICORROSIVE CHEMICALS, (BEST APPROVED QUALITY) CEMENT, CONSUMABLES SUCH AS BRUSHES, GLOVES AND LABOUR FOR ANTICORROSIVE COATING ETC. COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND OF ANTICORROSIVE CHEMICAL SHOULD BE GOT APPROVED BY THE EE BEFORE USE).		Rs.2000.00 (Rupees two thousand only)	1 M.T. (ONE METRIC TONNE)	632064.00
1.9.1	62.10 Cu.M.	ANNEXURE EARTH WORK EXCAVATION AND DEPOSITING ON BANK WITH INITIAL LEAD OF 10M AND LIFT OF 2M IN NARROW TRENCHES HAVING BED WIDTH 1.25M & BELOW FOR LAYING OF PIPES FOR WATER SUPPLY AND SEWERAGE WORKS HARD STIFF CLAY, STIFF BLACK COTTON, HARD RED EARTH, SHALES, MURRAM GRAVEL, STONEY EARTH AND EARTH MIXED WITH SMALL SIZE BOULDERS AND HARD GRAVELLY SOIL ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.100.00 (Rupees one hundred only)	1.Cu.M. (ONE CUBIC METRE)	6210.00
2.1.1	690.00 Cu.M.	SUPPLYING AND FILLING IN FOUNDATION AND BASEMENT WITH GRAVEL IN LAYERS OF 150 MM THICKNESS WELL WATERED, RAMMED AND CONSOLIDATED COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS INCLUDING COST OF SUPPLYING GRAVEL AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.500.00 (Rupees five hundred only)	1.Cu.M. (ONE CUBIC METRE)	345000.00
						6515926.00

for Shendur Construction Company

P. man
CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM,NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
						6515926.00
2.1.3	426.10 Cu.M.	SUPPLYING AND FILLING IN FOUNDATION AND BASEMENT WITH FILLING CRUSHED STONE SAND IN LAYERS OF 150 MM THICKNESS WELL WATERED, RAMMED AND CONSOLIDATED COMPLYING WITH RELEVANT STANDARD SPECIFICATION INCLUDING COST OF SUPPLYING FILLING CRUSHED STONE SAND.		Rs.1000.00 (Rupees one thousand only)	1.Cu.M. (ONE CUBIC METRE)	426100.00
3.1.1	295.90 Cu.M.	PLAIN CEMENT CONCRETE 1:5:10 (ONE OF CEMENT, FIVE OF CRUSHED STONE SAND AND TEN OF HARD BROKEN STONE JELLY) FOR FOUNDATION AND BASEMENT USING 40MM GAUGE HARD BROKEN STONE JELLY INCLUSIVE OF SHORING, STRUTTING AND BAILING OUT WATER WHEREVER NECESSARY RAMMING, CURING ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.5000.00 (Rupees five thousand only)	1.Cu.M. (ONE CUBIC METRE)	1479500.00
3.2.1	21.40 Cu.M.	PLAIN CEMENT CONCRETE 1:2:4 (ONE OF CEMENT TWO OF CRUSHED STONE SAND AND FOUR OF HARD BROKEN STONE JELLY) USING 20M GAUGE HARD BROKEN STONE JELLY EXCLUDING SHUTTERING AND CENTERING BUT INCLUDING LAYING, CURING AND FINISHING WITH RELEVANT STANDARD SPECIFICATIONS IN FOUNDATION AND BASEMENT, AND OTHER SIMILAR WORKS & AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.5500.00 (Rupees five thousand and five hundred only)	1.Cu.M. (ONE CUBIC METRE)	117700.00
3.3.1	0.40 Cu.M.	PLAIN CEMENT CONCRETE 1:8:16 (ONE OF CEMENT, EIGHT OF CRUSHED STONE SAND AND SIXTEEN OF BROKEN BRICK JELLY) FOR FOUNDATION AND OTHER SIMILAR WORKS USING 20MM GAUGE BROKEN BRICK JELLY INCLUSIVE OF SHORING, STRUTTING AND BAILING OUT WATER WHEREVER NECESSARY RAMMING, CURING ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.3000.00 (Rupees three thousand only)	1.Cu.M. (ONE CUBIC METRE)	1200.00
3.10.1	7.00 Cu.M.	PLAIN CEMENT CONCRETE 1:3:6 (ONE OF CEMENT, THREE OF CRUSHED STONE SAND AND SIX OF HARD BROKEN STONE JELLY) FOR FOUNDATION USING 20MM GAUGE HARD BROKEN STONE JELLY FOR STORM WATER DRAINS SIDE WALL AND OTHER SIMILAR WORKS USING 20MM GAUGE HARD BROKEN STONE JELLY EXCLUDING THE COST AND FABRICATION OF REINFORCEMENT GRILLS, SHUTTERING, CENTERING AND VIBRATING BUT INCLUDING LAYING, CURING, FINISHING ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.5200.00 (Rupees five thousand and two hundred only)	1.Cu.M. (ONE CUBIC METRE)	36400.00
4.5.1		PROVIDING AND LAYING IN POSITION, STANDARDISED CONCRETE MIX M-30 GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING 20 MM AND DOWNGRADED HARD BROKEN STONE JELLY FOR ALL RCC ITEMS OF WORKS NAMELY PLINTH BEAMS, COLUMNS, TIE BEAMS, COLUMN FOOTINGS, SLAB ETC., WITH MINIMUM CEMENT CONTENT OF 400 KG/M3 AND MAXIMUM WATER CEMENT RATIO OF 0.45, INCLUDING ADMIXTURE (PLASTICISER/SUPER PLASTICISER) IN RECOMMENDED PROPORTIONS AS PER IS:9103 TO ACCELERATE, RETARD SETTING OF CONCRETE, IMPROVE WORKABILITY WITHOUT IMPAIRING STRENGTH AND DURABILITY WITH ABOUT (5.0 CU.M) 7730 KG. OF				8576826.00

Pranav Construction Company

P. Man
CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
2	3	4	5	6		
		20 MM MACHINE CRUSHED STONE JELLY AND WITH ABOUT (3.3 CU.M.) 5156 KG. OF 10 -12 MM MACHINE CRUSHED STONE JELLY AND WITH ABOUT (4.79 CU.M.) 7670 KG. OF CRUSHED STONE SAND FOR MAKING 10M ³ CONCRETE BUT EXCLUDING COST OF REINFORCEMENT GRILL AND FABRICATING CHARGES, CENTERING AND SHUTTERING AND ALSO INCLUDING LAYING, VIBRATING WITH MECHANICAL VIBRATORS, FINISHING, CURING ETC., COMPLETE COMPLYING WITH STANDARD SPECIFICATION AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. THE COARSE AND FINE AGGREGATES TO BE USED SHOULD COMPLY WITH THE REQUIREMENTS OF IS STANDARDS. (NO SEPARATE PAYMENT WILL BE MADE BY THE DEPARTMENT FOR THE EXCESS USAGE OF MATERIALS)				8576826.00
	745.00 Cu.M.	(a) IN FOUNDATION AND BASEMENT		Rs.7000.00 (Rupees seven thousand only)	1.Cu.M. (ONE CUBIC METRE)	5215000.00
6.6.1	574.00 Cu.M.	BRICK WORK IN CM 1:5 (ONE OF CEMENT AND FIVE OF CRUSHED STONE SAND) USING KILN BURNT COUNTRY BRICKS OF SIZE 8 1/4"X4 1/4"X2 1/4" (22X11X7CM) IN FOUNDATION AND BASEMENT INCLUDING DEWATERING WHEREVER NECESSARY PROPER SETTING, CURING ETC., COMPLETE WITH RELEVANT STANDARD SPECIFICATIONS.		Rs.6000.00 (Rupees six thousand only)	1.Cu.M. (ONE CUBIC METRE)	3444000.00
8.5.1		PROVIDING AND LAYING IN POSITION, STANDARDISED CONCRETE MIX M-30 GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING 20 MM AND DOWNGRADED HARD BROKEN STONE JELLY FOR ALL RCC ITEMS OF WORKS NAMELY TEE, ELL OR RECTANGULAR BEAMS, LINTEL, PARAPET CUM DROPS, WAIST AND LANDING SLAB, CANOPHY, CIRCULAR COLUMN, FIN PROJECTIONS, SUNSHADES, WINDOW BOXING SLAB, SLAB AND OTHER SIMILAR WORKS WITH MINIMUM CEMENT CONTENT OF 400 KG/M3 AND MAXIMUM WATER CEMENT RATIO OF 0.45. INCLUDING ADMIXTURE (PLASTICISER/SUPER PLASTICISER) IN RECOMMENDED PROPORTIONS AS PER IS:9103 TO ACCELERATE, RETARD SETTING OF CONCRETE, IMPROVE WORKABILITY WITHOUT IMPAIRING STRENGTH AND DURABILITY WITH ABOUT (5.0 CU.M) 7730 KG. OF 20 MM MACHINE CRUSHED STONE JELLY AND WITH ABOUT (3.3 CU.M.) 5156 KG. OF 10 -12 MM MACHINE CRUSHED STONE JELLY AND WITH ABOUT (4.79 CU.M) 7670 KG. OF CRUSHED STONE SAND FOR MAKING 10M ³ CONCRETE BUT EXCLUDING COST OF REINFORCEMENT GRILL AND FABRICATING CHARGES, CENTERING AND SHUTTERING AND ALSO INCLUDING LAYING, VIBRATING WITH MECHANICAL VIBRATORS, FINISHING, CURING ETC., AND PROVIDING FIXTURES LIKE FAN CLAMPS IN THE RCC FLOOR/ROOF SLABS WHEREVER NECESSARY WITHOUT CLAIMING EXTRA, ETC., COMPLETE COMPLYING WITH STANDARD SPECIFICATION AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. THE COARSE AND FINE AGGREGATES TO BE USED SHOULD COMPLY WITH THE REQUIREMENTS OF IS STANDARDS. (NO SEPARATE PAYMENT WILL BE MADE BY THE DEPARTMENT FOR THE EXCESS USAGE OF MATERIALS).				
	568.70 Cu.M.	(a) IN GROUND FLOOR		Rs.7000.00 (Rupees seven thousand only)	1.Cu.M. (ONE CUBIC METRE)	3980900.00
	563.20 Cu.M.	(b) IN FIRST FLOOR		Rs.7000.00 (Rupees seven thousand only)	1.Cu.M. (ONE CUBIC METRE)	3942400.00
						25159126.00

Sri Chandrar Construction Company

D. man
CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
						25159126.00
	563.20 Cu.M.	(c) IN SECOND FLOOR		Rs.7000.00 (Rupees seven thousand only)	1.Cu.M. (ONE CUBIC METRE)	3942400.00
	632.00 Cu.M.	(d) IN THIRD FLOOR		Rs.7000.00 (Rupees seven thousand only)	1.Cu.M. (ONE CUBIC METRE)	4424000.00
	145.60 Cu.M.	(e) IN FOURTH FLOOR		Rs.7000.00 (Rupees seven thousand only)	1.Cu.M. (ONE CUBIC METRE)	1019200.00
9.6.1		BRICK WORK IN CEMENT MORTAR 1:6 (ONE OF CEMENT AND SIX OF CRUSHED STONE SAND) USING KILN BURNT COUNTRY BRICKS OF SIZE 8 1/4"X4 1/4"X2 1/4" (22X11X7 CM) FOR SUPER STRUCTURE IN THE FOLLOWING FLOORS INCLUDING LABOUR FOR FIXING THE DOORS, WINDOWS AND VENTILATOR FRAMES IN POSITION, FIXING OF HOLD FASTS, SCAFFOLDINGS, CURING ETC., COMPLETE IN ALL RESPECT COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND DRAWINGS.				
	449.30 Cu.M.	(a) IN GROUND FLOOR		Rs.5500.00 (Rupees five thousand and five hundred only)	1.Cu.M. (ONE CUBIC METRE)	2471150.00
	433.60 Cu.M.	(b) IN FIRST FLOOR		Rs.5500.00 (Rupees five thousand and five hundred only)	1.Cu.M. (ONE CUBIC METRE)	2384800.00
	433.60 Cu.M.	(c) IN SECOND FLOOR		Rs.5500.00 (Rupees five thousand and five hundred only)	1.Cu.M. (ONE CUBIC METRE)	2384800.00
	504.00 Cu.M.	(d) IN THIRD FLOOR		Rs.5500.00 (Rupees five thousand and five hundred only)	1.Cu.M. (ONE CUBIC METRE)	2772000.00
	113.60 Cu.M.	(e) IN FOURTH FLOOR		Rs.5500.00 (Rupees five thousand and five hundred only)	1.Cu.M. (ONE CUBIC METRE)	624800.00
10.6.1		BRICK PARTITION WALL IN CEMENT MORTAR 1:4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) 110MM THICK FOR SUPER STRUCTURE IN THE FOLLOWING FLOORS USING KILN BURNT COUNTRY BRICKS OF SIZE 8 1/4"X4 1/4"X2 1/4" (22X11X7CM) INCLUDING LABOUR FOR FIXING THE DOORS, WINDOWS AND VENTILATOR FRAMES IN POSITION, FIXING OF HOLD FASTS, SCAFFOLDINGS, CURING ETC., COMPLETE IN ALL RESPECT COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND DRAWINGS.				
	631.10 Sq.M.	(a) IN FOUNDATION AND BASEMENT		Rs.500.00 (Rupees five hundred only)	1.Sq.M. (ONE SQUARE METRE)	315550.00
						45497826.00

For *Attendur Construction Company*D. man
CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
						45497826.00
	1444.80 Sq.M.	(b) IN GROUND FLOOR		Rs.500.00 (Rupees five hundred only)	1.Sq.M. (ONE SQUARE METRE)	722400.00
	1444.80 Sq.M.	(c) IN FIRST FLOOR		Rs.500.00 (Rupees five hundred only)	1.Sq.M. (ONE SQUARE METRE)	722400.00
	1444.80 Sq.M.	(d) IN SECOND FLOOR		Rs.500.00 (Rupees five hundred only)	1.Sq.M. (ONE SQUARE METRE)	722400.00
	2264.00 Sq.M.	(e) IN THIRD FLOOR		Rs.500.00 (Rupees five hundred only)	1.Sq.M. (ONE SQUARE METRE)	1132000.00
	420.80 Sq.M.	(f) IN FOURTH FLOOR		Rs.500.00 (Rupees five hundred only)	1.Sq.M. (ONE SQUARE METRE)	210400.00
11.6.1		BRICK PARTITION WALLS 70MM THICK USING KILN BURNT COUNTRY BRICKS OF SIZE 8 3/4"X4 1/2"X2 1/2" (22X11X7CM) IN CEMENT MORTAR 1:4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) FOR SUPER STRUCTURE IN THE FOLLOWING FLOORS INCLUDING SCAFFOLDINGS, CURING ETC., COMPLETE IN ALL RESPECT COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND DRAWINGS.				
	388.80 Sq.M.	(a) IN GROUND FLOOR		Rs.450.00 (Rupees four hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	174960.00
	388.80 Sq.M.	(b) IN FIRST FLOOR		Rs.450.00 (Rupees four hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	174960.00
	388.80 Sq.M.	(c) IN SECOND FLOOR		Rs.450.00 (Rupees four hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	174960.00
	388.80 Sq.M.	(d) IN THIRD FLOOR		Rs.450.00 (Rupees four hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	174960.00
12.1.1		BRICK PARTITION WALLS 50MM THICK USING KILN BURNT COUNTRY BRICKS OF SIZE 8 3/4"X4 1/2"X2 1/2" (22X11X5CM) IN CEMENT MORTAR 1:4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) FOR SUPERSTRUCTURE IN THE FOLLOWING FLOORS INCLUDING SCAFFOLDINGS, CURING ETC., COMPLETE IN ALL RESPECT COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND DRAWINGS.				
	86.40 Sq.M.	(a) IN GROUND FLOOR		Rs.400.00 (Rupees four hundred only)	1.Sq.M. (ONE SQUARE METRE)	34560.00
						49741826.00

Shri Anand Construction Company

P. Man
CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
						49741826.00
	86.40 Sq.M.	(b) IN FIRST FLOOR		Rs.400.00 (Rupees four hundred only)	1.Sq.M. (ONE SQUARE METRE)	34560.00
	86.40 Sq.M.	(c) IN SECOND FLOOR		Rs.400.00 (Rupees four hundred only)	1.Sq.M. (ONE SQUARE METRE)	34560.00
	100.80 Sq.M.	(d) IN THIRD FLOOR		Rs.400.00 (Rupees four hundred only)	1.Sq.M. (ONE SQUARE METRE)	40320.00
14.2.1		SUPPLYING AND FIXING OF PRECAST CEMENT CONCRETE SLAB FOR CUPBOARD/WARD ROBES SHELVES, COVER SLAB FOR CHAMBERS, BAFFLE WALLS SIDE SLABS OF BOXING AROUND WINDOWS AND OTHER SIMILAR WORKS IN STANDARDISED CONCRETE MIX M-30 GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING 3MM - 10MM HARD BROKEN STONE JELLY FOR THE ABOVE RCC ITEMS OF WORKS EXCLUDING THE COST AND FABRICATION OF REINFORCEMENT GRILLS BUT INCLUDING PRECASTING, MOULDING, CURING, FINISHING AND FIXING IN POSITION COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC., COMPLETE IN THE FOLLOWING FLOORS (MEASUREMENT WILL BE TAKEN INCLUDING BEARING IN WALL ALSO).				
	68.00 Sq.M.	40 MM THICK (a) IN FOUNDATION AND BASEMENT		Rs.1000.00 (Rupees one thousand only)	1.Sq.M. (ONE SQUARE METRE)	68000.00
15.1.1		PROVIDING CUDDAPPAH SLAB OF 20MM THICK , FINISHING WITH TWO SIDES FOR CUPBOARD, WARDROBES SHELVES, AND OTHER SIMILAR WORKS INCLUDING FINISHING AND FIXING IN POSITION COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC., COMPLETE IN THE FOLLOWING FLOORS (MEASUREMENT WILL BE TAKEN INCLUDING BEARING ALSO) AS DIRECTED BY THE DEPARTMENTAL OFFICERS (QUALITY OF CUDDAPPAH SLAB SHALL BE GOT APPROVED BY THE EXECUTIVE ENGINEER/ SUPERINTENDING ENGINEER/ CHIEF ENGINEER BEFORE USE IN WORKS)				
	264.00 Sq.M.	(a) IN GROUND FLOOR		Rs.800.00 (Rupees eight hundred only)	1.Sq.M. (ONE SQUARE METRE)	211200.00
	264.00 Sq.M.	(b) IN FIRST FLOOR		Rs.800.00 (Rupees eight hundred only)	1.Sq.M. (ONE SQUARE METRE)	211200.00
	264.00 Sq.M.	(c) IN SECOND FLOOR		Rs.800.00 (Rupees eight hundred only)	1.Sq.M. (ONE SQUARE METRE)	211200.00
	264.00 Sq.M.	(d) IN THIRD FLOOR		Rs.800.00 (Rupees eight hundred only)	1.Sq.M. (ONE SQUARE METRE)	211200.00
						50764066.00

Sri Anandur Construction Company


 CONTRACTOR

Partner

NO. OF CORRECTIONS


 SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
15.2.1		PROVIDING CUDDAPPAH SLAB OF 40MM THICK FINISHING WITH TWO SIDES FOR CUPBOARD, WARD ROBES, SHELVES AND OTHER SIMILAR WORKS INCLUDING FINISHING AND FIXING IN POSITION COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC., COMPLETE IN THE FOLLOWING FLOORS (MEASUREMENT WILL BE TAKEN INCLUDING BEARING ALSO) AS DIRECTED BY THE DEPARTMENTAL OFFICERS (QUALITY OF CUDDAPPAH SLAB SHALL BE GOT APPROVED BY THE EXECUTIVE ENGINEER/SUPERINTENDING ENGINEER/CHIEF ENGINEER BEFORE USE IN WORKS).				50764066.00
	86.40 Sq.M.	(a) IN GROUND FLOOR		Rs.800.00 (Rupees eight hundred only)	1.Sq.M. (ONE SQUARE METRE)	69120.00
	86.40 Sq.M.	(b) IN FIRST FLOOR		Rs.800.00 (Rupees eight hundred only)	1.Sq.M. (ONE SQUARE METRE)	69120.00
	86.40 Sq.M.	(c) IN SECOND FLOOR		Rs.800.00 (Rupees eight hundred only)	1.Sq.M. (ONE SQUARE METRE)	69120.00
	86.40 Sq.M.	(d) IN THIRD FLOOR		Rs.800.00 (Rupees eight hundred only)	1.Sq.M. (ONE SQUARE METRE)	69120.00
16.2.2		PRECAST CEMENT CONCRETE JALLY VENTILATOR IN STANDARDISED CONCRETE MIX M-30 GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING 20MM AND DOWNGRADED HARD BROKEN STONE JELLY FOR THE ABOVE RCC ITEM OF WORK WITHOUT VIBRATING CHARGES EXCLUDING THE COST AND FABRICATION OF REINFORCEMENT GRILLS BUT INCLUDING PRECASTING, MOULDING, CURING, FINISHING AND FIXING IN POSITION COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC., COMPLETE IN THE FOLLOWING FLOORS.				
		50 MM THICK				
	62.40 Sq.M.	(a) IN GROUND FLOOR		Rs.1000.00 (Rupees one thousand only)	1.Sq.M. (ONE SQUARE METRE)	62400.00
	62.40 Sq.M.	(b) IN FIRST FLOOR		Rs.1000.00 (Rupees one thousand only)	1.Sq.M. (ONE SQUARE METRE)	62400.00
	62.40 Sq.M.	(c) IN SECOND FLOOR		Rs.1000.00 (Rupees one thousand only)	1.Sq.M. (ONE SQUARE METRE)	62400.00
	62.40 Sq.M.	(d) IN THIRD FLOOR		Rs.1000.00 (Rupees one thousand only)	1.Sq.M. (ONE SQUARE METRE)	62400.00
	24.00 Sq.M.	(e) IN FOURTH FLOOR		Rs.1000.00 (Rupees one thousand only)	1.Sq.M. (ONE SQUARE METRE)	24000.00
						51314146.00

M. S. S. Construction Company


 CONTRACTOR

Partner

NO. OF CORRECTIONS


 SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
18.1		PROVIDING FORM WORK AND CENTERING FOR REINFORCED CEMENT CONCRETE WORKS INCLUDING SUPPORTS AND STRUTTING UP TO 3.30M HEIGHT FOR PLANE SURFACES AS DETAILED BELOW WITH ALL CROSS BRACINGS USING MILD STEEL SHEETS OF SIZE 90CMX60CM AND MS 10 GAUGE STIFFENED WITH WELDED MILD STEEL ANGLES OF SIZE 25MMX25MMX3MM FOR BOARDING LAID OVER SILVER OAK OR COUNTRY WOOD JOISTS OF SIZE 10CMX6.5CM SPACED AT ABOUT 90CM CENTRE TO CENTRE AND SUPPORTED BY CASURINA PROPS 10CM TO 13CM DIA SPACED AT 75CM INTERVALS AND REMOVING THE SAME AFTER A SPECIFIED PERIOD WITHOUT DAMAGING THE R.C.C WORKS ETC., COMPLETE COMPLYING WITH STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.				51314146.00
	3082.10 Sq.M.	(a) FOR COLUMN FOOTINGS, PLINTH BEAM, GRADE BEAM, RAFT BEAM, RAFT SLAB ETC.,		Rs.400.00 (Rupees four hundred only)	1.Sq.M. (ONE SQUARE METRE)	1232840.00
	18441.70 Sq.M.	(b) PLAIN SURFACES SUCH AS ROOF SLAB, FLOOR SLAB, BEAMS LINTELS, LOFTS, SILL SLAB, STAIRCASE WAIST, PORTICO SLAB AND OTHER SIMILAR WORKS		Rs.400.00 (Rupees four hundred only)	1.Sq.M. (ONE SQUARE METRE)	7376680.00
	7176.70 Sq.M.	(c) FOR SQUARE AND RECTANGULAR COLUMNS, AND SMALL QUANTITIES SUCH AS SUNSHADE, PARAPET CUM DROPS, WINDOW BOXING, FIN PROJECTION AND OTHER SIMILAR WORKS		Rs.400.00 (Rupees four hundred only)	1.Sq.M. (ONE SQUARE METRE)	2870680.00
	512.00 Sq.M.	(d) FOR VERTICAL WALL		Rs.400.00 (Rupees four hundred only)	1.Sq.M. (ONE SQUARE METRE)	204800.00
	6.20 Sq.M.	(f) FOR CURVED SURFACE		Rs.400.00 (Rupees four hundred only)	1.Sq.M. (ONE SQUARE METRE)	2480.00
21.5.2	403.20 Sq.M.	PROVIDING AND FIXING OF FACTORY MADE UNPLASTICIZED POLYVINYL CHLORIDE (UPVC) DOOR FRAME OF SIZE 50X47MM WITH A WALL THICKNESS OF 5MM, MADE OUT OF EXTRUDED 5MM RIGID UPVC FOAM SHEET, MITERED AT TWO CORNERS AND JOINED WITH 2 NOS. OF 150MM LONG BRACKETS OF 15X15MM M.S SQUARE TUBE. THE TWO VERTICAL AND HORIZONTAL DOOR PROFILES ARE TO BE REINFORCED WITH 19X19MM M.S SQUARE TUBE OF 19 GAUGES WITH PRIMER COAT. THE DOOR FRAME SHALL BE FIXED TO THE WALL USING 65MM/100MM LONG M.S SCREW THROUGH THE FRAME BY USING PVC FASTENERS. A MINIMUM OF 4 NOS. SCREWS TO BE PROVIDED FOR EACH VERTICAL MEMBER AND MINIMUM 2 NOS. FOR HORIZONTAL MEMBER ETC., PROVIDING AND FIXING OF 30MM THICK FACTORY MADE DOOR SHUTTER WITH UNPLASTICIZED POLYVINYL CHLORIDE (UPVC) SOLID PANEL FOAM SHEET, STRUCTURED WITH M.S.TUBE OF 19 GAUGE THICKNESS AND SIZE 19MM X 19MM FOR STYLES AND 15MM X 15MM FOR TOP RAIL AND BOTTOM RAIL. PANELLING OF 5MM THICK UPVC ONE SIDE PRINTED LAMINATION SINGLE SHEET TO BE FITTED IN THE M.S.FRAME WELDED / SEALED TO THE STYLES AND RAILS COVERED WITH 5MM THICK HEAT MOULDED UPVC 'C' CHANNEL OF 30MMX50MM AND 5MM THICK 75MM WIDE UPVC SHEET FOR TOP RAIL, LOCK RAIL AND BOTTOM RAIL ON EITHER SIDE AND 10MM (5MM X 2 NOS.) THICK, 20MM WIDE CROSS UPVC SHEET AS GAP INSERT FOR TOP RAIL AND BOTTOM RAIL, AND JOINED		Rs.3000.00 (Rupees three thousand only)	1.Sq.M. (ONE SQUARE METRE)	1209600.00
						64211226.00

Shri. S. Mani Construction Company

CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
		<p>TOGETHER WITH PVC SOLVENT CEMENT ADHESIVE AN ADDITIONAL 5MM THICK UPVC STRIP OF 20MM WIDTH IS TO BE STUCK ON THE INTERIOR SIDE OF THE 'C' CHANNEL USING PVC SOLVENT CEMENT ADHESIVE. THE COST AND LABOUR CHARGES FOR FIXING OF 3 NOS. 4" SS BUTT HINGES AND ALUMINIUM FURNITURE FITTING SUCH AS 1 NO. 4" TOWER BOLT, 1 NO. 5" ALDROP, 2 NOS. 6" FLAT 'D' TYPE HANDLE, ETC ARE INCLUDED. THE FITTING PROVIDED SHALL BEAR ISI MARKS TO ENSURE THE GENUINITY OF PRODUCT, THE DOOR SET SHOULD HAVE 4 NUMBERS OF MANUFACTURER'S LOGO HOLOGRAM OF APPROVED BRAND, EACH AT FRAME, STYLE, RAIL AND INNER PANEL. (THE QUALITY AND BRAND OF DOOR SHUTTER AND FURNITURE FITTINGS SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)</p>				64211226.00
21.6.2		<p>SUPPLYING AND FIXING MONOLITHIC RCC DOOR FRAMES OF SIZE 100X75MM WITH ONE EDGE GROOVES SIZE 'T' X 20 MM ('T' REPRESENTS THE SHUTTER THICKNESS) IN STANDARDISED CONCRETE MIX M-30 GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING CRUSHED STONE SAND 20 MM AND DOWNGRADED HARD BROKEN STONE JELLY FOR THE ABOVE RCC ITEM OF WORK WITHOUT VIBRATING CHARGES INCLUDING COST OF STEEL AND FABRICATION OF REINFORCEMENT GRILLS WITH 3 NOS. OF 6MM M.S. ROD AROUND AND 3MM STEEL STIRRUPS AT 30CM CENTRE TO CENTRE INCLUDING FIXING OF 3 NOS. OF IRON BRACKET OF SIZE 100X100X5MM OR 3 NOS. OF TEAK WOOD PLUG FOR RECEIVING HINGES AND 2 NOS. OF TEAK WOOD PLUG FOR RECEIVING THE TOWER BOLTS INCLUDING FIXING OF 6 NOS. OF HOLD FASTS AND COST AND FIXING OF CHECK NUTS AND ALUMINIUM SLEEVES AND 2 NOS. IRON OXIDE TOWER BOLT RECEIVER ALL AS PER DRAWINGS, INCLUDING MOULDING IN STEEL MOULD AND CASTING WITH SMOOTH SURFACES AND FINE EDGES, CURING, TRANSPORTING ETC., ALL COMPLETE AS DIRECTED BY THE DEPARTMENTAL OFFICERS.</p>				
	256 NOS.	<p>SUITABLE FOR DOOR OF SIZE (a) 900 X 2100MM</p>		<p>Rs.1500.00 (Rupees one thousand and five hundred only)</p>	<p>1.NO (EACH)</p>	384000.00
22.3.3	552.00 Sq.M.	<p>PROVIDING T.W. DOUBLE LEAF SHUTTERS FOR CUPBOARD/WARD ROBES WITH 9MM THICK PHENOL BONDED BWR GRADE PLYWOOD AS PER IS 303-1989 (GENERAL) WITH IS 5539-1969 (FOR PRESERVATIVE TREATMENT) AND IS 848-1974 (FOR ADHESIVE) WITH RELEVANT IS SPECIFICATIONS AND ITS LATEST AMENDMENT FOR SHUTTERS. THE ALL ROUND FRAME MADE UP OF T.W SCANTLING OF 75MMX37.50MM AND THE STYLES MADE UP OF T.W. SCANTLINGS OF 75MM X 37.50MM AND SHUTTER MIDDLE RAIL (HORIZONTAL) MADE UP OF T.W SCANTLING OF 150MM X37.50MM INCLUDING COST OF BWR GRADE PLYWOOD AND LABOUR FOR FIXING IN POSITION, COST OF MATERIALS, ALUMINIUM FURNITURE FITTINGS SUCH AS 6 NOS. OF 3" OF ALUMINIUM BUTT HINGES, 2 NOS. OF 4" X 5/8" ALUMINIUM TOWER BOLT, 2 NOS OF 4" ORNAMENTAL HANDLE, LOCK AND KEY ARRANGEMENTS (LEAVER TYPE) OF BEST APPROVED QUALITY WITH BRASS SCREWS AND ALSO PAINTING WITH TWO COATS OF APPROVED FIRST CLASS SYNTHETIC ENAMEL READY MIXED PAINT OVER ONE COAT OF WOOD PRIMER OF APPROVED QUALITY ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE LOCK AND KEY, BWR GRADE PLYWOOD QUALITY AND SHADE AND ALUMINIUM FURNITURE FITTINGS SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)</p>		<p>Rs.3000.00 (Rupees three thousand only)</p>	<p>1.Sq.M. (ONE SQUARE METRE)</p>	1656000.00
						66251226.00

Construction Company

P. Man
CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNPB No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
						66251226.00
23.1.1		SUPPLYING AND FIXING OF BEST INDIAN TW SINGLE LEAF PANELLED DOOR SHUTTERS USING 9 MM THICK PHENOL BONDED BWR GRADE PLYWOOD AS PER IS 303-1969 (GENERAL) WITH IS 5539-1969 (FOR PRESERVATIVE TREATMENT AND IS 843-1974 (FOR ADHESIVES) WITH RELEVANT IS SPECIFICATION AND ITS LATEST AMENDMENTS FOR SHUTTERS WITH 75MMX37.50MM TEAK WOOD STYLES AND 3 NOS. OF 150X37.50 MM TW RAILS (TOP, BOTTOM AND LOCK RAILS) USING THE ABOVE PANELS INCLUDING LABOUR CHARGES AND COST OF ALUMINIUM FURNITURE FITTINGS AS PER SCHEDULE 'E' WITH BRASS SCREWS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY OF BWR GRADE PLYWOOD AND ALUMINIUM FURNITURE FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE).				
	420.80 Sq.M.	SUITABLE FOR DOOR OF SIZE (a) 900 X 2100MM		Rs.3000.00 (Rupees three thousand only)	1.Sq.M. (ONE SQUARE METRE)	1262400.00
23.4		SUPPLYING, FABRICATING AND FIXING IN POSITION OF ALUMINIUM WINDOW ANODIZED NOT LESS THAN 15 MICRONS CONFIRMING TO STANDARD SPECIFICATION MADE WITH EXTRUDED ALUMINIUM "H" SECTION SIZE 38.5X33X3MM FOR OUTER FRAME, Z SECTION OF SIZE 38.5X33X3MM FOR SHUTTER AND INTERMEDIATE SECTIONS OF SIZE 59X33X3MM AND ALUMINIUM CLIP OF SIZE 17.3X17X0.90 MM WITH MS POWDER COATED STIFFNER OF SIZE 12MM X 3MM FOR FIXING GLASS PANELS WITH NECESSARY ACCESSORIES SUCH AS ALUMINIUM HANDLES OF SIZE 101.6X2.4X3.18MM, 10" MAX HINGES, ALUMINIUM HOLD FAST 6"(4MM THICK) WITH SUITABLE ALUMINIUM / STAINLESS STEEL SCREWS AND RUBBER BEADINGS INCLUDING SUPPLYING AND FIXING OF 4MM THICK GLASS PANELS AND INCLUDING COST OF ALL MATERIALS, LABOURS, POWER CONSUMPTION REQUIRED FOR FABRICATION, DRILLING HOLES FOR FIXING THE ALUMINIUM HOLD FAST ETC., COMPLETE AND MAKE THE WALL IN ORIGINAL SHAPE AFTER FIXING AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS AND AS PER DRAWINGS ENCLOSED (ALL THE MATERIALS TO BE USED SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE).				
	934.40 Sq.M.	a) WINDOW OF SIZE 1.80 X 1.35 METRES (THREE LEAVES)		Rs.3000.00 (Rupees three thousand only)	1.Sq.M. (ONE SQUARE METRE)	2803200.00
	182.40 Sq.M.	b) WINDOW OF SIZE 1.35 X 1.05 METRES (TWO LEAVES)		Rs.3000.00 (Rupees three thousand only)	1.Sq.M. (ONE SQUARE METRE)	547200.00
	7.30 Sq.M.	c) WINDOW OF SIZE 1.35 X 1.35 METRES (TWO LEAVES)		Rs.3000.00 (Rupees three thousand only)	1.Sq.M. (ONE SQUARE METRE)	21900.00
26.1	128.00 Cu.M.	FLOORING WITH A BED OF CEMENT CONCRETE 1:5:10 (ONE OF CEMENT, FIVE OF CRUSHED STONE SAND AND TEN OF HARD BROKEN STONE JELLY) USING 40MM SIZE HARD BROKEN STONE JELLY AND TOP LEFT ROUGH TO RECEIVE THE FLOOR FINISH WITH REQUIRED SLOPES INCLUDING RAMMING, CURING ETC., ALL COMPLETE COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.		Rs.5000.00 (Rupees five thousand only)	1.Cu.M. (ONE CUBIC METRE)	640000.00
						71525926.00

For Engineer Construction

D. Man
CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
28.1	1012.30 Sq.M.	PLASTERING THE TOP OF FLOORING IN CM 1:4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) 20MM THICK INCLUDING SURFACE RENDERED SMOOTH INCLUDING PROVIDING PROPER SLOPES, THREAD LINING, CURING AND 150MM WIDE SKIRTING AROUND WITH THE SAME CEMENT MORTAR ETC., COMPLETE IN ALL RESPECTS.		Rs.150.00 (Rupees one hundred and fifty only)	1 Sq.M. (ONE SQUARE METRE)	151845.00
29.8.1	3520.00 Sq.M.	SUPPLYING AND FIXING OF COLOUR GLAZED TILES OF BEST APPROVED QUALITY (THE COLOUR AND SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING) OVER CEMENT PLASTERING IN CM 1:2 (ONE OF CEMENT AND TWO OF CRUSHED STONE SAND) 10MM THICK INCLUDING FIXING IN POSITION, CUTTING THE TILES TO THE REQUIRED SIZE WHEREVER NECESSARY, POINTING THE JOINTS WITH GROUT (TILE JOINT FILLER) , CURING, FINISHING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRAND AND QUALITY OF TILES SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE).		Rs.700.00 (Rupees seven hundred only)	1 Sq.M. (ONE SQUARE METRE)	2464000.00
29.9.1	684.80 Sq.M.	SUPPLYING AND LAYING OF CERAMIC TILES (ANTI SKID) OF BEST APPROVED QUALITY FOR FLOORING AND OTHER SIMILAR WORKS (THE COLOUR AND SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING) OVER CEMENT MORTAR 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 20MM THICK INCLUDING FIXING IN POSITION, CUTTING THE TILES TO THE REQUIRED SIZE WHEREVER NECESSARY, POINTING THE JOINTS WITH GROUT (TILE JOINT FILLER) , CURING, FINISHING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRAND AND QUALITY OF TILES SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE).		Rs.700.00 (Rupees seven hundred only)	1 Sq.M. (ONE SQUARE METRE)	479360.00
32.1.3	2119.40 Sq.M.	FINISHING THE TOP OF TERRACE FLOOR WITH ONE COURSE OF SOLAR REFLECTIVE WATER PROOF, HEAT PROOF AND COOL ROOF CERAMIC TILES OF SIZE 305MMX305MMX7MM THICK OF APPROVED QUALITY LAID IN CEMENT MORTAR 1:3 20MM TK (ONE PART OF CEMENT AND THREE PARTS OF CRUSHED STONE SAND) MIXED WITH CALCIUM BASED MINERAL POWDER (60 KG FOR 1000 SQFT) (BEFORE LAYING THE TILES, THE TILES SHOULD BE DIPPED WITH SALIN BASED NANQ LIQUID) AND TOP GROUTING WITH CEMENT MORTAR 1:3 (ONE PART OF CEMENT AND THREE PARTS OF CRUSHED STONE SAND) MIXED WITH WHITE CEMENT, SILICON POWDER AND POLIMER ADDITIVES (20 KG FOR 1000 SQFT.) AND JOINT POINTED WITH ZYCOSIL OIL (200GM FOR 1000 SQFT.) AFTER GROUTING ACRYLIC SALIN BASED LIQUID INCLUDING COST OF BASE CONCRETE 1:2:4 MIX USING 6-10MM CHIPS-40MM THICK ETC., COMPLETE COMPLYING WITH STANDARD SPECIFICATION INCLUDING COST OF ALL MATERIALS LABOUR CHARGES FOR LIFTING TO OPEN TERRACE, LAYING AND FINISHING AND OTHER INCIDENTAL CHARGES ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (BRAND, QUALITY OF TILES SHOULD BE GOT APPROVED FROM EXECUTIVE ENGINEER BEFORE USE)		Rs.700.00 (Rupees seven hundred only)	1 Sq.M. (ONE SQUARE METRE)	1483580.00
33.1	44977.00 Sq.M.	PLASTERING WITH CM 1:5 (ONE OF CEMENT AND FIVE OF CRUSHED STONE SAND) 12MM THICK FINISHED WITH NEAT CEMENT INCLUDING PROVIDING BAND CORNICE, CEILING CORNICE, CURING, SCAFFOLDING ETC., COMPLETE IN ALL RESPECTS AND COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.		Rs.150.00 (Rupees one hundred and fifty only)	1 Sq.M. (ONE SQUARE METRE)	6746550.00
						82851261.00

For Signature Construction Company

P. Man
CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
						82851261.00
34.1	3044.10 Sq.M.	PLASTERING WITH CM 1:4 (ONE OF CEMENT AND FOUR OF CRUSHED STONE SAND) 12MM THICK FINISHED WITH NEAT CEMENT INCLUDING PROVIDING BAND CORNICE, CEILING CORNICE, CURING, SCAFFOLDING ETC. COMPLETE IN ALL RESPECTS AND COMPLYING WITH STANDARD SPECIFICATIONS.		Rs.160.00 (Rupees one hundred and sixty only)	1.Sq.M. (ONE SQUARE METRE)	487056.00
35.1.1	158.70 Sq.M.	PLASTERING IN CM 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 12MM TK. MIXED WITH WATER PROOF COMPOUND AT 2% BY WEIGHT OF CEMENT FOR SUMP INCLUDING SCAFFOLDING CURING, FINISHING ETC., COMPLETE IN ALL RESPECTS AND COMPLYING WITH STANDARD SPECIFICATIONS.		Rs.160.00 (Rupees one hundred and sixty only)	1.Sq.M. (ONE SQUARE METRE)	25392.00
35.2	10008.20 Sq.M.	SPECIAL CEILING PLASTERING IN CEMENT MORTAR 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 10MM THICK FOR BOTTOM OF ROOF, STAIR, WAIST, LANDING AND SUNSHADES IN ALL FLOORS FINISHED WITH NEAT CEMENT INCLUDING HACKING THE AREAS, PROVIDING BAND CORNICE, SCAFFOLDING, CURING ETC., COMPLETE		Rs.150.00 (Rupees one hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	1501230.00
36.1		PLASTERING FOR BORDER IN CM 1:5 (ONE OF CEMENT AND FIVE OF CRUSHED STONE SAND) 12MM THICK FINISH IN ALL FLOORS FOR ELEVATION PURPOSES, INCLUDING SCAFFOLDING, CURING, FINISHING ETC., ALL COMPLETE.				
	2048.00 Rmt.	(a) 150MM WIDE BORDER		Rs.40.00 (Rupees forty only)	1.Rmt. (ONE RUNNING METRE)	81920.00
	6990.40 Rmt.	(b) 75MM WIDE BORDER		Rs.30.00 (Rupees thirty only)	1.Rmt. (ONE RUNNING METRE)	209712.00
	1441.60 Rmt.	(c) 50MM WIDE BORDER		Rs.20.00 (Rupees twenty only)	1.Rmt. (ONE RUNNING METRE)	28832.00
38.4.1	28800.00 Sq.M.	PAINTING THE NEW WALLS WITH TWO COATS OF OIL BOUND DISTEMPER OVER THE EXISTING PRIMING COAT OF WHITE CEMENT OF APPROVED BRAND OVER NEW CEMENT PLASTERED WALL SURFACES INCLUDING COST OF PAINTS, PUTTY, BRUSHES, WATERING, CURING, ETC., ALL COMPLETE AS DIRECTED BY THE DEPARTMENTAL OFFICERS (PAINTS AND ITS SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.50.00 (Rupees fifty only)	1.Sq.M. (ONE SQUARE METRE)	1440000.00
38.6	28869.50 Sq.M.	PAINTING PRIMER COAT USING APPROVED QUALITY OF WHITE CEMENT OVER THE CEMENT PLASTERED / CONCRETE NEW WALL SURFACES, CEILING OR OTHER SIMILAR WORKS INCLUDING COST OF WHITE CEMENT, PUTTY, BRUSHES, WATERING, CURING, ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.10.00 (Rupees ten only)	1.Sq.M. (ONE SQUARE METRE)	288695.00
						86914098.00

P. Mani Construction Company

CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	
43.1.1	323,062 M.T.	SUPPLYING, FABRICATING AND PLACING IN POSITION OF MILD STEEL GRILLS/RIBBED TOR STEELS (WITHOUT CEMENT SLURRY) OF ALL DIAMETERS, FOR REINFORCEMENT FOR ALL FLOORS INCLUDING COST OF BINDING WIRE, INSULATED WITH PVC, BENDING, TYING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.75000.00 (Rupees seventy five thousand only)	1 M.T. (ONE METRIC TONNE)	86914098.00 24229650.00
44.2.1.a	32 NOS.	PROVIDING RAIN WATER HARVESTING PIT OF 1M DIA AND 600MM DEPTH OF EARTH WORK EXCAVATION AND FILLING THE PIT WITH 40MM STONE JELLY TO A DEPTH OF 300MM FROM THE TOP OF THE AUGERING PORTION AND FILLING WITH CRUSHED STONE SAND TO A DEPTH OF 300MM OVER THE STONE JELLY AND COVERED WITH THE 'PRE-CAST RCC PERFORATED SLAB OF 40MM THICK IN STANDARDISED CONCRETE MIX M-30 GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING 3MM-10MM HARD BROKEN STONE JELLY FOR ALL RCC ITEMS OF WORKS EXCLUDING THE COST AND FABRICATION OF REINFORCEMENT GRILLS BUT INCLUDING PRECASTING, MOULDING, CURING, FINISHING AND FIXING IN POSITION ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.1000.00 (Rupees one thousand only)	1.NO. (EACH)	32000.00
44.2.1.b	96.00 Rmt.	AUGERING 30CM DIA BORE HOLE IN ALL SOILS AND SUB SOILS REQUIRED DEPTH TO PROVIDING RAIN WATER HARVESTING FROM THE CENTRE OF THE RAIN WATER HARVESTING PIT ALREADY EXCAVATED AND FILLING THE AUGERING PORTION WITH 40MM SIZE STONE JELLY ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.300.00 (Rupees three hundred only)	1. Rmt. (ONE RUNNING METRE)	28800.00
44.6.1	656.00 Rmt.	SUPPLYING AND FIXING OF 110MM DIA PVC SWR PIPE WITH ISI MARK CONFIRMING TO IS 13952:1992- TYPE 'A' FOR RAIN WATER DOWN FALL PIPE (TO BE GOT APPROVED FROM THE EXECUTIVE ENGINEER./ SUPERINTENDING ENGINEER./ CHIEF ENGINEER.. BEFORE USE IN WORKS) WITH RELEVANT SPECIALS SUCH AS GRATINGS, SHOES, BENDS, OFFSETS CONFIRMING TO IS 14735 INCLUDING JOINTING WITH SEAL RING CONFIRMING IS 5382 WITH LEAVING A GAP ABOUT 10MM TO ALLOW THERMAL EXPANSION WITH NECESSARY UPVC "U" BRACKET/CLAMPS, TEAK WOOD PLUGS, ETC., OF APPROVED QUALITY AND INCLUDING FIXING C.I GRATINGS AT THE JUNCTION OF PARAPET AND FLOOR OR ROOF SLAB ETC., INCLUDING FINISHING ETC., COMPLETE COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.		Rs.200.00 (Rupees two hundred only)	1. Rmt. (ONE RUNNING METRE)	131200.00
45.1	13220.90 Sq.M.	STUCCO PLASTERING 12MM THICK USING COLOUR MARBLE CHIPS OF SIZE 10MM AND BELOW USING 72.00 KGS OF CEMENT 14.50 KGS OF COLOUR CEMENT AND 0.15 CUM. COLOUR MARBLE CHIPS FOR EVERY 10SQ.M AREA OVER THE EXISTING PLASTERED SURFACE INCLUDING CURING ETC., COMPLETE COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.225.00 (Rupees two hundred and twenty five only)	1.Sq.M. (ONE SQUARE METRE)	2974702.50
50.5.1	1 NO.	SUPPLYING, FABRICATION AND ERECTION IN POSITION OF M.S. SCHEME NAME AND LAYOUT BOARD WITH 50X50X6MM M.S. ANGLE FOR VERTICAL POST AND SUPPORT POSTS WITH 2.5 MM THICK M.S. SHEET FOR A SIZE AT 1.80X1.20M WITH 40X40X6MM M.S. ANGLE AROUND THE BOARD AND 50X6MM FLAT STIFFENERS ON BOTH DIRECTIONS INCLUDING COST OF WELDING CHARGES, PAINTING CHARGES AND DRAWING THE LAYOUT AND LETTERING THE SCHEME DETAILS AS DIRECTED BY THE DEPARTMENTAL OFFICERS INCLUDING EARTH WORK EXCAVATION FOR 4 NOS OF PITS, PCC 1:5:10 (ONE OF CEMENT, FIVE OF CRUSHED		Rs.15000.00 (Rupees fifteen thousand only)	1.NO. (EACH)	15000.00
						114325450.50

Pranav Construction Company

P. man
CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
		STONE SAND AND TEN OF HB STONE JELLY) FOR PITS: 0.45 X 0.45 X 0.60M BELOW GROUND LEVEL AND P.C.C 1:2:4 (ONE OF CEMENT, TWO OF CRUSHED STONE SAND AND FOUR OF 20MM HB STONE JELLY) AT 0.30 X 0.30 X 0.30M ABOVE GROUND LEVEL FOR ERECTION, CONVEYANCE CHARGES ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.				114325450.50
50.6.1	532.30 Sq.M.	SUPPLYING AND FIXING OF FIBRE MIXED PRECAST SLAB OF 50MM THICK OF ALL REQUIRED SHAPES MADE IN CEMENT CONCRETE 1:3:6(ONE OF CEMENT, THREE OF CRUSHED STONE SAND AND SIX OF 20MM HARD BROKEN STONE JELLY) USING 20MM HARD BROKEN STONE JELLY MIXED WITH SECONDARY REINFORCEMENT FIBRE OF APPROVED QUALITY AT 0.25% BY WEIGHT OF CEMENT (125GM OF FIBRE FOR 1BAG I.E., 50KG OF CEMENT) USED INCLUDING COST OF ALL MATERIALS, MOULDING, CURING, TRANSPORTATION, LAYING, POINTING ETC., FOR APPROACH ROAD, PAVEMENT SLAB AND OTHER SIMILAR WORKS ETC., COMPLETE AS PER THE RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE SHAPE OF SLAB AND BRAND AND QUALITY OF FIBRE SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.500.00 (Rupees five hundred only)	1.Sq.M. (ONE SQUARE METRE)	266150.00
52.2		SUPPLYING, LAYING, FIXING AND JOINING THE FOLLOWING PVC PIPES AS PER ASTM D-1785 OF SCHEDULE 40 OF WALL THICKNESS NOT LESS THAN THE SPECIFIED IN IS 4985 SUITABLE FOR PLUMBING BY THREADING OF WALL THICKNESS INCLUDING THE COST OF SUITABLE UPVC SPECIALS LIKE ELBOW, TEE, REDUCERS, PLUG, UNIONS, BEND, COUPLER, NIPPLE, UPVC GATE VALVE, UPVC CHECK AND UPVC/BALL VALVE WHEREVER REQUIRED ABOVE THE GROUND LEVEL INCLUDING THE COST OF TEFLON TAPE, PVC SPECIAL CLAMPS, NAILS ETC., FIXING ON WALL TO THE PROPER GRADIENT AND ALIGNMENT AND REDOING THE CHIPPED OF MASONRY ETC., AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (BRAND NAME AND QUALITY OF PVC/UPVC PIPES AND SPECIALS SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER./ SUPERINTENDING ENGINEER./ CHIEF ENGINEER.. BEFORE USE IN WORKS)				
	640.00 Rmt.	(a) 32MM ASTM-D SCHEDULE 40 THREADED PVC PIPE WITH NECESSARY UPVC SPECIALS AND PVC SPECIAL CLAMP ETC.,		Rs.200.00 (Rupees two hundred only)	1. Rmt. (ONE RUNNING METRE)	128000.00
	5840.00 Rmt.	(b) 25MM ASTM-D SCHEDULE 40 THREADED PVC PIPE WITH NECESSARY UPVC SPECIALS AND PVC SPECIAL CLAMP ETC.,		Rs.190.00 (Rupees one hundred and ninety only)	1. Rmt. (ONE RUNNING METRE)	1109600.00
52.4.1		SUPPLYING, LAYING, FIXING AND JOINING THE FOLLOWING PVC PIPES AS PER ASTM D-1785 OF SCHEDULE 40 OF ALL THICKNESS NOT LESS THAN THE SPECIFIED IN IS 4985 SUITABLE FOR PLUMBING BY THREADING OF WALL THICKNESS INCLUDING THE COST OF SUITABLE UPVC SPECIALS LIKE ELBOW, TEE, REDUCERS, PLUG, UNIONS, BEND, COUPLER, NIPPLE, UPVC GATE VALVE, UPVC CHECK AND UPVC/BALL VALVE WHEREVER REQUIRED ABOVE THE GROUND LEVEL INCLUDING THE COST OF TEFLON TAPE, PVC SPECIAL CLAMPS, NAILS ETC., FULLY CONCEALED FIXING ON WALL TO THE PROPER GRADIENT AND ALIGNMENT AND REDOING THE CHIPPED OF MASONRY				
						115829200.50

For: *Shrihari Construction Company*

P. man
CONTRACTOR

NO. OF CORRECTIONS

S. G.
SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
2	3	4	5	6		
		ETC., AS DIRECTED BY THE DEPARTMENTAL OFFICERS (BRAND NAME AND QUALITY OF PVC/UPVC PIPES AND SPECIALS SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER/ SUPERINTENDING ENGINEER/CHIEF ENGINEER BEFORE USE IN WORKS)				115829200.50
	832.00 Rmt.	(c) 20MM ASTM-D SCHEDULE 40 THREADED PVC PIPE WITH NECESSARY UPVC SPECIALS AND PVC SPECIAL CLAMP ETC.,		Rs.180.00 (Rupees one hundred and eighty only)	1. Rmt. (ONE RUNNING METRE)	149760.00
53.4	130 NOS.	SUPPLYING AND FIXING OF C.I. MANHOLE COVER WITH LOCKING ARRANGEMENTS OF APPROVED QUALITY AND BRAND OF SIZE 0.6 M X 0.6 M(50 KG) AS PER STANDARD SPECIFICATIONS INCLUDING COST OF MATERIAL, LABOUR CHARGES FOR FIXING ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.2000.00 (Rupees two thousand only)	1.NO. (EACH)	260000.00
53.5	256 NOS.	SUPPLYING AND FIXING OF PORCELIN WASH HAND BASIN (WHITE), SUPERIOR VARIETY OF SIZE 550X400MM WITH ALL ACCESSORIES SUCH AS POWDER COATED CAST IRON BRACKETS, 32MM DIA C.P. WASTE COUPLING, RUBBER PLUG AND ALUMINIUM CHAIN, 32MM DIA 'B' CLASS G.I. PVC WASTE PIPE, ANGLE VALVE, 15MM DIA NYLON CONNECTION, 15MM DIA BRASS NIPPLES, 15MM C.P. PILLAR TAP & REQUIRED GRATING ETC. COMPLETE IN ALL RESPECTS (WASH HAND BASIN SHALL BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE FIXING).		Rs.2000.00 (Rupees two thousand only)	1.NO. (EACH)	512000.00
54.1.2	384 NOS.	SUPPLYING AND FIXING OF 15MM DIA ENGINEERING POLYMER TAP (LONG BODY) INCLUDING COST OF MATERIALS, LABOUR CHARGES FOR FIXING ETC., AND ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY AND BRAND OF ENGINEERING POLYMER TAP SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER/SUPERINTENDING ENGINEER/ CHIEF ENGINEER BEFORE USE IN WORKS)		Rs.400.00 (Rupees four hundred only)	1.NO. (EACH)	153600.00
54.2.2	256 NOS.	SUPPLYING AND FIXING OF 15MM DIA ENGINEERING POLYMER TAP (SHORT BODY) INCLUDING COST OF MATERIALS, LABOUR CHARGES FOR FIXING ETC., AND ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND OF ENGINEERING POLYMER TAP SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER./ SUPERINTENDING ENGINEER./ CHIEF ENGINEER., BEFORE USE IN WORKS)		Rs.400.00 (Rupees four hundred only)	1.NO. (EACH)	102400.00
56.3.2	32 NOS.	SUPPLYING AND FIXING OF INDIAN WATER CLOSET WHITE GLAZED (ORIYA TYPE) OF SIZE 580MMX440MM OF APPROVED MAKE WITH ISI MARK (TO BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE) WITH PVC SWR GRADE P OR S TRAP INCLUDING CONCRETE PACKING, FILLING PORTION WITH EARTH, FLOORING THE AREA WITH 75MM THICK BRICK JELLY CONCRETE IN CC 1:8:16 (ONE OF CEMENT, EIGHT OF CRUSHED STONE SAND AND SIXTEEN OF BRICK JELLY) USING 40MM SIZE BRICK JELLY AND TOP LEFT ROUGH TO RECEIVE THE FLOOR PLASTERING BUT INCLUDING ANTISYPHONAGE CONNECTION, CURING, ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (IN GROUND FLOOR)		Rs.2000.00 (Rupees two thousand only)	1.NO. (EACH)	64000.00
						117070960.50

For M/s. Andur Construction Company

P. man
CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
						117070960.50
56.4.2	96 NOS.	SUPPLYING AND FIXING OF INDIAN WATER CLOSET WHITE GLAZED (ORIYA TYPE) OF SIZE 580MMX440MM OF APPROVED MAKE WITH ISI MARK (TO BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE) WITH PVC SWR GRADE P OR S TRAP INCLUDING CONCRETE FILLING THE SUNK PORTION WITH BRICK JELLY LIME CONCRETE PROPORTION OF BRICK JELLY TO LIME BEING 32:12½ BY VOLUME (32 CFT OF 20MM GAUGE BRICK JELLY AND 12 ½ CFT OF SLAKED LIME) (NO SAND) AND TOP 75MM THICK BRICK JELLY CONCRETE IN CC 1:8:16 (ONE OF CEMENT, EIGHT OF CRUSHED STONE SAND AND SIXTEEN OF BROKEN BRICK JELLY) USING 40MM SIZE BRICK JELLY INCLUDING PLASTERING THE SIDES OF SUNK PORTION IN CM 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 12MM THICK MIXED WITH WATER PROOFING COMPOUND AT 2KG/SQM AND TOP LEFT ROUGH TO RECEIVE THE FLOOR PLASTERING BUT INCLUDING ANTISYPHONAGE CONNECTION, ONE COAT OF BITUMEN FOR THE SIDES, BOTTOM AND CURING ETC., COMPLETE IN ALL FLOORS. (OTHER THAN GROUND FLOOR)		Rs.2000.00 (Rupees two thousand only)	1.NO. (EACH)	192000.00
57.2	128 NOS.	SUPPLYING AND FIXING EWC (WHITE) SUPERIOR VARIETY 500MM WITH PVC SWR GRADE 'P' OR 'S' TRAP INCLUDING COST AND FIXING OF DOUBLE FLAPPED PLASTIC SHEET COVER PVC FLUSHING CISTERN IN APPROPRIATE LEVEL AS DIRECTED BY THE DEPARTMENTAL OFFICERS AT A MAXIMUM LEVEL OF 5'6" AND OF APPROVED BRAND OF 10 LITRES CAPACITY INCLUDING FITTINGS SUCH AS CI BRACKETS, PVC CONNECTION GM WHEEL VALVE, HEX NIPPLE, ETC., COMPLETE (EWC AND PLASTIC COVER SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE FIXING).		Rs.2000.00 (Rupees two thousand only)	1.NO. (EACH)	256000.00
58.3		SUPPLYING AND FIXING THE FOLLOWING DIA PVC (SWR) PIPE WITH ISI MARK CONFIRMING TO IS 13952:1992- TYPE 'B' FOR SOIL LINE WITH RELEVANT SPECIALS CONFIRMING TO IS 14735 INCLUDING JOINTING WITH SEAL RING CONFIRMING TO IS 5382 WITH LEAVING A GAP ABOUT 10MM TO ALLOW THERMAL EXPANSION, FIXING THE PIPES INTO WALLS WITH NECESSARY WOODEN PLUG, SCREWS, HOLDING WHEREVER NECESSARY AND MAKING GOOD OF THE DISMANTLED PORTION WITH NECESSARY CONNECTIONS TO SANITARY FITTINGS ETC., COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS				
	1696.00 Rmt.	(a) 110MM DIA PVC SWR PIPE INCLUDING ALL REQUIRED PVC SPECIALS ETC., ALL COMPLETE.		Rs.200.00 (Rupees two hundred only)	1.Rmt. (ONE RUNNING METRE)	339200.00
	1920.00 Rmt.	(b) 75MM DIA PVC SWR PIPE INCLUDING ALL REQUIRED PVC SPECIALS ETC., ALL COMPLETE.		Rs.180.00 (Rupees one hundred and eighty only)	1.Rmt. (ONE RUNNING METRE)	345600.00
58.4	416.00 Rmt.	SUPPLYING, LAYING AND CONCEALING THE 50MM DIA PVC (SWR) PIPE WITH ISI MARK CONFIRMING TO IS 13952:1992- TYPE 'B' FOR WASTE WATER LINE WITH RELEVANT SPECIALS CONFIRMING TO IS 14735 INCLUDING JOINTING AND MAKING GOOD OF THE DISMANTLED PORTION WITH NECESSARY CONNECTIONS TO SANITARY FITTINGS ETC., COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.160.00 (Rupees one hundred and sixty only)	1.Rmt. (ONE RUNNING METRE)	66560.00
						118270320.50

Chendur Construction Company

P. Man
CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	
58.5		SUPPLYING AND FIXING THE FOLLOWING DIA PVC(SWR) PIPE WITH ISI MARK CONFIRMING TO IS 13952:1992- TYPE 'A' WITH PVC COWL AND RELEVANT SPECIALS CONFIRMING TO IS 14735 INCLUDING JOINTING WITH SEAL RING CONFIRMING TO IS 5382 WITH LEAVING A GAP 10MM TO ALLOW THERMAL EXPANSION AND FIXING THE PIPES INTO WALLS OR OVER THE SEPTIC TANK WITH NECESSARY WOODEN PLUG, SCREWS, HOLDING WHEREVER NECESSARY AND MAKING GOOD OF THE DISMANTLED PORTION WITH NECESSARY CONNECTIONS TO SANITARY FITTINGS ETC., COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.				118270320.50
	2 NOS.	(a) 110MM DIA PVC SWR PIPE OF 3METRE WITH REQUIRED PVC COWL & PVC SPECIALS ETC., ALL COMPLETE.		Rs.600.00 (Rupees six hundred only)	1.No. (EACH)	1200.00
59.5.2	128 NOS.	SUPPLYING AND FIXING 150MM X 100MM SIZE STONE WARE GULLY TRAP WITH IRON GRATINGS OVER A BED OF 150MM THICK BRICK JELLY CONCRETE IN CC 1:8:16 (ONE OF CEMENT, EIGHT OF CRUSHED STONE SAND AND SIXTEEN OF BROKEN BRICK JELLY) USING 40MM SIZE BRICK JELLY AND BRICK MASONRY WALL 110 MM THICK USING KILN BURNT COUNTRY BRICKS OF SIZE 8 3/4"X4 1/4"X2 1/4" (22X11X7CM) IN CM 1:5 (ONE OF CEMENT AND FIVE OF CRUSHED STONE SAND) PLASTERED WITH CM 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 12MM THICK ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS		Rs.500.00 (Rupees five hundred only)	1.No. (EACH)	64000.00
60.1	640 NOS.	SUPPLYING AND FIXING OF PVC NAHANI TRAP NOT LESS THAN 75MM 4 WAY /2 WAY (SUPERIOR VARIETY) HAVING MINIMUM OF WATER SEAL OF 50MM CONFIRM TO RELEVANT I.S. SPECIFICATIONS WITH ITS LATEST AMENDMENTS INCLUDING RESTING ON THE BED OF BRICK JELLY CONCRETE 1:5:10 (ONE OF CEMENT, FIVE OF CRUSHED STONE SAND OF TEN OF 40 MM GAUGE BRICK JELLY) ETC., COMPLETE AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE PVC NAHANI TRAP SHOULD BE GOT APPROVED FROM THE EE BEFORE USE)		Rs.100.00 (Rupees one hundred only)	1.No. (EACH)	64000.00
61.1.1		SUPPLYING, LAYING AND JOINTING THE FOLLOWING DIA UPVC NON PRESSURE PIPE OF SN8 SDR 34 (S 16.5) AS PER IS 15328/2003 , SUPERIOR VARIETY AND TESTED WITH WATER INCLUDING NECESSARY EARTH WORK EXCAVATION FOR TRENCHES AND REFILLING THE SAME, WELL RAMMED AND CONSOLIDATED AFTER THE PIPES ARE JOINTED AND LAID TO PROPER GRADIENT TO THE ALIGNMENT AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (SN8 SDR 34 (S 16.5) AS PER IS 15328/2003 SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER, SUPERINTENDING ENGINEER, CHIEF ENGINEER, BEFORE USE IN WORKS)				
	336.00 Rmt.	(a) 110MM DIA UPVC NON PRESSURE PIPE		Rs.400.00 (Rupees four hundred only)	1.Rmt. (ONE RUNNING METRE)	134400.00
	280.00 Rmt.	(b) 160MM DIA UPVC NON PRESSURE PIPE		Rs.500.00 (Rupees five hundred only)	1.Rmt. (ONE RUNNING METRE)	140000.00
						118673920.50

For: Chendur Construction Company

P. Man
CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
62.1.1		SUPPLYING AND FIXING OF FOLLOWING DIA OF PVC BEND FABRICATED 6 KSC PVC SPECIALS AS PER IS 10124/1982 PART II INCLUDING COST OF MATERIAL AND LABOUR CHARGES FOR FIXING ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND OF PVC BEND SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)				118673920.50
	64 NOS	(a) 110MM DIA PVC BEND		Rs.300.00 (Rupees three hundred only)	1.No. (EACH)	19200.00
62.2.1		SUPPLYING AND FIXING OF FOLLOWING DIA PVC EQUAL TEE (MOULD) BIS 7834/1975 PVC SPECIALS AS PER IS 10124/1982 PART II INCLUDING COST OF MATERIAL AND LABOUR CHARGES FOR FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND OF PVC EQUAL TEE SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE).				
	32 NOS	(a) 110MM DIA PVC EQUAL TEE		Rs.300.00 (Rupees three hundred only)	1.No. (EACH)	9600.00
64.1.1		WIRING WITH 1.5 SQ.MM COPPER PVC INSULATED UNSHEATHED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V CABLE WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQ.MM PVC INSULATED UNSHEATHED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V GRADE CABLE IN FULLY CONCEALED PVC RIGID CONDUIT PIPE HEAVY DUTY WITH ISI MARK WITH SUITABLE SIZE PVC BOX (FIRE RETARDED BOX) OF REQUIRED THICKNESS CONCEALED AND COVERED WITH 3MM THICK LAMINATED HYLEM SHEET CONTROLLED BY 5 AMPS FLUSH TYPE SWITCH INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS, SPECIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.				
	1094 POINTS	(a) LIGHT POINT WITH CEILING ROSE		Rs.600.00 (Rupees six hundred only)	1 POINT (EACH POINT)	656400.00
	1378 POINTS	(b) LIGHT POINT WITHOUT CEILING ROSE		Rs.600.00 (Rupees six hundred only)	1 POINT (EACH POINT)	826800.00
	128 POINTS	(c) POINT WIRING FOR CALLING BELL/ BUZZER WITH PUSH TYPE SWITCH		Rs.600.00 (Rupees six hundred only)	1 POINT (EACH POINT)	76800.00
65.1.1	512 POINTS	WIRING WITH 1.5 SQ.MM COPPER PVC INSULATED UNSHEATHED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. CABLE WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQ.MM PVC INSULATED UNSHEATHED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE IN FULLY CONCEALED PVC RIGID CONDUIT PIPE HEAVY DUTY WITH ISI MARK WITH SUITABLE SIZE PVC BOX (FIRE RETARDED BOX) OF REQUIRED THICKNESS CONCEALED AND COVERED WITH 3MM THICK LAMINATED HYLEM SHEET FOR FAN POINT CONTROLLED BY 5 AMPS FLUSH TYPE SWITCH INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS, SPECIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.600.00 (Rupees six hundred only)	1 POINT (EACH POINT)	307200.00
						120569920.50

Shendur Construction Company

P. man
CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	
GG.1.1	80 POINTS	WIRING WITH 1.5 SQ.MM COPPER PVC INSULATED UNSHEATHED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. CABLE WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQMM PVC INSULATED UNSHEATHED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE IN FULLY CONCEALED PVC RIGID CONDUIT PIPE HEAVY DUTY WITH ISI MARK WITH SUITABLE SIZE PVC BOX (FIRE RETARDED BOX) OF REQUIRED THICKNESS CONCEALED AND COVERED WITH 3MM THICK LAMINATED HYLEM SHEET FOR STAIRCASE LIGHT POINT CONTROLLED BY 5 AMPS FLUSH TYPE TWO WAY SWITCH INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS, SPECIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.1200.00 (Rupees one thousand and two hundred only)	1 POINT (EACH POINT)	120569920.50 96000.00
67.1.2	768 POINTS	WIRING WITH 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE IN FULLY CONCEALED PVC RIGID CONDUIT PIPE HEAVY DUTY WITH ISI MARK WITH SUITABLE SIZE PVC BOX (FIRE RETARDED BOX) CONCEALED AND COVERED WITH 3MM THICK LAMINATED HYLEM SHEET FOR 5 AMPS 5 PIN PLUG SOCKET POINT AT SWITCH BOARD ITSELF INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS, SPECIALS, ETC., ALL COMPLETE.		Rs.300.00 (Rupees three hundred only)	1 POINT (EACH POINT)	230400.00
68.2.1	640 POINTS	WIRING WITH 1.5 SQ.MM COPPER PVC INSULATED UNSHEATHED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. CABLE WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQ.MM PVC INSULATED UNSHEATHED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE IN FULLY CONCEALED PVC RIGID CONDUIT PIPE HEAVY DUTY WITH ISI MARK WITH SUITABLE SIZE PVC BOX (FIRE RETARDED BOX) OF REQUIRED THICKNESS CONCEALED AND COVERED WITH 3MM THICK LAMINATED HYLEM SHEET FOR 5 AMPS 5 PIN PLUG SOCKET POINT AT CONVENIENT PLACES CONTROLLED BY 5 AMPS FLUSH TYPE SWITCH INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS, SPECIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.400.00 (Rupees four hundred only)	1 POINT (EACH POINT)	256000.00
69.1	384 NOS.	SUPPLYING AND FIXING OF 15 AMPS 3 PIN FLUSH TYPE PLUG SOCKET USING ON A SUITABLE 150MM PVC ELECTRICAL BOX (FIRE RETARDED BOX) OF REQUIRED THICKNESS CONCEALED AND COVERED WITH 3MM THICK LAMINATED HYLEM SHEET INCLUSIVE OF ALL CONNECTIONS AND COST OF ALL MATERIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE MATERIAL SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)		Rs.390.00 (Rupees three hundred and ninety only)	1.NO. (EACH)	149760.00
71.2	144 NOS.	SUPPLYING AND FIXING OF 32 AMPS TRIPLE POLE MAIN SWITCH WITH FUSE AND NEUTRAL LINK ON A SUITABLE WELL VARNISHED TEAK WOOD BOARD INCLUDING NECESSARY INTER CONNECTION COST OF ALL MATERIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.500.00 (Rupees five hundred only)	1.NO. (EACH)	72000.00
						121374080.50

Shendur Construction Company

P. man
CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
75.1.2	512 NOS.	SUPPLYING AND DELIVERY OF FOLLOWING ELECTRIC CEILING FAN WITH ISI MARK WITH BLADES AND DOUBLE BALL BEARING, CAPACITOR, ETC., COMPLETE WITH 300MM DOWN ROD, CANOPIES, CAPACITOR, SHACKLE BLADES WITH ELECTRONIC DIMMER SUITABLE FOR OPERATION ON 230 VOLTS 50 HTZ SINGLE PHASE AC SUPPLY CONFORMING TO ISS NO.374/79 AND PROVIDED WITH INSULATION. (THE BRAND SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE SUPPLY MADE).				121374080.50
		(a) 48" ELECTRIC FAN 1200MM SWEEP		Rs.1500.00 (Rupees one thousand and five hundred only)	1.NO. (EACH)	768000.00
77.6	1640.00 Rmt.	RUN OFF MAIN WITH 2 WIRES OF 4 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 KV GRADE CABLE WITH CONTINUOUS EARTH BY MEANS OF 2.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1, K.V. GRADE CABLE IN FULLY CONCEALED 19MM/20MM DIA RIGID PVC CONDUIT PIPE HEAVY DUTY WITH ISI MARK COST OF ALL MATERIALS, SPECIALS ETC., ALL COMPLETE.		Rs.160.00 (Rupees one hundred and sixty only)	1.Rmt. (ONE RUNNING METRE)	262400.00
77.7	3568.00 Rmt.	RUN OFF MAIN WITH 2 WIRES OF 2.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 KV GRADE CABLE WITH CONTINUOUS EARTH BY MEANS OF 2.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 KV GRADE CABLE IN FULLY CONCEALED 19/20MM DIA RIGID PVC CONDUIT PIPE WITH ISI MARK ETC. INCLUDING COST OF ALL MATERIALS, SPECIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.150.00 (Rupees one hundred and fifty only)	1.Rmt. (ONE RUNNING METRE)	535200.00
80.1	148 NOS.	SUPPLYING AND FIXING OF 1 NO. OF 450X375X20MM THICK TW PLANK WELL VARNISHED WITH 3 NOS. OF 32 AMPS 250 VOLTS PORCELIN FUSE UNIT AND 1 NO. COPPER EARTH PLATE OF SUITABLE SIZE BOLTS AND NUTS ON WALL FOR EB SERVICE CONNECTIONS INCLUDING COST OF ALL MATERIALS ETC., ALL COMPLETE.		Rs.1000.00 (Rupees one thousand only)	1.NO. (EACH)	148000.00
87.1	128 NOS.	SUPPLYING AND FIXING OF ELECTRO MECHANICALLY OPERATED THREE PHASE EARTH LEAKAGE CIRCUIT BREAKERS/RESIDUAL CURRENT CIRCUIT BREAKER (ELCB/RCCB) COMBINED WITH OVER LOAD AND SHORT CIRCUIT PROTECTION HAVING A RUPTURING CAPACITY OF 6 KA WITH 30 MILLI AMPS FIXED SETTING SENSITIVITY AND RATES FOR 25 A IN SUITABLE SHEET STEEL ENCLOSURE CONFIRMING TO IS 12640/1988 INCLUDING COST OF ELCB/RCCB ON FULLY CONCEALED SUITABLE M.S BOX WITH NECESSARY INTER CONNECTIONS AND EARTH CONNECTIONS USING COPPER CABLE INCLUDING COST OF ALL MATERIALS ETC., ALL COMPLETE.		Rs.1000.00 (Rupees one thousand only)	1.NO. (EACH)	128000.00
87.2	128 NOS.	SUPPLYING AND FIXING OF 20 AMPS DP PLUG AND SOCKET IN SHEET ENCLOSURE WITH 32A DP MCB IN FLUSH WITH WALL WITH EARTH CONNECTION (FOR AC PLUG) ETC ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRAND AND QUALITY OF THE MATERIAL SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE SUPPLY MADE).		Rs.500.00 (Rupees five hundred only)	1.NO. (EACH)	64000.00
						123279680.50

For Shendur Construction Company

CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	
						123279680.50
99.1		SUPPLYING AND FIXING OF BEST INDIAN TEAK WOOD PANELLED DOOR SHUTTERS SINGLE LEAF IN POSITION USING 125MMX37.5MM STYLES AND 4 NOS. OF 150X37.5MM RAILS (TOP, MIDDLE, BOTTOM AND LOCK RAIL) 2 NOS. OF 125MMX37.5MM VERTICAL SHORTER STYLES AND 18.75MM THICK PLANKS FOR PANELS INCLUDING COST AND LABOUR FOR FIXING THE BRASS FITTINGS SUCH AS 1 NO. OF MAJESTIC DOOR HANDLE WITH BRASS SCREWS, 3 NOS. OF 6" BRASS BUTT HINGES, 2 NOS. OF 8" BRASS TOWER BOLTS, 1 NO. OF MORTICE LOCK WITH HANDLE, 1 NO. OF RUBBER BUSH AND 1 NO. OF DOOR STOPPER ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRASS FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING)				
	233.60 Sq.M.	SUITABLE FOR DOOR OF SIZE (a) 1000 x 2100 MM		Rs.5000.00 (Rupees five thousand only)	1.Sq.M. (ONE SQUARE METRE)	1168000.00
100	1250 NOS.	SUPPLYING AND FIXING OF 9 WATTS LED BULB OF BEST QUALITY INCLUDING COST OF MATERIAL AND FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE 9 W LED LAMP SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.80.00 (Rupees eighty only)	1.NO. (EACH)	100000.00
101	66 NOS.	SUPPLYING AND FIXING OF 25 WATTS BULB WITH STREET LIGHT FITTINGS ARRANGEMENTS INCLUDING COST OF MATERIALS LABOUR CHARGES FOR FIXING OF LED STREET LIGHT FITTING ETC ALL COMPLETE AS PER RELEVANT STANDARD SPECIFICATION AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE 25 WATTS LED LAMP WITH STREET LIGHT FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.2000.00 (Rupees two thousand only)	1.NO. (EACH)	132000.00
102	738 NOS.	SUPPLYING AND FIXING OF 4'18 WATTS CRYSTAL LED TUBE LIGHT AND FIXING THE TUBE LIGHT FITTINGS ON TEAK WOOD ROUND BLOCKS OF 75MM DIA OR 40MM DEEP SUSPENDED FROM CEILING OR MOUNTED ON THE WALL INCLUDING COST OF ALL MATERIALS AND LABOUR FOR FIXING IN POSITION ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE ENTIRE TUBE LIGHT FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.500.00 (Rupees five hundred only)	1.NO. (EACH)	369000.00
103	226 NOS.	SUPPLYING AND FIXING OF WATER TIGHT BULK HEAD FITTING WITH GUARD SUITABLE FOR 12 W LED BULB INCLUDING NECESSARY CONNECTIONS, COST OF MATERIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY OF THE BULK HEAD FITTINGS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.500.00 (Rupees five hundred only)	1.NO. (EACH)	113000.00
104	226 NOS.	SUPPLYING AND FIXING OF 12 WATTS LED BULB FOR BULK HEAD FITTINGS OF BEST QUALITY INCLUDING COST OF MATERIAL AND FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE 12 WATTS LED LAMP SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.80.00 (Rupees eighty only)	1.NO. (EACH)	18080.00
						125179760.50

Nagendur Construction Company

D. man
CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

125586640.50

SUPERINTENDING ENGINEER/SOUTH CIRCLE,

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	
117.1		SUPPLYING AND FIXING OF FOLLOWING CABLE END TERMINATOR SUITABLE CRIMPING LUGS FOR ALUMINIUM ARMoured LTUG CABLE WITH NECESSARY ALUMINIUM CABLE SOCKETS BY CRIMPING LUGS WITH ELECTRICAL CONNECTIONS ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.				12558640.50
	128 NOS.	a) CRIMPING LUGS FOR 3.5 CORE 70 SQMM ALUMINIUM ARMoured LTUG CABLE		Rs.7.00 (Rupees seven only)	1.NO. (EACH)	896.00
	16 NOS.	b) CRIMPING LUGS FOR 3.5 CORE 35 SQMM ALUMINIUM ARMoured LTUG CABLE		Rs.3.00 (Rupees three only)	1.NO. (EACH)	48.00
119	3 NOS.	SUPPLYING AND DELIVERY OF 2 HP CLEAR WATER VERTICAL WET TYPE SINGLE PHASE SUBMERSIBLE PUMPSET CONFORMING TO IS 8034/2002 WITHOUT PANEL BOARD AND AS AMENDED THEREAFTER AND BEE 3 STAR RATED CAPABLE OF DISCHARGING NOTED LPM AGAINST HEAD OF WATER COLUMN DUE TO ALL CAUSES. THE PUMP SHALL BE WITH STAINLESS STEEL SHAFT AND DYNAMICALLY BALANCED BRONZE OR CAST SS IMPELLER, BRASS SCREWS AND CI FG 200 GRADE PUMP BOWL/DIFFUSER WITH ISI MARK. THE PUMP SHALL BE DIRECTLY COUPLED TO A CONTINUOUS RATED TWO POLE SUITABLE WET TYPE VERTICAL SQUIRREL CAGE INDUCTION MOTOR SUITABLE FOR OPERATION IN AC SINGLE PHASE 230 V+/-10%, 50HZ +/- 5% ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND OF THE SUBMERSIBLE PUMP SET ARRANGEMENTS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE) DUTY 20 LPM X 125M		Rs.20000.00 (Rupees twenty thousand only)	1.NO. (EACH)	60000.00
119.1	4 NOS.	SUPPLYING AND DELIVERY OF THREE PHASE 3 HP CENTRIFUGAL MONOBLOCK PUMPSET WITH GUN METAL/BRANZE IMPELLER SUITABLE CAPACITY OF PUMPING THE DUTY 35X100 LPMXM AND HEAD DUE TO ALL LOSSES. SUITABLE FOR OPERATION IN THREE PHASE 400/440 VOLTS. 50 CYCLES AC SUPPLY MOTOR OFFERED SHOULD BE CONFIRMING TO RELEVANT IS SPECIFICATION WITH ISI MARK SUITABLE FOR THE FOLLOWING REQUIREMENTS. (THE BRAND AND QUALITY OF THE CENTRIFUGAL MONOBLOCK PUMP SET SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE) 1. RPM : 2900 2. SUCTION PIPE - 1"X1" H 2"X2" 3. DISCHARGE - 15.80/6 LIT/SEC.		Rs.15000.00 (Rupees fifteen thousand only)	1.NO. (EACH)	60000.00
120	3 NOS.	LABOUR CHARGES FOR THE ERECTION OF SUBMERSIBLE PUMPSET IN BOREWELL/OPENWELL UPTO 5 HP INCLUDING FIXING AND JOINTING SUBMERSIBLE CABLE WITH PROPER CLAMPS UPTO THE STARTER TO THE REQUIRED DEPTH AND ALSO FIXING OF RISER PIPES TO THE REQUIRED DEPTH VALVES ERECTION CLAMPS, PRESSURE GAUGES UPTO THE EXTERIOR WALL OF PUMP ROOM AND ERECTION OF PANEL BOARD CONSISTING OF TPICN SWITCHES STARTER, VOLTMETER, AMMETER, THREE PILOT (INDICATING) LAMPS CAPACITOR SINGLE PHASING PREVENTOR, WATER LEVEL GUARD AND LAYING AND JOINTING THE CABLES AND TWIN EARTHING AS PER IE RULES ETC., COMPLETE AND TESTING THE PUMPSET AND TRAIL RUN FOR 10 DAYS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.5000.00 (Rupees five thousand only)	1.NO. (EACH)	15000.00
						125722584.50

Sundur Construction Company

P. Man
CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
120.1	4 NOS.	LABOUR CHARGES FOR ERECTION OF UPTO 3 HP HORIZONTAL SHAFT, CENTRIFUGAL PUMPSET (COUPLED/ MONOBLOCK) IN BORE WELL/OPEN WELL INCLUDING FIXING OF SUCTION PIPE AND DELIVERY PIPES TO THE REQUIRED LENGTH WITH VALVES PRESSURE GAUGES UPTO THE EXTERIOR WALL OF PUMP ROOM AND ERECTION OF PANEL BOARD CONSISTING OF TPIC SWITCHES STARTER, VOLTMETER, AMMETER, CAPACITOR SINGLE PHASING PREVENTOR AND LAYING AND JOINTING THE CABLES AND TWIN EARTHING AS PER IE RULES INCLUDING PROVIDING BED BLOCKS ETC., COMPLETE AND OPERATING THE PUMPS AND TRIAL RUN FOR 10 DAYS INCLUDING SIGNING OF COMPLETION OF REPORTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.5000.00 (Rupees five thousand only)	1 NO (EACH)	125722584.50 20000.00
121.1	2 NOS.	SUPPLYING AND DELIVERY OF DIRECT ONLINE STARTER UPTO 5 HP WITH SINGLE PHASING PREVENTOR WITH ANALOG AMMETER AND VOLTMETER CONFORMING TO IS 13947, IEC 60947-1 WITH AUTO RESTART FACILITY FOR PUMP HOUSES WHERE PANEL BOARDS ARE AVAILABLE SUITABLE KW RATING FOR OPERATION IN AC/THREE PHASE/50HZ(+/-5%) AND 415 V(+/-10%) INCLUDING AMMETER, OVERLOAD RELAY, UNDER VOLTAGE RELEASE WITH NO VOLT COIL, AIR BREAK CONTACTORS SUITABLE FOR NEXT STANDARD HIGHER KW RATING, SINGLE PHASING PREVENTOR, DRY RUNNING AND ON/OFF PUSH BUTTON SWITCHES, INCLUDING THE CAPACITOR (THE COST OF CAPACITOR IS TO BE TAKEN SEPARATELY) AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE SINGLE PHASE PANEL BOARD ASSEMBLY SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.5000.00 (Rupees five thousand only)	1.NO. (EACH)	10000.00
121.2	3 NOS.	SUPPLYING AND DELIVERY OF THREE PHASE PANEL BOARD OF DIRECT ONLINE STARTER WITH TWO LEVEL GUARD AND AUTO START (2 HP) CONFIRMING TO IS 13947 AND IEC 60947-1 SUITABLE KW RATING FOR OPERATION IN AC/THREE PHASE/50 HZ (± 5%) AND 415 V (± 10%) INCLUDING AMMETER, VOLTMETER, THERMAL OVER LOAD RELAY, 16 AMPS 2 POLE MAGNETIC CONTACTOR WITH UNDER VOLTAGE PROTECTION, INDICATION LAMP, STARTING CAPACITOR, RUNNING CAPACITOR AND ON/OFF PUSH BUTTON SWITCHES, 5 WAY CONNECTOR, WIRING WITH 1 SQMM/1.5 SQMM COPPER PVC INSULATED CABLE, POWDER COATED VERMIN PROOF BOX INCLUDING THE CAPACITOR (THE COST OF CAPACITOR IS TO BE TAKEN SEPARATELY) AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE THREE PHASE PANEL BOARD ASSEMBLY SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.5000.00 (Rupees five thousand only)	1.NO. (EACH)	15000.00
122		SUPPLYING AND FIXING OF THE FOLLOWING DIA OF THE UPVC/GI/GM SPECIALS CONFIRMING TO IS SPECIFICATION WITH ISI MARK OF APPROVED SUPERIOR QUALITY ALL, ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE UPVC/GI/GM/PVC SPECIALS SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)				
	4 NOS.	a) 50 MM DIA GM NON RETURN VALVE		Rs.1500.00 (Rupees one thousand and five hundred only)	1.NO. (EACH)	6000.00
	4 NOS.	b) 50 MM DIA GI UNION		Rs.200.00 (Rupees two hundred only)	1.NO. (EACH)	800.00
	4 NOS.	c) 50 MM DIA GI HEX NIPPLE		Rs.100.00 (Rupees one hundred only)	1.NO. (EACH)	400.00
						125774784.50

Shendur Construction Company

P. man
CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
2	3		4	5	6	
						125774784.50
	2 NOS.	d) 50 MM DIA GI TEE		Rs.60.00 (Rupees sixty only)	1.NO. (EACH)	120.00
	4 NOS.	e) 50 MM DIA BRASS FOOT VALVE		Rs.300.00 (Rupees three hundred only)	1.NO. (EACH)	1200.00
	8 NOS.	f) 50 MM DIA UPVC ELBOW		Rs.60.00 (Rupees sixty only)	1.NO. (EACH)	480.00
	2 NOS.	g) 50 MM DIA UPVC WHEEL VALVE		Rs.1000.00 (Rupees one thousand only)	1.NO. (EACH)	2000.00
	3 NOS.	h) 32 MM DIA GI COUPLING		Rs.40.00 (Rupees forty only)	1.NO. (EACH)	120.00
	99 NOS.	i) 32 MM DIA GI ELBOW		Rs.80.00 (Rupees eighty only)	1.NO. (EACH)	7920.00
	3 NOS.	j) 32 MM DIA GI HEX NIPPLE		Rs.50.00 (Rupees fifty only)	1.NO. (EACH)	150.00
	3 NOS.	k) 32 MM DIA BRASS NON RETURN VALVE		Rs.300.00 (Rupees three hundred only)	1.NO. (EACH)	900.00
	3 NOS.	l) 32 MM DIA GI SUBMERSIBLE ADAPTOR		Rs.300.00 (Rupees three hundred only)	1.NO. (EACH)	900.00
	18 NOS.	m) 32 MM DIA UPVC ELBOW		Rs.30.00 (Rupees thirty only)	1.NO. (EACH)	540.00
	41 NOS.	n) 32 MM DIA UPVC COUPLING		Rs.30.00 (Rupees thirty only)	1.NO. (EACH)	1230.00
	6 NOS.	o) 32 MM DIA UPVC FTA		Rs.30.00 (Rupees thirty only)	1.NO. (EACH)	180.00
	6 NOS.	p) 32 MM DIA UPVC MTA		Rs.30.00 (Rupees thirty only)	1.NO. (EACH)	180.00
	50 NOS.	q) 50 MM DIA UPVC COUPLING		Rs.60.00 (Rupees sixty only)	1.NO. (EACH)	3000.00
	6 NOS.	r) 50 MM DIA UPVC FTA		Rs.50.00 (Rupees fifty only)	1.NO. (EACH)	300.00
	6 NOS.	s) 50 MM DIA UPVC MTA		Rs.40.00 (Rupees forty only)	1.NO. (EACH)	240.00
	16 NOS.	t) 50 X 32 MM DIA UPVC REDUCER TEE		Rs.80.00 (Rupees eighty only)	1.NO. (EACH)	1280.00
						125795524.50

For **Shendur Construction Company**

P. Man
CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBB No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
						125795524.50
	32 NOS.	u) 32 MM DIA GM GATE VALVE		Rs.700.00 (Rupees seven hundred only)	1.NO. (EACH)	22400.00
	16 NOS.	v) 32 MM DIA GI UNION		Rs.80.00 (Rupees eighty only)	1.NO. (EACH)	1280.00
	36 NOS.	w) 65 MM DIA GI BEND		Rs.100.00 (Rupees one hundred only)	1.NO. (EACH)	3600.00
	36 NOS.	x) 65 MM DIA GI ELBOW		Rs.100.00 (Rupees one hundred only)	1.NO. (EACH)	3600.00
	60 NOS.	y) 65 MM DIA GI COUPLING		Rs.100.00 (Rupees one hundred only)	1.NO. (EACH)	6000.00
123	450.00 Rmt.	SUPPLYING AND DELIVERY OF PVC INSULATED AND SHEATHED 3 CORE 4 SQ.MM FLAT TYPE COPPER CABLE CONFIRMING TO IS 694/1990 BEST APPROVED QUALITY WITH ISI MARK INCLUDING COST OF CABLE, DELIVERY AT SITE AND FIXING THE CABLE IN BORE WELL ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE MATERIAL SHOULD BE GOT APPROVED FROM EXECUTIVE ENGINEER BEFORE USE)		Rs.200.00 (Rupees two hundred only)	1.Rmt. (ONE RUNNING METRE)	90000.00
124		SUPPLYING AND DELIVERY OF FOLLOWING DIA GI PIPE 'B' CLASS OF BEST APPROVED QUALITY CONFIRMING TO IS SPECIFICATIONS WITH ISI MARK FOR PROVIDING UG CABLE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE GI PIPES SHOULD BE GOT APPROVED FROM EXECUTIVE ENGINEER BEFORE USING).				
	210.00 Rmt.	a) 25 MM DIA GI PIPE		Rs.200.00 (Rupees two hundred only)	1.Rmt. (ONE RUNNING METRE)	42000.00
	468.00 Rmt.	b) 65 MM DIA GI PIPE		Rs.400.00 (Rupees four hundred only)	1.Rmt. (ONE RUNNING METRE)	187200.00
125		SUPPLYING AND LAYING OF FOLLOWING DIA UPVC PIPE INCLUDING COST OF ALL MATERIALS OF BEST APPROVED SUPERIOR QUALITY WITH ISI MARK ETC ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF UPVC PIPE SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)				
	419.60 Rmt.	a) 50MM DIA UPVC PIPE		Rs.150.00 (Rupees one hundred and fifty only)	1.Rmt. (ONE RUNNING METRE)	62940.00
	474.00 Rmt.	b) 32MM DIA UPVC PIPE		Rs.100.00 (Rupees one hundred only)	1.Rmt. (ONE RUNNING METRE)	47400.00
						126261944.50

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	
126.1		SUPPLYING AND FIXING OF THE FOLLOWING DIA OF THE MS CLAMP SET OF SUPERIOR QUALITY ALL, ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE MS CLAMP SET SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)				126261544.50
	36 Set.	a) 65 MM DIA MS CLAMP SET		Rs.100.00 (Rupees one hundred only)	1.Set. (ONE SET)	3600.00
126.2		SUPPLYING AND FIXING OF THE FOLLOWING DIA OF THE MS BORE CLAMP SET OF SUPERIOR QUALITY ALL, ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE MS BORE CLAMP SET SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)				
	3 Set.	a) 150 MM DIA MS BORE CLAMP SET		Rs.100.00 (Rupees one hundred only)	1.Set. (ONE SET)	300.00
127	270.00 Rmt.	SUPPLY AND DELIVERY OF REQUIRED DIA NYLON ROPE OF SUPERIOR QUALITY FOR SUBMERSIBLE PUMPSET IN BOREWELL AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY OF NYLON ROPE SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE SUPPLY)		Rs.20.00 (Rupees twenty only)	1.Rmt. (ONE RUNNING METRE)	5400.00
129.1		SUPPLYING AND FIXING IN POSITION OF ALUMINIUM DIECASTING TNPHC LOGO EMBLEM OF SIZE 2'0" (24") HEIGHT INCLUDING DRAWING MODEL LETTERS ON THE PAPER, PREPARING THE DESIGN, MOULDING, CASTING, FILING, COLOURING TO THE REQUIREMENT BY SPRAYING THE PAINT, TRANSPORTING TO SITE AND LABOUR FOR SCAFFOLDING DRILLING AND FIXING THE LETTERS BY USING PROJECTED ROD FEVICOL QUICK FIX AND CEMENT SLURRY AND REDOING THE DAMAGED AREA AND COLOURING ETC ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE DESIGN SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE MOULDING)				
	1 NO.	a) 60 CM SIZE		Rs.2000.00 (Rupees two thousand only)	1.NO. (EACH)	2000.00
130		SUPPLYING AND FIXING OF ALUMINIUM DIECASTING LETTERS WITH A WALL THICKNESS OF 12MM INCLUDING DRAWING MODEL LETTERS ON THE PAPER, PREPARING THE DESIGN, MOULDING, CASTING, FILING, COLOURING TO THE REQUIREMENT BY SPRAYING THE PAINT, TRANSPORTING TO SITE AND LABOUR FOR SCAFFOLDING DRILLING AND FIXING THE LETTERS BY USING PROJECTED ROD FEVICOL QUICK FIX AND CEMENT SLURRY AND REDOING THE DAMAGED AREA AND COLOURING ETC. ALL COMPLETE., AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE DESIGN SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE MOULDING)				
	94 NOS.	a) 23 CM SIZE LETTER		Rs.500.00 (Rupees five hundred only)	1.NO. (EACH)	47000.00
	82 NOS.	b) 15 CM SIZE LETTER		Rs.340.00 (Rupees three hundred and forty only)	1.NO. (EACH)	27880.00
						126348124.50

Shendur Construction Company

CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
						126348124.50
	128 NOS.	c) 10 CM SIZE LETTER		Rs.200.00 (Rupees two hundred only)	1.NO. (EACH)	25600.00
131	2 NOS.	SUPPLYING OF 6 LEVER LOCK AND KEY ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRAND AND QUALITY OF THE MATERIALS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.500.00 (Rupees five hundred only)	1.NO. (EACH)	1000.00
131.1	128 NOS.	SUPPLYING OF 7 LEVER LOCK AND KEY ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRAND AND QUALITY OF THE MATERIALS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.700.00 (Rupees seven hundred only)	1.NO. (EACH)	89600.00
132.2		DRILLING OF BOREWELLS ANYWHERE IN TAMILNADU INCLUDING TRANSPORTATION FROM ONE PLACE TO ANOTHER WITHIN TAMILNADU IN ALLUVIAL SOIL SEDIMENTARY STRATA OF CLAY AND SAND STONE SHALE PEBBLES BOULDERS ETC., BY FIRST TAKING A PILOT BORE OF 140MM/150MM DIA AND THEN ENLARGING TO REQUIRED DIA DIRECT OR REVERSE ROTARY MUD CIRCULATION METHOD USING ROTARY RIGS, FUEL, LABOUR AND DRILLING BENTONITE AND WATER REQUIRED FOR DRILLING AT SITE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.				
	180.00 Rmt.	a) UPTO 60M DEPTH		Rs.600.00 (Rupees six hundred only)	1.Rmt. (ONE RUNNING METRE)	108000.00
	60.00 Rmt.	b) FROM 61M DEPTH UPTO 90M DEPTH ENDING BELOW GROUND LEVEL		Rs.650.00 (Rupees six hundred and fifty only)	1.Rmt. (ONE RUNNING METRE)	39000.00
132.3		REAMING 140MM / 150MM DIA PILOT BORE TO 300MM DIA BORE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.				
	180.00 Rmt.	a) UPTO 60M DEPTH ENDING BELOW GROUND LEVEL		Rs.350.00 (Rupees three hundred and fifty only)	1.Rmt. (ONE RUNNING METRE)	63000.00
	60.00 Rmt.	b) FROM 61M DEPTH UPTO 90M DEPTH ENDING BELOW GROUND LEVEL		Rs.400.00 (Rupees four hundred only)	1.Rmt. (ONE RUNNING METRE)	24000.00
133		SUPPLYING AND FIXING OF FOLLOWING DIA PVC CASING PIPE AS PER IS 12818/2010 ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE CASING PIPE SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)				
	204.00 Rmt.	a) 150MM DIA PVC CASING PIPE		Rs.500.00 (Rupees five hundred only)	1.Rmt. (ONE RUNNING METRE)	102000.00
	36.00 Rmt.	b) 150MM DIA PVC RIBBED SCREEN PIPE		Rs.800.00 (Rupees eight hundred only)	1.Rmt. (ONE RUNNING METRE)	28800.00
						126829124.50

Shendur Construction Company

P. Man
CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
2	3	4	5	6		
134	3 NOS.	SUPPLYING AND FIXING OF 160MM DIA PVC END CAP FOR COVERING THE BOREWELL OF APPROVED BRAND ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY AND BRAND OF PVC END CAP SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE)		Rs.100.00 (Rupees one hundred only)	1.NO. (EACH)	300.00
156	4 NOS.	SUPPLYING AND FIXING OF 3 NOS. OF 100 AMPS 500 VOLTS GRADE PORCELAIN FUSE UNIT ON SUITABLE TEAKWOOD PLANK VARNISHED TO BE FIXED ON THE TOP OF POLE/EB STREET POLE WITH NECESSARY CLAMPS INCLUDING COST OF MATERIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE MATERIALS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.1000.00 (Rupees one thousand only)	1.NO. (EACH)	4000.00
156.2	32 NOS.	SUPPLYING AND FIXING OF 3 NOS. OF 63 AMPS 500 VOLTS GRADE PORCELAIN FUSE UNIT ON SUITABLE TEAKWOOD PLANK VARNISHED TO BE FIXED ON THE TOP OF POLE/EB STREET POLE WITH NECESSARY CLAMPS INCLUDING COST OF MATERIALS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE MATERIALS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.800.00 (Rupees eight hundred only)	1.NO. (EACH)	25600.00
157	16 NOS.	METERING PANEL FOR 10 SERVICES (8 FLATS +1 COMMON & 1 SPARE) 8 IN 1 (G+3) SUPPLY AND ERECTION OF 125 AMPS CAPACITY FLOOR MOUNTING METERING PANEL BOARD (CUBICAL TYPE) OF SIZE 5'-6"X 6'-5"X1'-0" SUITABLE FOR 8 IN 1 (G+3) WITH BUS BAR CHAMBER MADE UP OF 16 SWG MS SHEET FOR 3 PHASE 4 WIRE SYSTEM WITH 25MMX 3MM TIN COATED COPPER FLATS FOR PHASES AND NEUTRAL INDIVIDUAL METERING CHAMBER AND WITH 2 NOS OF 25X3MM GI FLAT FOR THE EARTH BUS ON THE REAR SIDE OF THE PANEL BOARD NECESSARY INTERCONNECTIONS BY COPPER FLAT OF SUITABLE SIZES; SUITABLE PVC COLOUR SLEEVES FOR THE INTERCONNECTING COPPER FLATS/RIGID COPPER WIRE; EARTH CONNECTIONS TO ALL SWITCHES / BUS BAR BY GI FLATS OF SUITABLE SIZES FROM THE EARTH BUS; 1 SET LED PILOT LAMPS FOR EACH METERING CHAMBER WITH SWITCHES, FUSE UNITS WITH PAINTING IN SUITABLE ANGLE IRON FRAME SIZE OF 40X40X6MM WITH PAINTING TWO COATS OF SUITABLE COLOUR OVER ONE COAT OF RED OXIDE AND WITH NUMBERING; SUPERSRIPTION OF CABLE SIZES, CAPACITY OF SWITCHES ETC AND INCORPORATING THE FOLLOWING INCOMING: 3 NOS, 300 A CUT OUTS BUS CAPACITY: 125A 3 PHASE 4 WIRES COPPER FLATS FOR PHASES AND NEUTRAL OUTGOINGS: 8 NOS. METERING CHAMBER EACH CHAMBER CONTAINING 3 NOS OF 63A FUSE UNITS, 1 NO 25X3MM COPPER FLATS FOR NEUTRAL LINK, 40 AMPS 4 POLE ISOLATOR FOR 3 PHASE AND SPACE PROVISION FOR FIXING TNEB ENERGY METER AND GLASS COVER OF SUITABLE SIZE FOR TAKING METER READINGS AND ALSO 1 NO OF 32A FUSE UNIT WITH NEUTRAL LINK AND 40 AMPS 2 POLE ISOLATOR FOR SINGLE PHASE SERVICES FOR COMMON LIGHTING PURPOSES AND 1 NO. OF DUMMY PROVISION, ALSO NECESSARY WIRING WITH 6SQ.MM PVC INSULATED COPPER CABLES FROM		Rs.25000.00 (Rupees twenty five thousand only)	1.NO. (EACH)	400000.00
						126829124.50
						127259024.50

Chendur Construction Company

P. Man
CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

QUANTITY 2	DESCRIPTION OF WORK 3	T/NBP No. 4	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS 5	UNIT IN FIGURES AND IN WORDS 6	AMOUNT 7
	<p>TNEB CUT OUT TO ENERGY METER AND FROM ENERGY METER TO 40 AMPS - 4 POLE ISOLATOR.</p> <p>1 SET LED PILOT LAMPS WITH FUSE UNITS, SWITCHES & INTERCONNECTIONS, INTERCONNECTION TO THE BUS BAR BY 25X3MM TC COPPER FLATS FOR PHASES AND NEUTRAL FROM 300A CUTOUTS TO THE BUS AND NO.6 SWG COPPER FOR THE PHASES AND NEUTRAL FROM THE 63A FUSE UNITS TO THE BUS; FIXING OF 6MM THICK HYLEM SHEET FOR FIXING ENERGY METERS, INSULATORS FOR THE SUPPORT FOR THE BUS; SUPER-SCRIBING ON THE PANEL BOARD THE SIZE, CAPACITY OF CABLE, SWITCHES, LOCATION ETC. 2 NOS METALLIC DANGER BOARDS ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY AND BRAND SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE SUPPLY AND USE)</p>				127259024.50
158	<p>384 NOS.</p> <p>SUPPLYING AND FIXING OF 250A CHANGE OVER / ROTARY SWITCHES ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE MATERIALS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)</p>		<p>Rs.980.00</p> <p>(Rupees nine hundred and eighty only)</p>	<p>1.NO. (EACH)</p>	<p>376320.00</p>
161	<p>384 NOS.</p> <p>SUPPLYING AND FIXING OF FOLLOWING SINGLE POLE 6A TO 32A, 10KA MINIATURE CIRCUIT BREAKERS 240V/415V 50 HZ AC SUPPLY SUITABLE FOR BOTH LIGHTING AND MOTOR CIRCUITS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE BRAND AND QUALITY OF THE MATERIAL SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING)</p>		<p>Rs.100.00</p> <p>(Rupees one hundred only)</p>	<p>1.NO. (EACH)</p>	<p>38400.00</p>
162	<p>128 NOS.</p> <p>SUPPLYING AND FIXING OF 4 POLE 63 AMPS ISOLATOR INCLUDING COST OF MATERIALS AND LABOUR CHARGES ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND OF THE MATERIAL SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)</p>		<p>Rs.200.00</p> <p>(Rupees two hundred only)</p>	<p>1.NO. (EACH)</p>	<p>25600.00</p>
238.1	<p>29.43 M.T.</p> <p>APPLYING ONE COAT OF ANTICORROSIVE TREATMENT FOR STEEL WINDOW/M.S. GRILLS (USING 5 LITERS OF ANTICORROSIVE CHEMICAL PER ONE MT OF STEEL) AT SITE INCLUDING COST OF PAINT (NITAZINC RICH PRIMER), BRUSHES, GLOVES, LABOUR CHARGES FOR APPLYING ANTICORROSIVE PAINT ETC BEFORE THE APPLICATION OF SYNTHETIC ENAMEL PAINT. (THE QUALITY AND THE BRAND OF THE ANTICORROSIVE PAINT, SHOULD BE GOT APPROVED FROM THE EE BEFORE USE) AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.</p>		<p>Rs.2000.00</p> <p>(Rupees two thousand only)</p>	<p>1 M.T. (ONE METRIC TONNE)</p>	<p>58860.00</p>
344.2	<p>256 NOS.</p> <p>SUPPLYING AND FIXING OF BEVELED EDGE MIRROR OF APPROVED QUALITY AND BRAND OF SIZE 500X400X5.5MM SHELF TYPE MOUNTED IN THE PVC/ FIBRE GLASS FRAMED WITH NECESSARY HARD BOARD BACKING INCLUDING LABOUR FOR FIXING IN POSITION ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.</p>		<p>Rs.400.00</p> <p>(Rupees four hundred only)</p>	<p>1.NO. (EACH)</p>	<p>102400.00</p>
					127860604.50

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	
367	604.80 Sq.M.	PROVIDING WOODEN MELAMEN POLISH FOR MAIN DOOR NEW WOOD BY REMOVING BY BLADE SCRAPPING THE EXISTING DIRT FROM THE WOODEN SURFACE WITH M50 SAND PAPER AND REPEAT M80 SAND PAPER TO GET A SMOOTH SURFACE. LEAVE ATLEAST 4HRS DRYING AND PREPARE SURFACE BY M100 SAND PAPER AND CLEAR THE SURFACE APPLY ONE COAT OF TOUCH WOOD STAINER BY BRUSH AND LEAVE FOR TWO HRS. FOR DRYING. PREPARE THE SURFACE BY M100 SAND PAPER AND APPLY ONE COAT OF ASH SANDING SEALER MIXED WITH APPROVED QUALITY THINNER AFTER DRYING APPLY ONE COAT OF SANDING SEALER AND ATTEND THE SURFACE TO GET THOROUGHLY DRIED SMOOTHER SURFACE WITH NO.250 WATER EMERY WOOD CLEANER FILL THE HOLES AND DOTS BY PUTTY AND PACKING TO GET THE SURFACE CLEAN, APPLY SURFACE BY WAX EMERY SHEET NO.250, APPLY FIRST COAT OF MELAMEN SEALER WITH THE THINNER FOR PREPARING THE SURFACE AND APPLY SECOND COAT OF THE SAME BY AFTER DRYING PREPARING THE SURFACE WITH WATER EMERY NO.320 AND APPLY TWO COATS OF MELAMEN MATT MIXED WITH GLOZING AND THINNER 106 PREPARE THE SURFACE WATER EMERY NO.400 AND APPLY TWO COATS OF SAME AND FINALLY SMOOTHER ETC., ALL COMPLETE INCLUDING COST OF ALL MATERIALS AND LABOUR ETC., AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND SHADE OF THE POLISH SHOULD BE GOT APPROVED FROM THE EE BEFORE USE).		Rs.600.00 (Rupees six hundred only)	1 Sq.M. (ONE SQUARE METRE)	127866604.50 362880.00
378.2	5630.40 Sq.M.	SUPPLYING AND FIXING OF VETRIFIED TILES OF BEST APPROVED QUALITY (IVORY) 600X600X8MM FOR FLOORING AND OTHER SIMILAR WORKS (THE COLOUR AND SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING) OVER CEMENT MORTAR 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 20MM THICK INCLUDING FIXING IN POSITION CUTTING THE TILES TO THE REQUIRED SIZE WHEREVER NECESSARY POINTING THE JOINTS WITH GROUT (TILE JOINT FILLER) CURING FINISHING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS		Rs.700.00 (Rupees seven hundred only)	1.Sq.M. (ONE SQUARE METRE)	3941280.00
379.6.1		SUPPLYING AND FIXING OF GRANITE TILE (SUPER FINE POLISHED WITH MACHINE CUT EDGES OF SIZE 2' X 1', 10MM THICK (JET BLACK) FOR KITCHEN HEARTH SLAB IN CM 1:3 (ONE OF CEMENT AND THREE OF CRUSHED STONE SAND) 12MM TK OVER RCC PLATFORM INCLUDING FINISHING COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC., COMPLETE IN THE FOLLOWING FLOORS AS DIRECTED BY THE DEPARTMENTAL OFFICERS (QUALITY OF GRANITE TILE SHALL BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE FIXING)				
	81.60 Sq.M.	a) IN GROUND FLOOR		Rs.750.00 (Rupees seven hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	61200.00
	81.60 Sq.M.	b) IN FIRST FLOOR		Rs.750.00 (Rupees seven hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	61200.00
	81.60 Sq.M.	c) IN SECOND FLOOR		Rs.750.00 (Rupees seven hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	61200.00
	81.60 Sq.M.	d) IN THIRD FLOOR		Rs.750.00 (Rupees seven hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	61200.00
						132409564.50

For Chendur Construction Company

P. man
CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

ITEM NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
	2	3	4	5	6	7
383	128 NOS.	SUPPLY, DELIVERY AND FIXING OF CUDDAPPAH SLAB SINK OF SIZE 600MMX600MMX200MM THICK 32MM DIA 'B' GLASS G.I. WASTE WATER PIPE AND 32 MM DIA C.P. WASTE COUPLING (SAMPLE SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE) TRUE TO SPIRIT LEVEL INCLUDING FINISHING, NEATLY, AND FIXING IN POSITION COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC., COMPLETE IN ALL FLOORS.		Rs.1000.00 (Rupees one thousand only)	1.NO. (EACH)	128000.00
383.2	537.60 Rmt.	PROVIDING SINGLE NOSING TO THE EDGES OF GRANITE TILE OF 10MM THICK INCLUDING LABOUR, POWER CONSUMPTION, TOOLS & PLANTS REQUIRED, TRUE TO HORIZONTAL ETC., FOR KITCHEN PLATFORM IN ALL FLOORS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.100.00 (Rupees one hundred only)	1.Rmt. (ONE RUNNING METRE)	53760.00
384	128 NOS.	SUPPLY AND FIXING OF 10 LITRE CAPACITY HANDLE TYPE PVC FLUSHING CISTERN (WALL MOUNTING TYPE) OF SUPERIOR VARIETY (WHITE) WITH ALL FITTINGS INCLUSIVE OF COST OF ALL MATERIALS, LABOUR CHARGES FOR FIXING IN POSITION IN APPROPRIATE LEVEL (SUITABLE FOR IWC) AS DIRECTED BY THE DEPARTMENTAL OFFICERS AND AS PER RELEVANT STANDARD SPECIFICATIONS (THE COLOUR QUALITY AND BRAND SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.1000.00 (Rupees one thousand only)	1.NO. (EACH)	128000.00
448.2	384 NOS.	SUPPLYING AND FIXING OF PVC TEE WITH END CAP OF 32MM DIA AND COUPLING OF BEST APPROVED QUALITY WITH ISI MARK TO THE SINK AND WASH BASIN INSTEAD OF BOTTLE TRAP ETC., COMPLETE COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRAND AND QUALITY OF PVC SPECIALS SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.100.00 (Rupees one hundred only)	1.NO. (EACH)	38400.00
796	1722.00 Sq.M.	PAINING THE NEW WALLS WITH TWO COATS OF APPROVED BEST READY MIXED PLASTIC EMULSION PAINT IN ADDITION TO ONE COAT OF APPROVED PRIMER COAT OVER CEMENT PLASTERED WALL SURFACES AND CEILING INCLUDING COST OF PLASTIC EMULSION PAINT, PUTTY, BRUSHES ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE EMULSION PAINT AND ITS SHADE SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING)		Rs.90.00 (Rupees ninety only)	1.Sq.M. (ONE SQUARE METRE)	154980.00
		TOTAL AMOUNT (EXCLUDING GST)				132912704.50
		GST Amount for providing Service to Government Contract Works for the above Construction Works.				15949524.54
		GRAND TOTAL				148862229.04
(RUPEES FOURTEEN CRORES EIGHTY EIGHT LAKHS SIXTY TWO THOUSAND TWO HUNDRED AND TWENTY NINE AND PAISE FOUR ONLY)						

For Chendur Construction Company

D. Man
CONTRACTOR

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

TAMIL NADU POLICE HOUSING CORPORATION LTD.,
No.1, Inspector Quarters, TSP 6th Battalion Campus, New Natham Road, Madurai - 625 014.
Schedule 'B'

Name of work: Construction of 128 Nos. of PC/HC quarters with development works at NAGERCOIL Armed Reserve Campus in Kanniyakumari District

Sl. No.	Drawing No.	Description	Remarks
1.		Lay out	Note: (i) All drawings to be signed by the contractor as well as the officer entering contract.
2.		Building Plans	
3.		Plan for doors and windows.	
4.		Septic Tank, Sump, Plinth Protection	
5.		Road, Drains and Culvert.	
6.		Scheme Name Board, Tree Guard,	

Chendur Construction Company
CONTRACTOR

Partner

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE

577

