TAMILNADU POLICEPADUSING CORPORATION LTD

RFSL

MADURAI DIVISION, MADURAI

NAME OF WORK:PROVIDING ADDITIONAL INFRASTRUCTURE FACILITIES TO THE PROPOSED COMPUTER FORENSIC LABORATORY AT RFSL / MADURAI

tem.	Abstract				
No.	Description	Qty	Unit	Rate	Amount
1	Dismantling of brick work an Cement mortar	3.80	Cum	244.09. 221.90 PWD SR-	927.5y 843.22
2	Dismantling of RCC work	0.90 m 3	Sqm	6380.00 5800.00	5220.00
3	Dimantling of floor tiles	11.60	Sqm	PWD SR 52-58 47.80	609.93 554.48
4	Dismantling pressed tiles & We athering	465.70	Sqm	20.00	18492.99 9314.00
5	Supplying and fixing of Vertified tiles CM 1:3	11.80	Sqm	1492.40	17610.32
6	Supplying and fixing of Glazed tiles CM 1:3	4.70 m	Sqm	1313.87	6175.19
7	White washing two coat for of.	56.60 m	Sqm/	31.88	1804.41
8	Supplying and fixing of Aluminium partition wall (1/3 Glass 5.5mm & 2/3 novapan sheet 12mm thick	20.50	Sqm	2734 · 41 3709.53	130706. 76045.37
9	Supply and fixing of colour matt finish door 15 microns double leaf door Aluminium Door (1.0 x2.1m thick)	8.40 m²-	Sqm	7396.65 7343.0 9	62126.
10	Supplying and fixing UPVC (Un-Plasticized Polyvinyl Chloride) Windows of casement type (open) from theprofile the size of outer frame 60mm x 58mm and shutter profile are reinforcement with GI/1mm 125GSM and 100% corrosion free, the profiles are multichambered sections with wall thick of 2mm. The EPDM rubber (black colour) covered with over all the edges offrame and shutter the shutter will be provided with Espag multi power point locks and also it operates as	14.60 m²	Sqm	7126.00	104039.60
11	Teak wood wrought and putup	\sim		× -	
	a) TW over 2m & below 3m	0.032 m3	/		3737.40
21	b) TW below 2m	0.02 Mb	Cum	11280 1 ####################################	2247.60
12	Supply and fixing of teak wood double leaf door shutters size 1.500x 2.400m	3.20	Sgm	6314.91	20207.71

tem. No.	Description Page 2	Qty			
13	Supply and fixing of 20 Amps DP plug and socket in sheet enclosure with 32 A DP MCB in Flush with wall with earth connection (For AC Plug) Legrand (MDS) / Hager(L& T) Equivalent/ Superior variety Ele SD -140 /2048-19	5.00 Nos.	No	1830.00	9156.00.
14	Supplying, fabricating, erecting and fixing Gyp board false ceiling using perforated sheet 10mm thk	56.80 m2	Sqm	990.00	55948,00 56232.00
15	Supplying and ixing of 24W LED 4000K 1x 1 Square Type Recessed Fitting with LED CF2-10 1 (2020 - 24 (e)	12.00 uner)NOS.	Nos	1800.00 App rate	21600.00
16	Supplying and ixing of 24W LED 4000K 2x 2 Square Type Recessed Fitting with LED	2.00 Nos.	Nos	2487.00 3508.00 FWD (R.	4974.00 7016.00
17	Wirng with 1.5 sqmm copper PVC insulated unsheathed single core 1.1 KV grade cable with continuous earth by means of 1.5 sqmm copper PVC insulated unsheathed single core 1.1 KV grade cable confirming to IS 694 / 1980 with ISI mark in fully concealed PVC rigid conduit pipe heavy duty with ISI mark				18000
	a.Light point with ceiling rose	12.00	Nos	1499.29	17991.48
18	Wirng with 1.5 sqmm copper PVC insulated unsheathed single core 1.1 KV grade cable with continuous earth by means of 1.5 sqmm copper PVC insulated unsheathed single core 1.1 KV grade cable confirming to IS 694 / 1980 with ISI mark in fully concealed PVC rigid conduit pipe heavy duty with ISI mark with suitable size MS box of 16g thick concealed and covered with 3mm thick laminated hylem sheet for FAN POINT controlled by 5 amps flush type switch including citcuit mains, cost of all materials, specials atc. all complete.	11.00, Points	Nos	7 1565. 6 0	17221:60 17220.50
19	Supply of ceiling fan 1200mm sweep	11.00	Nos	1485.00	13035.00
20	Charges for assembling and fixing of ceiling fan of different sweep (to be supplied by the department at free of cost) with necessary interconnection and fixing of fan regulator on the existing board, etc., all complete.	11:00 Nøs.	Nos	520.80	5728.80
21	Supplying and fixing of 4' 18w crystal glass LED tube light (Sankaran Lovil Revis	15.00 Nos	Nos	9666.19	9902.85

	Description Page 4	Qty	Unit	Rate	RFSL Amount
1	Run off mains with 2 wires of 1.5 Sqmm				· .
28	copper PVC insulated unsheathed single core 1.1KV cable wire contuinuous earth by means of 1.5 Sqmm copper PVC insulated unsheathed single core 1.1 KV grade cable in fully concealed 19 mm / 20 mm dia rigid PVC conduit pipe heavy duty with ISI mark including cost of all materials, specials, etc., all complete.	30.00 m	Rmt	192.68	5778.400
29	Supplying and fixing of Exhaust fan 300mm dia (12") sweep	2.00 Nos-	Nos	2147.66	4295,20
30	Supplying and fixing of wash basin	1.00	No	3241.42	3241.42 ·
31	Supplying and fixing of vinyl flooring 2mm thick including cost of adhesives, labour charges for cleaning and fixinmg complete and complying with standard specifications as directed by the departmental officers., etc complete.	56.90 m ²²	Sqm	968.40 (Motation	55101.96
32	Supplying and delivery of computer table for size (60"x24"x30"x18")including cost of all materials and labour charges all complete complying with relevant standard specifications and as directed by the	8.00 Nos.	Nos	15800.00 (hiotalia	126400.00
33	Supplying and delivery of computer chair including cost of all materials and labour charges all complete complying with relevant standard specifications and as directed by the departmental officers	8.00 Nos.	Nos	4500.00	36000.00
34	Supplying and delivery of visitor chair including cost of all materials and labour charges all complete complying with relevant standard specifications and as directed by the	8.00 Nos.	Nos	4000.00 Owolation	32000.00
35	Supplying and delivery of confererfe table of size ((1200wx1200Dx760H) including cost of all materials and labour charges all complete complying with relevant standard specifications and as directed by the departmental officers	1.00	Nos	.6500.00 Quotation	6500.00
36	Supplying and delivery of stainless steel 3 person waiting chair including cost of all materials and labour charges all complete complying with relevant standard specifications and as directed by the	2.00 Nos	Nos	9100.00 Quotation	18200.00

Item.	Description Page 3	Qty	Unit	Rate	RFSU Annount
22	Wirng with 1.5 sqmm copper PVC insulated unsheathed single core 1.1 KV grade cable with continuous earth by means of 1.5 sqmm copper PVC insulated unsheathed single core 1.1 KV grade cable confirming to IS 694 / 1980 with ISI mark in fully concealed PVC rigid conduit pipe heavy duty with ISI mark with suitable size MS box of 16g thick concealed and covered with 3mm thick laminated hylem sheet for 5 amps 5 pin PLUG SOCKET POINT AT SWITCH BOARD ITSELF including citcuit mains, cost of all	5.00 Mos.	Nos	765.00 764.91	3824,55
23	Supplying and fixing of 15 Amps 3 pin flush type plug socket on suitable MS box of 16g thick concealed and covered with 3 mm thick laminated hylem sheet inclusive of all materials, etc., all complete.	15.00 Point	Nos	138.70	2080.50
24	Wirng with 1.5 sqmm copper PVC insulated unsheathed single core 1.1 KV grade cable with continuous earth by means of 1.5 sqmm copper PVC insulated unsheathed single core 1.1 KV grade cable confirming to IS 694 / 1980 with ISI mark in fully concealed PVC rigid conduit pipe heavy duty with ISI mark with suitable size MS box of 16g thick concealed and covered with 3mm thick laminated hylem sheet for 5 amps 5 pin PLUG SOCKET POINT AT CONVENIENT PLACES including citcuit mains, cost of all materials,	12.00 Point-	Nos	1041.20	12494.40
25	S&F TPN 6 way DB encloser	1.00	Nos	8254.00 4116.85	8254.00 4-11 6 ·85
26	Run off mains with 4 wires of 10Sqmm copper PVC insulated unsheathed single core 1.1KV cable wire contuinuous earth by means of 2.5 Sqmm copper PVC insulated unsheathed single core 1.1 KV grade cable in fully concealed 19 mm / 20 mm dia rigid PVC conduit pipe heavy duty with ISI mark including cost of all materials, specials, etc.,	20.00 m.	Rmt	589.370	11785.40)
27	Run off mains with 2 wires of 2.5 Sqmm copper PVC insulated unsheathed single core 1.1KV cable wire contuinuous earth by means of 1.5 Sqmm copper PVC insulated unsheathed single core 1.1 KV grade cable in fully concealed 19 mm / 20 mm dia rigid PVC conduit pipe heavy duty with ISI mark including cost of all materials, specials, etc.,	5400	Rmt	209.88	11326 120

No.	Description • Page 5	Qty	Unit	Rate	RESL
37	Supply and Erection of 2 zone Automatic fire alarm panel with fire and fault indications, lamp test, alarm cancel, system reset buttons. Panel shall have glass front door, battery back up with inbuilt battery charger. Panel shall operate on 230 V AC single phase supply.	1.00 NO	No	15000.00 Qualculor	15000.00
	Supply and installation of manual call point with hammer. To operate on 24 v dc supply.	1.00 No %	No	1700.00 Grustation	1700.00
₹u i	Supply and installation of electronic hooter 5 watt capacity wall mounting type.	1.00	No	1800.00 gwtah'us	1800.00
40	Supply and installation of 2 core x 1.5 SQMM copper LTUG cable run on wall, ceiling with clamps, screw, junction boxes, etc.	75.00 Rml-	Rmit	165.00	12375.00
41	supply and installation of Bio-Metric attendance system with door locking arrangements and door release buttons inculding CAT 5 Cable laying upto the Computer terminal and enrollment of staff.	1.00 NP.	No	14500.00	14500.00
42	Supply & installation of photoelectric type smoke detectors in electrical room	5.00 NØ3	Nos	2500.00 Quotalion	12500.00
43	Supply and installation of CO2 type fire extinguishers wall mounting type, cylindrical in shape, with initial charge, discharge hose, wall brackets capacity 4.5 kgs.	1.00 No:	No	7900.00 Doubation	7900.00
44	Earth work excavation for open foundation b. 2 to 3m	3.00 m3	Cum	116.49	349.47
45	Supplying and fixing of 50mm GI pipe	3.00 Pmt	Rmt	209.00×	627.00
46	Supplying and fixing of Copper plat size of 60cmx60cmx6mm thick	1.00	No	19600.00	19600.00
47	Supplying and fixing of Copper patta 25mm wide and 3mm thick	15.00 Pm	Rmt	1050.00 Divitation	15750.90
48	S & F Fibre box with fan hook	7.00 Nos.	Nos	33.90	237.30
49	Supplying and fixing of Air Coditioner with coper coil 1.5 TR Split Type AC Unit 5 star rated	5.00 Nos	Nos	43400.00 PWD &R	217000.00
50	Supplying and fixing of 3 PHASE UPS (Three Phase In & Single Phase Out) 2 hourse backup 7.5 KVA	1.00 No.	No	237500 ######## Pwo lk!	237500.00
51	Finishing the top of the terrace floor with one course of solar reflective cool roof ceramic tiles 305mmX305mmX7mm size with bare	465.70 m²	Sqm	1618.62	753791

Item. No.	Description Page 6	• Qty	Unit	Rate	RFSL Amount	
52	Providing earthing satation using pipe electro as per IS 3043 using 40 mm dia 'B' class GI pipe strickly in accordance with IS3043 including cost of all materials	1.00 No.	No	2746.00 2745.95 Pmg 82	2745.95	
53	Painting two coats over new plaster surface with plastic emulsion paint	56.80	Sqm	222.05	12612.44	
	Total			219	4770.66	
	GST @ 12% /			263372.48		
	Sub Total			2458143.13		
	Labour Welfare Fund @ 1%		y .	24581.43		
	Supervision Charges @ 7.5%			184360.74		
	Contingencies @ 2.5%			61453.58		
	Grand Total		-4-	272	28538.88	
79			Say	227	28,600/	

J. of Milassi

Bolis ehelyeld 15 x 1 2 21 15 x 1 mln

DEPUTY DIRECTOR

REGIONAL FORENSIC SCIENCE LABORA

MADURAL - 625 020.

18111/21 2070B 18111/21 1811/21 1811/21 1811/21 1811/21

EXECUTIVE ENGINEER

T.N.P.H.C. LTD.,

MADURAL DIVISION

MADURAL-14.

Ourne III

SUPERINTENDING ENGINEER
SOUTH CIRCLE

TAMILHADO POLICE HOUSING COMPONATION LTT.

29/11/2021

37 /2m

1000 12/2021

1/10/2/

Co known