11/8/2021 @ 1.176

TAMIL NADU POLICE HOUSING CORPORATION LIMITED No: 132 E.V.R. Salai, Kilpauk, Chennai-10.

Memo No: CE/DB/1021/2021

Date. 02.08.2021.

Sub: TNPHC Ltd – HO/DB- South Circle – Mdu Dn. – Construction of 12 Nos. of PC/HC Quarters at Pallathur in Sivagangai District under Announcement made by the Hon'ble Chief Minister of Tamil Nadu during Police demand held on 24.03.2020– Estimate Technically sanctioned – Intimation - Reg.

Ref: SE's Lr.No.DB/SC/1883/2021, Dt:08.07.2021.

With reference to the above, it is hereby informed that the estimate submitted by the Superintending Engineer/South Circle for the above work is technically sanctioned by the undersigned for Rs.1,92,90,000/- in anticipation of financial sanction from the Government and registered vide CER.No: 68 / 2021-2022 and also the above work should be completed with in the approved Fund.

The Superintending Engineer/South Circle is requested to depute a person to this office to take a copy of the above estimate.

The receipt of the memo should be acknowledged.

Sd/... Chief Engineer/TNPHC

To
The Superintending Engineer/South Circle
TNPHC Ltd., Madurai.

Copy to the Executive Engineer / Madurai Dn. TNPHC Ltd., Madurai

/Forwarded / By Order/

Marimala
2/8/2021
Junior Engineer

990/11/4

TAMIL NADU POLICE HOUSING CORPORATION LIMITED No. 132 EVR Salai, Kilpauk, Chennai - 600 010.

Technical sanction slip

Name of work:	Construction	of 12Nos	of PC/H	IC qu	ıarte	ers at Pallathur in	n
, (44,22	Sivaganga	ai District	under	CM	an	mouncement for	OY
E S	the year	2020-21				192.96 Lakhs	

G.O.Ms.No.169 Home (Police-X) Dept. Dt:07.04.2021.

LS Provision for Development	- ₹
Special provision	_₹
Total	- ₹ 192.96 Lakhs
Total Administrative Sanction	- ₹ →
Estimate Sanctioned so for	-₹
	Rs. 192.96 lakhs

Technically sanctioned for Rs.1,92,90,000/- (Rupees One crore ninety two Lakhs and ninety thousand only) and registered in CER No. 68 /2021 - 2022. Perhancely Southered for Rs. 192900001-

TA

CE/TNPHC

GENERAL ABSTRACT

Name of Work: Construction of 12 Nos. of PC/HC Quarters (vagangai District under Announcement made by the Hon'ble Chier).

Tamil Nadu during Police demand held on 24.03.2020

SI. No.	Qty	Description	Rate	Unit	Amount
		BUILDING WORKS	PWD SF	₹ 2020	- 2021
1	1.00	Contruction of 8 PC/HC qtrs (8 in 1, G+3) 1 Block	10009075.55		10009075.55
2	1.00	Contruction of 4 PC/HC qtrs (4 in 1, G+3) 1 Block	5627939.19		5627939.19
		SUB - TOTAL - II	Rs.		15637014.74
3		GST at 12.0% (GST at 6% + CGST 6%)			1876441.77
		SUB - TOTAL - III	Rs.		17513456.51
4		Provision for Shifting LT EB line in site premises	LS		70000.00
5		Provision for lettering and numbering	LS		20000.00
6		Provision for Soil Investigation charges	LS		20000.00
		SUB - TOTAL - I	V		17623456.51
7		Labour welfare fund @ 1%	LS		176234.57
8		Supervision Charges @ 7.50%	LS		1322308.92
		SUB - TOTAL -	V		19122000.00
9		Provision for Advertisement Charges	LS		50000.00
10		Provision for planning permission	LS		100000.00
11		Structural Design and Consultancy Charges	LS		18000.00
		TOTAL Rs.			19290000.00

TAMIL NADU POLICE HOUSING CORPORATION LTD

ABSTRACT

Name of Work: Construction of 12 Nos. of PC/HC Quarters at Pallathur in Sivagangai District under Announcement made by the Hon'ble Chief Minister of Tamil Nadu during Police demand held on 24.03.2020

		24.03.2020		T .	
SI. No.	Qty.	Description	Rate	Unit	Amount
1.1					
7. 1		Earth work excavation in all soils (including refilling)			
	366.000	a. 0 to 2 mt.	177.7	7 Cum.	65063.8
	67.700	b. 2 to 3 mt.	185.8	7 Cum.	12583.4
2.1/3	24.900	Filling sand	1499.38	Cum.	37334.5
3.1/	34.500	C.C.1:5:10 for Foundation & Basement	4274.52	Cum.	147470.9
6.6,	11.700	Brick work in C.M. 1:5 (F& B) using Kiln Burnt Country bricks of size 22 x 11 x 7 cm (8 3/4" x 4 1/4" x 2 3/4")	5768.68	Cum.	67493.5
9.		Brick work in C.M. 1:6 using Kiln Burnt Country bricks of size 22 x 11 x 7 cm (8 3/4" x 4 1/4" x 2 3/4")	,		
	26.500	a. In Ground Floor	5758.28	Cum.	152594.42
	26.500	b. In First Floor	5877.58	Cum.	155755.87
	26.500	c. In Second Floor	5996.88	Cum.	158917.32
	30.250	d. In Third Floor	6116.18	Cum.	185014.45
,	9.000	e. In Fourth Floor	6235.48	Cum.	56119.32
0.5,		Brick partition work in C.M. 1:4 Kiln Burnt Country bricks of size 22 x 11 x 7 cm (8 3/4" x 4 1/4" x 2 3/4") 110 mm tk (B.P.)			
	79.900	b. In Ground Floor	694.89	Sqm.	55521.71
	79.900. 🗸	c. In First Floor	708.01	Sqm.	√ 56570.00
	79.900 🏑	d. In Second Floor	721.13	Sqm.	57618.29
	~	e. In Third Floor	734.25	Sqm.	/108815.85
	J	f. In Fourth Floor	747.37	Sqm.	10911.60
6.1		Brick work in C.M. 1:4 Kiln Burnt Country bricks of size 22 x 11 x 7 cm (8 3/4" x 4 1/4" x 2 3/4") 70 mm tk (B.P.)			<u> </u>

132178541

SI. No.	Qty.	Description	Rate	Unit	Amount
	24.200	a. In Ground Floor	470.10	Sqm.	11377.8
	24.200	b. In First Floor	478.5	1 Sqm.	11579
	24.200	c. In Second Floor	486.86	Sqm.	11782.0
	24.200	d. In Third Floor	495.2	Sqm.	11984.0
12.1,		Brick partition in C.M. 1:4 using country bricks of size 22 x11x5cm 50 mm thick			Fe
	10.400 🗸	a. In Ground Floor	342.13	Sqm.	3558.
	10.400 /	b. In First Floor	348.10	Sqm.	3620.2
	10.400 🗸	c. In Second Floor	354.07	Sqm.	3682.3
	12.200 \(\int \)	d. In Third Floor	360.04	Sqm.	4392.4
13.1	99.100	Filling with Excavated Earth	29.30	Cum.	2903.6
21.2	A4	Teak wood Wrought & Put up			141
	0.378	a. T.W. over 2 m & below 3 m	121875.00	Cum.	46068.7
	0.180	b. T.W. below 2 m length.	109675.00	Cum.	1 9741.5
23.3	36.000	S&F of Magnetic door catches	52.00	Each	1872.0
24.0	3135.000	Manufacturing & supply of steel windows (Weight pasis)	61.50	Kg.	192802.50
25.0	216.000	M.S.Holdfast	9.60	Each	2073.60
26.0	12.500 / F	Flooring in C.C.1:5:10	4274.52	Cum.	53431.50
28.∳	86.900 F	Floor plastering in C.M. 1:4, 20 mm tk.	406.89	Sqm.	35358.74
30.0	42.400 J	Ellispattern	364.62	Sqm.	✓ 15459.89
31.0	15.600 V	Veathering course	3240.81	Cum.	50556.64
33.0	4268.300 F	Plastering in C.M. 1:5, 12 mm tk.	200.75	Sqm,	856861.23
4.0	127.000 P	lastering in C.M. 1:4, 12 mm tk.	206.59	Sqm.	26236.93
5.2	932.400	pl. Ceiling plastering in C.M. 1:3,	229.08	Sqm.	213594.19
6.0	C	ement mortar Border in C.M. 1:5, 12 mm tk.		2	

1578 938 .21

SI. No.	Qty.	Description	Rate	Unit	Amount
	129.100	a. 150 mm wide	63.00	Rmt	8133.30
	415.800	b. 75 mm wide	40.89	Rmt	17002.00
	193.900	c. 50 mm wide	30.40	Rmt	5894.56
37.1	946.400	White washing 3 coats (slaked)	35.14	Sqm.	33256.50
39.0	459.000	M.s Grills	54.50	Kg.	25015.50
40.0	129.600	Painting - New "wood work"	197.58	Sqm.	25606.37
41.0	308.200	Painting - New "iron work"	117.35	Sqm.	× 36167.27
46.0	24.000	S & F 20 mm dia Alu. Hanger Rod	58.00	Rmt	1392.00
47.0	24.000	S & F Alu Towel rail 75 cm long	95.00	Each	2280.00
48.0	24.000	S & F 5 pin Coat stand	55.00	Each	1320.00
49.0	120.000	S & F chromium plated 8 guage Picture Hook	1.50	Each	180.00
50.3	5.000	Supply and planting avenue trees	338.71	Each	1693.55
50.4	5.000 🗸	Providing Tree guard	757.63	Each	3788.15
50.5	1.000	Supplying. Fabricating and erection of M.S Scheme Name board	15504.48	Each	15504.48
52.0		PVC Water supply (ASTM)			
4	75.000 🗸	a. 32 mm dia	209.32	Rmt	1 5699.00
	503.400	b. 25 mm dia	192.57	Rmt	96939.74
52.1	48.000 🗸	G.I Pipe 20mm dia for Hot water line (Fully Concealed in walls)	269.92	Rmt	12956.16
59.5	9.000	Gully Trap using Kiln burnt country bricks 22 x 11 x 7 cm.	1590.84	Each	14317.56
φ.06	56.000	PVC Nahani trap (4way/2way)	136.70	Each	7655.20
		Electrical arrangements			
69.0	24.000	15 Amp. Power plug	129.00	Each	3096.00
72.0	72.000	Box type Fibre Fan hook	33.90	Each	2440.80

SI. No.	Qty.	Description	Rate	Unit	A
73.1	12.000 /	6 way - D.B.	4016.00		Amount
	√	/	4010.00	Each	48192.0
74.0	48.000	Charges for fixing of "Fan"	467.00	Each	22416.0
76.0	30.000	8 SWG wire	21.00	Rmt	630.0
77.3	36.000	S&F of TV/Telephone line Socket	76.00	Each	2736,0
77.4	432.000	S&F of 20mm dia PVC pipe for TV/Telephone line	72.01	Rmt	31108.3
78.0	2.000	Earthing Station IS3043 (Type I)	2588.00	Each	5176.0
81.0	3.600 🗸	Meter cupboard	2211.57	Sqm	7961.6
86.0	203.200	Anti termite treatment	34.00	Sqm.	6908.8
		ANNEXURE			
6.7	9.500	Brick work in C.M. 1:5 using Fly Ash bricks of size 23 x 11 x 7 cm in Foundation and Basement	5951.66	Cum.	56540.77
9.7.1		Brick work in C.M. 1:6 using Fly Ash bricks of size 23 x 11 x 7 cm			
	14.000	a. In Ground Floor	5941.26	Cum.	83177.64
	14.400	b. In First Floor	6060.56	Cum.	87272.06
	14.400	c. In Second Floor	6179.86	Cum.	88989.98
	16.300	d. In Third Floor	6299.16	Cum.	102676.31
	6.900	e. In Fourth Floor	6418.46	Cum.	44287.37
10.7.	į.	Brick partition work in C.M. 1:4 using Fly Ash pricks of size 23 x 11 x 7 cm 110 mm tk (B.P.)			7
	36.300 k	o. In Ground Floor	749.58	Sqm	27209.75
	39.800	. In First Floor	762.70	Sqm	30355.46
	39.800	I. In Second Floor	775.82	Sqm	30877.64
	73.900 e	. In Third Floor	788.94	Sqm	58302.67
	7.300 / f.	In Fourth Floor	802.06	Sqm	5855.04
1.7.1	E s	rick work in C.M. 1:4 using Fly Ash bricks of ize 23 x 11 x 7 cm 70 mm tk (B.P.)			

12

2649949.87

SI. No.	Qty.	Description	Rate	Unit	Amount
	12.100	a. In Ground Floor	504.97	Sqm	6110.1
	12.100	b. In First Floor	513.32	Sqm	6211.1
	12.100	c. In Second Floor	521.67	Sqm	6312.2
	12.100	d. In Third Floor	530.02	Sqm	6413.2
14. 2 ,	2	Precast Cupboard slab 20 mm tk.using standardised concrete mix M20 (annexure)			v -
	40.200	a. In Ground floor/ stilt floor	1154.68	Sqm.	46418.1
	40.200	b. In First floor	1158.25	Sqm.	46561.6
	40.200	c. In Second floor	1161.82	Sqm.	46705.1
	40.200 🗸	d. In Third floor	1165.39	Sqm.	46848.6
14.7	3	Precast cupboard slab 40 mm tkusing standardised concrete mix M20 (annexure)			
	5.000	a. In Foundation & basement	1281.49	Sqm.	6407.4
	3.500	b. In Ground floor/ stilt floor	1285.12	Sqm.	4497.9
	3.500 🗸	c. In First floor	1292.27	Sqm.	4522.9
	3.500	d. In Second floor	1299.42	Sqm.	4547.9
	3.500 /	e. In Third floor	1306.57	Sqm.	4573.0
3.1.1		Precast Jally ventilator 50mm tk.using standardised concrete mix M20 (annexure) without vibrating charges			
	7.000	a. In Ground floor	2310.85	Sqm.	16175.9
	7.000	b. In First floor	2317.51	Sqm,	16222.5
	7.000 🗸	c. In Second floor	2324.17	Sqm.	16269.1
	7.000	d. In Third floor	2330.83	Sqm.	16315.8
	4.200	e. In Fourth floor	2337.49	Sqm.	9817.4
1.14		Standardised concrete Mix M20 Grade Concrete		4.	
74	84.700	a. In Foundation and basement	6912.46	Cum	585485.36
4.1	53.600	b. Ground floor/ stilt floor	7002.36	Cum	375326.50
	53.600 🗸	c. In First Floor	7179.36	Cum	384813.70

ount

192.00

SI. No.	Qty.	Description	Rate	Unit	Amount
	53.600	d. In Second Floor	7356.36	Cum	394300.90
	58.600	e. In Third floor	7533.36	Cum	441454.90
	17.400	f.In fourth floor	7710.36	Cum	134160.26
5-1-1	45.900	Plastering with CM 1:3, 12mm with WPC	224.72	Sqm	10314.65
18.1		Formwork using M.S.Sheet			
	332.200	a.For Column footings,plinth beam,Grade beam,Raftbeam,Raft slab etc.,	664.30	Sqm	220680.46
	1722.000	b.Plain surfaces such as Roof slab,floorslab,Beams,lintels,lofts,sill slab,staircase,portico slab and other similar works	751.65	Sqm	1294341.30
	734.700	c.For Square and rectangular columns and small quantities	901.98	Sqm	662684.71 ×
	78.900	d.Vertical wall	826.82	Sqm	65236.10
21.6 /2	-	R.C.C.Door frames of size 100 x 75mm with one edge grooves size 't' x 20 mm using M20 grade (with out vibrating charges)			
	24.000	a. 900 x 2100 mm	2195.61	Each	52694.64
2.3.3	27.200	T.W. frame & TW styles & rails with BWR double leaf shutters for cup board/ ward robes including two coat enamel paint & one coat primer.	3849.81	Sqm	104714.83
79.1		TW panelled single door shutter with brass fittings.			
*	22.200	b. 1000X2100mm with Brass fittings (Single leaf)	5552.86	Sqm	123273.49
1.1	39.500	TW styles & rails with 9mm thick BWR single leaf shutters with brass screws size of 900 x 2100 mm	3263.68	Sqm	128915.36
21.5.2	37.800	Supply and Fixing Soild PVC door Shutter with frame	2828.00	Sqm	106898.40
23.2.1	90.000	4mm thick pin headed Glass panels with Aluminium beedings	688.20		61938.00
29.8.	350.700	Glazed tiles using Grout (Tile Joint Filler)	1137.78	Sqm	399019.4
29.9•	68.800	Floor ceramic tiles (Anti-skid) using Grout (Tile Joint Filler).	1006,15	Sqm	69223.12
38.6	2948.100	One coat white cement for new walls and other similar works.	48.40	Sqm	142688.0
43.0	35,910	Fabrication of Mild steel / RTS grills (without cement slurry) for all sizes of rods.	68782,50	MT	2469979.5

1118 01024.28

SI. No.	Qty.	Description	Rate	Unit	Amo
77.6	198.500	Run of 2 Wires of 4 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990.	219	00 Rmt	434
77.5	80.000	Run of 2 Wires of 1.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990.	172.	00 Rmt	137
77.7	228.000	Run of 2 Wires of 2.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990.	187.0	00 Rmt	426
05.1	120.000	4 x 4 Sq mm copper PVC insulated unsheathed single core cable for 3 phase EB service connection	221.0	00 Rmt	2652
112.1	12.000	S & F of Exsaust Fan 225mm dia	1768.0	0 Each	2121
44.2		Rain water harvesting using defunct borewell and providing perforated cover slab			2-
	~	a). Providing pit (M20)	1770.8	4 Each	708
14.2		b) Augering 30cm dia	403.62	2 Rmt	484:
		S&F of Bevelled edge mirror 500 x 400 x 5.5mm	375.70	Each	9016
33.0	V /	S&F of Cuddapah sink 600 x 600 x 200mm	1000.00	Each	12000
33. 1	٧,-	Providing single nosing to the edges of Granite slab (PWD SRP-42)	191.90	Rmt	11149
1.2	,	Supplying and fixing of 32 AMPS Triple pole main switch	2007.00	Each	28098
0.1	*/	150 x 375 x 20 mm thick TW plank	1170.00	Each	17550
'.1	VE	Supplying and delivery of Three phase LCB/RCCB	2870.00	Each	34440.
	- VV	Plastic Emulsion PAINT including primer for outer valls	190.31	Sqm	284342.
	-	wo coat of OBD over one coat white cement for ner walls	98.77	Sqm	283371.
		roviding PVC Tee with end cap	109.75	Each	3951.0
+		roviding wooden Melamine polish for new wood ork	1204.68	Sqm	68305.3
.2-		trified Tiles flooring (Ivory)	1081.31	Sqm	563146.2
1.6.	S	& F of Granite tile of size 2'x 1', 10mm Thick			- 34

Anno.	Qty.	Description	Rate	Unit	Amount
73	8.700	a. In Ground floor	1024.17	Sqm	8910.28
	8.700	b. In First floor	1025.94	Sqm	8925.68
9	8.700	c. In Second floor	-1027.71	Sqm	8941.08
1	8.700	c. In Third floor	1029.66	Sqm	8958.04
32.1.3	191.900	Finshing the top of Terrace floor with one course of solar reflective Ceramic tiles with base concrete	1429.98	Sqm.	274413.1
61.1.1		UPVC Non Pressure pipe of SN8 SDR 34 (S 16.5) as per IS 15328/2003			
	50.000	a. 110 mm UPVC Non Pressure pipe	347.52	Rmt	17376.0
	45.000	b: 160 mm UPVC Non Pressure pipe	574.83	Rmt	25867.3
2.1.1		PVC Specials as per IS 10124/1982 Part II			
у.	6.000,	a. 110 mm dia PVC bend (TWAD SR 2021 P-19 S.No-4)	160.00	Each	960.0
02.2.1		PVC Equal Tee as per BIS 7834/1975			
	6.000	a. 110 mm dia PVC Equal tee(TWAD SR 20-21 P-19 S.No-9)	199.00	Each	1194.0
56.3.2	3.000	S & F of Indian Water closet white glazed (Oriya type) of size 580 x 440mm with PVC SWR grade 'P' or "S' trap - in G.F.	2837.95	Each	8513.8
5, 4.2	9.000	S & F of Indian Water closet white glazed (Oriya type) of size 580 x 440mm with PVC SWR grade 'P' or "S' trap- Other than G.F.	4449.45	Each	40045.0
57.2	12.000	S & F of E.W.C.(White) 500 mm with PVC SWR grade "P" or "S" TRAP	6100.30	Each	73203.
54.1.1	36.000	S & F of 15mm dia half turn CP long body tap	452.00	Each	16272.
54.2.1	24.000 🗸	S & F of 15mm dia half turn CP short body tap	404.00	Each	9696.
87.2	12.000	Supply and fixing of 20 Amps DP plug and socket in sheet enclosure with 32 A DP MCB in Flush with wall with earth connection (For AC Plug) Legrand (MDS) / Hager(L& T) Equivalent/ Superior variety Ele SD -140 /2020-2021	1830.00	Each	21960.
100	137.000	Supply and fixing of 9 watts LED bulb (qtn)	81.00	Each	11097
102	60.000 🗸	Supply and fixing of 4' 18 watts LED Tube Light	635.00	Each	38100
10x	29.000	Supply and fixing of 12 watts LED bulb (qtn)	170.00	Each	4930

14207705.13

SI. No.	Qty.	Description	Rate	Unit	
2	29.000	Supply and fixing of Bulk Head fitting suitable for	400.00		InucmA
03		12W LED Bulb	462.00	Each	13398
01	6.000	Supply, fiing of 25W LED street light etc.,	0001		
			2991.00	Each	17946
4.3	_	Supplying and applying of 3mm APP Membrance of approved quality by means of gas torching, over the one coat of bitumen primer (Quotation)	725.00	Sqm	70180
		Total			
			1	1	15637014.

00

Const

Sul nstal ad rters th yam yam pur ct.

Tota