SE/South Circle. Agt. No. 64/2020-2021 / FILE No. DB/SC/5069/2019 REPORT ACCOMPANYING SLIP FOR LUMPSUM AGREEMENT (FOR OFFICE USE ONLY)

TAMILNADU POLICE HOUSING CORPORATION LTD., SOUTH CIRCLE, MADURAI – 625 014.

Announcement made by the Hon'ble Finance NAME OF PROJECT

Minister of Tamil Nadu

Construction of 236 Nos. of PC/HC quarters Battalion NAME OF WORK XII

TSP VILLAGE SAKKARAKOTTAI

Ramanathapuram District (Group-I)

₹. 35,33,50,000/- ... **ESTIMATE AMOUNT**

CER No.364/2019-2020 ESTIMATE No.

₹.31,76,75,499.89 (2019-2020) ESTIMATE AMOUNT PUT IN TENDER

(with GST @12%)

₹.26,50,21,228.64 TENDER VALUE (with GST)

(-) ₹. 5,26,54,271.25 LESS AMOUNT

(-) 16.57 % LESS PERCENTAGE

The Chairman and Managing Director,

TENDER ACCEPTED BY WHOM TNPHC Ltd., Chennai-10

M/s. SRP Construction Company NAME OF THE CONTRACTOR


151 (One hundred and fifty one only) No. OF ITEMS IN THE AGREEMENT

112 (One hundred and twelve only) No. OF PAGES IN THE AGREEMENT

155 (One hundred and fifty five only) No. OF CORRECTIONS IN THE **AGREEMENT**

SOUTH CIRCLE, TNPHC LTD.,

एक सौ रुप HUNDRED RUPEES ₹5.5100 मत्यमेव जयते REINDIA : 100 INDIANONSUDICIALS कृष्णिकृति तमिलनाडु TAMILNADU SRP Construction Company License No. C3/2851/80 10.8.202 TAMIL NADU POLICE HOUSING CORPORATION LIMITED., SOUTH CIRCLE, MADURAI - 625 014. Ca ARTICLES OF AGREEMENT ARTICLES OF AGREEMENT made this & Four term Lay of Lay of Lay of BETWEEN the Tamil Nadu Police Housing Corporation Limited, (hereinafter called the Corporation Limited which expression shall where the context so admits include its successors in office and assigns) of the ONE PART and M/s. SRP CONSTRUCTION COMPANY, 17 HIG-1, 3RD MAIN ROAD, NOLAMBUR, CHENNAI - 600 037. (Hereinafter called the contractor which expression shall where the context so admits include its heirs, executors, administrators and legal representatives) of the OTHER PART For SRP CONSTRUCTION COMPANY Superintending Engineer/ South Circle. Contractor



200

TAMIL NADU POLICE HOUSING CORPORATION LIMITED., SOUTH CIRCLE, MADURAI – 625 014.

ARTICLES OF AGREEMENT

ARTICLES OF AGREEMENT made this

2 day of 4

BETWEEN the Tamil Nadu Police Housing Corporation Limited, (hereinafter called the Corporation Limited which expression shall where the context so admits include its successors in office and assigns) of the ONE PART and

M/s. SRP CONSTRUCTION COMPANY, 17 HIG-1, 3RD MAIN ROAD, NOLAMBUR, CHENNAI – 600 037.

(Hereinafter called the contractor which expression shall where the context so admits include its heirs, executors, administrators and legal representatives) of the OTHER PART

WHEREAS the corporation Limited is desirous of Construction of 236 Nos. of PC/HC quarters for TSP XII Battalion at Sakkarakottai Village in Ramanathapuram District (Group-I) and have caused an estimate of probable quantities contained in schedule A, drawings and specifications describing the work to be done to be prepared.

AND WHEREAS the said schedule A, drawings (schedule B) and the specifications (schedule C) and other schedules herewith annexed have been signed by or on behalf of the parties hereto.

AND WHEREAS the contractor has agreed to the retention, by the Corporation Limited of earnest money (with GST) of ₹. ¥5,98,400/- (Rupees fifteen lakhs ninety eight thousand and four hundred only) in the form of Online Payment gateway Mode eProcurement Reference Number: 188863323654 paid by him when he submitted his tender, as security for the due fulfillment of the contract to the satisfaction of the Corporation Limited or any other officer authorized by the Corporation Limited.

For SRP CONSTRUCTION COMPANY

Contractor A Partner

No. of corrections

Or 5

AND WHEREAS the Contractor has produced the Bank Guarantee of ₹.68,80,000/(Rupees sixty eight lakhs and eighty thousand only) vide Bank Guarantee
which is valid upto 30.06.2022 and the details are as follows.

i) Bank Guarantee No. 0049420FBG026884 **
Dated:06.08.2020

= ₹. 67,80,090.00

ii) Bank Guarantee No. 0049420PBG015592 Dated:06.08.2020

= ₹. 1,00,000.00

Total

= ₹. 68,80,000.00

against the balance of the security deposit and additional security deposit

amount of ₹. 68,78,900/- (with GST) for the due fulfillment of the contract to the satisfaction

of the Corporation Limited or any other officer authorized by the Corporation Limited.

AND WHEREAS the Contractor has also signed a copy of the Tamilnadu Building practice and the addenda volume there to maintained in the office of the Superintending Engineer /South Circle Tamil Nadu Police Housing Corporation Limited in acknowledgement of being bound by all the conditions of the clauses of the general conditions of contract and all the standard specifications for items of works described by a standard Specification number in Schedule – A.

AND WHEREAS the contractor has agreed to execute upon and subject to the conditions set forth in the conditions of contract of the Tamil Nadu Building Practice and such other conditions as are contained in all the specifications forming part of this contract (hereinafter referred to as "the said conditions") the work shown upon the drawings and described in the said specifications and set forth in Schedule —A as the "Probable Quantities" and comply with the rate of progress noted at the end of this ARTICLES OF AGREEMENT, for a sum of ₹. 26,50,21,228.64 (Rupees twenty six crores fifty lakhs twenty one thousand two hundred and twenty eight and paise sixty four only) or such other sum as may be arrived at under the clause of the General conditions of contract relating to "Payment on lumpsum basis or by final measurement at Unit Prices"

For SRP CONSTRUCTION COMPANY

Contractor Spartners

No. of corrections

ar 7

Now it is hereby agreed as follows:

- 1. In consideration of the payment of the said sum of ₹. 26,50,21,228.64 (Rupees twenty six crores fifty lakhs twenty one thousand two hundred and twenty eight and paise sixty four only) or such other sum as may be arrived at under the clause of the General conditions of contract relating to Payment on lumpsum basis or by final measurement at unit prices, the contractor will upon and subject to the said conditions execute and complete the works shown upon the said drawings and described in the said specifications and to the extent of the probable quantities shown in schedule A, with such variations by way of alterations of, additions to, or deductions from, the said works and method of payment there for are as provided for in the said conditions.
- 2. The term "Corporation Limited" in the said conditions shall mean the Tamil Nadu Police Housing Corporation Limited or any officer of the Corporation Limited incharge of the works who shall be competent to exercise all the powers and privileges reserved herein, in favour of the Corporation Limited with the previous sanction of the Corporation Limited or any other officer authorized by the Corporation Limited.
- 3. The arbitrator for fulfilling the duties set forth in the arbitration clause of the General conditions of contract shall be the Chief Engineer, Tamil Nadu Police Housing Corporation Limited upto value of claims of Rs. 50,000/- If the value of claims exceeds Rs. 50,000/- the matter shall be referred to the court having jurisdiction over Tamil Nadu state.
- 4. Time shall be considered as the essence of the agreement and the Contractor hereby agrees to commence the work as soon as this agreement is accepted by the Corporation Limited or any other officer authorized by the Corporation Limited and the site (or premises) is handed over to them as provided for in the said conditions and agrees to complete the work within TEN months from the date of such handing over the site (or premises) and to show progress as defined in the tabular statement "RATE OF PROGRESS" below, subject nevertheless to the provisions for extension of time contained in clause 56 of the General conditions of contract.

For SRP CONSTRUCTION COMPANY

Contractored Partner

No. of corrections

Rate of Progress

The following rate of progress and proportionate value of work done from time to time, as will be indicated by the Executive Engineer's Certificate of the value of work done will be required.

Date of commencement of this programme will be the date on which the site (or premises) is handed over to the Contractor.

This subjected to the G.O. Ms. No: 101/Public works (G2)Dept. Dated: 10.06.2009. forms part of the agreement.

Period after date of commencement	Total percentage of work to be completed based on contract LS amount	Approximate quantity of cement	Approximate quantity of Steel
st Quarter (3 Months)	35% ✓	1300.00 MT	250.00 MT 🗸
e nd Quarter (6 Months)	65% ✓	1300.00 MT 🗸	250.00 MT 🗸
o rd Quarter (9 Months)	90% 🗸	1000.00 MT	150.00 MT
I th Quarter (10 Months)	100% ✓	313.00 MT /	58.58 MT /

- 5. "The said conditions" shall be read and construed as forming part of this agreement and the parties hereto will respectively abide by and submit themselves to the conditions and stipulations and perform the agreements on their parts, respectively.
- 6. Upon the terms and conditions of this agreement being fulfilled and performed to the satisfaction of the Corporation Limited or any other officer authorized by the Corporation Limited, the security deposited by the contractor as herein before recited or such portion thereof as they may be entitled to under the said conditions shall be returned to the contractor.

Contraction COMBAN Second

No. of corrections

IN WITNESS WHERE OF the contractor M/s. SRP CONSTRUCTION COMPANY, has hereunto set his hand and the Superintending Engineer/South Circle of Tamil Nadu Police Housing Corporation Limited on behalf of the Corporation Limited have hereunto set his hand, the day and year first above written.

Signed by the Contractor

Partner

Address

: M/s. SRP CONSTRUCTION COMPANY, 17 HIG-1, 3RD MAIN ROAD,

NOLAMBUR,

CHENNAI - 600 037.

In the presence of witness

Signed by the

much

Superintending Engineer, South Circle

In the Presence of

For SRP CONSTRUCTION COMPANY

Contractor S Partner

No. of corrections

South Circle



Page 1

TAMIL NADU POLICE HOUSING CORPORATION LIMITED

No.1, INSPECTOR QUARTERS, TSP 6 TH BATTALION CAMPUS, NEW NATHAM ROAD, MADURAI - 625014.

Schedule 'A'

Name of work: Construction of 236 Nos. of PC/HC quarters for TSP XII Battalion at SAKKARAKOTTAI VILLAGE in Ramanathapuram District (Group-I)

- A. The quantities here given are those upon which the lumpsum tender cost of the work is based, but they are subject to alterations, omissions, deductions or additions are provided for in the conditions of this contract and do not necessarily show the actual quantities of work to be done. The unit rates noted below are the governing payments for extras or deductions for omissions according to the conditions of the contract asset forth in the general conditions to the contract of the Tamil Nadu Building practice and other conditions or specifications of this contract.
- B. It is to be expressly understood that the measured work is to be taken net (not withstanding any custom of practice to the contrary) according to the actual quantities when in place and finished according to the drawing or as may be ordered from time to time by the Chief Engineer and the cost calculated-by measurement or Weight at the respective prices without any additional charges for any necessary or contingent works connected herewith. The rates quoted are for works in site and complete in every respect.

CONTRACTOR Partner NO. OF CORRECTIONS

many and the first set manage believe to need man in present and a series between

NAME OF RK: CONSTRUCTION OF 236 NOS. OF PC/HC QUARTERS FOR TSP XII BATTALION AT SAKKARAKOTTAI VILLAGE IN RAMANATHAPURAM DISTRICT (GROUP-I)

rem.no	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
1.1		EARTH WORK EXCAVATION FOR FOUNDATION IN				
1		ALL SOILS AND SUBSOILS TO THE REQUIRED DEPTH				145
		AS MAY BE DIRECTED EXCEPT IN HARD ROCK				22
100		REQUIRING BLASTING BUT INCLUSIVE OF SHORING, STRUTTING, AND BAILING OUT WATER WHEREVER				344
		NECESSARY AND REFILLING THE SIDES OF				- Sales
		FOUNDATION WITH EXCAVATED EARTH IN 150 MM	47			
	Ellian s	THICK LAYERS WELL WATERED RAMMED AND	17, 23 & 24			
	Part A	CONSOLIDATED AND DEPOSITING THE SURPLUS EARTH IN PLACES SHOWN CLEARING AND LEVELLING	23 tk 24			
		THE SITE WITH AN INITIAL LEAD OF 10 METRES AND	V			8 U V
		LIFT AS SPECIFIED HERE UNDER ETC. COMPLETE IN			6 9	
		ALL RESPECTS COMPLYING WITH RELEVANT		-		A 200 E
		STANDARD SPECIFICATIONS. (INCLUDING				-75
		REFILLING)				
	8649.00 Cu.M.	(a) 0 TO 2M DEPTH		Rs.150.00 >	1.Cu.M.	× 1297350.00
	X			(Rupees one hundred and fifty	(ONE CUBIC	1237330100
				only)	METRE)	
				omy) v	3	
	V					
	3936.00 Cu.M.	(b) 2 TO 3M DEPTH		Rs.200.00	1.Cu.M.	787200.00
				(Rupees two hundred only)	(ONE CUBIC	Y
				~	METRE)	
	450.00.0	K				
2.1	459.00 Cu.M.	SUPPLYING AND FILLING IN FOUNDATION AND		Rs.1000.00	1.Cu.M. (ONE CUBIC	459000.00
4		BASEMENT WITH FILLING SAND IN LAYERS OF 150		(Rupees one thousand only)	METRE)	. /
		MM THICKNESS WELL WATERED, RAMMED AND		-	WETKE)	
		CONSOLIDATED COMPLYING WITH RELEVANT STANDARD SPECIFICATION INCLUDING COST OF	24 & 25			
		SUPPLYING FILLING SAND.	27 0 20			
					_	0.79
	0819			~		
2.2	1182.00 Cu.M.	PROVIDING SAND GRAVEL MIX FOR FOUNDATION		Rs.1500.00	1.Cu.M.	1773000.00
1		AND BASEMENT IN LAYERS OF 150MM THICKNESS		(Rupees one thousand and five	(ONE CUBIC	177,0000.00
,		WELL WATERED, RAMMED AND CONSOLIDATED		hundred only)	METRE)	
	ester.	COMPLYING WITH RELEVANT STANDARD		nunarea oniy)	1	
	***	SPECIFICATIONS. THE SAND GRAVEL MIX WILL BE A				
		PROPORTION OF 1:1 (I.E.) 0.70M3 OF FILLING SAND,				62.73
		0.72M3 OF GRAVEL FOR EVERY 1.00 M3 COMPACTED VOLUME OF SAND GRAVEL MIX INCLUDING COST AND	17 & 20			
		CONVEYANCE OF SAND AND GRAVEL FROM APPROVED				3"
		QUARRYS TO WORK SITE INCLUDING LABOUR				1
	."	CHARGES FOR MIXING SAND AND GRAVEL IN THE				
		REQUIRED PROPORTION AND CONSISTENCY USING				
		SOFT POTABLE WATER INCLUDING ALL LEADS FOR WATER, SPREADING THE MIX IN LAYERS				
		CONSOLIDATING THE SAME AS DIRECTED BY THE				
		DEPARTMENTAL OFFICERS.		7		
	2					
						0 35 5
		2				
3.1	741.00 Cu.M.	PLAIN CEMENT CONCRETE 1:5:10 (ONE OF	5	Rs.5000.00	1.Cu.M.	3705000.00
1	X	CEMENT, FIVE OF SAND AND TEN OF HARD BROKEN		(Rupees five thousand only)	(ONE CUBIC	
		STONE JELLY) FOR FOUNDATION USING 40MM GAUGE		(trupedo irro diodesira siny)	METRE)	18 14
		HARD BROKEN STONE JELLY INCLUSIVE OF SHORING,			· •	
- 4		STRUTTING AND BAILING OUT WATER WHEREVER				
		NECESSARY RAMMING, CURING ETC., COMPLETE IN ALL	28			
		RESPECTS COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND AS DIRECTED BY THE	1			
		SPECIFICATIONS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.				
				- /		10
		0		/-		150
7.2	595.20 Sq.M.	SUPPLYING AND FIXING OF 20MM THICK		Rs.500.00	1.Sq.M.	297600.00
V	1	BITUMINOUS EXPANSION JOINT FILLER PAD OF		(Rupees five hundred only)	(ONE SQUARE	
		APPROVED QUALITY AND MAKE INCLUSIVE OF		V.	METRE)	6
		CONVEYANCE CHARGES, CUTTING THE PAD TO THE			1	
		REQUIRED SIZE, COST OF MATERIALS AND LABOUR				
	ACCEPTAGE OF THE PARTY OF THE P	CHARGES FOR FIXING IN POSITION WHEREVER NECESSARY FOR ALL FLOORS ETC., COMPLETE AND AS				
		DIRECTED BY THE DEPARTMENTAL OFFICERS.				- 4
	10.0					
25				*		8319150.00
						0010100.00

CONTRACTOR OF Partner

- 1	/	SAKKARAKOTTAI V	LLAGE GRO	0r.1 V	r	Page Not 2
EM.NO	QUANTITY 2	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT 7
1	711		-	0		8319150.00
12.1		BRICK PARTITION WALLS 50MM THICK USING KILN BURNT COUNTRY BRICKS OF SIZE 81/4"X2"				
		(22X11X5CM) IN CEMENT MORTAR 1:4 (ONE OF CEMENT AND FOUR OF SAND) FOR SUPERSTRUCTURE IN THE FOLLOWING FLOORS INCLUDING SCAFFOLDINGS, CURING ETC., COMPLETE IN ALL	31 & 31-C	18 .		
		RESPECT COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS AND DRAWINGS.				220
-	165.00 Sq.M.	(a) IN GROUND FLOOR		Rs.600.00 (Rupees six hundred only)	1.Sq.M. (ONE SQUARE METRE)	99000.0
ī	165.00 Sq.M.	(b) IN FIRST FLOOR		Rs.600.00 V (Rupees six hundred only)	1.Sq.M. (ONE SQUARE METRE)	99000.0
	8				40.14	500x
	166.80 S q.M.	(c) IN SECOND FLOOR	Tq.	Rs.600.00 (Rupees six hundred only)	1.Sq.M. (ONE SQUARE METRE)	100080.0
	179.20 Sq.M.	(d) IN THIRD FLOOR	1	Rs.600.00 (Rupees six hundred only)	1.Sq.M. (ONE SQUARE METRE)	107520.
		1 4 1 1 1 1 1				No. 2
1.2		SUPPLYING AND FIXING OF TEAK WOOD WROUGHT AND PUT UP FOR FRAMES OF DOORS, WINDOWS, VENTILATORS, CUPBOARD AND ANY OTHER SIMILAR JOINERY WORKS WITH NECESSARY PLUGS,				
		REBATES FOR SHUTTERS, PLASTER GROOVES ON ALL FACES ETC., INCLUDING LABOUR CHARGES FOR FIXING HOLD FASTS. COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS ETC IN ALL RESPECTS.	72 & 74		5-4	
	7.434 Cu.M.	(a) TEAK WOOD OVER 2.00 METRE AND BELOW		Rs.120000.00	1.Cu,M.	892080.
	Pulit	3.00 METRE LENGTH		(Rupees one lakh and twenty thousand only)	(ONE CUBIC METRE)	032000
	3.540 Cu.M.	(b) TEAK WOOD BELOW 2.00 METRE LENGTH		Rs.120000.00 **	1.Cu.M.	424800
	3.540 Gu.m.	(B) TEAR WOOD BELOW 2.00 METRE LENGTH		(Rupees one lakh and twenty thousand only)	(ONE CUBIC METRE)	424600
	C	CURRI VINO AND FIVING OF BERT APPROVED CURERIOR	2		4.110	29135
3.3	708 NOS.	SUPPLYING AND FIXING OF BEST APPROVED SUPERIOR VARIETY MAGNETIC DOOR CATCHES SUITABLE FOR DOORS INCLUDING COST OF DOOR CATCHES, ALUMINIUM / STAINLESS STEEL SCREWS FIXING IN POSITION ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND		Rs.15.00 (Rupees fifteen only)	1.NO. (EACH)	10620
		SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)				1 1 NAS
4	66670.00 KG.	MANUFACTURING AND SUPPLYING OF STEEL	7	Rs.53.00	1.KG.	3533510
~	00070.00 RG.	WINDOWS CONFIRMING TO IS 1038/1983 SPECIFICATION WITH STEEL SECTION USED FOR FABRICATION OF WINDOWS AS PER IS7452/1982 SPECIFICATION AND AS PER THE APPROVED TYPE DESIGN FOR ALL SIZE APPLICABLE FOR THE WORK		(Rupees fifty three only)	(ONE KILOGRAM)	353310
*:		WITH IRON OXIDIZED HANDLES WITH LOCKING. ARRANGEMENTS, PEG STAYS AND INCLUDING COST FOR ONE COAT OF RED OXIDE PRIMER ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (WINDOWS SHOULD BE WEIGHED EXCLUDING ALUMINIUM BEEDING AND GLASS PANEL.	81 *:			
	aul a ry	THE STANDARD MODELS OF WINDOW WITH GRILL DESIGN DRAWINGS ARE ENCLOSED IN THE ANNEXURE. HOWEVER THE WINDOWS GRILL AND DESIGN SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE).	SIE.		×	
						13585760

CONTRACTOR POR Pariner

NO. OF CORRECTIONS

		SAKKARAKOTTAI VI	DIMOR GRO	UP-1 %		Page No: 3
ITEM.NO	QUANTITY 2	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS 5	UNIT IN FIGURES AND IN WORDS	AMOUNT 7
				-	1-	13585760,00
		*		100	4	10303700,00
25	4248 NOS.	SUPPLYING AND FIXING OF MILD STEEL HOLD		Rs.10.00	1.NO.	40.400.00
	1	FASTS HORIZONTALLY TWISTED OF SIZE 230X40X4MM			(EACH)	42480.00
V		WITH PAIR OF SUITABLE IRON SCREWS ETC., ALL		(Rupees ten only)		
		COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL		~	- *	
		OFFICERS.	86			
			Ke a			
26	234.00 Cu.M.	FLOORING WITH A BED OF CEMENT CONCRETE		Rs.4500.00	1.Cu.M.	4050000.00
8	/	1:5:10 (ONE OF CEMENT, FIVE OF SAND AND TEN OF			(ONE CUBIC	1053000.00
,		HARD BROKEN STONE JELLY) USING 40MM SIZE HARD		(Rupees four thousand and five	METRE)	P
		BROKEN STONE JELLY AND TOP LEFT ROUGH TO		hundred only)	Separation .	
		RECEIVE THE FLOOR FINISH WITH REQUIRED SLOPES	00.0			100
		INCLUDING RAMMING, CURING ETC., ALL COMPLETE	28 & 39 - H			
	7.5	COMPLYING WITH RELEVANT STANDARD	33-1			
	Maj N	SPECIFICATIONS.				
		22		10.		
	n 5.7% 6					1 0 E
		1 part 1 part 1				11.2
28	2723.60 Sq.M.	PLASTERING THE TOP OF FLOORING IN CM 1:4		Rs.250.00	1.Sq.M.	680900.00
No.	At E	(ONE OF CEMENT AND FOUR OF SAND) 20MM THICK		(Rupees two hundred and fifty	(ONE SQUARE	\$ 100 m
,	V0	INCLUDING SURFACE RENDERED SMOOTH INCLUDING		only)	METRE)	45.0
		PROVIDING PROPER SLOPES, THREAD LINING, CURING	56,57	J,	V	4.25
		AND 150MM WIDE SKIRTING ALROUND WITH THE SAME	&			100
		CEMENT MORTAR ETC., COMPLETE IN ALL RESPECTS.	31-C			
			4			
				The state of the s		
30	1253.80 Sq.M.	FINISHING THE TOP OF FLOORING WITH CEMENT		Rs.250.00	1.Sq.M.	313450.00
W		CONCRETE 1:3 (ONE OF CEMENT AND THREE OF BLUE			(ONE SQUARE	313450.00
		GRANITE CHIPS OF SIZE 10MM, AND BELOW) 20 MM		(Rupees two hundred and fifty	METRE)	3 2 4 3
		THICK ELLIS PATTERN FLOORING (NO SAND) AND		only) 🖟	Yes	
		SURFACE RENDERED SMOOTH INCLUDING 50MM WIDE				
		SKIRTING, PROVIDING PROPER SLOPES, THREAD	-20.0			
		LINING, CURING ETC., COMPLETE IN ALL FLOORS	39-G			
		COMPLYING WITH RELEVANT STANDARD	2 W			
		SPECIFICATIONS		134		
					×	
		Company Company				
31	243.40 Cu.M.	WEATHERING COURSE WITH CONCRETE BROKEN		Rs.2500.00	1.Cu.M.	608500.00
1		BRICK JELLY 20MM GAUGE IN PURE BURNT LIME STONE		(Rupees two thousand and five	(ONE CUBIC	800
		SLAKED AND SCREENED (NO SAND) OVER RCC ROOF		hundred only)	METRE)	
		SLAB WITH PROPORTION OF BRICK JELLY TO LIME (FAT LIME) BEING 32:12½ BY VOLUME WELL BEATEN WITH			V	
		WOODEN BEATERS FOR GIVING THE REQUIRED SLOPE				
		AND THICKNESS COMPLYING WITH RELEVANT	30 & 41			
	721.2	STANDARD SPECIFICATION AND AS DIRECTED BY THE	100			
	Test to the	DEPARTMENTAL OFFICERS.				.700
	1 VI 6 2				- V	
		A COLUMN TO A COLU		the second second second second	2	
						30
33	83326.00 Sq.M.	PLASTERING WITH CM 1:5 (ONE OF CEMENT AND		Pe 490.00 V	1 50 80	4.400.2000.00
1	Salaria Salaria	·		Rs.180.00	1.Sq.M. (ONE SQUARE	14998680.00
		FIVE OF SAND) 12MM THICK FINISHED WITH NEAT		(Rupees one hundred and	METRE)	1
	- 27	CEMENT INCLUDING PROVIDING BAND CORNICE,		elghty only)	- Andrews	7 THE -
		CEILING CORNICE, CURING, SCAFFOLDING ETC., COMPLETE IN ALL RESPECTS AND COMPLYING WITH	EC 0 57		T	
		RELEVANT STANDARD SPECIFICATIONS.	56 & 57			
		3333110.	4			
						1. 6
34	3171.40 Sq.M.	PLASTERING WITH CM 1:4 (ONE OF CEMENT AND		Rs.200.00	1.Sq.M.	634280.00
400	V	FOUR OF SAND)12MM THICK FINISHED WITH NEAT		(Rupees two hundred only)	(ONE SQUARE	100
		CEMENT INCLUDING PROVIDING BAND CORNICE,		No.	METRE)	
		CEILING CORNICE, CURING, SCAFFOLDING ETC.,			W.	
-		0.04 101 111 111 111	EC 0 67			
		COMPLETE IN ALL RESPECTS AND COMPLYING WITH	56 & 57			
		COMPLETE IN ALL RESPECTS AND COMPLYING WITH STANDARD SPECIFICATIONS	56 & 57			
			56 & 57			
			56 & 57			, , , , , , , , , , , , , , , , , , ,
		STANDARD SPECIFICATIONS	56 & 57),)00
35	18509.20 S q.M.		56 & 57	Rs.200.00	1.Sq.M.	3701840.00
35	18509.20 Sq.M.	STANDARD SPECIFICATIONS	56 & 57		1.Sq.M. (ONE SQUARE	3701840.00
35	18509.20 Sq.M.	STANDARD SPECIFICATIONS SPECIAL CEILING PLASTERING IN CEMENT MORTAR 1:3 (ONE OF CEMENT AND THREE OF SAND)	56 & 57	Rs.200.00 (Rupees two hundred only)	(ONE SQUARE METRE)	3701840.00
35	18509.20 Sq.M.	STANDARD SPECIFICATIONS SPECIAL CEILING PLASTERING IN CEMENT MORTAR 1:3 (ONE OF CEMENT AND THREE OF SAND) 10MM THICK FOR BOTTOM OF ROOF, STAIR, WAIST,	56 & 57		(ONE SQUARE	3701840.00
35	18509.20 Sq.M.	STANDARD SPECIFICATIONS SPECIAL CEILING PLASTERING IN CEMENT MORTAR 1:3 (ONE OF CEMENT AND THREE OF SAND) 10MM THICK FOR BOTTOM OF ROOF, STAIR, WAIST, LANDING AND SUNSHADES IN ALL FLOORS FINISHED	56 & 57 56 & 57		(ONE SQUARE METRE)	3701840.00
35		STANDARD SPECIFICATIONS SPECIAL CEILING PLASTERING IN CEMENT MORTAR 1:3 (ONE OF CEMENT AND THREE OF SAND) 10MM THICK FOR BOTTOM OF ROOF, STAIR, WAIST, LANDING AND SUNSHADES IN ALL FLOORS FINISHED WITH NEAT CEMENT INCLUDING HACKING THE AREAS,			(ONE SQUARE METRE)	3701840.00
35		STANDARD SPECIFICATIONS SPECIAL CEILING PLASTERING IN CEMENT MORTAR 1:3 (ONE OF CEMENT AND THREE OF SAND) 10MM THICK FOR BOTTOM OF ROOF, STAIR, WAIST, LANDING AND SUNSHADES IN ALL FLOORS FINISHED			(ONE SQUARE METRE)	3701840.00
35		STANDARD SPECIFICATIONS SPECIAL CEILING PLASTERING IN CEMENT MORTAR 1:3 (ONE OF CEMENT AND THREE OF SAND) 10MM THICK FOR BOTTOM OF ROOF, STAIR, WAIST, LANDING AND SUNSHADES IN ALL FLOORS FINISHED WITH NEAT CEMENT INCLUDING HACKING THE AREAS, PROVIDING BAND CORNICE, SCAFFOLDING, CURING			(ONE SQUARE METRE)	3701840.00
	Qua al la Es	STANDARD SPECIFICATIONS SPECIAL CEILING PLASTERING IN CEMENT MORTAR 1:3 (ONE OF CEMENT AND THREE OF SAND) 10MM THICK FOR BOTTOM OF ROOF, STAIR, WAIST, LANDING AND SUNSHADES IN ALL FLOORS FINISHED WITH NEAT CEMENT INCLUDING HACKING THE AREAS, PROVIDING BAND CORNICE, SCAFFOLDING, CURING ETC., COMPLETE			(ONE SQUARE METRE)	3701840.00
	Qua al la Es	STANDARD SPECIFICATIONS SPECIAL CEILING PLASTERING IN CEMENT MORTAR 1:3 (ONE OF CEMENT AND THREE OF SAND) 10MM THICK FOR BOTTOM OF ROOF, STAIR, WAIST, LANDING AND SUNSHADES IN ALL FLOORS FINISHED WITH NEAT CEMENT INCLUDING HACKING THE AREAS, PROVIDING BAND CORNICE, SCAFFOLDING, CURING			(ONE SQUARE METRE)	3701840.00 35618890.00

CONTRACTOR POR SON Partner

SAKKARAKOTTALVILLAGE GROUP-1	2	
------------------------------	---	--

			SAKKARAKOTTALVI	LLAGE GROU	1P-1 V & 1		Raga North
TEM.NO	QUANTIT	TY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT 7
1	2		3	4	3		35618890.00
36		H	PLASTERING IN CM 1:5 (ONE OF CEMENT AND FIVE OF SAND)12MM THICK FOR BORDER FINISH IN ALL FLOORS FOR ELEVATION PURPOSES, INCLUDING SCAFFICIATION, CURING, FINISHING ETC., ALL	56 & 57			1960
	2253.00 Rm		COMPLETE (a) 150MM WIDE BORDER		Rs.80.00 (Rupees eighty only)	1.Rmt. (ONE RUNNING METRE)	180240.00
	9357.00 Rn	nt.	(b) 75MM WIDE BORDER		Rs.40.00 💉	1.Rmt. (ONE RUNNING METRE)	374280.00
	3549.00 Rn	nt.	(c) 50MM WIDE BORDER	4	Rs.25.00 (Rupees twenty five only)	1.Rmt. (ONE RUNNING METRE)	88725.00
37.1	18509.20 Sq	1	WHITE WASHING THREE COATS USING CLEAN SHELL LIME SLAKED INCLUDING COST OF LIME, GUM, BLUE, BRUSHES INCLUDING SCAFFOLDING ETC., COMPLETE IN ALL RESPECTS.	63	Rs.15.00 (Rupees fifteen only)	1.Sq.M. (ONE SQUARE METRE)	277638.00
39	4698.00 KG	4	SUPPLYING AND FIXING MILD STEEL GRILLS AS PER THE DESIGN APPROVED TO VERANDAH ENCLOSURE OR GATE INCLUDING ONE COAT OF PRIMER AND LABOUR FOR FIXING IN POSITION ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.65.00\(\text{(Rupees sixty five only)}	1.KG. (ONE KILOGRAM)	305370.00
40	2322.00 S q	η.М.	PAINTING THE NEW WOOD WORK WITH TWO COATS OF APPROVED FIRST CLASS SYNTHETIC ENAMEL READY MIXED PAINT IN ADDITION TO ONE COAT OF PRIMER OF APPROVED QUALITY AND SHADE,		Rs.80.00 (Rupees eighty only)	1.Sq.M. (ONE SQUARE METRE)	185760.0
			THE PAINT SHOULD BE SUPPLIED BY THE CONTRACTOR AT HIS OWN COST (THE QUALITY AND THE SHADE OF PAINT SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE) COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.				
41	5963.40 Sq	ų.M.	PAINTING THE NEW IRON WORK AND OTHER SIMILAR WORKS SUCH AS PVC/ASTM PIPES, KERB STONE AND GRILLS WITH TWO COATS OF APPROVED FIRST CLASS SYNTHETIC ENAMEL READY MIXED PAINT OF APPROVED QUALITY AND BRAND, THE PAINT SHOULD BE SUPPLIED BY THE CONTRACTOR AT HIS OWN COST (THE QUALITY AND THE BRAND OF PAINT SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE) COMPLYING WITH RELEVANT	66 & 66A	Rs.80.00 (Rupees eighty only)	1.Sq.M. (ONE SQUARE METRE)	477072.0
	* (MAX. 2)		STANDARD SPECIFICATION.				ψ.c
46	561.60 Rr	mt.	SUPPLYING AND FIXING OF 20MM DIA ALUMINIUM HANGER ROD TO THE REQUIRED LENGTH WITH ALUMINIUM END BRACKETS INCLUDING COST OF SCREWS, TW PLUGS AND LABOUR CHARGES FOR FIXING IN POSITION ETC., COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.50.00 (Rupees fifty only)	1.Rmt. (ONE RUNNING METRE)	28080.0
47	472 NO		SUPPLYING AND FIXING OF ALUMINIUM TOWEL RAILS OF 75CM LONG, INCLUDING COST OF SCREWS, TW PLUG AND LABOUR CHARGES FOR FIXING IN POSITION ETC., COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.130.00 [†] (Rupees one hundred and thirty only)	1.NO. (EACH)	61360.0
48	696 NG	os.	SUPPLYING AND FIXING OF ALUMINIUM PLATE WITH FIVE PINS FOR COAT STAND INCLUDING COST OF PLUGS, NAILS, SCREWS AND LABOUR FOR FIXING IN POSITION ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.100.00 (Rupees one hundred only)	1.NO. (EACH)	69600.0
	1						

CONTRACTOR SAL Partner

NO. OF CORRECTIONS

TEM.NO	O'IANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN	UNIT IN FIGURES	AMOUNT
1	. 2	3	4	FIGURES AND IN WORDS 5	AND IN WORDS	37667015.00
49	2360 NOS.	PROVIDING AND FIXING IRON CHROMIUM PLATED 8 GAUGE PICTURE HOOKS INCLUDING FIXING IN POSITION ETC., ALL COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS,		Rs.5.00 (Rupees five only)	1.NO. (EACH)	11800.00
50.3	150 NOS.	SUPPLYING AND PLANTING OF AVENUE TREES INCLUDING EARTHWORK EXCAVATION FOR PIT OF SIZE 60X60X60CM FILLED WITH MANURE FOR 20CM DEPTH AND FILLING WITH RIVER SAND AND RED EARTH MIX IN THE RATIO OF 1:1 FOR 40CM DEPTH IN THE SAME PIT AND PLANTING THE AVENUE TREES OF APPROVED		Rs,200,00 (Rupees two hundred only)	1.NO. (EACH)	30000.0
1		VARIETIES TO A HEIGHT OF 200CM FROM THE GROUND LEVEL AND MAINTAINING THEM FOR THE PERIOD OF SIX MONTHS INCLUDING WATERING, PERIODICAL MANURING AND REPLACING THE AVENUE TREES IF DEAD ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (TREE SAPPLING SHALL BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE PLANTING)				
	+ of 2 = 5					* 8 ***
50.4	150 NOS.	SUPPLYING AND FIXING OF TRIANGULAR SHAPE CHICKEN MESH TREE GUARD USING 8 CM DIA CASURINA VERTICAL POST AND MIDDLE TIE USING COUNTRY WOOD REAPER OF SIZE 50x25 MM AND 25 GAUGE CHICKEN MESH INCLUDING LABOUR CHARGES FOR FIXING THE TRIANGULAR TREE GUARD AND AS DIRECTED BY THE DEPARTMETAL OFFICERS.		Rs.250.00 (Rupees two hundred and fifty only)	1.NO. (EACH)	37500.0
50.5	1 NO.	SUPPLYING, FABRICATION AND ERECTION IN POSITION OF M.S. SCHEME NAME AND LAYOUT BOARD WITH 50X50X6MM M.S. ANGLE FOR VERTICAL POST AND SUPPORT POSTS WITH 2,5 MM THICK M.S. SHEET FOR A SIZE AT 1.80X1,20M WITH 40X40X6MM M.S. ANGLE AROUND THE BOARD AND 50X6MM FLAT STIFFENERS ON BOTH DIRECTIONS INCLUDING COST OF WELDING CHARGES, PAINTING CHARGES AND DRAWING THE LAYOUT AND LETTERING THE SCHEME DETAILS AS DIRECTED BY THE DEPARTMENTAL OFFICERS INCLUDING EARTH WORK EXCAVATION FOR 4 NOS OF PITS, PCC 1:5:10 (ONE OF CEMENT, FIVE OF SAND AND TEN OF HB STONE JELLY) FOR PITS. 0.45 X 0.45 X 0.60M BELOW GROUND LEVEL AND P.C.C 1 :2:4 (ONE OF CEMENT, TWO OF SAND AND FOUR OF 20MM HB STONE JELLY) AT 0.30 X.0.30 X 0.30M ABOVE GROUND LEVEL FOR ERECTION, CONVEYANCE CHARGES ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS		Rs.10000.00 (Rupees ten thousand only)	1.NO. (EACH)	10090.0
						10 a 10 a
52.1	472.00 Rmt.	WATER SUPPLY ARRANGEMENTS:- SUPPLYING AND FIXING OF 20 MM DIA GI PIPE 'B' CLASS OF BEST APPROVED QUALITY FOR HOT WATER LINE FULLY CONCEALED IN WALLS INCLUDING COST OF PIPES AND SPECIALS, LABOUR CHARGES FOR LAYING, JOINTING, TESTING AND REDOING THE DISMANTLED PORTIONS WITH NEAT FINISH ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS		Rs.200.00 (Rupees two hundred only)	1.Rmt. (ONE RUNNING METRE)	9,4400.0
						2 St. 440
59.5	180 NOS.	SUPPLYING AND FIXING 150MM X 100MM SIZE STONE WARE GULLY TRAP WITH IRON GRATINGS OVER A BED OF 150MM THICK BRICK JELLY CONCRETE IN CC 1:8:16 (ONE OF CEMENT, EIGHT OF SAND AND SIXTEEN OF BROKEN BRICK JELLY) USING 40MM SIZE BRICK JELLY AND BRICK MASONRY WALL 110 MM THICK USING KILN BURNT COUNTRY BRICKS OF SIZE 8½"X4½"X2½" (22X11X7CM) IN CM 1:5 (ONE OF CEMENT AND FIVE OF SAND) PLASTERED WITH CM 1:3 (ONE OF CEMENT AND THREE OF SAND) 12MM THICK ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS	102	Rs.800.00 (Rupees eight hundred only)	1.No. (EACH)	144000.
	100		,			37994715.

CONTRACTOR COMPANY

NO. OF CORRECTIONS

25 SAKKARAKOTTAI VILLAGE GROUP-I UNIT IN FIGURES RATE EXCLUSIVE FOR GST IN ITEM.NO QUANTITY **DESCRIPTION OF WORK** TNBP No. AMOUNT FIGURES AND IN WORDS AND IN WORDS +7. 37994715.00 Rs.190.00 1.Nn. 60 1180 NOS SUPPLYING AND FIXING OF PVC NAHANI TRAP NOT 224200.00 (EACH) LESS THAN 75MM 4 WAY /2 WAY (SUPERIOR VARIETY) (Rupees one hundred and HAVING MINIMUM OF WATER SEAL OF 50MM CONFIRM TO RELEVANT I.S. SPECIFICATIONS WITH ITS LATEST 1. 16th 10 ninety only) 🦼 AMENDMENTS INCLUDING RESTING ON THE BED OF BRICK JELLY CONCRETE 1:5:10 (ONE OF CEMENT, FIVE OF SAND OF TEN OF 40 MM GAUGE BRICK JELLY) ETC., COMPLETE AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE PVC NAHANI TRAP SHOULD BE GOT 102 APPROVED FROM THE EE BEFORE USE) ELECTRICAL ARRANGEMENTS SUPPLYING AND FIXING OF BEST APPROVED SUPERIOR 1 NO. 1416 NOS. Rs.40.00 72 56640.00 (EACH) VARIETY CONCEALED TYPE FIBRE BOX WITH M.S (Rupees forty only) FAN HOOK OF 100 MM DIA 75 MM DEPTH AND 3 MM THICK INCLUDING COST AND FIXING IN POSITION ETC. COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER BEFORE USE) **1.NO** 188800.00 944 NOS. CHARGES FOR ASSEMBLING AND FIXING OF CEILING Rs. 200.00 74 (EACH) FAN OF DIFFERENT SWEEP WITH NECESSARY (Rupees two hundred only) 1.4.15 CONNECTIONS AND FIXING OF FAN REGULATOR ON A THE EXISTING BOARD ETC., ALL COMPLETE (EXCLUDING COST OF FAN). Rs.50.00 SUPPLYING, FIXING AND CONCEALING T.W. BOX OF 1 NO. 23600.00 77.3 472 NOS SIZE 8"X6"X4" COVERED WITH 3MM THICK HYLEM SHEET (EACH) (Rupees fifty only) INCLUDING COST OF T.V.LINE SOCKET TELEPHONE LINE SOCKET ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. 1.Rmt. 77.4 3633.60 Rmt. SUPPLYING, LAYING AND CONCEALING OF PVC PIPE Rs.50.00 181680.00 (ONE RUNNING OF 20MM DIA WITH NECESSARY SPECIALS AND (Rupees fifty only) METRE) OTHER MATERIALS INCLUDING RUN OFF 1 NO FISH WIRE (G.I. 22G) FOR DRAWING CABLE FOR T.V./TELEPHONE ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS Rs.1500.00 1 NO. 30 NOS. PROVIDING EARTHING STATION (TYPE I) USING 45000.00 78 (EACH) PIPE ELECTRODE AS PER IS 3043 USING 2.5 M OF 40MM (Rupees one thousand and five DIA AND 1.0 M OF 20MM DIA 'B-CLASS GI PIPE hundred only) INCLUDING EARTH WORK EXCAVATION, BRICK WORK IN CEMENT MORTAR AND PLASTERING AND COST OF FUNNEL, GI NUTS, BOLTS, WASHERS, CHECK NUTS, GI BEND, REDUCER AND COUPLING, C.I COVER OF 30x30 CM AND INCLUDING CHARCOAL OF 40 KGS AND SALT 10 44 VALUE OF KGS ETC., ALL COMPLETE. Rs.1500.00 🖑 1.Sq.M. 107100.00 81 71.40 Sq.M. SUPPLYING AND FIXING BEST COUNTRY WOOD (ONE SQUARE METER CUPBOARD WITH SHUTTERS DOUBLE LEAVES (Rupees one thousand and five METRE) WITH 230MMX25MM SIZE CW PLANKS FOR ALROUND hundred only) SIDES 62.5 MM X31.25MM STYLES AND RAILS FOR SHUTTERS AND 75MM X 25MM WELD MESH OF 6 AND 10 GAUGE FOR PANELS INCLUDING LABOUR CHARGES FOR FIXING IN POSITION OF SHUTTERS AND COST OF 'L' CLAMPS 6 NOS OF SIZE 150X150MM SIZE WITH 25MMX4MM MS FLATS, 1 NO OF 6" X 1/2" ALUMINIUM ALDROP WITH BOLTS AND NUTS 6 NOS OF 3" SIZE I.O. BUTT HINGES WITH SCREWS 2 NOS OF 2" SIZE I.O HOOKS & EYES, TW PLUGS SCREWS ETC. COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS

CONTRACTOR PARTNER

or SRP CONSTRUCTION COMP.

AND AS PER DRAWINGS

NO. OF CORRECTIONS

(down

38821735.00

		SAKKARAKOTTAI V	ILLAGE GRO	UP-1 V 2 7		Paga-Horpe
TEM.NO	YTITNAUQ	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS 5	UNIT IN FIGURES AND IN WORDS	AMOUNT
1		3	4	3		38821735,0
86	3879.00 £q.M.	PROVIDING PRE-CONSTRUCTIONAL ANTITERMITE TREATMENT INCLUDING COST OF CHEMICALS		Rs.40.00 (Rupees forty only)	1.Sq.M (ONE SQUARE	155160.00
i)		LABOUR AS PER STANDARD SPECIFICATIONS FOR PREPARING THE AREA FOR TREATMENT BY SPRAYING CHEMICALS AND OTHER INCIDENTAL CHARGES ETC., COMPLETE. THE RATE SHOULD BE FOR CURING ANTITERMITE TREATMENT FROM THE PLINTH BEAM AND BRICK MASONRY WITH SUPER STRUCTURE IN CONTACT WITH THE BACK FILL EARTH AND AT THE JUNCTION OF THE WALLS. THE TOP SURFACE OF FILLED EARTH FOR FLOORING AND THE SOIL ALONG			METRE)	
		WITH THE PERIMETER OF THE BUILDING BY MAKING HOLES WITH THE CROW BAR AND POURED 5% TERMICIDE 'CHLORIPYRIFOS" AND SPRAYING THE SAME			1.374	
	1 9	TERMICIDE SOLUTION ON THE WOODEN FRAMES AND TREATING THE OTHER PERIPHERY OF BUILDINGS ETC., COMPLETE IN ALL RESPECTS AS PER IS 6313 (PART II)		ex s	1.	
		/1981 AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS				100
						/
238	708.58 M.T.	APPLYING ONE COAT OF ANTICORROSIVE TREATMENT ON STEEL REINFORCEMENT RODS (20 ITRS. OF ANTICORROSIVE CHEMICAL FOR ONE		Rs.1000.00 (Rupees one thousand only)	1 M.T. (ONE METRIC TONNE)	708580.0
	- 1, -	METRIC TONNE OF STEEL REINFORCEMENT RODS) AT SITE INCLUDING COST OF REQUIRED QUANTITY OF ANTICORROSIVE CHEMICALS, (BEST APPROVED				
		QUALITY) CEMENT, CONSUMABLES SUCH AS BRUSHES, GLOVES AND LABOUR FOR ANTICORROSIVE COATING ETC. COMPLETE AND AS DIRECTED BY THE				5.15
		DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND OF ANTICORROSIVE CHEMICAL SHOULD BE GOT				net i i i
		APPROVED BY THE EE BEFORE USE).				250
		ANNEXURE				****
2.1.1	3057.00 Cu.M.	SUPPLYING AND FILLING IN FOUNDATION AND BASEMENT WITH GRAVEL IN LAYERS OF 150 MM THICKNESS WELL WATERED, RAMMED AND CONSOLIDATED COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS INCLUDING COST OF SUPPLYING GRAVEL AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS		Rs.1000.00 (Rupees one thousand only)	1.Cu.M. (ONE CUBIC METRE)	3057000.0
		DEPARTMENTAL OFFICERS				136
.2.1		PROVIDING AND LAYING IN POSITION, STANDARDISED CONCRETE MIX M-30 GRADE IN ACCORDANCE WITH			-	
		IS: 456 - 2000 USING 20 MM AND DOWNGRADED HARD BROKEN GRANITE STONE JELLY FOR ALL RCC ITEMS OF WORKS NAMELY PLINTH BEAMS, COLUMNS, TIE BEAMS, COLUMN FOOTINGS, SLAB ETC., WITH MINIMUM				
	утру.	CEMENT CONTENT OF 400 KG/M3 AND MAXIMUM WATER CEMENT 'RATIO OF 0.45, INCLUDING ADMIXTURE (PLASTICISER/SUPER PLASTICISER) IN RECOMMENDED PROPORTIONS AS PER IS:9103 TO ACCELERATE, RETARD SETTING OF CONCRETE, IMPROVE				
		WORKABILITY WITHOUT IMPAIRING STRENGTH AND DURABILITY WITH ABOUT (5.0 CU.M)				4
	, .	7730 KG. OF 20 MM MACHINE CRUSHED STONE JELLY AND WITH ABOUT (3.3 CU.M.) 5150 KG. OF 10 -12 MM MACHINE CRUSHED STONE JELLY AND WITH ABOUT				and i
	41 1 4	(4.79 CU.M) 7670 KG. OF SAND FOR MAKING 10M3 CONCRETE BUT EXCLUDING COST OF REINFORCEMENT			SE	1862
		GRILL AND FABRICATING CHARGES, CENTERING AND SHUTTERING AND ALSO INCLUDING LAYING, VIBRATING WITH MECHANICAL VIBRATORS, FINISHING, CURING				" ESSITE
- 1		ETC., COMPLETE COMPLYING WITH STANDARD SPECIFICATION AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. THE COARSE AND FINE AGGREGATES TO BE USED SHOULD COMPLY WITH THE				
		REQUIREMENTS OF IS STANDARDS, (NO SEPARATE PAYMENT WILL BE MADE BY THE DEPARTMENT FOR				
		THE EXCESS USAGE OF MATERIALS)				**
	1743.00 Cu.M.	(a) IN FOUNDATION AND BASEMENT		Rs.6000.00 (Rupees six thousand only)	1.Cu.M. (ONE CUBIC METRE)	10458000.

CONTRACTOR PORTOR

NO. OF CORRECTIONS

SAKKARAKOTTAI VILTAGE GROUP-I	8	29	
			à

		SAKKARAKOTTALYI	(2)	0151. 9/ 1.1		Doge Nove
TEM.NO	QUANTITY 2	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS 5	UNIT IN FIGURES AND IN WORDS 6	MOUNT 7
	7-7-1-1-1-1					J3200475.00
				-		4
6.5.1	819.00 Cu.M.	BRICK WORK IN C.M 1:5 (ONE OF CEMENT AND FIVE		Rs.5200.00 🔻	1.Cu.M.	4258800.00
1	/	OF SAND) USING FLY ASH BRICKS OF SIZE		(Rupees five thousand and two	(ONE CUBIC	1011
		23X11X7CM IN FOUNDATION AND BASEMENT		hundred only)	METRE)	-W N
		INCLUDING DEWATERING WHEREVER NECESSARY			\$	
		PROPER SETTING, CURING ETC., COMPLETE WITH				8 7
		RELEVANT STANDARD SPECIFICATIONS.				-70.00
						140211
B.2.1		PROVIDING AND LAYING IN POSITION, STANDARDISED				
7.2.1						
100		IS: 456 - 2000 USING 20 MM AND DOWNGRADED HARD				
		BROKEN GRANITE STONE JELLY FOR ALL RCC ITEMS				
		OF WORKS NAMELY TEE, ELL OR RECTANGULAR				
		BEAMS, LINTEL, PARAPET CUM DROPS, WAIST AND				
		LANDING SLAB, CANOPHY, CIRCULAR COLUMN, FIN				
		PROJECTIONS, SUNSHADES, WINDOW BOXING SLAB, SLAB AND OTHER SIMILAR WORKS WITH MINIMUM			72	20 Gall 19 11
		CEMENT CONTENT OF 400 KG/M3 AND MAXIMUM WATER				
		CEMENT RATIO OF 0.45, INCLUDING ADMIXTURE				
		(PLASTICISER/SUPER PLASTICISER) IN RECOMMENDED				
		PROPORTIONS AS PER IS:9103 TO ACCELERATE,		man or the contract		
	9 B 6	RETARD SETTING OF CONCRETE, IMPROVE				E Sauce
0		WORKABILITY WITHOUT IMPAIRING STRENGTH AND DURABILITY WITH ABOUT (5.0 CU.M) 7730 KG, OF 20 MM				
		MACHINE CRUSHED STONE JELLY AND WITH ABOUT				11
	12	(3.3 CU.M.) 5156 KG. OF 10 -12 MM MACHINE CRUSHED				-
		STONE JELLY AND WITH ABOUT (4.79 CU.M) 7670 KG, OF				2
	1 4	SAND FOR MAKING 10M3 CONCRETE BUT EXCLUDING				NAME OF TAXABLE
10		COST OF REINFORCEMENT GRILL AND FABRICATING CHARGES, CENTERING AND SHUTTERING AND ALSO				100
		INCLUDING LAYING, VIBRATING WITH MECHANICAL				100
		VIBRATORS, FINISHING, CURING ETC., AND PROVIDING			1 5	7
		FIXTURES LIKE FAN CLAMPS IN THE RCC FLOOR/ROOF				811
	E4	SLABS WHEREVER NECESSARY WITHOUT CLAIMING				12 March 19
	a 100	EXTRA, ETC., COMPLETE COMPLYING WITH STANDARD				- Nother
		SPECIFICATION AND AS DIRECTED BY THE				
		DEPARTMENTAL OFFICERS. THE COARSE AND FINE				V.
		AGGREGATES TO BE USED SHOULD COMPLY WITH THE REQUIREMENTS OF IS STANDARDS. (NO SEPARATE				- 2
		PAYMENT WILL BE MADE BY THE DEPARTMENT FOR				1)
		THE EXCESS USAGE OF MATERIALS).				20
	1047.00 Cu.M.	(a) GROUND FLOOR		Rs.6100.00	1.Cu.M.	6386700.0
	V			(Rupees six thousand and one	(ONE CUBIC METRE)	
		***		hundred only)	WE IKE	
						9.
	1047.00 Cu.M.	(b) IN FIRST FLOOR		Rs.6200.00	1.Cu.M.	6491400.0
	1047.00 Cu.m.	(b) NA FIRST FLOOR		A CONTRACTOR OF THE PARTY OF TH	(ONE CUBIC	0491400.0
	57:			(Rupees six thousand and two	METRE)	199
				hundred only)	4	200
					40	7
	1047.00 Cu.M.	(c) IN SECOND FLOOR		Rs.6300.00	1.Cu.M.	6596100.0
	9 1	A		(Rupees six thousand and	(ONE CUBIC	. M
				three hundred only)	MEŢRE)	
	-*9			and the same of th		
						1 1 1
	1016.20 Cu.M.	(d) IN THIRD FLOOR		Rs.6400.00 **	1.Cu.M.	6503680.0
	•	- Davis		(Rupees six thousand and four	(ONE CUBIC	
				hundred only)	METRE)	7.
					V	324
						-46.4
	546 00 0- 15	(a) IN FOURTH ELCOR		Pe 6500 00	1.Cu.M.	3549000.0
	546.00 Cu.M.	(e) IN FOURTH FLOOR		Rs.6500.00	(ONE CUBIC	3549000.0
	900			(Rupees six thousand and five	METRE)	
				hundred only)	1	
				Y		1 1
9.5.1		BRICK WORK IN C.M. 1:6 (ONE OF CEMENT AND SIX				
		OF SAND) USING FLY ASH BRICKS OF SIZE				
April		23X11X7CM FOR SUPER STRUCTURE IN THE				
		FOLLOWING FLOORS INCLUDING LABOUR FOR FIXING				
		THE DOORS, WINDOWS AND VENTILATOR FRAMES IN		30	25 10 10	
		POSITION, FIXING OF HOLD FASTS, SCAFFOLDING,				
		CURING ETC., COMPLETE IN ALL RESPECTS COMPLYING WITH RELEVANT STANDARD				
		SPECIFICATIONS AND DRAWINGS.				
				3/1-		3 1
SRP	CONSTRUCT	ION COMPANY				86986155
UD C 1977	And the state of the state of	0.7				1

CONTRACTOR PARTNER

NO. OF CORRECTIONS

SAKKARAKOTTAI VILPAGE GROUP-I	2	31
-------------------------------	---	----

		SAKKARAKOTTAI V	ILLIAGE GRO	UP-I V -J		Page Not 9
ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1		3	4	5	6	7. 86986155,00
- 1	24,			_	146	00366135,00
	819.00 Cu.M.	(a) GROUND FLOOR		Rs.5100.00	1.Gu.M.	4178900.00
	50			(Rupees five thousand and one	(ONE CUBIC	1/3
				hundred only)	METRE)	31.4
				,	1	- M. E.
						7. 4
	819.00 Cu.M.	(b) IN FIRST FLOOR		Rs.5200.00	1.Cu.M.	4258800.00
	W			(Rupees five thousand and two	(ONE CUBIC	500
				hundred only)	METRE)	9007
				2	No.	7.7
	819.00 Cu.M.	(c) IN SECOND FLOOR		Rs.5300.00	1.Cu.M.	4340700.00
	Ψ.			(Rupees five thousand and	(ONE CUBIC METRE)	8
				three hundred only)		
			14			rea "s
	790.80 Cu.M.	(d) IN THIRD FLOOR		Rs.5400.00	1.Cu.M.	4270320.00
	Y.			(Rupees five thousand and four	(ONE CUBIC	12 , 134
				hundred only)	METRE)	
					Que la constantina de la constantina della const	
	369.60 Cu.M.	(e) IN FOURTH FLOOR		Rs.5500.00	1.Cu.M.	2032800.00
	W			(Rupees five thousand and five	(ONE CUBIC	A Company
240		2		hundred only)	METRE)	
	497.1					
10.5.1	3.0 4 24 2	BRICK PARTITION WALL IN C.M 1:4 (ONE OF			1. 1. 1. 1.	200
	***	CEMENT AND FOUR OF SAND) 110MM THICK FOR				
A						. RS1 /.
		SUPER STRUCTURE USING FLY ASH BRICKS OF				53000
		SIZE 23X11X7CM IN THE FOLLOWING FLOORS				1.2
.		INCLUDING LABOUR FOR FIXING DOORS, WINDOWS AND VENTILATOR FRAMES IN POSITION, FIXING OF				25.9
		HOLD FASTS, SCAFFOLDING, CURING ETC., COMPLETE				2.7
		IN ALL RESPECTS COMPLYING WITH RELEVANT			4.00	F
		STANDARD SPECIFICATIONS AND DRAWINGS.				
				-		
	2601.00 Sq.M.	(b) IN GROUND FLOOR		Rs.600.00	1.Sq.M.	1560600.00
	/			(Rupees six hundred only)	(ONE SQUARE	10
					METRE)	re 1981 3
					•	17
	2601.00 Sa.M.	(c) IN FIRST FLOOR		Rs.600.00	1.Sq.M.	4550500.00
	e ^r	(0) 11 11 11 11 11 11 11 11 11 11 11 11 11		(Rupees six hundred only)	(ONE SQUARE	156060ჹ.00
				(Rupees six number only)	METRE)	
					P. Same	\$1.40
	2601.00 Sq.M.	(d) IN SECOND FLOOR		Rs.600.00	1.Sq.M.	1560600.00
	*			(Rupees six hundred only)	(ONE SQUARE	W
			-	6	METRE)	5
15				*	1 3	
	2621.60 Sq.M.	(e) IN THIRD FLOOR		Rs.600.00 🗸	1.Sq.M.	1572960.00
	. 4			(Rupees six hundred only)	(ONE SQUARE	2.5
		(METRE)	A
					400	
	3021.20 Sq.M.	(f) IN FOURTH FLOOR		Rs.600.00	1.Sq.M.	1812720.00
				(Rupees six hundred only)	(ONE SQUARE	13 12 1 20 .00
				(apood aix manured only)	METRE)	
					₩	1864
1.5.1		RRICK DARTITION WALLS TOWN THOSE HOUSE				250
		BRICK PARTITION WALLS 70MM THICK USING FLY ASH BRICKS OF SIZE 23X11X7CM IN CEMENT MORTAR	1		and the same of	4
40		1:4 (ONE OF CEMENT AND FOUR OF SAND) FOR SUPER				to the grant
		STRUCTURE IN THE FOLLOWING FLOORS INCLUDING				
		SCAFFOLDINGS, CURING ETC., COMPLETE IN ALL		**		1.7
100		RESPECTS COMPLYING WITH RELEVANT STANDARD	+1			
		SPECIFICATIONS AND DRAWINGS.				
	726.00 \$q.M.	(a) IN GROUND FLOOR		Rs.500.00 V	1.Sq.M.	363000.00
	*			(Rupees five hundred only)	(ONE SQUARE	in the same
					METRE)	0.5
				9	50	
						114496155.00
				_		

CONTRACTOR Partner

NO. OF CORRECTIONS

		SAKKARAKOTTAI V	LLAGE GRO	UPI 4 33		Page Tro: 20-0
EM.NO	QUANTITY	DESCRIPTION OF WORK	PTNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES	AMOUNT
1	2	3	4	5	6	7
-	1					1 14496155.00
	726.00 Sq.M.	(b) IN FIRST FLOOR		Rs.600.00	1,Sq.M. (ONE SQUARE	363000.00
				(Rupees five hundred only)	METRE)	#111
				V	Ł	414
1					K = 1	42930
					1.Sq.M.	202000 00
	728.00 Sq.M.	(c) IN SECOND FLOOR		Rs.500.00 (Rupees five hundred only)	(ONE SQUARE	363000.00
- 0	4			(Rupees five number office)	METRE)	
		341			4	- 715 Mar
				V	1.Sq.M.	220000 0
	677.60 Sq.M.	(d) IN THIRD FLOOR		Rs.500.00	(ONE SQUARE	338800.00
	3			(Rupees five hundred only)	METRE)	
		*	150	Mr.		3
4.2.1		SUPPLYING AND FIXING OF PRECAST CEMENT CONCRETE SLAB FOR CUPBOARD/WARD ROBES	5			55
1		SHELVES COVER SLAB FOR CHAMBERS, BAFFLE				
-	0.5	WALLS SIDE SLABS OF BOXING AROUND WINDOWS AND OTHER SIMILAR WORKS IN STANDARDISEL				
	4 .	CONCRETE MIX M-30 GRADE IN ACCORDANCE WITH				
		IS: 456 - 2000 USING 3MM - 10MM HARD BROKEN	1			
		GRANITE STONE JELLY FOR THE ABOVE RCC ITEMS OF WORKS EXCLUDING THE COST AND FABRICATION OF				
	2 A	REINFORCEMENT GRILLS BUT INCLUDING PRECASTING	i.			100
	325	MOLILDING CURING FINISHING AND FIXING II	V			
	100	POSITION COMPLYING WITH RELEVANT STANDARI SPECIFICATIONS ETC., COMPLETE IN THE FOLLOWING	3			200
		FLOORS (MEASUREMENT WILL BE TAKEN INCLUDING	3			100
	5 *	BEARING IN WALL ALSO).				
		40 MM THICK				55/1
	195.00 Sq.M.	(a) IN FOUNDATION AND BASEMENT		Rs.700.00	1.Sq.M.	136500.0
	,			(Rupees seven hundred only)	(ONE SQUARE METRE)	No.
				W.	A	
		No. of the last of				150
						× 0 1
15.1.1		PROVIDING CUDDAPPAH SLAB OF 20MM THICE	K,			
1		FINISHING WITH TWO SIDES FOR CUPBOARD	0,			311/12
		WARDROBES SHELVES, AND OTHER SIMILAR WORK INCLUDING FINISHING AND FIXING IN POSITION	N			
		COMPLYING WITH RELEVANT STANDAR	D			
		SPECIFICATIONS ETC., COMPETE IN THE FOLLOWIN FLOORS (MEASUREMENT WILL BE TAKEN INCLUDIN	G			
		BEARING ALSO) AS DIRECTED BY THE DEPARTMENTA	\L		district the	1 335
		OFFICERS (QUALITY OF CUDDAPPAH SLAB SHALL E GOT APPROVED BY THE EXECUTIVE ENGINEE	R/			4 1
		SUPERINTENDING ENGINEER/ CHIEF ENGINEE	R			
	14.		0.00			
		BEFORE USE IN WORKS)		•		- 111
	994 99 7	BEFORE USE IN WORKS)		Rs.700.00	1.Sq.M.	581700.
	831.00 Sq.M.	BEFORE USE IN WORKS) (a) IN GROUND FLOOR		Rs.700.00 (Rupees seven hundred only)	(ONE SQUARE	
	831.00 Sq.M.	BEFORE USE IN WORKS)		Rs.700.00 (Rupees seven hundred only)	(ONE SQUARE METRE)	581700.
	831.00 S q.M.	BEFORE USE IN WORKS)			(ONE SQUARE	5 D D D
		BEFORE USE IN WORKS) (a) IN GROUND FLOOR		(Rupees seven hundred only)	(ONE SQUARE METRE) 1.Sq.M.	581700.
#4		BEFORE USE IN WORKS)			(ONE SQUARE METRE) 1.Sq.M. (ONE SQUARE	581700.
# A		BEFORE USE IN WORKS) (a) IN GROUND FLOOR		(Rupees seven hundred only)	(ONE SQUARE METRE) 1.Sq.M.	581700
# # #		BEFORE USE IN WORKS) (a) IN GROUND FLOOR		(Rupees seven hundred only)	(ONE SQUARE METRE) 1.Sq.M. (ONE SQUARE	581700
# 4	≈831.00 Sq.M.	(a) IN GROUND FLOOR (b) IN FIRST FLOOR	4	(Rupees seven hundred only) Rs.700.00 (Rupees seven hundred only)	(ONE SQUARE METRE) 1.Sq.M. (ONE SQUARI METRE)	581700.
# #	≈831.00 Sq.M.	BEFORE USE IN WORKS) (a) IN GROUND FLOOR		(Rupees seven hundred only) Rs.700.00 (Rupees seven hundred only) Rs.700.00	(ONE SQUARE METRE) 1.Sq.M. (ONE SQUARE	581700 581700 581700
# A	≈831.00 Sq.M.	(a) IN GROUND FLOOR (b) IN FIRST FLOOR		(Rupees seven hundred only) Rs.700.00 (Rupees seven hundred only)	(ONE SQUARE METRE) 1.Sq.M. (ONE SQUARI METRE)	581700 581700 581700
# #	≈831.00 Sq.M.	(a) IN GROUND FLOOR (b) IN FIRST FLOOR		(Rupees seven hundred only) Rs.700.00 (Rupees seven hundred only) Rs.700.00	(ONE SQUARE METRE) 1.Sq.M. (ONE SQUARE METRE) 1.Sq.M. (ONE SQUARE METRE)	581700. 581700.
# #	≈831.00 Sq.M.	(a) IN GROUND FLOOR (b) IN FIRST FLOOR		(Rupees seven hundred only) Rs.700.00 (Rupees seven hundred only) Rs.700.00	(ONE SQUARE METRE) 1.Sq.M. (ONE SQUARE METRE) 1.Sq.M. (ONE SQUARE METRE)	581700. 581700. 581700
# #	୍ଷ31.00 Sq.M. 831.00 Sq.M.	(a) IN GROUND FLOOR (b) IN FIRST FLOOR (c) IN SECOND FLOOR		(Rupees seven hundred only) Rs.700.00 (Rupees seven hundred only) Rs.700.00	1.Sq.M. (ONE SQUARE METRE) 1.Sq.M. (ONE SQUARE METRE) 1.Sq.M. (ONE SQUARE METRE)	581700.E 581700.E
A &	≈831.00 Sq.M.	(a) IN GROUND FLOOR (b) IN FIRST FLOOR		(Rupees seven hundred only) Rs.700.00 (Rupees seven hundred only) Rs.700.00 (Rupees seven hundred only)	(ONE SQUARE METRE) 1.Sq.M. (ONE SQUARI METRE) 1.Sq.M. (ONE SQUAR METRE)	581700. E 581700. E 542920

FOR SRP CONSTRUCTION COMPANY

CONTRACTOR Partner

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

117985475.00

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GŠT IN	UNIT IN FIGURES	A401111
1	2	3	4 4	FIGURES AND IN WORDS 5	AND IN WORDS	AMOUNT 7
	7	***				117985475.0
	1.7					8- 5
15.2.1	-di:	PROVIDING CUDDAPPAH SLAB OF 40MM THICK FINISHING WITH TWO SIDES FOR CUPBOARD, WARD				
	10 63	ROBES, SHELVES AND OTHER SIMILAR WORKS INCLUDING FINISHING AND FIXING IN POSITION COMPLYING WITH RELEVANT STANDARD			2 1	21/41
		SPECIFICATIONS ETC., COMPLETE IN THE FOLLOWING				. 5
8		FLOORS (MEASUREMENT WILL BE TAKEN INCLUDING BEARING ALSO) AS DIRECTED BY THE DEPARTMENTAL				4 4
		OFFICERS (QUALITY OF CUDDAPPAH SLAB SHALL BE				17567
		GOT APPROVED BY THE EXECUTIVE ENGINEER /SUPERINTENDING ENGINEER/CHIEF ENGINEER BEFORE USE IN WORKS).				C. Pati
				1		2.0
	63.00 Sq.M.	(a) IN GROUND FLOOR		Rs.700.00 (Rupees seven hundred only)	1.Sq.M. (ONE SQUARE	44100.0
		A		€0.	METRE)	1111111111
					4	1 1
	63.00 Sq.M.	(b) IN FIRST FLOOR		Rs.700.00 💉	1.Sq.M.	44100.0
				(Rupees seven hundred only)	(ONE SQUARE	7,100,0
				4.41	METRE)	
					14.5	1,506
	63.00 Sq.M.	(c) IN SECOND FLOOR		Rs.700.00	1.Sq.M.	44100.0
	4			(Rupees seven hundred only)	(ONE SQUARE METRE)	*
						4.0
	· · · · ·				€	11.11
- 4	58.80 Sq.M.	(d) IN THIRD FLOOR		Rs.700.00 ₹	1.Sq.M. (ONE SQUARE	41160,0
	er ¥			(Rupees seven hundred only)	METRE)	00 000 000
	50		-		<	355
	9 5 90					3 905
16.1.1		PRECAST CEMENT CONCRETE JALLY		and the same		- 4
		VENTILATOR IN STANDARDISED CONCRETE MIX M-30				李丰诗
		GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING 20MM AND DOWNGRADED HARD BROKEN GRANITE				40003
		STONE JELLY FOR THE ABOVE RCC ITEM OF WORK WITHOUT VIBRATING CHARGES EXCLUDING THE COST				1,117
		AND FABRICATION OF REINFORCEMENT GRILLS BUT INCLUDING PRECASTING, MOULDING, CURING.				
		INCLUDING PRECASTING, MOULDING, CURING, FINISHING AND FIXING IN POSITION COMPLYING WITH	-	and the second second		4 1000
		RELEVANT STANDARD SPECIFICATIONS ETC., COMPLETE IN THE FOLLOWING FLOORS.				
						a disco
		50 MM THICK				
	117.00 Sq.M.	(a) IN GROUND FLOOR		Rs.600.00	1.Sq.M.	70200.0
	**			(Rupees six hundred only)	(ONE SQUARE METRE)	. 0
	*	- j i			1	
		Sala and a				
	117.00 Sq.M.	(b) IN FIRST FLOOR	*	Rs.600.00	1.Sq.M. (ONE SQUARE	70200.0
				(Rupees six hundred only)	METRE)	
	4					2"
- 5	447.00.00.14	(E) 111 OF COLD TV COLD				, exercis
	117.00 Sq.M.	(c) IN SECOND FLOOR		(Rupees six hundred only)	1.Sq.M. (ONE SQUARE	70200,0
	_R;	/ w		(Rupees six nunarea only)	METRE)	- 11
12		1				•
	140.40.0	/				7 30 14 10
	113.40 Sq.M.	(d) IN THIRD FLOOR		Rs.600.00	1.Sq.M. (ONE SQUARE	68040.0
				(Rupees six hundred only)	METRE)	ges
Ġ.						tas g
		- A				10.00
	58.80 Sq.M.	(e) IN FOURTH FLOOR	150	Rs.600.00	1.Sq.M.	35280.0
	-			(Rupees six hundred only)	(ONE SQUARE METRE)	
					de.	1, 45
	1					
						440455
				- 4		118472855.0

CONTRACTOREN - COSTORERS

NO. OF CORRECTIONS

SAKKARAF	KOTTAI VILLAGE GROUP-I	4 37	1/	1	Page No:17
ON OF WORK	TNBP No.	RATE EXCLUSIVE FOR G		UNIT IN FIGURES	АМО
3	4	5	INDO	6	()

TEM.NO	QUANTITY 2	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS 5	UNIT IN FIGURES AND IN WORDS 6	AMOUNT 7
-0	7 7 2					118472855.00
18.1	198	PROVIDING FORM WORK AND CENTERING FOR REINFORCED CEMENT CONCRETE WORKS INCLUDING SUPPORTS AND STRUTTING UP TO 3.30M HEIGHT FOR PLANE SURFACES AS DETAILED BELOW WITH ALL CROSS BRACINGS USING MILD STEEL SHEETS OF SIZE				
	***	90CMX60CM AND MS 10 GAUGE STIFFENED WITH WELDED MILD STEEL ANGLES OF SIZE 25MMX25MMX3MM FOR BOARDING LAID OVER SILVER OAK OR COUNTRY WOOD JOISTS OF SIZE 10CMX6.5CM SPACED AT ABOUT 90CM CENTRE TO CENTRE AND SUPPORTED BY CASURINA PROPS 10CM TO 13CM DIA SPACED AT 75CM INTERVALS AND REMOVING THE SAME AFTER A SPECIFIED PERIOD WITHOUT DAMAGING THE R.C.C WORKS ETC., COMPLETE COMPLYING WITH STANDARD SPECIFICATIONS AND AS DIRECTED BY THE				and the second
		DEPARTMENTAL OFFICERS				
	6066.00 Sq.M.	(a) FOR COLUMN FOOTINGS, PLINTH BEAM, GRADE BEAM, RAFT BEAM, RAFT SLAB ETC.,		Rs.350.00 (Rupees three hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	2123100.00
	30765.40 S q.M.	(b) PLAIN SURFACES SUCH AS ROOF SLAB, FLOOR SLAB, BEAMS LINTELS, LOFTS, SILL SLAB, STAIRCASE WAIST, PORTICO SLAB AND		Rs.350.00 (Rupees three hundred and fifty only)	1.Sq.M. (ONE SQUARE METRE)	10767890.00
		OTHER SIMILAR WORKS	1 1		69	
	14318.60 Sq.M.	(a) FOR SOURCE AND RECTANGULAR COLUMNS		Rs.350.00	1.Sq.M.	5011510.00
	14316.00 Sq.W.	(c) FOR SQUARE AND RECTANGULAR COLUMNS, AND SMALL QUANTITIES SUCH AS SUNSHADE, PARAPET CUM DROPS, WINDOW BOXING, FIN		(Rupees three hundred and fifty only)	(ONE SQUARE METRE)	5011510.00
		PROJECTION AND OTHER SIMILAR WORKS			-	*
	779.40 Sq.M.	(d) FOR VERTICAL WALL		Rs.400.00 (Rupees four hundred only)	1.Sq.M. (ONE SQUARE METRE)	311760.0
		1 3				atom.
1.5.2	743.40 Sq.M.	PROVIDING AND FIXING OF FACTORY MADE LINPLASTICIZIED POLYVINYL CHLORIDE (UPVC) DOOR FRAME OF SIZE 50X47MM WITH A WALL THICKNESS OF 5MM, MADE OUT OF EXTRUDED 5MM RIGID UPVC FOAM		Rs.2500.00 (Rupees two thousand and five hundred only)	1.Sq.M. (ONE SQUARE METRE)	1858500.0
		SHEET, MITERED AT TWO CORNERS AND JOINED WITH 2 NOS. OF 150MM LONG BRACKETS OF 15X15MM M.S SQUARE TUBE. THE TWO VERTICAL AND HORIZONTAL DOOR PROFILES ARE TO BE REINFORCED WITH 19X19MM M.S SQUARE TUBE OF 19 GAUGES WITH PRIMER COAT. THE DOOR FRAME SHALL BE FIXED TO THE WALL USING 65MM/100MM LONG M.S SCREW THROUGH THE FRAME BY USING PVC FASTENERS. A MINIMUM OF 4 NOS. SCREWS TO BE PROVIDED FOR EACH VERTICAL MEMBER AND MINIMUM 2 NOS. FOR HORIZONTAL MEMBER ETC., PROVIDING AND FIXING				*(y)
		OF 30MM THICK FACTORY MADE DOOR SHUTTER WITH UNPLASTICIZED POLYVINYL CHLORIDE (UPVC) SOLID PANEL FOAM SHEET, STRUCTURED WITH M.S.TUBE OF 10 CAUGE THICKNESS AND SIZE 10MM X 10MM FOR STYLES AND 15MM X 15MM FOR TOP RAIL AND BOTTOM RAIL. PANELLING OF 5MM THICK UPVC ONE SIDE				
	ive:	PRINTED LAMINATION SINGLE SHEET TO BE FITTED IN THE M.S.FRAME WELDED / SEALED TO THE STYLES AND RAILS COVERED WITH 5MM THICK HEAT MOULDED UPVC 'C' CHANNEL OF 30MMX50MM AND 5MM THICK 75MM WIDE UPVC SHEET FOR TOP RAIL, LOCK RAIL AND BOTTOM RAIL ON EITHER SIDE AND 10MM (5MM X 2		w Lin		
		NOS.) THICK, 20MM WIDE CROSS UPVC SHEET AS GAF INSERT FOR TOP RAIL AND BOTTOM RAIL, AND JOINED		. 50. 1		2 F (62)
		TOGETHER WITH PVC SOLVENT CEMENT ADHESIVE. AN ADDITIONAL 5MM THICK UPVC STRIP OF 20MM WIDTH IS TO BE STUCK ON THE INTERIOR SIDE OF THE 'C CHANNEL USING PVC SOLVENT CEMENT ADHESIVE THE COST AND LABOUR CHARGES FOR FIXING OF SOLVENT STRIP SUCH AS 1 NO. 4" TOWER BOLT, 1 NO.5 ALDROP, 2 NOS. 6" FLAT 'D' TYPE HANDLE, ETC ARE INCLUDED. THE FITTING PROVIDED SHALL BEAR IS MARKS. TO ENSURE THE GENUINITY OF PRODUCT, THE				670 H
		ON COMPANY				138545615.0

CONTRACTOR N. Salkase Pariner

NO. OF CORRECTIONS

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN	UNIT IN FIGURES	AMOUNT
1	2	3	4	FIGURES AND IN WORDS 5	AND IN WORDS	7
)	138545615,0
		DOOR SET SHOULD HAVE 4 NUMBERS OF				
		MANUFACTURER'S LOGO HOLOGRAM OF APPROVED BRAND, EACH AT FRAME, STYLE, RAIL AND INNER				
		PANEL. (THE QUALITY AND BRAND OF DOOR SHUTTER AND FURNITURE FITTINGS SHOULD BE GOT APPROVED		2 - 72 -		1 11.4
	-01F	BY THE EXECUTIVE ENGINEER BEFORE USE ON				
		WORKS)				
		5				.24
21.6.1		SUPPLYING AND FIXING MONOLITHIC RCC DOOR				***
6	100/100	FRAMES OF SIZE 100X75MM WITH ONE EDGE				5 * 4
1/1/2	10 Oct	GROOVES SIZE 'T' X 20 MM ('T' REPRESENTS THE SHUTTER THICKNESS) IN STANDARDISED		<		17 14
g (1)	1	CONCRETE MIX M-30 GRADE IN ACCORDANCE WITH		8		1, 194
/		IS: 456 - 2000 USING 20 MM AND DOWNGRADED HARD	No. of the			. 1 . 1
		BROKEN GRANITE STONE JELLY FOR THE ABOVE RCC ITEM OF WORK WITHOUT VIBRATING CHARGES				
1		INCLUDING COST OF STEEL AND FABRICATION OF REINFORCEMENT GRILLS WITH 3 NOS. OF 6MM M.S.				147
		ROD ALROUND AND 3MM STEEL STIRRUPS AT 30CM CENTRE TO CENTRE INCLUDING FIXING OF 3 NOS. OF				
		IRON BRACKET OF SIZE 100X100X5MM OR 3 NOS. OF				
		TEAK WOOD PLUG FOR RECEIVING HINGES AND 2 NOS. OF TEAK WOOD PLUG FOR RECEIVING THE TOWER				
		BOLTS INCLUDING FIXING OF 6 NOS. OF HOLD FASTS				20
		AND COST AND FIXING OF CHECK NUTS AND ALUMINIUM SLEEVES AND 2 NOS. IRON OXIDE TOWER				
		BOLT RECEIVER ALL AS PER DRAWINGS, INCLUDING MOULDING IN STEEL MOULD AND CASTING WITH				1
		SMOOTH SURFACES AND FINE EDGES, CURING, TRANSPORTING ETC., ALL COMPLETE AS DIRECTED BY				
		THE DEPARTMENTAL OFFICERS.				-8 -
				7		
a 3	472 NOS.	SUITABLE FOR DOOR OF SIZE	0	Rs.1500.00	1.NO	708000.0
		(a) 900 X 2100MM		(Rupees one thousand and five hundred only)	(EACH)	Sec.
				nanarea only) (- "	
	, Ye					
23.1.1		SUPPLYING AND FIXING OF BEST INDIAN TW SINGLE				,E. 4
No.		LEAF PANELLED DOOR SHUTTERS USING 9 MM	1			237
		THICK PHENOL BONDED BWR GRADE PLYWOOD				98. TX
		AS PER IS 303-1989 (GENERAL) WITH IS 5539-1969 (FOR PRESERVATIVE TREATMENT AND IS 848 -1974 (FOR			H	191
		ADHESIVES) WITH RELEVANT IS SPECIFICATION AND ITS LATEST AMENDMENTS FOR SHUTTERS WITH				S
		75MMX37.50MM TEAK WOOD STYLES AND 3 NOS. OF				
		150X37.50 MM TW RAILS (TOP, BOTTOM AND LOCK RAILS) USING THE ABOVE PANELS INCLUDING LABOUR				10
		CHARGES AND COST OF ALUMINIUM FURNITURE FITTINGS AS PER SCHEDULE 'E' WITH BRASS SCREWS	Charles and the second			
. 1		AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS				
**		(THE QUALITY OF BWR GRADE PLYWOOD AND ALUMINIUM FURNITURE FITTINGS SHOULD BE GOT				
		APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE).				Harris El
		<i>302).</i>				
	775.80 Sq.M.	SUITABLE FOR DOOR OF SIZE		Rs.3500.00	1.Sq.M.	2715300.0
	A.	(a) 900 X 2100MM		(Rupees three thousand and	(ONE SQUARE	
				five hundred only)	METRE)	
				K-1		0 107
23.2.1	1770.00 Sq.M.	SLIDDI VING AND EIVING OF 4 8488 THE PARTY BIRLING		Po 600 00	10011	4000000
Total Control		SUPPLYING AND FIXING OF 4 MM THICK PIN HEADED GLASS PANELS WITH ALUMINIUM ANODIZED 'U'		Rs.600.00 (Rupees six hundred only)	1.Sq.M. (ONE SQUARE	1062000.0
	185	SHAPE BEADING OF SIZE 12X12 MM WITH 107 GRAM IN		b"	METRE)	
		AVERAGE WEIGHT FOR 1 M LENGTH WITH ALUMINIUM BOLTS AND NUTS FOR THE SHUTTERS OF THE STEEL			8	
		WINDOWS ALREADY SUPPLIED TO SUIT ALL THE SIZE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.				7, 5
		(THE QUALITY OF GLASS AND ALUMINIUM BEEDING				
		SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)				2.1
						2 19 0
- 7						143030915.0

CONTRACTORS (Partner

NO. OF CORRECTIONS

SAKKARAKOTTAI VILLAGE GROUP-I	2	4	
-------------------------------	---	---	--

7544 110	CHANTITY	DESCRIPTION OF WORK	MED NO.	RATE EXCLUSIVE FOR GST IN	UNIT IN FIGURES	AMOUNT
EM.NO	QUANTITY			FIGURES AND IN WORDS	AND IN WORDS	7 .
1	2 1	3	4	5	6	143030915.00
29.8	5327.80 Sq.M.	SUPPLYING AND FIXING OF COLOUR GLAZED TILES		Rs.700.00	1.Sq.M. (ONE SQUARE	3729460.00
1	1	OF BEST APPROVED QUALITY (THE COLOUR AND SHADE SHALL BE GOT APPROVED FROM THE		(Rupees seven hundred only)	METRE)	S
		EXECUTIVE ENGINEER BEFORE USING) OVER CEMENT		. A.	600	
		PLASTERING IN CM 1:2 (ONE OF CEMENT AND TWO OF SAND) 10MM THICK INCLUDING FIXING IN POSITION,				
		CUTTING THE TILES TO THE REQUIRED SIZE		e		
		WHEREVER NECESSARY, POINTING THE JOINTS WITH GROUT (TILE JOINT FILLER), CURING, FINISHING				
		ETC., ALL COMPLETE AND AS DIRECTED BY THE				
		DEPARTMENTAL OFFICERS. (THE BRAND AND QUALITY OF TILES SHOULD BE GOT APPROVED FROM THE				
		EXECUTIVE ENGINEER BEFORE USE).				44.5
	× 4	5 8		W	Z 3	
29.9	1321.60 Sq.M.	SUPPLYING AND LAYING OF CERAMIC TILES (ANTI		Rs.700.00	1.Sq.M. (ONE SQUARE	925120.00
V	K	SKID) OF BEST APPROVED QUALITY FOR FLOORING		(Rupees seven hundred only)	METRE)	
		AND OTHER SIMILAR WORKS (THE COLOUR AND SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE			la l	
		ENGINEER BEFORE USING) OVER CEMENT MORTOR 1:3				47
		(ONE OF CEMENT AND THREE OF SAND) 20MM THICK INCLUDING FIXING IN POSITION, CUTTING THE TILES TO				
		THE REQUIRED SIZE WHEREVER NECESSARY,	1			
		POINTING THE JOINTS WITH GROUT (TILE JOINT FILLER), CURING, FINISHING ETC., ALL COMPLETE AND				
		AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE	1 -			
		BRAND AND QUALITY OF TILES SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE				
		USE).				
					4.0-14	#1 W
2.1.2	4230.00 Sq.M.	FINISHING THE TOP OF TERRACE FLOOR WITH ONE COURSE OF SOLAR REFLECTIVE WATER PROOF, HEAT		Rs.650.00	1.Sq.M. (ONE SQUARE	2749500.00
-		PROOF AND COOL ROOF CERAMIC TILES OF SIZE		(Rupees six hundred and fifty only)	METRE)	
		305MMX305MMX7MM THICK OF APPROVED QUALITY LAID IN CEMENT MORTAR 1:3 20MM TK (ONE PART OF		Sing,	10"	a di
	31	CEMENT AND THREE PARTS OF SAND) MIXED WITH				
		CALCIUM BASED MINERAL POWDER (60 KG FOR 1000 SQFT) (BEFORE LAYING THE TILES, THE TILES SHOULD		12		
		BE DIPPED WITH SALIN BASED NANO LIQUID) AND TOP	V V			
		GROUTING WITH CEMENT MORTAR 1:3 (ONE PART OF CEMENT AND THREE PARTS OF SAND) MIXED WITH				
		WHITE CEMENT, SILICON POWDER AND POLIMER ADHESIVE (20 KG FOR 1000 SQFT.) AND JOINT POINTED	-			200
		WITH ZYCOSIL OIL (200GM FOR 1000 SQFT.) AFTER	5-17	desired, and a filter		
		GROUTING ACRYLIC SALINE BASED LIQUID WITHOUT				
		BASE CONCRETE INCLUDING POINTING ETC., COMPLETE COMPLYING WITH STANDARD				A Part -
		SPECIFICATION INCLUDING COST OF ALL MATERIALS	3			
		LABOUR CHARGES FOR LIFTING TO OPEN TERRACE, LAYING AND FINISHING AND OTHER INCIDENTAL				
		CHARGES ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (BRAND, QUALITY OF TILES				61
		SHOULD BE GOT APPROVED FROM EXECUTIVE	4 0			- 27
		ENGINEER BEFORE USE)				
					4.0 - 11	
35.1	1212.00 Sq.M.	PLASTERING IN CM 1:3 (ONE OF CEMENT AND		Rs.180.00	1.Sq.M. (ONE SQUARE	218160.00
4		THREE OF SAND) 12MM TK. MIXED WITH WATER PROOF COMPOUND AT 2% BY WEIGHT OF CEMENT		(Rupees one hundred and eighty only)	METRE)	
		FOR SUMP INCLUDING SCAFFOLDING CURING		eighty only)	*	
		FINISHING ETC., COMPLETE IN ALL RESPECTS AND COMPLYING WITH STANDARD SPECIFICATIONS.				
		COMPLETING WITH STANDARD OF EUR TOATIONS.				154
		The second of		102		1.8
38.4	32499.20 Sq.M.	PAINTING TWO COATS USING APPROVED QUALITY	1	Rs.20.00	1.Sq.M.	649984.00
/	1	OF BEST CEMENT PAINT OVER THE EXISTING	3	(Rupees twenty only)	(ONE SQUARE METRE)	- t-
		PRIMING COAT ON CEMENT PLASTERED / CONCRETE WALL SURFACES, CEILING OR OTHER SIMILAR WORKS		No.		
	Vi	INCLUDING COST OF CEMENT PAINTS, PUTTY				10
		BRUSHES, WATERING, CURING, ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS				
		(PAINTS AND ITS SHADE SHALL BE GOT APPROVED				400
		FROM THE EXECUTIVE ENGINEER BEFORE USE)				1 3
						454000400
						151303139.0

CONTRACTOR PON COMPANY

NO. OF CORRECTIONS

TEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN	UNIT IN FIGURES	AMOUNT
1		3	4	FIGURES AND IN WORDS 5	AND IN WORDS €	7
-1-	-		70.0	- J		151303139.0
38.4.1	53076.00 Sq.M.	PAINTING THE NEW WALLS WITH TWO COATS OF OIL BOUND DISTEMPER OVER THE EXISTING PRIMING COAT OF WHITE CEMENT OF APPROVED BRAND OVER NEW CEMENT PLASTERED WALL SURFACES INCLUDING COST OF PAINTS, PUTTY, BRUSHES, WATERING, CURING, ETC., ALL COMPLETE AS DIRECTED BY THE DEPARTMENTAL OFFICERS (PAINTS AND ITS SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)		Rs.30.00 (Rupees thirty only)	1.Sq.M. (ONE SQUARE METRE)	1592280.0
38.6	85575.20 Sq.M.	PAINTING PRIMER COAT USING APPROVED QUALITY OF WHITE CEMENT OVER THE CEMENT PLASTERED / CONCRETE NEW WALL SURFACES, CEILING OR OTHER SIMILAR WORKS INCLUDING COST OF WHITE CEMENT, PUTTY, BRUSHES, WATERING, CURING, ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL		Rs.15.00 (Rupees fifteen only)	1.Sq.M. (ONE SQUARE METRE)	1283628.0
		OFFICERS .		Personal Company of the local		1,17,186
1900		The second of the second		Section 1991		(S) 11/
43.1.1	7G8.580 M.T.	SUPPLYING, FABRICATING AND PLACING IN POSITION OF MILD STEEL GRILLS/RIBBED TOR STEELS (WITHOUT CEMENT SLURRY) OF ALL DIAMETERS FOR REINFORCEMENT FOR ALL FLOORS INCLUDING COST OF BINDING WIRE, INSULATED WITH PVC, BENDING, TYING ETC., ALL COMPLETE AND AS		Rs.63000.00 (Rupees sixty three thousand only)	1 M.T. (ONE METRIC TONNE)	44640540.0
		DIRECTED BY THE DEPARTMENTAL OFFICERS				
						100
44.2.a	60 NOS.	PROVIDING RAIN WATER HARVESTING PIT OF 1M DIA AND 600MM DEPTH OF EARTH WORK EXCAVATION AND FILLING THE PIT WITH 40MM STONE JELLY TO A DEPTH OF 300MM FROM THE TOP OF THE AUGERING PORTION AND FILLING WITH SAND TO A DEPTH OF 300MM OVER THE STONE JELLY AND COVERED WITH THE PRE-CAST RCC PERFORATED SLAB OF 40MM THICK IN STANDARDISED CONCRETE MIX M-30 GRADE IN ACCORDANCE WITH IS: 456 - 2000 USING 3MM-10MM HARD BROKEN GRANITE STONE JELLY FOR ALL RCC ITEMS OF WORKS EXCLUDING THE COST AND ITABITICATION OF REINFORCEMENT GRILLS BUT INCLUDING PRECASTING, MOULDING, CURING		Rs.250.00 * (Rupees two hundred and fifty only)	1.NO. (EACH)	.15000.
		FINISHING AND FIXING IN POSITION ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.	- 8			1 327
44.2.b	240.00 Rmt.	AUGERING 30CM DIA BORE HOLE IN ALL SOILS AND SUB SOILS REQUIRED DEPTH TO PROVIDING RAIM WATER HARVESTING FROM THE CENTRE OF THE RAIM WATER HARVESTING PIT ALREADY EXCAVATED AND FILLING THE AUGUERING PORTION WITH 40MM SIZE STONE JELLY ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.250.00 (Rupees two hundred and fifty only)	1. Rmt. (ONE RUNNING METRE)	60000.
						cogh
44.6.1	1196.60 Rmt.	SUPPLYING AND FIXING OF 110MM DIA PVC SWR PIPE WITH ISI MARK CONFIRMING TO IS 13952:1992- TYPE 'A FOR RAIN WATER DOWN FALL PIPE (TO BE GOT	r e	Rs.350.00 (Rupees three hundred and fifty only)	1. Rmt. (ONE RUNNING METRE)	418810.
		APPROVED FROM THE EXECUTIVE ENGINEER., SUPERINTENDING ENGINEER., CHIEF ENGINEER. BEFORE USE IN WORKS) WITH RELEVANT SPECIALS SUCH AS GRATINGS, SHOES, BENDS, OFFSETS CONFIRMING TO IS 14735 INCLUDING JOINTING WITH SEAL RING CONFIRMING IS 5382 WITH LEAVING A GAF ABOUT 10MM TO ALLOW THERMAL EXPANSION WITH NECESSARY UPVC "U" BRACKET/CLAMPS, TEAK WOOD PLUGS, ETC., OF APPROVED QUALITY AND INCLUDING FIXING C.I GRATINGS AT THE JUNCTION OF PARAPETAND FLOOR OR ROOF SLAB ETC., INCLUDING FINISHING ETC., COMPLETE COMPLYING WITH RELEVANT STANDARD SPECIFICATIONS.		7		
				1 1		
C 40 14 14	N. P. S. L. C. String L. L. String	N COMPĀNY				199313397

CONTRACTOR! SAN Partner

NO. OF CORRECTIONS

-		SAKKARAKOTTALYI	HE GRO	UP-1 & 45		Page-Nor-18
TEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS 6	AMOUNT
1	2	3	4	5	0	199313397.00
						c
52.2		SUPPLYING, LAYING, FIXING AND JOINING THE FOLLOWING PVC PIPES AS PER ASTM D-1785 OF				
		SCHEDULE 40 OF WALL THICKNESS NOT LESS THAN				
		THE SPECIFIED IN IS 4985 SUITABLE FOR PLUMBING BY				
		THREADING OF WALL THICKNESS INCLUDING THE COST OF SUITABLE UPVC SPECIALS LIKE ELBOW, TEE,				2 590
		REDUCERS, PLUG, UNIONS, BEND, COUPLER, NIPPLE,				
		UPVC GATE VALVE, UPVC CHECK AND UPVC/BALL VALVE WHEREVER REQUIRED ABOVE THE GROUND				
		LEVEL INCLUDING THE COST OF TEFLON TAPE, PVC SPECIAL CLAMPS, NAILS ETC., FIXING ON WALL TO THE				
		PROPER GRADIENT AND ALIGNMENT AND REDOING				
		THE CHIPPED OF MASONRY ETC., AS DIRECTED BY THE DEPARTMENTAL OFFICERS, (BRAND NAME AND				Α.
		QUALITY OF PVC/UPVC PIPES AND SPECIALS SHOULD				
0.83	. 35	BE GOT APPROVED BY THE EXECUTIVE ENGINEER. / SUPERINTENDING ENGINEER. / CHIEF ENGINEER.				1970-111-71
		BEFORE USE IN WORKS)				
						14
	1188.80 Rmt.	(a) 32MM ASTM D SCHEDULE 40 THREADED PVC		Rs.200.00 V	1. Rmt.	237760.00
	₹ 100.00 Killt.	PIPE WITH NECESSARY UPVC SPECIALS AND		(Rupees two hundred only)	(ONE RUNNING	23/160.00
		PVC SPECIAL CLAMP ETC.,		(Map of the map)	METRE)	
						782.00
				of the second second		
		4. 4			1. Rmt.	4407440.04
	6308.00 Rmt.	(b) 25MM ASTM D SCHEDULE 40 THREADED PVC PIPE WITH NECESSARY UPVC SPECIALS AND		Rs.180.00 \((Rupees one hundred and	(ONE RUNNING	1135440.00
		PVC SPECIAL CLAMP ETC.,		eighty only) *	METRE)	
				organi, ama,		**
						168
						100
52.4.1		SUPPLYING, LAYING, FIXING AND JOINING THE				
10		FOLLOWING PVC PIPES AS PER ASTM D-1785 OF				78
		SCHEDULE 40 OF ALL THICKNESS NOT LESS THAN THE SPECIFIED IN 1S 4985 SUITABLE FOR PLUMBING BY				
		THREADING OF WALL THICKNESS INCLUDING THE COST OF SUITABLE UPVC SPECIALS LIKE ELBOW, TEE,				
		REDUCERS, PLUG, UNIONS, BEND, COUPLER, NIPPLE,				
		UPVC GATE VALVE, UPVC CHECK AND UPVC/BALL VALVE WHEREVER REQUIRED ABOVE THE GROUND				
		LEVEL INCLUDING THE COST OF TEFLON TAPE, PVC				
		SPECIAL CLAMPS, NAILS ETC., FULLY CONCEALED FIXING ON WALL TO THE PROPER GRADIENT AND				Track Proc
		ALIGNMENT AND REDOING THE CHIPPED OF MASONRY ETC., AS DIRECTED BY THE DEPARTMENTAL OFFICERS.				45.02 ***
		(BRAND NAME AND QUALITY OF PVC/UPVC PIPES AND				
		SPECIALS SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER/ SUPERINTENDING	1			
		ENGINEER/CHIEF ENGINEER BEFORE USE IN WORKS)				
	4066.00 Rmt.	(c) 20MM ASTM D SCHEDULE 40 THREADED PVC		Rs.150.00	1. Rmt.	609900.00
i.	1	PIPE WITH NECESSARY UPVC SPECIALS AND		(Rupees one hundred and fifty	(ONE RUNNING METRE)	1-1
		PVC SPECIAL CLAMP ETC.,		only)	₩.	Sec.
						15
				.2 2		
53.5	472 NOS.	SUPPLYING AND FIXING OF PORCELIN WASH HAND		Rs.1700.00	1.NO.	802400.0
No.	-	BASIN (WHITE), SUPERIOR VARIETY OF SIZE		(Rupees one thousand and	(EACH)	Y
		550X400MM WITH ALL ACCESSORIES SUCH AS POWDER COATED CAST IRON BRACKETS, 32MM DIA C.P. WASTE		seven hundred only)		H. M. (4)
		COUPLING, RUBBER PLUG AND ALUMINIUM CHAIN,				200
		32MM DIA 'B' CL'ASS G.I. PVC WASTE PIPE, ANGLE VALVE, 15MM DIA NYLON CONNECTION, 15MM DIA				
	2	BRASS NIPPLES, 15MM C.P. PILLAR TAP & REQUIRED				et e
		GRATING ETC., COMPLETE IN ALL RESPECTS (WASH HAND BASIN SHALL BE GOT APPROVED BY THE				
		EXECUTIVE ENGINEER BEFORE FIXING).		1 2 T 2 T 2 T 2 T 2 T 2 T 2 T 2 T 2 T 2		
		3				-
	-				1	0000000
						202098897.0
						Marin.

FOR SEP CONSTRUCTION COMPANY
CONTRACTOR ON Partner

NO. OF CORRECTIONS

ITEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2	3	4	5	6	7
54.1.2	708 NOS.	SUPPLYING AND FIXING OF 15MM DIA ENGINEERING POLYMER TAP (LONG BODY) INCLUDING COST OF MATERIALS, LABOUR CHARGES FOR FIXING ETC., AND ALL COMPLETE AND AS DIRECTED BY THE		Re.500.00 (Rupees five hundred only)	1.NO. (EACH)	202098897.00 354000.00
-		DEPARTMENTAL OFFICERS, (THE QUALITY AND BRAND OF ENGINEERING POLYMER TAP SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER/ SUPERINTENDING ENGINEER/ CHIEF ENGINEER BEFORE USE IN WORKS)				
Min 44	N Car	90				7-96 ±
54.2.2	472 NOS.	SUPPLYING AND FIXING OF 15MM DIA ENGINEERING		Rs.450.00	1.NO. (EACH)	212400.00
		POLYMER TAP (SHORT BODY) INCLUDING COST OF MATERIALS, LABOUR CHARGES FOR FIXING ETC.; AND ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND BRAND OF ENGINEERING POLYMER TAP SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER/SUPERINTENDING ENGINEER/CHIEF ENGINEER., BEFORE USE IN WORKS)		(Rupees four hundred and fifty only)	(EAOII)	appear of
56.3.1	60 NOS.	SUPPLYING AND FIXING OF INDIAN WATER CLOSET		Rs.2000.00	1.NO.	120000.00
		WHITE GLAZED (ORIYA TYPE) OF SIZE 580MMX440MM OF APPROVED MAKE WITH ISI MARK (TO BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE) WITH PVC SWR GRADE P OR S TRAP INCLUDING CONCRETE PACKING, FILLING PORTION WITH EARTH, FLOORING THE AREA WITH 75MM THICK BRICK JELLY CONCRETE IN CC 1:8:16 (ONE OF CEMENT, EIGHT OF SAND AND SIXTEEN OF BRICK JELLY) USING 40MM SIZE BRICK JELLY AND TOP LEFT ROUGH TO RECEIVE THE FLOOR PLASTERING BUT INCLUDING ANTISYPHONAGE CONNECTION, CURING, ETC. ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (IN GROUND FLOOR)		(Rupees two thousand only)	(EACH)	
56.4.1	176 NOS.	SUPPLYING AND FIXING OF INDIAN WATER CLOSET WHITE GLAZED (ORIYA TYPE) OF SIZE 580MMX440MM OF APPROVED MAKE WITH ISI MARK (TO BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE) WITH PVC SWR GRADE P OR S TRAP INCLUDING CONCRETE FILLING THE SUNK PORTION WITH BRICK JELLY LIME CONCRETE PROPORTION OF BRICK JELLY TO LIME BEING 32:12½ BY VOLUME (32 CFT OF 20MM GAUGE BRICK JELLY AND 12 ½ CFT OF		Rs.3000.00 (Rupees three thousand only)	1.NO. (EACH)	528000.00
ć		SLAKED LIME) (NO SAND) AND TOP 75MM THICK BRICK JELLY CONCRETE IN CC 1:8:16 (ONE OF CEMENT, EIGHT OF SAND AND SIXTEEN OF BROKEN BRICK JELLY) USING 40MM SIZE BRICK JELLY INCLUDING PLASTERING THE SIDES OF SUNK PORTION IN CM 1:3 (ONE OF CEMENT AND THREE OF SAND) 12MM THICK MIXED WITH WATER PROOFING COMPOUND AT 2KG/SQM AND TOP LEFT ROUGH TO RECEIVE THE FLOOR PLASTERING BUT INCLUDING ANTISYPHONAGE CONNECTION, ONE COAT OF BITUMEN FOR THE SIDES, BOTTOM AND CURING ETC., COMPLETE IN ALL FLOORS. (OTHER THAN GROUND FLOOR)				(1/25g)
57.2	236 NOS.	SUPPLYING AND FIXING EWC (WHITE) SUPERIOR VARIETY 500MM WITH PVC SWR GRADE 'P' OR 'S' TRAP INCLUDING COST AND FIXING OF DOUBLE FLAPPED PLASTIC SHEET COVER PVC FLUSHING CISTERN IN APPROPRIATE LEVEL AS DIRECTED BY THE DEPARTMENTAL OFFICERS AT A MAXIMUM LEVEL OF 5'6" AND OF APPROVED BRAND OF 10 LITRES CAPACITY		Rs.4000.00 (Rupees four thousand only)	1.NO. (EACH)	944000.00

CONTRACTOR ON Salvell Partner

FOR SRE CONSTRUCTION COMPANY

NO. OF CORRECTIONS

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

204257297.00

	011411	- September 12 April 1	Same	DATE EVOLUCIUE ECO COT IM	UNIT IN FIGURES	AMOUNT
rem.no	QUANTITY 2	DESCRIPTION OF WORK 3	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS 5	AND IN WORDS	AMOUNT.
						204257297.00
58.3		SUPPLYING AND FIXING THE FOLLOWING DIA PVC (SWR) PIPE WITH ISI MARK CONFIRMING TO IS 13952:1992- TYPE 'B' FOR SOIL LINE WITH RELEVANT SPECIALS CONFIRMING TO IS 14735 INCLUDING JOINTING WITH SEAL RING CONFIRMING TO IS 5382 WITH LEAVING A GAP ABOUT 10MM TO ALLOW THERMAL EXPANSION, FIXING THE PIPES INTO WALLS WITH NECESSARY WOODEN PLUG, SCREWS, HOLDING WHEREVER NECESSARY AND MAKING GOOD OF THE DISMANTLED PORTION WITH NECESSARY CONNECTIONS TO SANITARY FITTINGS ETC.,				
		COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		4		
	4306.00 Rmt.	(a)110MM DIA PVC SWR PIPE INCLUDING ALL REQUIRED PVC SPECIALS ETC., ALL COMPLETE.,		Rs.450.00 " (Rupees four hundred and fifty only)	1.Rmt. (ONE RUNNING METRE)	1937700.00
						44
	5498.40 Rmt.	(b) 75MM DIA PVC SWR PIPE INCLUDING ALL REQUIRED PVC SPECIALS ETC., ALL COMPLETE.,		Rs.350.00 (Rupees three hundred and fifty only)	1.Rmt. (ONE RUNNING METRE)	1924440.0 4"0".
58.4	1180.00 Rmt.	SUPPLYING, LAYING AND CONCEALING THE 50MM DIA PVC (SWR) PIPE WITH ISI MARK CONFIRMING TO IS 13952:1992- TYPE 'B' FOR WASTE WATER LINE WITH RELEVANT SPECIALS CONFIRMING TO IS 14735 INCLUDING JOINTING AND MAKING GOOD OF THE DISMANTLED PORTION WITH NECESSARY CONNECTIONS TO SANITARY FITTINGS ETC., COMPLETE IN ALL RESPECTS AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.75.00 (Rupees seventy five only)	1.Rmt. (ONE RUNNING METRE)	88500.0
1.1.1		SUPPLYING AND LAYING AND JOINTING THE FOLLOWING DIA UPVC NON PRESSURE PIPE OF \$N8 SDR 34 (\$ 16.5) AS PER IS 15328/2003, SUPERIOR VARIETY AND TESTED WITH WATER INCLUDING NECESSARY EARTH WORK EXCAVATION FOR TRENCHES AND REFILLING THE SAME, WELL RAMMED AND CONSOLIDATED AFTER THE PIPES ARE JOINTED AND LAID TO PROPER GRADIENT TO THE ALIGNMENT AND AS DIRECTED BY THE DEPARTMENTAL OFFICE BE (\$N8 SDR 34 (\$ 16.5) AS PER IS 15328/2003 SHOULD BE GOT APPROVED BY THE EXECUTIVE ENGINEER., SUPERINTENDING ENGINEER., CHIEF ENGINEER., BEFORE USE IN WORKS)				7*
	900.00 Rmt.	(a) 110MM DIA UPVC NON PRESSURE PIPE		Rs.500.00 (Rupees five hundred only)	1.Rmt. (ONE RUNNING METRE)	450000.
	900.00 Rmt.	(b) 160MM DIA UPVC NON PRESSURE PIPE		Rs.600.00 (Rupees six hundred only)	1.Rmt. (ONE RUNNING METRE)	540000.0
2.1.1		SUPPLYING AND FIXING OF FOLLOWING DIA OF PVC BEND FABRICATED 6 KSC PVC SPECIALS AS PER IS 10124/1982 PART II INCLUDING COST OF MATERIAL AND LABOUR CHARGES FOR FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY AND BRAND OF PVC BEND SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE).				S NO
	240 NOS.	(a) 110MM DIA PVC BEND		Rs.75.00 (Rupees seventy five only)	1.No. (EACH)	18000. ¥
	90 N OS .	(b) 160MM DIA PVC BEND		Rs.80.00 (Rupees eighty only)	1.No. (EACH)	7200.
OFNE	CONSTRUCTI	ON COMPANY				209223137.

CONTRACTORAL SOLL Partner

NO. OF CORRECTIONS

						Page No: 19
TEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN	UNIT IN FIGURES	AMOUNT
1	O ₂	3	4	FIGURES AND IN WORDS 5	6	7
-		17	1		112	209223137.00
		10000				20.
62.2.1		SUPPLYING AND FIXING OF FOLLOWING DIA FVC				1 13.
1		EQUAL TEE (MOULD) BIS 7834/1975 PVC SPECIALS AS				
		PER IS 10124/1982 PART II INCLUDING COST OF MATERIAL AND LABOUR CHARGES FOR FIXING ETC.				
		ALL COMPLETE AND AS DIRECTED BY THE				
		DEPARTMENTAL OFFICERS, (THE QUALITY AND BRAND OF PVC EQUAL TEE SHOULD BE GOT APPROVED FROM			-	
		THE EXECUTIVE ENGINEER BEFORE USE).				
				*		,
	60 NOS	(a) 110MM DIA PVC EQUAL TEE		Rs.70.00	1.No.	4200.00
	00 1103.	(a) Homin DIA PVC EQUAL TEE	10	(Rupees seventy only)	(EACH)	4200.00
				(Maps of the state	60	
	ad 1 전 편	141		100		3 4 5
	60 NOS.	(a) 160MM DIA PVC EQUAL TEE		Rs.85.00	1.No. (EACH)	5100.00
	4			(Rupees eighty five only)	(EAOH)	
	-	and the second s				282.50°
0444				-		7
64.1.1		WIRING WITH 1.5 SQ.MM COPPER PVO				### P
		INSULATED UNSHEATHED SINGLE CORE MULT STRAND FIRE RETARDANT FLEXIBLE COPPER				
		CABLE WITH ISI MARK CONFORMING TO IS: 694/1990				87" =
		1.1 K.V CABLE WITH CONTINUOUS EARTH BY MEANS OF				
		1.5 SQ.MM PVC INSULATED UNSHEATHED SINGLE CORI				
		MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.				100
		KV GRADE CABLE IN FULLY CONCEALED PVC RIGII				3
		CONDUIT PIPE HEAVY DUTY WITH ISI MARK WITH				10,375
		SUITABLE SIZE PVC BOX (FIRE RETARDED BOX) OF REQUIRED THICKNESS CONCEALED AND COVERED				
		WITH 3MM THICK LAMINATED HYLEM SHEE				
		CONTROLLED BY 5 AMPS FLUSH TYPE SWITCH INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS				
		SPECIALS ETC., ALL COMPLETE AND AS DIRECTED B				
		THE DEPARTMENTAL OFFICERS				
		and the same of th		¥		
	2008 POINTS	(a) LIGHT POINT WITH CEILING ROSE		Rs.800.00	1 POINT	1606400.00
				(Rupees eight hundred only)	(EACH POINT)	March.
				48		
- 1	1888 POINTS	(b) LIGHT POINT WITHOUT CEILING ROSE		Rs.700.00 ***	1 POINT	1321600.00
				(Rupees seven hundred only)	(EACH POINT)	
		194				0.000
					(2)	
	236 POINTS	(c) POINT WIRING FOR CALLING BELL BUZZE		Rs.600.00	1 POINT	141600.00
160	230 POINTS	WITH PUSH TYPE SWITCH	`	(Rupees six hundred only)	(EACH POINT)	் 141600.00
	. 4	* The state of the		(Tapees six fluidited offis)	50"	81.01
-	e:	Y .				4 77.5
		∆				
						22 T 1 T 1
65.1.1	944 POINTS	WIRING WITH 1.5 SQ.MM COPPER PV	:	Rs.800.00	1 POINT	755200.00
		INSULATED UNSHEATHED SINGLE CORE MULT	1	(Rupees eight hundred only)	(EACH POINT)	in the
		STRAND FIRE RETARDANT FLEXIBLE COPPE	2	800	***	A
		CABLE WITH ISI MARK CONFORMING TO IS: 694/1990				
		1.1 K.V. CABLE WITH CONTINUOUS EARTH BY MEAN OF 1.5 SQ,MM PVC INSULATED UNSHEATHED SINGL				
		CORE MULTI STRAND FIRE RETARDANT FLEXIBL				
		COPPER CABLE WITH ISI MARK CONFORMING TO IS				
		694/1990, 1.1 K.V. GRADE CABLE IN FULLY CONCEALE PVC RIGID CONDUIT PIPE HEAVY DUTY WITH ISI MAR				
		WITH SUITABLE SIZE PVC BOX (FIRE RETARDED BO)	3)			
		OF REQUIRED THICKNESS CONCEALED AND COVERE	23			
		WITH 3MM THICK LAMINATED HYLEM SHEET FOR FAI POINT CONTROLLED BY 5 AMPS FLUSH TYPE SWITC				
		INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS				
		INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS				
		SPECIALS ETC., ALL COMPLETE AND AS DIRECTED B	Y			
			Y			4 .
		SPECIALS ETC., ALL COMPLETE AND AS DIRECTED B	Y			
R	g Balan	SPECIALS ETC., ALL COMPLETE AND AS DIRECTED B	Υ			i v

CONTRACTOR N. CORPANY

NO. OF CORRECTIONS

T		SAKKARAKOTTAI VII.				
EM.NO	QUANTITY	DESCRIPTION OF WORK	TUBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES	AMOUNT
1	2	3	4	5	6	7.
-						213057237.00
	440 POINTS	WIRING WITH 1.5 SQ.MM COPPER PVC		Rs.800.00	1 POINT	118400.00
6.1.1	148 POINTS	WIRING WITH 1.5 SQ.MM COPPER PVC INSULATED UNSHEATHED SINGLE CORE MULTI		(Rupees eight hundred only)	(EACH POINT)	6.
-	4	STRAND FIRE RETARDANT FLEXIBLE COPPER		3	-	W(2
		CABLE WITH ISI MARK CONFORMING TO IS: 694/1990,				
		1.1 K.V. CABLE WITH CONTINUOUS EARTH BY MEANS				
		OF 1.5 SQMM PVC INSULATED UNSHEATHED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE				
		COPPER CABLE WITH ISI MARK CONFORMING TO IS:				
		694/1990, 1.1 K.V. GRADE CABLE IN FULLY CONCEALED PVC RIGID CONDUIT PIPE HEAVY DUTY WITH ISI MARK				
		WITH SUITABLE SIZE PVC BOX (FIRE RETARDED BOX)				8.5.3
		OF REQUIRED THICKNESS CONCEALED AND COVERED WITH 3MM THICK LAMINATED HYLEM SHEET FOR				
		STAIRCASE LIGHT POINT CONTROLLED BY 5 AMPS				
		FLUSH TYPE TWO WAY SWITCH INCLUDING CIRCUIT MAINS, COST OF ALL MATERIALS, SPECIALS ETC., ALL		20 as	0 12	
		COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL				
		OFFICERS.				10_
	×2	3				1.2.4
				B- 400 00 V	1 POINT	377600.00
67.1.2	944 POINTS	WIRING WITH 1:5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT		Rs.400.00 (Rupees four hundred only)	(EACH POINT)	37700000
4	1	FLEXIBLE COPPER CABLE WITH ISI MARK		(Napoos Ioal Hallard Olly)	Fig	
		CONFORMING TO IS: 694/1990, 1.1.K.V. GRADE CABLE				
		WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE				- "-
		RETARDANT FLEXIBLE COPPER CABLEWITH ISI MARK				* 1
		CONFORMING TO IS: 694/1990,1.1.K.V. GRADE CABLE IN FULLY CONCEALED PVC RIGID CONDUIT PIPE HEAVY				
2		DUTY WITH ISI MARK WITH SUITABLE SIZE PVC BOX				
		(FIRE RETARDED BOX) CONCEALED AND COVERED				193.17
		WITH 3MM THICK LAMINATED HYLEM SHEET FOR 5 AMPS 5 PIN PLUG SOCKET POINT AT SWITCH				
		BOARD ITSELF INCLUDING CIRCUIT MAINS, COST OF				9 6
		ALL MATERIALS, SPECIALS, ETC., ALL COMPLETE				
						=
0004	944 POINT	SWIRING WITH 1.5 SQ.MM COPPER PVC		Rs.550.00	1 POINT	519200.00
68.2.1	544 POINT	INSULATED UNSHEATHED SINGLE CORE MULTI		(Rupees five hundred and fifty	(EACH POINT)	F
		STRAND FIRE RETARDANT FLEXIBLE COPPER		only)	9	20.00
		CABLE WITH ISI MARK CONFORMING TO IS: 694/1990,				- a
		1.1 K.V. CABLE WITH CONTINUOUS EARTH BY MEANS OF 1.5 SQ.MM PVC INSULATED UNSHEATHED SINGLE			A 1	
		CORE MULTI STRAND FIRE RETARDANT FLEXIBLE				
		COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 K.V. GRADE CABLE IN FULLY CONCEALED				
	3 0 0	PVC RIGID CONDUIT PIPE HEAVY DUTY WITH ISI MARK				1 1
	2 7 976	WITH SUITABLE SIZE PVC BOX (FIRE RETARDED BOX) OF REQUIRED THICKNESS CONCEALED AND COVERED				
		WITH 3MM THICK LAMINATED HYLEM SHEET FOR 5				
	11 19	AMPS 5 PIN PLUG SOCKET POINT AT				1
21.		CONVENIENT PLACES CONTROLLED BY 5 AMPS				37.94
		OF ALL MATERIALS, SPECIALS ETC., ALL COMPLETE				24.0
		AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.				
						' λπ
		AUBBIANNO AND CIVINO OF AR ANDS O BIN PARE		Rs.600.00 +	1.NO.	283200.00
69.1	472 NOS.	SUPPLYING AND FIXING OF 15 AMPS 3 PIN FLUSH TYPE PLUG SOCKET USING ON A SUITABLE 150MM		(Rupees six hundred only)	(EACH)	500
		PVC ELECTRICAL BOX (FIRE RETARDED BOX) OF		100	-	1-1-1-1-1
		REQUIRED THICKNESS CONCEALED AND COVERED				6
20		WITH 3MM THICK LAMINATED HYLEM SHEET INCLUSIVE OF ALL CONNECTIONS AND COST OF ALL MATERIALS				- /zē"
		ETC., ALL COMPLETE AND AS DIRECTED BY THE				
	2/	DEPARTMENTAL OFFICERS. (THE QUALITY OF THE MATERIAL SHOULD BE GOT APPROVED BY THE	5	A CONTRACTOR OF		,
		EXECUTIVE ENGINEER BEFORE USE)				
		· a)/				· · · · · · · · · · · · · · · · · · ·
					1 -	= /1
71.2	236 NOS.	SUPPLYING AND FIXING OF 32 AMPS TRIPLE POLI		Rs.1500.00	1.NO. (EACH)	354000.0
10	-	MAIN SWITCH WITH FUSE AND NEUTRAL LINK ON		(Rupees one thousand and five	(EAGH)	No.
		SUITABLE WELL VARNISHED TEAK WOOD BOARI		hundred only)		
		ALL MATERIALS ETC., ALL COMPLETE AND AS DIRECTED				
		BY THE DEPARTMENTAL OFFICERS.				
SRP	CONSTRUCTI	ON COMPANY				214709637.0

CONTRACTOR PON Partner

NO. OF CORRECTIONS

		SAKKARAKOTTALVI	LLAGE GROT	UP-1 (2 55		Page No. ZT
TEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	2 2	'3	4	5	6	214709637.00
75.1.2		SUPPLYING AND DELIVERY OF FOLLOWING ELECTRIC CEILING FAN WITH ISI MARK WITH BLADES AND DOUBLE BALL BEARING, CAPACITOR, ETC., COMPLETE WITH 300MM DOWN ROD, CANOPIES, CAPACITOR, SHACKLE BLADES WITH ELECTRONIC DIMMER SUITABLE FOR OPERATION ON 230 VOLTS 50 HTZ			6	t time.
		SINGLE PHASE AC SUPPLY CONFORMING TO ISS NO.374/79 AND PROVIDED WITH INSULATION. (THE BRAND SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE SUPPLY MADE).				
	944 N OS .	(a) 48" ELECTRIC FAN 1200MM SWEEP		Rs.2000.00	1.NO. (EACH)	1888000.00
		75. K	¥ v	(Rupees two thousand only)		
77.6	2495.00 Rmt.	RUN OFF MAIN WITH 2 WIRES OF 4 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 KV GRADE CABLE WITH CONTINUOUS EARTH BY MEANS OF 2.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI		Rs.200.00 (Rupees two hundred only)	1.Rmt. (ONE RUNNING METRE)	499000.00
		MARK CONFORMING TO IS: 694/1990, 1.1. K.V. GRADE CABLE IN FULLY CONCEALED 19MM/20MM DIA RIGID PVC CONDUIT PIPE HEAVY DUTY WITH ISI MARK COST OF ALL MATERIALS, SPECIALS ETC., ALL COMPLETE.				V va
77.7	11052.00 Rmt.	RUN OFF MAIN WITH 2 WIRES OF 2.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 KV GRADE CABLE WITH CONTINUOUS EARTH BY MEANS OF 2.5 SQMM PVC INSULATED SINGLE CORE MULTI STRAND FIRE RETARDANT FLEXIBLE COPPER CABLE WITH ISI MARK CONFORMING TO IS: 694/1990, 1.1 KV GRADE CABLE IN FULLY CONCEALED 19/20MM DIA RIGID PVC CONDUIT PIPE WITH ISI MARK ETC. INCLUDING COST OF ALL MATERIALS, SPECIALS ETC. ALL COMPLETE AND		Rs.150.00 (Rupees one hundred and fifty only)	1.Rmt. (ONE RUNNING METRE)	1657800.00
		AS DIRECTED BY THE DEPARTMENTAL OFFICERS.				
80.1	30 NOS.	SUPPLYING AND FIXING OF 1 NO. OF 450X375X20MM THICK TW PLANK WELL VARNISHED WITH 3 NOS. OF 32 AMPS 250 VOLTS PORCELIN FUSE UNIT AND 1 NO COPPER EARTH PLATE OF SUITABLE SIZE BOLTS AND NUTS ON WALL FOR EB SERVICE CONNECTIONS INCLUDING COST OF ALL MATERIALS ETC., ALL COMPLETE.		Rs.500.00 (Rupees five hundred only)	1.NO. (EACH)	15000.00
87.1	236 NOS.	SUPPLYING AND FIXING OF ELECTRO MECHANICALLY OPERATED THREE PHASE EARTH LEAKAGE CIRCUIT BREAKERS/RESIDUAL CURRENT CIRCUIT BREAKER (ELCB/RCCB) COMBINED WITH OVER LOAD AND SHORT CIRCUIT PROTECTION HAVING A RUPTURING CAPACITY OF 6 KA WITH 30 MILLI AMPS FIXED SETTING SENSITIVITY AND RATES FOR 25 A IN SUITABLE SHEET STEEL ENCLOSURE CONFIRMING TO IS 12640/1988 INCLUDING COST OF ELCB/RCCB ON FULLY CONCEALED SUITABLE M.S BOX WITH NECESSARY INTER CONNECTIONS AND EARTH CONNECTIONS		Rs.2500.00 (Rupees two thousand and five hundred only)	1.NO. (EACH)	590000.00

For SRP CONSTRUCTION COMPANY
CONTRACTOR Partner

SUPERINTENDING ENGINEER/SOUTH CIRCLE.

219359437.00

	-4 a at-	SAKKARAKOTTAI V	A	UP-1 V S-7		Rage Not 32
rem.no	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE FOR GST IN FIGURES AND IN WORDS	UNIT IN FIGURES AND IN WORDS	AMOUNT
1	. 2		1 4	5	6	. × 7
						19259437.0
Ť						31
99.1		SUPPLYING AND FIXING OF BEST INDIAN TEAK WOOD				
2		PANELLED DOOR SHUTTERS SINGLE LEAF IN POSITION USING 125MMX37.5MM STYLES AND 4 NOS. OF				E 80.50
		150X37.5MM RAILS (TOP, MIDDLE, BOTTOM AND LOCK				2 727
		RAIL) 2 NOS OF 125MMX37.5MM VERTICAL SHORTER STYLES AND 18.75MM THICK PLANKS FOR PANELS				
		INCLUDING COST AND LABOUR FOR FIXING THE BRASS				0
-		FITTINGS SUCH AS 2 NOS. OF 6" LONG BRASS DOOR HANDLE, 3 NOS. OF 5" BRASS BUTT HINGES, 2 NOS. OF				
		6" X 1/2" BRASS TOWER BOLT, 1 NO. OF 10"X5/8" BRASS				
		ALDROP, 1 NO. OF NYLON BUSH, 1 NO. OF DOOR				
		STOPPER WITH BRASS SCREWS OF BEST APPROVED QUALITY AND SHADE ETC., ALL COMPLETE AND AS				
		DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE BRASS FITTINGS SHOULD BE GOT APPROVED FROM				
		THE EXECUTIVE ENGINEER BEFORE USING)	e: 10			181 to 1
						. 21
	436.60 Sq.M.	SUITABLE FOR DOOR OF SIZE		Rs.4400.00	1.Sq.M.	1921040.0
	45	(a) 1000 x 2100 MM		(Rupees four thousand and four	(ONE SQUARE	100
	•		3	hundred only)	METRE)	
- 1		The second secon	-	the same has been present the		1 1 1
100	1180 NOS.	SUPPLYING AND FIXING OF 9 WATTS LED LAMP OF		Rs.250.00 V	1.NO.	295000.0
100	1180 NOS.	BEST QUALITY INCLUDING COST OF MATERIAL AND		(Rupees two hundred and fifty	(EACH)	295000.0
		FIXING ETC., ALL COMPLETE AND AS DIRECTED BY THE		only)		0 198
		DEPARTMENTAL OFFICERS (THE QUALITY OF THE 9 W LED LAMP SHOULD BE GOT APPROVED FROM THE				
		EXECUTIVE ENGINEER BEFORE USE)				10050
- 1						D-pos
		4				- 15
					f	E
101	120 NOS.	SUPPLYING AND FIXING OF 25 WATTS LED LAMP		Rs.1500.00 *	1.NO. (EACH)	180000.0
10		WITH STREET LIGHT FITTINGS ARRANGEMENTS		(Rupees one thousand and five	(EAOTI)	
		INCLUDING COST OF MATERIALS LABOUR CHARGES FOR FIXING OF LED STREET LIGHT FITTING ETC ALL		hundred only)		
		COMPLETE AS PER RELEVANT STANDARD SPECIFICATION AND AS DIRECTED BY THE				
		DEPARTMENTAL OFFICERS, (THE QUALITY OF THE 25				
-		WATTS LED LAMP WITH STREET LIGHT FITTINGS				
		SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USE)				
			-77			
						- 8
				In a little service -	4 NO	
102	1180 NOS.	SUPPLYING AND FIXING OF 4'18 WATTS CRYSTAL		Rs.1800.00	1.NO. (EACH)	2124000.0
		FITTINGS ON TEAK WOOD ROUND BLOCKS OF 75MM DIA		(Rupees one thousand and eight hundred only)		7 7 7
		OR 40MM DEEP SUSPENDED FROM CEILING OF		v v		
		MOUNTED ON THE WALL INCLUDING COST OF ALL MATERIALS AND LABOUR FOR FIXING IN POSITION ETC.		11 5		0.1
		ALL COMPLETE AND AS DIRECTED BY THE				
- 5	2.v in st	DEPARTMENTAL OFFICERS. (THE ENTIRE TUBE LIGHT FITTINGS SHOULD BE GOT APPROVED FROM THE				2 82
	7. E	EXECUTIVE ENGINEER BEFORE USE)				
						11.684
400	470 1170	SUPERIOR AND FINISHED OF METER TOTAL	A,	D- 350 00	1.NO.	465300
103	472 NOS.	SUPPLYING AND FIXING OF WATER TIGHT BULK HEAD FITTING WITH GUARD SUITABLE FOR 12 W LED		Rs.350.00 V	(EACH)	165200.
		LAMP INCLUDING NECESSARY CONNECTIONS, COST		(Rupees three hundred and fifty only)	1	
		OF MATERIALS ETC., ALL COMPLETE AND AS DIRECTED				
		BY THE DEPARTMENTAL OFFICERS (THE QUALITY OF THE BULK HEAD FITTINGS SHOULD BE GOT APPROVED				
		FROM THE EXECUTIVE ENGINEER BEFORE USE)				
						5.3
						2
404	472 NOS	PLIDDI VINC AND EIVING OF 45 MASSES ARE TOO	,	Rs.300.00	1.NO.	141600.
104	472 NOS.	SUPPLYING AND FIXING OF 12 WATTS LED LAMP FOR BULK HEAD FITTINGS OF BEST QUALITY INCLUDING		(Rupees three hundred only)	(EACH)	141000.
6.		COST OF MATERIAL AND FIXING ETC., ALL COMPLETE		t the state of the	-	
		AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS (THE QUALITY OF THE 12 WATTS LED LAMP SHOULD BE				
		GOT APPROVED FROM THE EXECUTIVE ENGINEER				C _b
		BEFORE USE)				
		*				
enn	CONSTRUCT	ION COMPANY				224186277.
OLL	Parket Han.	0				

CONTRACTOR CONTRACTOR

NO. OF CORRECTIONS

TEM.NO	QUANTITY	DESCRIPTION OF WORK	TNBP No.	RATE EXCLUSIVE ST IN	UNIT IN FIGURES	AMOUNT
1		á	4	FIGURES AND IN V. RDS	AND IN WORDS	7-
112.1	236 NOS.	SUPPLYING AND FIXING OF 225 MM DIA SWEEP ACEXHAUST FAN OF APPROVED ISI QUALITY INCLUDING NECESSARY WALL OPENING, FIXING AND FINISHING THE WALL OPENING AND MAKING GOOD INCLUDING COST OF MATERIALS, LABOUR FOR FIXING, CHIPPING AND REDOING NECESSARY INTER CONNECTION, SCAFFOLDING, HIRE CHARGES FOR TOOLS AND PLANTS ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY OF THE 225 MM DIA SWEEP AC EXHAUST FAN SHOULD BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE		Rs.1500.00 (Rupees one thousand and five hundred only)	1.NO. (EACH)	224186277.0 354000.0
238.1	73.70 M.T.	APPLYING ONE COAT OF ANTICORROSIVE TREATMENT FOR STEEL WINDOW/M.S. GRILLS (USING 5 LITERS OF ANTICORROSIVE CHEMICAL PER ONE MT OF STEEL) AT SITE INCLUDING COST OF PAINT (NITOZINC RICH PRIMER), BRUSHES, GLOVES, LABOUR CHARGES FOR APPLYING ANTICORROSIVE PAINT ETC BEFORE THE APPLICATION OF SYNTHETIC ENAMEL PAINT. (THE QUALITY AND THE BRAND OF THE ANTICORROSIVE PAINT, SHOULD BE GOT APPROVED FROM THE EE BEFORE USE) AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.1000.00 (Rupees one thousand only)	1 M.T. (ONE METRIC TONNE)	73700.0
	2 4					A 100
344.2	472 NOS.	SUPPLYING AND FIXING OF BEVELED EDGE MIRROR OF APPROVED QUALITY AND BRAND OF SIZE 500X400X5.5MM SHELF TYPE MOUNTED IN THE PVC. FIBRE GLASS FRAMED WITH NECESSARY HARD BOARD BACKING INCLUDING LABOUR FOR FIXING IN POSITION ETC., COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS		Rs.300.00 (Rupees three hundred only)	1.NO. (EACH)	141600.C
367	1115.20 S q.M.	PROVIDING WOODEN MELAMEN POLISH FOR MAIN DOOR NEW WOOD BY REMOVING BY BLADE SCRAPPING THE EXISTING DIRT FROM THE WOODEN SURFACE WITH M50 SAND PAPER AND REPEAT M80		Rs.800.00 (Rupees eight hundred only)	1.Sq.M. (ONE SQUARE METRE)	892160.0
		SAND PAPER TO GET A SMOOTH SURFACE, LEAVE ATLEAST 4HRS DRYING AND PREPARE SURFACE BY M100 SAND PAPER AND CLEAR THE SURFACE APPLY ONE COAT OF TOUCH WOOD STAINER BY BRUSH AND LEAVE FOR TWO HRS. FOR DRYING, PREPARE THE SURFACE BY M100 SAND PAPER AND APPLY ONE COAT OF ASH SANDING SEALER MIXED WITH APPROVED QUALITY THINNER AFTER DRYING APPLY ONE COAT OF SANDING SEALER AND ATTEND THE SURFACE TO GET THOROUGHLY DRIED SMOOTHER SURFACE WITH NO.250 WATER EMERY WOOD CLEANER FILL THE HOLES AND DOTS BY PUTTY AND PACKING TO GET THE SURFACE CLEAN, APPLY SURFACE BY WAX EMERY SHEET NO.250, APPLY PIRST COAT OF MELAMEN SEALER WITH THE THINNER FOR PREPARING THE SURFACE AND APPLY SECOND COAT OF THE SAME BY				entiti entiti
	1 196	AFTER DRYING PREPARING THE SURFACE WITH WATER EMERY NO.320 AND APPLY TWO COATS OF MELAMEN MATT MIXED WITH GLOZING AND THINNER				ay
12		106 PREPARE THE SURFACE WATER EMERY NO.40(AND APPLY TWO COATS OF SAME AND FINALLY SMOOTHER ETC., ALL COMPLETE INCLUDING COST OF ALL MATERIALS AND LABOUR ETC., AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS. (THE QUALITY AND SHADE OF THE POLISH SHOULD BE GOT APPROVED FROM THE EE BEFORE USE).				#** 2.5444
	2	*		- /		
378.1	11445.60 Sq.M.	SUPPLYING AND FIXING OF VITRIFIED TILES OF BES APPROVED QUALITY (IVORY) 600X600X8MM FOR FLOORING AND OTHER SIMILAR WORKS (THE COLOUP AND SHADE SHALL BE GOT APPROVED FROM THE EXECUTIVE ENGINEER BEFORE USING) OVER CEMENT MORTAR 1:3 (ONE OF CEMENT AND THREE OF SAND 20MM THICK INCLUDING FIXING IN POSITION CUTTING THE TILES TO THE REQUIRED SIZE WHEREVER NECESSARY POINTING THE JOINTS WITH GROUT (TILE JOINT FILLER) CURING FINISHING ETC., ALL COMPLETE AND AS DIRECTED BY THE DEPARTMENTAL OFFICERS.		Rs.900.00 (Rupees nine hundred only)	1.Sq.M. (ONE SQUARE METRE)	10301040.
		TAND AS DIRECTED BY THE DELAKTMENTAL OF HOLIKO.				

CONTRACTOR Partner

NO. OF CORRECTIONS

SAKKARAKOTTAI VILLAGE GROUP-1	6	

AMOUNT 7.135948777.00
Hy 350
139200.00
2 5
139200.00
139200.00
129920.00
11年第
3 7 7
106200.00
23600.00
236626097.00
28395131.64
265021228.64

(RUPEES TWENTY SIX CRORES FIFTY LAKHS TWENTY ONE THOUSAND TWO HUNDRED AND TWENTY EIGHT AND PAISE SIXTY FOUR ONLY)

3.30cu

For SRF CONSTRUCTION COMPANY

CONTRACTOR Partner