

TAMIL NADU POLICE HOUSING CORPORATION LTD

ABSTRACT

Name of work:- Construction of Permanent Building for Fire and Rescue Service Station with development works at Kallikudi in Madurai District

Sl. No.	Qty.	Description	Rate (CS sand)	Unit	Amount 2022-2023
1.1		Earth work excavation in all soils (including refilling)			
✓	285.80	a. 0 to 2 mt.	224.82	Cum.	64253.56
1.5		Earth work excavation for Open foundation (excluding refilling)			
✓	194.100	a. 0 to 2 mt.	106.25	Cum.	20623.13
✓	14.900	b. 2 to 3 mt.	116.45	Cum.	1735.11
1.6		Earth work excavation for Open foundation for drains (excluding refilling) width upto 1.25 m			
✓	16.200	a. 0 to 2 mt.	159.38	Cum.	2581.96
2.1.3	73.800	Filling C.S. sand	1498.11	Cum.	110560.52
2.6	11.600	Supply and filling of 40 mm HBSJ	1205.45	Cum.	13983.22
2.7	5.800	Supply and filling of 20 mm HBSJ	1618.45	Cum.	9387.01
3.1.1	79.100	C.C.1:5:10 for Foundation & Basement	4511.33	Cum.	356846.20
3.2.1	21.100	P.C.C. 1:2:4 for Foundation & Basement and other similar works	6057.21	Cum.	127807.13
6.6.1	81.700	Brick work in C.M. 1:5 (F& B) using Kiln Burnt Country bricks of size 22 x 11 x 7 cm (8 3/4" x 4 1/4" x 2 3/4") with admixture	6454.83	Cum.	527359.61
7.2	12.200	Supply and fixing of Bituminous filler pad, 20 mm tk. for expansion joint	719.00	Sqm.	8771.80
9.6.1		Brick work in C.M. 1:6 using Kiln Burnt Country bricks of size 22 x 11 x 7 cm (8 3/4" x 4 1/4" x 2 3/4") with admixture			
✓	75.100	a. In Ground Floor	6457.15	Cum.	48431.97
✓	23.600	b. In First Floor	6608.05	Cum.	155949.98
10.6.1		Brick partition work in C.M. 1:4 Kiln Burnt Country bricks of size 22 x 11 x 7 cm (8 3/4" x 4 1/4" x 2 3/4") 110 mm tk (B.P.) with admixture			
✓	159.700	a. In Foundation and basement	781.58	Sqm.	124818.33
✓	164.000	b. In Ground Floor	789.81	Sqm.	129528.84

213935.35

Sl. No.	Qty.	Description	Rate (CS sand)	Unit	Amount 2022-2023
	24.200	c. In First Floor	806.41	Sqm	19515.12
11.6		Brick work in C.M. 1:4 Kiln Burnt Country bricks of size 22 x 11 x 7 cm (8 3/4" x 4 1/4" x 2 3/4") 70 mm tk (B.P.) with admixture			
	30.300	a. In Ground Floor	537.04	Sqm.	16272.31
12.1		Brick partition in C.M. 1:4 using country bricks of size 22 x 11 x 5 cm 50 mm thick			
	6.900	a. In Ground Floor	389.30	Sqm.	2686.17
21.2		Teak wood Wrought & Put up			
	0.095	a. T.W. over 2 m & below 3 m	124580.00	Cum.	11835.10
	0.045	b. T.W. below 2 m length.	112380.00	Cum.	5057.10
23.3	5.000	S&F of Magnetic door catches	52.00	Each	260.00
24.0	1054.200	Manufacturing & supply of steel windows (Weight basis)	69.60	Kg	73372.32
25.0	30.000	M.S.Holdfast	9.60	Each	288.00
26.0	19.800	Flooring in C.C.1:5:10	4511.33	Cum.	89324.33
28.0	51.600	Floor plastering in C.M. 1:4, 20 mm tk.	484.48	Sqm.	24999.17
30.0	36.200	Ellis pattern	425.05	Sqm.	15386.81
31.0	23.700	Weathering course	3705.64	Cum.	87823.67
32.1	304.200	Pressed tiles (23cmx23cmx20mm) mixed with Water proofing compound	1146.88	Sqm.	348880.90
33.0	2375.600	Plastering in C.M. 1:5, 12 mm tk.	237.75	Sqm.	564798.90
34.0	177.000	Plastering in C.M. 1:4, 12 mm tk.	243.84	Sqm.	43159.68
35.0	399.000	Spl. Ceiling plastering in C.M. 1:3, 10 mm tk.	273.17	Sqm.	108994.83
36.0		Cement mortar Border in C.M. 1:5, 12 mm tk.			
	253.400	a. 150 mm wide	76.21	Rmt	19311.61
	149.900	b. 75 mm wide	49.66	Rmt	7444.03
	239.200	c. 50 mm wide	36.98	Rmt	8845.62
37.1	288.600	White washing 3 coats (slaked)	43.03	Sqm.	12418.46
39.0	915.000	M.s Grills	70.15	Kg	64187.25
40.0	20.800	Painting - New "wood work"	225.95	Sqm	4699.76
41.0	84.200	Painting - New "iron work"	133.84	Sqm.	11269.33
46.0	8.000	S & F 20 mm dia Alu. Hanger Rod	58.00	Rmt	464.00

3680432-92

Sl. No.	Qty.	Description	Rate (CS sand)	Unit	Amount 2022-2023
47.0	8.000	S & F Alu Towel rail 75 cm long	95.00	Each	760.00
48.0	12.000	S & F 5 pin Coat stand	55.00	Each	660.00
49.0	10.000	S & F chromium plated 8 guage Picture Hook	1.50	Each	15.00
50.2	34.100	Providing precast Kerb stone in C.C. 1:3:6, 450 x 300 x 150 mm	248.63	Rmt	8478.28
50.3	5.000	Supply and planting avenue trees	356.35	Each	1781.75
50.4	5.000	Providing Tree guard	862.73	Each	4313.65
50.5	1.000	Supplying, Fabricating and erection of M.S Scheme Name board	18641.09	Each	18641.09
52.0		PVC Water supply (ASTM)			
	50.000	a. 32 mm dia	244.08	Rmt	12204.00
	92.600	b. 25 mm dia	225.77	Rmt	20906.30
52.1	2.000	G.I Pipe 20mm dia for Hot water line (Fully Concealed in walls)	302.81	Rmt	605.62
53.3	5.000	C.I. Steps (5 kg)	30.00	Each	150.00
55.2	2.000	Flat Back Urinal	2133.25	Each	4266.50
59.5	8.000	Gully Trap using Kiln burnt country bricks 22 x 11 x 7 cm.	1904.29	Each	15234.32
60.0	8.000	PVC Nahani trap (4way/2way)	160.00	Each	1280.00
		Electrical arrangements			
69.0	5.000	15 Amp. Power plug	150.00	Each	750.00
72.0	12.000	Box type Fibre Fan hook	33.90	Each	406.80
73.1	1.000	6 way - D.B.	4212.00	Each	4212.00
74.0	8.000	Charges for fixing of "Fan"	571.00	Each	4568.00
76.0	20.000	8 SWG wire	26.30	Rmt	526.00
77.3	4.000	S&F of TV/Telephone line Socket	77.01	Each	308.04
77.4	20.000	S&F of 20mm dia PVC pipe for TV/Telephone line	85.69	Rmt	1713.80
78.0	1.000	Earthing Station IS3043 (Type I)	2921.60	Each	2921.60
86.0	257.000	Anti termite treatment	34.00	Sqm.	8738.00
		ANNEXURE			
14.0	2	Precast Cupboard slab 20 mm tk.using standardised concrete mix M20 (annexure)			

Sl. No.	Qty.	Description	Rate (CS sand)	Unit	Amount 2022-2023
	✓ 18.800	a. In Stilt / Ground Floor	1403.11	Sqm	26378.47
14.3		Precast cupboard slab 40 mm tk using standardised concrete mix M20 (annexure)			
	✓ 11.300	a. In Foundation & basement	1540.54	Sqm.	17408.10
	✓ 1.200	b. In Stilt / Ground Floor	1545.13	Sqm.	1854.16
4.4.1		Standardised concrete Mix M20 Grade Concrete			
	✓ 90.400	a. In Foundation and basement	7503.72	Cum	678336.29
8.4.1	✓ 40.200	b. Stilt / Ground Floor	7617.32	Cum	306216.26
	✓ 46.100	c. In First Floor	7841.12	Cum	361475.63
35.1.1	✓ 36.100	Plastering with CM 1:3, 12mm with WPC	262.53	Sqm	9477.33
2.1.1	✓ 264.300	Supplying and filling with gravel	462.26	Cum	122175.32
2.1.4	✓ 693.200	Supplying and filling with gravel at lowlying area	448.38	Cum	310817.02
3.8	✓ 149.600	P.C.C. 1:3:6 for foundation & basement using 20mm metal	5404.89	Cum	808571.54
18.1		Formwork using M.S. Sheet			
	✓ 551.100	a. For Column footings, plinth beam, Raft beam, Raft slab etc.,	809.35	Sqm	446032.79
	✓ 562.200	b. Plain surfaces such as Roof slab, floor slab, Beams, lintels, lofts, sill slab, staircase, portico slab and other similar works	905.40	Sqm	509015.88
	✓ 222.900	c. For Square and rectangular columns and small quantities	1086.48	Sqm	242176.39
	✓ 106.700	d. Vertical wall	995.94	Sqm	106266.80
	✓ 1.900	f. Curved surface	1358.10	Sqm	2580.39
21.6.2		R.C.C. Door frames of size 100 x 75mm with one edge grooves size 't' x 20 mm using M20 grade (with out vibrating charges)			
	✓ 3.000	a. 900 x 2100 mm	2648.35	Each	7945.05
22.3.3	✓ 53.300	T.W. frame & TW styles & rails with BWR double leaf shutters for cup board/ ward robes including two coat enamel paint & one coat primer.	4173.90	Sqm	222468.87
99.1		TW panelled single door shutter with brass fittings.			
	✓ 5.800	a. 1000X2100mm. (Single leaf) For Qtrs	6607.18	Sqm	38321.64

8011391.50

Sl. No.	Qty.	Description	Rate (CS sand)	Unit	Amount 2022-2023
21.5.2	4.800	Supply and Fixing Soild UPVC door Shutter with frame	3325.00	Sqm	15960.00
23.2.1	21.800	4mm thick plain Glass panels with Aluminium beedings	824.60	Sqm	17976.28
29.8.	35.500	Glazed tiles using Grout (Tile Joint Filler), C.M 1:2, 10mm tk	1327.87	Sqm	47139.39
29.9.	11.400	Floor ceramic tiles (Anti-skid) using Grout (Tile Joint Filler).	1168.15	Sqm	13316.91
43.0	20.708	Fabrication of Mild steel / RTS grills (without cement slurry) for all sizes of rods.	87298.50	MT	1807777.34
44.6	68.400	PVC SWR 110 mm dia with ISI mark type- A for Rain water down fall pipe	335.61	Rmt	22955.72
50.6.	41.100	Precast slab 50 mm tk.in C.C. 1:3:6 with fibre	385.22	Sqm	15832.54
52.4	30.000	20mm dia PVC water supply ASTM pipe (fully consealed in walls)	222.98	Rmt	6689.40
53.4	3.000	S&F of C.I Manhole cover 60 x 60 cm (50kg weight)	1864.00	Each	5592.00
53.5	4.000	Wash Hand Basin of size 550 x 400 mm (White without Pedestal)	3255.82	Each	13023.28
58.3		PVC SWR pipe (Soil line) with ISI mark - type 'B'.			
	12.000	a. 110 mm dia.	696.55	Rmt	8358.60
	21.000	b. 75 mm dia.	579.25	Rmt	12164.25
58.4	16.000	Supplying, Laying & Concealing the 50mm dia PVC (SWR) pipe with ISI mark type - 'B' with relevant specials.	114.45	Rmt	1831.20
58.5	1.000	PVC(SWR) pipe with ISI mark - type 'A' for Ventilating shaft with cowl	454.00	Each	454.00
64.1		Wiring with 1.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990.			
	38.000	a. Light point with ceiling rose	1630.00	Each	61940.00
	8.000	b. Light point without ceiling rose with bakelite pattern type holder	1633.00	Each	13064.00
	1.000	c. Calling bell point with Buzzer/Calling bell	1670.00	Each	1670.00
65.1	8.000	Wiring with 1.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990 for Fan point.	1705.00	Each	13640.00
66.1	1.000	Wiring with 1.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990 for Staircase Light Point.	3052.00	Each	3052.00
67.1	9.000	Wiring with 1.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990 for 5 amps 5 pin plug socket point @ Switch Board Itself	835.00	Each	7515.00

10101313.41

Sl. No.	Qty.	Description	Rate (CS sand)	Unit	Amount 2022-2023
68.2	11.000	Wiring with 1.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990 for 5 amps 5 pin plug socket point @ Convenient Places.	1133.00	Each	12463.30
75.1.2	8.000	Supply and delivery of 48" (1200 mm) Fan with ISI mark with Eletronic Dimmer	1552.70	Each	12421.60
77.5	40.000	Run of 2 Wires of 1.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990.	208.00	Rmt	8320.00
77.6	130.000	Run of 2 Wires of 2.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990.	226.00	Rmt	29380.00
112.1	4.000	S & F of Exsaust Fan 225mm dia	2149.15	Each	8596.60
44.2.1		Rain water harvesting using defunct borewell and providing perforated cover slab			
	8.000	a). Providing pit (M20)			
	24.000	b) Augering 30cm dia	1949.11	Each	15592.86
344.2	4.000	S&F of Bevelled edge mirror 500 x 400 x 5.5mm	461.20	Rmt	11068.80
71.2	1.000	Supplying and fixing of 32 AMPS Triple pole main switch	398.30	Each	1593.20
80.1	1.000	450 x 375 x 20 mm thick TW plank	2159.00	Each	2159.00
79.2.1	1.000	3 Nos.of 32Amps - Fuse Unit	1309.00	Each	1309.00
79.1.1	1.000	1 Nos.of 32Amps - Fuse Unit	825.00	Each	825.00
87.1	2.000	Supplying and delivery of Three phase ELCB/RCCB	550.00	Each	550.00
85.1	62.400	Supply of G.I pipe 40mm dia 'B' Class	3068.50	Each	6137.00
79.6.1	1165.200	Providing two coats of Plastic Emulsion PAINT including primer for inner walls	165.00	Rmt	10296.00
79.6	730.700	Providing two coats of Exterior Emulsion PAINT including primer for outer walls	222.41	Sqm	259152.13
448.2	4.000	Providing PVC Tee with end cap	223.96	Sqm	163647.57
36.7	16.400	Providing wooden Melamine polish for new wood work	132.70	Each	530.80
378.2	100.100	Vertified tile flooring IVORY	1385.99	Sqm	22730.24
361.1	24.200	Concrete designer tiles flooring	1211.59	Sqm	121260.16
44.3	8.000	Providing Rain water Harvesting well ring of Circular shape of 90mm dia, 60cm depth using Standardized Mix design M20	1441.52	Sqm	34884.79
22.9		Supplying and fixing of solid core flush door shutter of thickness 35mm	1372.23	Each	10977.84
	5.800	i. door size 0.900 m x 2.100 (Single Leaf)	3068.54	Sqm	17797.53
90.2	351.800	Providing additional strutting to centering of plain surface.	32.02	Sqm	11264.64

10864321.18

Sl. No.	Qty	Description	Rate (G.S. sand)	Unit	Amount 2022-2023
61.1.1	40.000	UPVC Non Pressure pipe of 110 mm dia (B 16.5) as per IS 15328/2003	474.30	Rmt	18972.00
62.1.1	2.000	PVC Specials as per IS 10124/1982 Part II			
	2.000	a 110 mm dia PVC bend (TWAD SR 21-22)	175.20	Each	350.40
62.2.1	2.000	a 110 mm dia PVC Equal tee (TWAD SR 21-22)	197.50	Each	395.00
56.3.2	1.000	S & F of Indian Water closet white glazed (Oriya type) of size 580 x 440mm with PVC SWR grade 'P' or 'S' trap - in G.F.	3223.28	Each	3223.28
57.2	2.000	S & F of E.W.C (White) 500 mm with PVC SWR grade "P" or "S" TRAP	6876.30	Each	13752.60
5A.1.1	6.000	S & F of 15mm dia half turn CP long body tap	480.00	Each	2880.00
5A.2.1	6.000	S & F of 15mm dia half turn CP short body tap	432.00	Each	2592.00
100	8.000	Supply and fixing of 9 watts LED bulb (PWD SR-2022-23/p-115)	135.00	Each	1080.00
102	29.000	Supply and fixing of 4' 18 watts LED Tube Light	690.00	Each	20010.00
103	7.000	Supply and fixing of Bulk Head fitting suitable for 12W LED Bulb	517.00	Each	3619.00
101	6.000	Supply, fixing of 25W LED street light etc.,	3367.00	Each	20202.00
104	7.000	Supply and fixing of 12 watts LED bulb (qtn)	170.00	Each	1190.00
101.4	1.000	Supply and fixing of 80W LED focus light fitting with LED	14064.00	Each	14064.00
38.4.2	800.400	Providing one coat of Wallputty for new plastered surface	91.11	Sqm	72924.44
1101.5	2.000	Supply and fixing of ornamental gate light for compound wall	1200.00	Nos	2400.00
		UG Cable arrangements			
114	78.500	Supply and delivery of 4 core 16 sq.mm pvc armoured lt UG cable (PWD SR - 22-23)	183.20	Rmt	14381.20
115	70.000	Labour charge for laying of 4 core 16 sq.mm, pvc armoured UG cable including fixing on below ground level	259.00	Rmt	18130.00
116	8.500	Labour charge for laying of 4 core 16 sq.mm, pvc armoured UG cable including fixing on above ground level	166.00	Rmt	1411.00
124	78.500	Supplying and fixing of following dia of GI pipe a) 50 mm dia GI pipe "B" class (AGL) (PWD SR - 22-23)	209.00	Rmt	16406.50
122		Supplying and delivery of the following GI Pipe specials (PWD SR - 22-23)			
	5.000	a) 50 mm dia G.I Bend (PWD SR)	116.30	Nos	581.50

Sl. No.	Qty.
a) 32	20,000
b) 50	50,000

Sl. No.	Qty.	Description	Rate (CS sand)	Unit	Amount 2022-2023
✓	12.000	b) 50 mm dia G I Coupling (PWD SR)	69.80	Nos	837.60
126 ✓	3.000	Supplying and fixing of MS clamp set with bolts and nuts etc. (TWAD SR - 22-23) 50mm	237.00	Nos	711.00
117 ✓	3.000	Supplying and fixing of 4 core 16 sq.mm, pvc armoured UG cable gland set with bolts and nuts etc. (PWD SR - 22-23)	48.45	Nos	145.35
163 ✓	1.000	Supplying and fixing of 63A TPN Switch Disconnector Fuse Units in Sheet Steel Enclosure with HRC fuses Double Break (PWD SR-22-23)	3625.00	Nos	3625.00
154 ✓	1.000	Supply and fixing of TNEB meter board suitable for 3 phase 100A service connection made up of suitable angle iron frame work of size 2 feet x 1-1/2 feet using angle iron of size 1-1/2" x 1-1/2" x 1/4" rigidly fixed on wall covered with hylem sheet of size 2 feet x 1-1/2 feet of 12mm thickness with necessary bolts and nuts supports and supply and fixing of 3 Nos. 100A fuse units (500V), 1 No. neutral link, copper earth flat of size 1" x 1/4" with inter connection of FB meter to fuse units by 16 Sq.mm PVC insulated copper wire with earth connection complete (SD-130)	5503.00	Nos	5503.00
132 ✓	250.000	Drilling of 150mm dia deep borewell in hard rock to the required depth as may directed by the departmental officers etc.,	275.00 295.00	Rmt	68750.00 73750.00
133 ✓	25.000	Supply and Erection of 150mm dia casing pipe slotted and plain pipe of 6 kg / cm2 in cluding labour charges for erection of pipe inside the borewell etc., (TWAD SR - 22-23)	644.50	Rmt	16112.50
134 ✓	1.000	Supply and Fixing of 160mm dia PVC End cap for covering the borewell etc., (PWD SR - 22-23)	144.30	Nos	144.30
119 ✓	1.000	Supply and Delivery of 3 HP Submersible pumpset (3 Phase) of best approved brand suitable for borewell with ISI Mark etc., all complete (Duty 50x100) (TWAD SR - 22-23)	46579.00	Nos	46579.00
120 ✓	1.000	Labour Charges for erretion of 3 HP Submersible pumpset (3 Phase) for Borewell (TWAD SR - 22-23)	11056.10	Nos	11056.10
121 ✓	1.000	Supplying and Fixing of (3 Phase) Panel board for Submersible Motor with the following accessories (TWAD SR - 22-23)	15147.00	Nos	15147.00
123 ✓	275.000	Supply and Delivery of 3 core of 6 sq mm flat type copper cable confirming to IS suitable for submersible cable (TWAD SR - 22-23)	261.00	Rmt	71775.00
125 ✓	250.000	Supply and delivery of 32mm dia UPVC pipe best approved superior quality with ISI mark (TWAD SR 22-23)	130.10	Rmt	32525.00
125		Supply and delivery of Water Supply PVC pipe 10kg/cm2 Working Pressure (PWD SR - 22-23)			

1137079696
2/2/20

Sl. No.	Qty.	Description	Rate (CS sand)	Unit	Amount 2022-2023
✓	20.000	a) 32mm dia	64.75	Rmt	1295.00
✓	50.000	b) 50mm dia	151.90	Rmt	7595.00
127 ✓	250.000	Supply and Delivery of Nylon rope for tying of submersible motor pump etc., all complete (PWD SR - 22-23)	61.80	Rmt	15450.00
119.1 ✓	2.000	Supply and Delivery of 2 HP Monoblock Pump set of best approved brand suitable for borewell with ISI Mark etc., all complete (Duty 250x20) (TWAD SR - 22-23)	21377.00	Nos	42754.00
120.1 ✓	2.000	Labour Charges for erection of 2 HP upto 3 HP Monoblock Pump set for pump room (TWAD SR - 22-23)	8131.20	Nos	16262.40
121.2 ✓	2.000	Supplying & Fixing of DOL Starter Monoblock Pump set (TWAD SR - 22-23)	5641.00	Nos	11282.00
124 ✓		Supply and delivery of GI pipe best approved superior quality with ISI mark (PWD SR - 22-23)			
✓	20.000	a) 25 mm dia G.I pipe	128.00	Rmt	2560.00
✓	72.400	b) 40 mm dia G.I pipe.	163.00	Rmt	11801.20
✓	20.000	c) 50 mm dia G.I pipe.	209.00	Rmt	4180.00
122 ✓		Supply and delivery of following dia G.I & PVC specials.			
✓	5.000	a) 50mm x 32mm G.I Reducer	137.00	Nos	685.00
✓	6.000	b) 50 mm dia GI Coupling.	69.80	Nos	418.80
✓	3.000	c) 50 mm dia G.I Gate valve.	1241.00	Nos	3723.00
✓	1.000	d) 50 mm dia Non return valve.	2498.00	Nos	2498.00
✓	3.000	e) 50 mm dia G.I Union.	266.30	Nos	798.90
✓	5.000	f) 50 mm dia G.I Hex Nipple.	87.00	Nos	435.00
✓	1.000	g) 50 mm dia Foot valve.	461.00	Nos	461.00
✓	3.000	h) 50 mm dia G.I Tee	139.80	Nos	419.40
✓	2.000	i) 32 mm G.I Union	127.50	Nos	255.00
✓	3.000	j) 32 mm dia G.I Elbow	87.00	Nos	261.00
✓	3.000	k) 32 mm dia G.I Hex Nipple.	58.10	Nos	174.30
✓	4.000	l) 25 mm dia G.I Coupling	28.60	Nos	114.40
✓	5.000	m) 50 mm dia PVC Coupling.	14.25	Nos	71.25
✓	4.000	n) 50 mm dia PVC Bend	36.00	Nos	144.00
✓	4.000	o) 32 mm dia PVC Coupling.	7.00	Nos	28.00
✓	3.000	p) 32 mm dia PVC Bend	17.10	Nos	51.30

1199451491

C.R.No. 144/2022-23
Kallikudi Fire Station



Sl. No.	Qty.	Description	Rate (CS sand)	Unit	Amount 2022-2023
125.1 ✓	120.000	Labour charge for laying of G.I pipe and PVC pipe below ground level	80.70	Rmt	9684.00
		Numbering and lettering arrangements			
129.1 ✓	1.000	Moulding and Fixing of aluminium diecasting for TNPHCL LOGO EMBLEM Size of 1'6" etc.,(Qtn)	2400.00	Nos	2400.00
129 ✓	1.000	Moulding and Fixing of Tamilnadu Government EMBLEM Size 2' etc.,(Qtn)	4500.00	Nos	4500.00
130 ✓		Supplying, Moulding and Fixing of aluminium Letters			
	23.000	a) 12" height letters	700.00	Nos	16100.00
	16.000	b) 9" height letters	500.00	Nos	8000.00
130.1 ✓	0.380	Supply & Fixing of Plastic Name board for all rooms	6200.00	Sqm	2356.00
		Total			11532554.98
					11537554.98

B3
some
rate

187

8
25/01/2023
JDC

100
25/1/2023
JG

HDO

7