New

TAMIL NADU POLICE HOUSING CORPORATION Limited

ABSTRACT

Name of Work : Construction of 1 No Bell of Arms and 1 No Admin Block building with devlopment works for Tamil Nadu Special Police XII Bn at Sakkarakottai in Ramanathaapuram District Group-II

| SI. No. | Qty. | Description | Rate | Unit | Amount |
|---------|----------|--|-----------|------|------------|
| 1,1 | | Earth work excavation in all soils (including refilling) | | | |
| | 4635.960 | a. 0 to 2 mt. | 134.60 | Cum. | 624000.22 |
| | 2166.920 | b. 2 to 3 mt. | 140.80 | Cum. | 305102.34 |
| 1.5 | | Earth work excavation for Open foundation (excluding refilling) | | 14 | |
| | 4523.400 | a. 0 to 2 mt. | 63.60 | Cum. | 287688.24 |
| | 53.800 | b. 2 to 3 mt. | 69.80 | Cum. | 3755.24 |
| 1.6 | 1008 | Earth work excavation for Open foundation for drains (excluding refilling) width upto 1.25 m | | | |
| - 1 | 358.300 | a. 0 to 2 mt. | 95.40 | Cum. | 34181.82 |
| 2.1 | 2463.600 | Filling sand | 607.55 | Cum. | 1496760.18 |
| 2.2 | 252.000 | Sand Gravel Mix | 984.28 | Cum. | 248038.56 |
| 2.3 | 126.700 | Supply and filling of 40 mm Brick jelly | 716.60 | Cum. | 90793.22 |
| 2.6 | 9.600 | Supply and filling of 40 mm HBSJ | 1548.66 | Cum. | 14867.14 |
| 2.7 | 3.200 | Supply and filling of 20 mm HBSJ | 1912.66 | Cum. | 6120.5 |
| 3.1 | 2634.700 | C.C.1:5:10 for Foundation & Basement | 3555.77 | Cum. | 9368387.22 |
| 3.2 | 999.700 | P.C.C. 1:2:4 for Foundation & Basement and other similar works | 4958.40 | Cum. | 4956912.48 |
| 3.3 | 57.850 | P.C.C. 1:8:16 using 20 mm broken brick jelly | 2602.96 | Cum. | 150581.24 |
| 7.2 | 491.900 | Supply and fixing of Bituminous filler pad, 20 mm tk. for expansion joint | 666.00 | Sqm. | 327605.40 |
| 12.1 | | Brick partition in C.M. 1:4 using country bricks of size 22 x11x5cm 50 mm thick | | | |
| | 16.500 | a. In Ground Floor | 277.72 | Sqm. | 4582.38 |
| | 7.000 | b. In First Floor | 282.24 | Sqm. | 1975.68 |
| F . | 7.000 | c. In Second Floor | 286.76 | Sqm. | 2007.32 |
| 21.2 | | Teak wood Wrought & Put up | | | |
| | 2.642 | a. T.W. over 2 m & below 3 m | 114146.00 | Cum. | 301573.73 |

| | | · · · · · · · · · · · · · · · · · · · | | | |
|---------|-----------|--|-----------|------|-------------------|
| SI. No. | Qty. | Description | Rate | Unit | Amou [,] |
| | 1.018 | b. T.W. below 2 m length. | 102442.00 | Cum. | 104285.96 |
| 23.3 | 65.000 | S&F of Magnetic door catches | 52.00 | Each | 3380.00 |
| 25.0 | 350.000 | M.S.Holdfast | 9.60 | Each | 3360.00 |
| 26.0 | 178.490 | Flooring in C.C.1:5:10 | 3555.77 | Cum, | 634669.39 |
| 28.0 | 270.900 | Floor plastering in C.M. 1:4, 20 mm tk. | 303.08 | Sqm, | 82104.37 |
| 30.0 | 816.100 | Ellispattern | 300.19 | Sqm. | 244985.06 |
| 31.0 | 9.600 | Weathering course | 2632.00 | Cum. | 25267.20 |
| 33.0 | 12867.200 | Plastering in C.M. 1:5, 12 mm tk. | 146.77 | Sqm. | 1888518.94 |
| 34.0 | 1293.880 | Plastering in C.M. 1:4, 12 mm tk. | 152.35 | Sqm. | 197122.62 |
| 35.0 | 3453.100 | Spl. Ceiling plastering in C.M. 1:3, 10 mm tk. | 169.70 | Sqm. | 585991.07 |
| 36.0 | | Cement mortar Border in C.M. 1:5, 12 mm tk. | | | |
| | 448.900 | a. 150 mm wide | 45.50 | Rmt | 20424.95 |
| | 448.900 | b. 75 mm wide | 29.56 | Rmt | 13269.48 |
| | 448.900 | c. 50 mm wide | 21.99 | Rmt | 9871.31 |
| 37.1 | 3439.400 | White washing 3 coats (slaked) | 26.25 | Sqm. | 90284.25 |
| 39.0 | 12634.500 | M.s Grills | 53.60 | Kg. | 677209.20 |
| 40.0 | 250.700 | Painting - New "wood work" | 162.42 | Sqm. | 40718.69 |
| 41.0 | 2160.300 | Painting - New "iron work" | 96.93 | Sqm. | 209397.88 |
| 46.0 | 2.000 | S & F 20 mm dia Alu. Hanger Rod | 58.00 | Rmt | 116.00 |
| 47.0 | 17.000 | S & F Alu Towel rail 75 cm long | 95.00 | Each | 1615.00 |
| 48.0 | 6.000 | S & F 5 pin Coat stand | 55.00 | Each | 330.00 |
| 49.0 | 219.000 | S & F chromium plated 8 guage Picture Hook | 1.50 | Each | 328.50 |
| 50.2 | 3010.900 | Providing precast Kerb stone in C.C. 1:3:6, 450 x 300 x 150 mm | 201.65 | Rmt | 607147.99 |
| 50.3 | 35.000 | Supply and planting avenue trees | 297.50 | Each | 10412.50 |
| 50.4 | 35.000 | Providing Tree guard | 649.40 | Each | 22729.00 |
| 50.5 | 1.000 | Supplying. Fabricating and erection of M.S Scheme Name board | 13712.85 | Each | 13712.85 |
| 53.3 | 8.000 | C.I. Steps (5 kg) | 30.00 | Each | 240.00 |
| 55.2 | 6.000 | Flat Back Urinal | 1577.75 | Each | 9466.50 |

| SI. No. | Qty. | Description | Rate | Unit | Amount |
|---------|----------|---|---------|-------|------------|
| 59.5 | 21.000 | Gully Trap using Kiln burnt country bricks 22 x 11 x 7 cm. | 1206.65 | Each | 25339.65 |
| 60.0 | 37.000 | PVC Nahani trap (4way/2way) | 129.20 | Each | 4780.40 |
| 61.2 | | Stoneware pipe dry condition | | | |
| | 32.000 | a. 100 mm dia | 172.33 | Rmt | 5514.56 |
| | | Electrical arrangements | | | |
| 72.0 | 107.000 | Box type Fibre Fan hook | 33.90 | Each | 3627.30 |
| 74.0 | 107.000 | Charges for fixing of "Fan" | 347.00 | Each | 37129.00 |
| 76.0 | 26.000 | 8 SWG wire | 18.00 | Rmt | 468.00 |
| 77.3 | 36.000 | S&F of TV/Telephone line Socket | 75.00 | Each | 2700.00 |
| 77.4 | 178.000 | S&F of 20mm dia PVC pipe for TV/Telephone line | 58.07 | Rmt | 10336.46 |
| 78.0 | 4.000 | Earthing Station IS3043 (Type I) | 2020.00 | Each | 8080.00 |
| 86.0 | 1784.410 | Anti termite treatment | 34.00 | Sqm. | 60669,94 |
| 112.0 | 38.000 | S & F of Exsaust Fan 300 mm dia | 1705.00 | Each | 64790.00 |
| 238.0 | 216.145 | Anticorrosive treatment for steel grills | 3769.50 | МТ | 814758.58 |
| | | ANNEXURE | | 100.1 | |
| 6.0 | 581.560 | Brick work in C.M. 1:5 (F& B) using Fly ash bricks of size 23 x 11 x 7 cm | 5016.42 | Cum. | 2917349.22 |
| 9.0 | | Brick work in C.M. 1:6 using Fly ash bricks of size 23 x 11 x 7 cm | | | |
| | 425.200 | a. In Ground Floor | 4994.85 | Cum. | 2123810.2 |
| | 159.900 | b. In First Floor | 5085.15 | Cum. | 813115.49 |
| | 135.400 | c. In Second Floor | 5175.45 | Cum. | 700755.93 |
| | 16.400 | c. In Third Floor | 5265.75 | Cum. | 86358.30 |
| 10.0 | | Brick partition work in C.M. 1:4 using Fly ash bricks of size 23 x 11 x 7 cm 110 mm tk (B.P.) | | San | |
| | 888.700 | a. Foundation & basement | 619.46 | Cum | 550514.10 |
| | 741.500 | b. In Ground Floor | 624.39 | Cum. | 462985.19 |
| | 350.300 | c. In First Floor | 634.32 | Cum. | 222202.30 |
| | 35.700 | d. In Second Floor | 644.25 | Cum | 22999.73 |
| | 194.900 | e. In Third Floor | 654.18 | Cum. | 127499.68 |

| SI. No. | Qty. | Description | Rate | Unit | Amour |
|---------|----------|---|---------|------|------------|
| 11.0 | | Brick work in C.M. 1:4 using using Fly ash burnt bricks bricks of size 23 x 11 x 7 cm 70 mm tk (B.P.) | | | |
| | 106.000 | a. In Ground Floor | 417.96 | Sqm | 44303.76 |
| | 22.700 | b. In First Floor | 424.28 | Sqm | 9631.16 |
| | 26.500 | d. In Second Floor | 430.60 | Sqm | 11410.90 |
| 14.11 | | Precast cupboard slab 40 mm tkusing standardised concrete mix M30 (annexure) | 112 | | |
| | 21.800 | a. In Foundation & basement | 973.97 | Sqm. | 21232.55 |
| | 34.600 | b. In Ground floor | 976.72 | Sqm. | 33794.51 |
| | 9.000 | c. In First floor | 982.13 | Sqm. | 8839.17 |
| 4.1.1 | | Standardised concrete Mix M30 Grade Concrete | | | |
| | 912.300 | a. In Foundation and basement | 6284.53 | Cum | 5733376.72 |
| | 510.700 | b. In Ground Floor | 6352.53 | Cum | 3244237.07 |
| | 179.730 | c. In First Floor | 6486.53 | Cum | 1165824.04 |
| | 183.070 | d. In Second Floor | 6620.53 | Cum | 1212020.43 |
| | 16.600 | e. In Third floor | 6754.53 | Cum | 112125.20 |
| | 81.340 | Plastering with CM 1:3, 12mm with WPC | 169.56 | Sqm | 13792.01 |
| | 9998.200 | Supplying and filling with gravel | 703.40 | Cum | 7032733.88 |
| 18.1 | | Formwork using M.S.Sheet | | | |
| | 2447.000 | a.For Column footings,plinth beam,Grade beam,Raftbeam,Raft slab etc., | 498.94 | Sqm | 1220906.18 |
| | 6051.000 | b.Plain surfaces such as Roof slab,floorslab,Beams,lintels,lofts,sill slab,staircase,portico slab and other similar works | 573.61 | Sqm | 3470914.11 |
| | 1464.100 | c.For Square and rectangular columns and small quantities | 688.33 | Sqm | 1007783.95 |
| | 1181.200 | d.Vertical wall | 630.97 | Sqm | 745301.76 |
| | 6.800 | f.Curved surface | 860.42 | Sqm | 5850.86 |
| | | TW panelled door shutter with brass screws | | | |
| | 8.700 | TW double leaves shutter of size with brass fittings a.1800 x 2400mm | 4706.03 | Sqm | 40942.4 |
| 21.5.2 | 31.600 | Supply and Fixing Soild PVC door Shutter with frame | 2670.00 | Sqm | 84372.00 |

| SI. No. | Qty. | Description | Rate | Unit | Amount |
|---------|----------|---|---------|------|------------|
| | | Cuddappa slab 20 mm tk.for C/B slab. | | | |
| | 197.100 | a. Ground floor | 451.56 | Sqm. | 89002.4 |
| | 32.400 | b. In First floor | 454.24 | Sqm. | 14717.3 |
| | 37.800 | c. In Second floor | 456.92 | Sqm. | 17271.5 |
| 29.8 | 300.200 | Glazed tiles using Grout (Tile Joint Filler) | 938.31 | Sqm | 281680.6 |
| 29.9 | 111.500 | Floor ceramic tiles (Anti-skid) using Grout (Tile Joint Filler). | 834.88 | Sqm | 93089.1 |
| 38.6 | 5983.930 | One coat white cement for new walls and other similar works. | 36.99 | Sqm | 221345.5 |
| 50.6 | 424.800 | Precast slab 50 mm tk.in C.C. 1:3:6 with fibre | 301.89 | Sqm | 128242.8 |
| 52.4 | 160.220 | 20mm dia PVC water supply ASTM pipe (fully consealed in walls) | 149.81 | Rmt | 24002.5 |
| 53.4 | 4.000 | S&F of C.I Manhole cover 60 x 60 cm (50kg weight) | 1725.00 | Each | 6900.0 |
| ally of | 19.000 | Wash Hand Basin of size 550 x 400 mm | 2526.82 | Each | 48009.5 |
| 58.3 | | PVC SWR pipe (Soil line) with ISI mark - type 'B'. | IN THE | | |
| | 159.100 | a. 110 mm dia. | 518.65 | Rmt | 82517.2 |
| war. | 164.550 | b. 75 mm dia. | 406.75 | Rmt | 66930.7 |
| 58.4 | 36.000 | Supplying, Laying & Concealing the 50mm dia PVC (SWR) pipe with ISI mark type - 'B' with relevant specials. | 81.20 | Rmt | 2923.2 |
| 58.5 | 2.000 | PVC(SWR) pipe with ISI mark - type 'A' for Ventilating shaft with cowl | 439.40 | Each | 878.8 ¥ |
| | 107.000 | Supply and delivery of 48" (1200 mm) Fan with ISI mark with Eletronic Dimmer | 1238.30 | Each | 132498.1 |
| 77.5 | 336.000 | Run of 2 Wires of 1.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: | 141.00 | Rmt | 47376.0 |
| | 1140.000 | Run of 2 Wires of 4 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990. | 186.00 | Rmt | 212040.0 |
| | 210.000 | Run of 2 Wires of 2.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990. | 155.00 | Rmt | 32550.0 |
| 44.2 | 1.4 | Rain water harvesting using defunct borewell and providing perforated cover slab | | | 4 |
| | 20.000 | a). Providing pit | 1336.70 | Each | 26734.0 |

| SI. No. | Qty. | Description | Rate | Unit | Amour |
|---------|----------|---|---------|------|------------|
| | 60.000 | b) Augering 30cm dia | 325.68 | Rmt | 19540.80 |
| 344.2 | 19.000 | S&F of Bevelled edge mirror 500 x 400 x 5.5mm | 355.00 | Each | 6745.00 |
| 38.1 | 12.000 | Anticorrosive treatment for window grills | 2010.25 | МТ | 24123.00 |
| | 2.000 | Supplying and fixing of 32 AMPS Triple pole main switch | 1340.00 | Each | 2680.00 |
| | 2.000 | 3 Nos.of 32Amps - Fuse Unit | 600.00 | Each | 1200.00 |
| | 7.000 | Supplying and delivery of Three phase ELCB/RCCB | 2695.00 | Each | 18865.00 |
| | 4.000 | Supply of G.I pipe 40mm dia 'B' Class | 155.00 | Rmt | 620.00 |
| | 1344.900 | Plastic Emulsion PAINT including primer for outer walls | 151.87 | Sqm | 204249.96 |
| | 5983.930 | Two coat of OBD over one coat white cement for inner walls | 75.46 | Sqm | 451547.36 |
| | 22.500 | Providing wooden Melamine polish for new wood work | 997.28 | Sqm | 22438.80 |
| | 1873.600 | Vitrified Tiles flooring (ivory) | 910.04 | Sqm | 1705050.94 |
| 7 | 105.000 | Concrete designer tiles flooring | 1057.72 | Sqm | 111060.60 |
| | 3.300 | Supplying and fixing in position of UPVC Ventilator louvered ventilator type for all sizes Revised SR 2018-19 p-57 it-192 | 6500.00 | Sqm | 21450.00 |
| | 242.800 | Supplying and fixing in position of UPVC window of casement type(open) for all sizes Revised SR 2018-19 p-57 it-191 | 6000.00 | Sqm | 1456800.00 |
| | 25.000 | Supplying and Fixing of Rolling shutters of all sizes (Gear Operated)(from 8m2 to 12m2) Annex-Vi-P-45 rev SR 18-19 item -102-A-b | 2240.00 | Sqm | 56000.00 |
| | | Supplying and fixing of solid core flush door shutter of thickness 35mm | | | |
| | 12.600 | a. door size 1.200m x 2.100 (Double leaf) | 3016.92 | Sqm | 38013.19 |
| | 50.400 | c. door size 1.000 m x 2.100 (Single Leaf) | 2761.73 | Sqm | 139191.19 |
| | 1803.900 | Providing additional strutting to centering of plain surface. | 24.89 | Sqm | 44899.07 |
| | 47.000 | S & F of 15mm dia Engineering Polymer Tap (long body) for coastal area only | 185.00 | Each | 8695.00 |
| | 33.000 | S & F of 15mm dia Engineering Polymer Tap short body tap for coastal area only | 174.00 | Each | 5742.00 |
| | 1861.700 | Finshing the top of Terrace floor with one course of solar reflective Ceramic tiles without base concrete | 1022.48 | Sqm. | 1903551.0 |
| | | UPVC Non Pressure pipe of SN8 SDR 34 (S 16.5) as per IS 15328/2003 | | | |
| | 90.600 | a. 110 mm UPVC Non Pressure pipe | 336.42 | Rmt | 30479.6 |

| SI. No. | Qty. | Description | Rate | Unit | Amount |
|---------|---------|--|----------|------|-------------|
| 47 | 92.840 | b 160 mm UPVC Non Pressure pipe | 597.93 | Rmt | 55511 82 |
| | 6.000 | S & F of Indian Water closet white glazed (Oriya type) of size 580 x 440mm with PVC SWR grade 'P' or "S' trap - in G.F. | 2314.84 | Each | 13889.04 |
| | 4.000 | S & F of Indian Water closet white glazed (Oriya type) of size 580 x 440mm with PVC SWR grade ' P' or "S' trap- Other than G.F. | 3606.09 | Each | 14424.36 |
| | 8.000 | S & F of E.W.C.(White) 500 mm with PVC SWR grade "P" or "S" TRAP | 5127.80 | Each | 41022.40 |
| | 5 | Wiring with 1.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990. (PVC Box , Fire Retarded Box) For Coastal only | | | |
| | 272.000 | a. Light point with ceiling rose | 1075.00 | Each | 292400.00 |
| | 119.000 | b. Light point without ceiling rose | 1078.00 | Each | 128282.00 |
| | 16.000 | c. Calling bell point with Buzzer/Calling bell | 1107.00 | Each | 17712.00 |
| | 107.000 | Wiring with 1.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990 for Fan point.(PVC Electrical Box) | 1125.00 | Each | 120375.00 |
| | 8.000 | Wiring with 1.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990 for Staircase Light Point.(PVC Electrical Box) | 1983.00 | Each | 15864.00 |
| 67.1 | 64.000 | Wiring with 1.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990 for 5 amps 5 pin plug socket point @ Switch Board Itself | 540.00 | Each | 34560.00 |
| - | 43.000 | Wiring with 1.5 sqmm PVC insulated single core multi strand fire retardant flexible copper cable with ISI mark confirming IS: 694:1990 for 5 amps 5 pin plug socket point @ Convenient Places.(PVC Electrical Box) | 758.00 | Each | 32594.00 |
| | 28.000 | Supplying and fixing of 15 Amps 3 pin flush type plug using (PVC Box , Fire Retarded Box) | 128.98 | Each | 3611.44 |
| | 216.145 | Supply & Fabrication of Mild steel / RTS grills (without cement slurry) for all sizes of rods.(BINDING WIRE insulated with PVC) | 62159.30 | МТ | 13435421.90 |
| | 360.800 | PVC SWR 110 mm dia with ISI mark type- A for Rain water down fall pipe(UPVC SPECIAL CLAMP) | 279.36 | Rmt | 100793.09 |
| | 1 3 | Supply ,laying & jointing the following pipes as per ASTM D 1785 of schedule 40 with UPVC Specials | | | |

| SI. No. | Qty. | Description | Rate | Unit | Amoun |
|---------|----------|---|--------|------|-------------|
| | 146.040 | a. 32 mm dia | 168.56 | Rmt | 24616.50 |
| | 326.820 | b. 25 mm dia | 152.60 | Rmt | 49872.73 |
| | 3908.000 | Providing Colour Marble chips of size 10mm and below using 70.20Kgs of cement and 15 cum of Colour Marble chips for every 10 sqm over the existing plastered surface (For coastal area) | 254.31 | Sqm | 993843.48 |
| | 411.000 | Augering 30 cm dia at 3m depth for compound wall | 659.68 | Rmt | 271128.48 |
| | | Total | | 100 | 81454643.05 |

Mark to the second second

No