```
// Max Temperature Driver program
import org.apache.hadoop.fs.Path;
import org.apache.hadoop.io.IntWritable;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapreduce.Job;
import org.apache.hadoop.mapreduce.lib.input.FileInputFormat;
import org.apache.hadoop.mapreduce.lib.output.FileOutputFormat;
//import org.apache.hadoop.mapreduce.lib.input.TextInputFormat;
public class MaxTemperature {
       public static void main(String[] args) throws Exception {
               if (args.length != 2) {
               System.err.println("Usage: MaxTemperature <input path> <output path>");
               System.exit(-1);
               }
               Job job = new Job();
               job.setJarByClass(MaxTemperature.class);
               job.setJobName("Max temperature");
               FileInputFormat.addInputPath(job, new Path(args[0]));
               FileOutputFormat.setOutputPath(job, new Path(args[1]));
               job.setMapperClass(MaxTemperatureMapper.class);
               job.setReducerClass(MaxTemperatureReducer.class);
               job.setOutputKeyClass(Text.class);
               job.setOutputValueClass(IntWritable.class);
               System.exit(job.waitForCompletion(true) ? 0 : 1);
               }
```

```
import java.io.IOException;
import org.apache.hadoop.io.IntWritable;
import org.apache.hadoop.io.LongWritable;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapreduce.Mapper;
public class MaxTemperatureMapper
extends Mapper<LongWritable, Text, Text, IntWritable> {
private static final int MISSING = 9999;
@Override
public void map(LongWritable key, Text value, Context context)
throws IOException, InterruptedException {
String line = value.toString();
String year = line.substring(15, 19);
int airTemperature;
if (line.charAt(87) == '+') { // parseInt doesn't like leading plus signs
airTemperature = Integer.parseInt(line.substring(88, 92));
} else {
airTemperature = Integer.parseInt(line.substring(87, 92));
}
String quality = line.substring(92, 93);
if (airTemperature != MISSING && quality.matches("[01459]")) {
context.write(new Text(year), new IntWritable(airTemperature));
}
}
```

```
// Max Temperature Reducer program
import java.io.IOException;
import org.apache.hadoop.io.IntWritable;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapreduce.Reducer;
public class MaxTemperatureReducer
extends Reducer<Text, IntWritable, Text, IntWritable> {
@Override
public void reduce(Text key, Iterable<IntWritable> values,
Context context)
throws IOException, InterruptedException {
int maxValue = Integer.MIN_VALUE;
for (IntWritable value : values) {
maxValue = Math.max(maxValue, value.get());
}
context.write(key, new IntWritable(maxValue));
}
}
```