

```
In [6]: import numpy as np
import pandas as pd
import seaborn as sns
sns.set(style="white")
import matplotlib.pyplot as plt
from collections import Counter
%matplotlib inline
import os
for dirname, _, filename in os.walk(r'C:\Users\monur\Downloads\30th- Seaborn, Ed
    for filename in filenames:
        print(os.path.join(dirname, filename))
```

```
In [8]: import warnings
warnings.filterwarnings('ignore')
```

```
In [10]: fifa19 = pd.read_csv(r'C:\Users\monur\Downloads\30th- Seaborn, Eda practice\30t
```

```
In [14]: fifa19 = pd.read_csv(r'C:\Users\monur\Downloads\30th- Seaborn, Eda practice\30t
```

```
In [17]: fifa19
```

Out[17]:

	Unnamed: 0	ID	Name	Age	Phc
0	0	158023	L. Messi	31	https://cdn.sofifa.org/players/4/19/158023.p
1	1	20801	Cristiano Ronaldo	33	https://cdn.sofifa.org/players/4/19/20801.p
2	2	190871	Neymar Jr	26	https://cdn.sofifa.org/players/4/19/190871.p
3	3	193080	De Gea	27	https://cdn.sofifa.org/players/4/19/193080.p
4	4	192985	K. De Bruyne	27	https://cdn.sofifa.org/players/4/19/192985.p
...	
18202	18202	238813	J. Lundstram	19	https://cdn.sofifa.org/players/4/19/238813.p
18203	18203	243165	N. Christoffersson	19	https://cdn.sofifa.org/players/4/19/243165.p
18204	18204	241638	B. Worman	16	https://cdn.sofifa.org/players/4/19/241638.p
18205	18205	246268	D. Walker-Rice	17	https://cdn.sofifa.org/players/4/19/246268.p
18206	18206	246269	G. Nugent	16	https://cdn.sofifa.org/players/4/19/246269.p

18207 rows × 89 columns



In [19]:

```
fifa19.info()
```

```
<class 'pandas.core.frame.DataFrame'>
```

```
RangeIndex: 18207 entries, 0 to 18206
```

```
Data columns (total 89 columns):
```

#	Column	Non-Null Count	Dtype
0	Unnamed: 0	18207 non-null	int64
1	ID	18207 non-null	int64
2	Name	18207 non-null	object
3	Age	18207 non-null	int64
4	Photo	18207 non-null	object
5	Nationality	18207 non-null	object
6	Flag	18207 non-null	object
7	Overall	18207 non-null	int64
8	Potential	18207 non-null	int64
9	Club	17966 non-null	object
10	Club Logo	18207 non-null	object
11	Value	18207 non-null	object
12	Wage	18207 non-null	object
13	Special	18207 non-null	int64
14	Preferred Foot	18159 non-null	object
15	International Reputation	18159 non-null	float64
16	Weak Foot	18159 non-null	float64
17	Skill Moves	18159 non-null	float64
18	Work Rate	18159 non-null	object
19	Body Type	18159 non-null	object
20	Real Face	18159 non-null	object
21	Position	18147 non-null	object
22	Jersey Number	18147 non-null	float64
23	Joined	16654 non-null	object
24	Loaned From	1264 non-null	object
25	Contract Valid Until	17918 non-null	object
26	Height	18159 non-null	object
27	Weight	18159 non-null	object
28	LS	16122 non-null	object
29	ST	16122 non-null	object
30	RS	16122 non-null	object
31	LW	16122 non-null	object
32	LF	16122 non-null	object
33	CF	16122 non-null	object
34	RF	16122 non-null	object
35	RW	16122 non-null	object
36	LAM	16122 non-null	object
37	CAM	16122 non-null	object
38	RAM	16122 non-null	object
39	LM	16122 non-null	object
40	LCM	16122 non-null	object
41	CM	16122 non-null	object
42	RCM	16122 non-null	object
43	RM	16122 non-null	object
44	LWB	16122 non-null	object
45	LDM	16122 non-null	object
46	CDM	16122 non-null	object
47	RDM	16122 non-null	object
48	RWB	16122 non-null	object
49	LB	16122 non-null	object
50	LCB	16122 non-null	object
51	CB	16122 non-null	object
52	RCB	16122 non-null	object
53	RB	16122 non-null	object
54	Crossing	18159 non-null	float64

```

55 Finishing 18159 non-null float64
56 HeadingAccuracy 18159 non-null float64
57 ShortPassing 18159 non-null float64
58 Volleys 18159 non-null float64
59 Dribbling 18159 non-null float64
60 Curve 18159 non-null float64
61 FKAccuracy 18159 non-null float64
62 LongPassing 18159 non-null float64
63 BallControl 18159 non-null float64
64 Acceleration 18159 non-null float64
65 SprintSpeed 18159 non-null float64
66 Agility 18159 non-null float64
67 Reactions 18159 non-null float64
68 Balance 18159 non-null float64
69 ShotPower 18159 non-null float64
70 Jumping 18159 non-null float64
71 Stamina 18159 non-null float64
72 Strength 18159 non-null float64
73 LongShots 18159 non-null float64
74 Aggression 18159 non-null float64
75 Interceptions 18159 non-null float64
76 Positioning 18159 non-null float64
77 Vision 18159 non-null float64
78 Penalties 18159 non-null float64
79 Composure 18159 non-null float64
80 Marking 18159 non-null float64
81 StandingTackle 18159 non-null float64
82 SlidingTackle 18159 non-null float64
83 GKDiving 18159 non-null float64
84 GKHandling 18159 non-null float64
85 GKKicking 18159 non-null float64
86 GKPositioning 18159 non-null float64
87 GKReflexes 18159 non-null float64
88 Release Clause 16643 non-null object
dtypes: float64(38), int64(6), object(45)
memory usage: 12.4+ MB

```

```
In [21]: fifa19['Body Type'].value_counts()
```

```


Out[21]: Body Type
Normal      10595
Lean         6417
Stocky      1140
Messi         1
C. Ronaldo   1
Neymar        1
Courtois      1
PLAYER_BODY_TYPE_25  1
Shaqiri        1
Akinfenwa      1
Name: count, dtype: int64

```


```

In [23]: f, ax = plt.subplots(figsize=(8,6))
x = fifa19['Age']
ax = sns.distplot(x, bins=10)
plt.show()


```




```
In [25]: f, ax = plt.subplots(figsize=(8,6))
x = fifa19['Age']
x = pd.Series(x, name="Age variable")
ax = sns.distplot(x, bins=10)
plt.show()
```




```
In [27]: f, ax = plt.subplots(figsize=(8,6))
x = fifa19['Age']
ax = sns.distplot(x, bins=10, vertical = True)
plt.show()
```




```
In [29]: f, ax = plt.subplots(figsize=(8,6))
x = fifa19['Age']
x = pd.Series(x, name="Age variable")
ax = sns.kdeplot(x)
plt.show()
```




```
In [31]: f, ax = plt.subplots(figsize=(8,6))
x = fifa19['Age']
x = pd.Series(x, name="Age variable")
ax = sns.kdeplot(x, shade=True, color='r')
plt.show()
```



```
In [33]: f, ax = plt.subplots(figsize=(8,6))
x = fifa19['Age']
ax = sns.distplot(x, kde=False, rug=True, bins=10)
plt.show()
```



```
In [35]: f, ax = plt.subplots(figsize=(8,6))
x = fifa19['Age']
ax = sns.distplot(x, hist=False, rug=True, bins=10)
plt.show()
```


```
In [37]: fifa19['Preferred Foot'].nunique()
```

```
Out[37]: 2
```


```
In [39]: fifa19['Preferred Foot'].value_counts()
```

```
Out[39]: Preferred Foot
Right    13948
Left     4211
Name: count, dtype: int64
```


```
In [41]: f, ax = plt.subplots(figsize=(8, 6))
sns.countplot(x="Preferred Foot", data=fifa19, color="c")
plt.show()
```




```
In [43]: f, ax = plt.subplots(figsize=(8, 6))  
sns.countplot(x="Preferred Foot", hue="Real Face", data=fifa19)  
plt.show()
```



```
In [45]: f, ax = plt.subplots(figsize=(8, 6))  
sns.countplot(y="Preferred Foot", data=fifa19, color="c")  
plt.show()
```



```
In [47]: g = sns.catplot(x="Preferred Foot", kind="count", palette="ch:.25", data=fifa19)
```




```
In [49]: fifa19['International Reputation'].nunique()
```

```
Out[49]: 5
```


```
In [51]: fifa19['International Reputation'].value_counts()
```

```
Out[51]: International Reputation
1.0    16532
2.0     1261
3.0      309
4.0       51
5.0        6
Name: count, dtype: int64
```


```
In [53]: f, ax = plt.subplots(figsize=(8, 6))
sns.stripplot(x="International Reputation", y="Potential", data=fifa19)
plt.show()
```




```
In [55]: f, ax = plt.subplots(figsize=(8, 6))
sns.stripplot(x="International Reputation", y="Potential", data=fifa19, jitter=False)
plt.show()
```




```
In [57]: f, ax = plt.subplots(figsize=(8, 6))
sns.stripplot(x="International Reputation", y="Potential", hue="Preferred Foot",
              data=fifa19, jitter=0.2, palette="Set2", dodge=True)
plt.show()
```




```
In [59]: f, ax = plt.subplots(figsize=(8, 6))
sns.stripplot(x="International Reputation", y="Potential", hue="Preferred Foot",
              data=fifa19, palette="Set2", size=20, marker="D",
              edgecolor="gray", alpha=.25)
plt.show()
```




```
In [61]: f, ax = plt.subplots(figsize=(8, 6))  
sns.boxplot(x=fifa19["Potential"])  
plt.show()
```




```
In [63]: f, ax = plt.subplots(figsize=(8, 6))  
sns.boxplot(x="International Reputation", y="Potential", data=fifa19)  
plt.show()
```


```
In [67]: f, ax = plt.subplots(figsize=(8, 6))
sns.boxplot(x="International Reputation", y="Potential", hue="Preferred Foot", data=fifa19,
plt.show())
```




```
In [69]: f, ax = plt.subplots(figsize=(8, 6))  
sns.violinplot(x=fifa19["Potential"])  
plt.show()
```



```
In [71]: f, ax = plt.subplots(figsize=(8, 6))  
sns.violinplot(x="International Reputation", y="Potential", data=fifa19)  
plt.show()
```




```
In [73]: f, ax = plt.subplots(figsize=(8, 6))
sns.violinplot(x="International Reputation", y="Potential", hue="Preferred Foot")
plt.show()
```




```
In [75]: f, ax = plt.subplots(figsize=(8, 6))
sns.violinplot(x="International Reputation", y="Potential", hue="Preferred Foot")
```


```
data=fifa19, palette="muted", split=True)  
plt.show()
```




```
In [77]: f, ax = plt.subplots(figsize=(8, 6))  
sns.pointplot(x="International Reputation", y="Potential", data=fifa19)  
plt.show()
```




```
In [79]: f, ax = plt.subplots(figsize=(8, 6))
sns.pointplot(x="International Reputation", y="Potential", hue="Preferred Foot",
plt.show())
```




```
In [81]: f, ax = plt.subplots(figsize=(8, 6))
sns.pointplot(x="International Reputation", y="Potential", hue="Preferred Foot",
plt.show())
```




```
In [83]: f, ax = plt.subplots(figsize=(8, 6))
sns.pointplot(x="International Reputation", y="Potential", hue="Preferred Foot",
              data=fifa19, markers=["o", "x"], linestyle=["-", "--"])
plt.show()
```




```
In [89]: f, ax = plt.subplots(figsize=(8, 6))
sns.barplot(x="International Reputation", y="Potential", data=fifa19)
plt.show()
```




```
In [91]: f, ax = plt.subplots(figsize=(8, 6))
sns.barplot(x="International Reputation", y="Potential", hue="Preferred Foot", d
plt.show()
```




```
In [93]: from numpy import median
f, ax = plt.subplots(figsize=(8, 6))
sns.barplot(x="International Reputation", y="Potential", data=fifa19, estimator=
plt.show()
```


```
In [95]: f, ax = plt.subplots(figsize=(8, 6))
sns.barplot(x="International Reputation", y="Potential", data=fifa19, ci=68)
plt.show()
```




```
In [97]: f, ax = plt.subplots(figsize=(8, 6))  
sns.barplot(x="International Reputation", y="Potential", data=fifa19, ci="sd")  
plt.show()
```




```
In [99]: f, ax = plt.subplots(figsize=(8, 6))  
sns.barplot(x="International Reputation", y="Potential", data=fifa19, capsize=0.  
plt.show()
```




```
In [101... g = sns.relplot(x="Overall", y="Potential", data=fifa19)
```



```
In [103... f, ax = plt.subplots(figsize=(8, 6))
sns.scatterplot(x="Height", y="Weight", data=fifa19)
plt.show()
```




```
In [105... f, ax = plt.subplots(figsize=(8, 6))
ax = sns.lineplot(x="Stamina", y="Strength", data=fifa19)
plt.show()
```




In [107...


```
f, ax = plt.subplots(figsize=(8, 6))  
ax = sns.regplot(x="Overall", y="Potential", data=fifa19)  
plt.show()
```




```
In [109... f, ax = plt.subplots(figsize=(8, 6))
ax = sns.regplot(x="Overall", y="Potential", data=fifa19, color="g", marker="+")
plt.show()
```




```
In [111... f, ax = plt.subplots(figsize=(8, 6))
sns.regplot(x="International Reputation", y="Potential", data=fifa19, x_jitter=.
plt.show()
```




```
In [113... g = sns.lmplot(x="Overall", y="Potential", data=fifa19)
```



```
In [115... g = sns.lmplot(x="Overall", y="Potential", hue="Preferred Foot", data=fifa19)
```




```
In [117... g = sns.lmplot(x="Overall", y="Potential", hue="Preferred Foot", data=fifa19, pal
```




In [119...

```
g = sns.lmplot(x="Overall", y="Potential", col="Preferred Foot", data=fifa19)
```




In [121...

```
g = sns.FacetGrid(fifa19, col="Preferred Foot")
```




In [123...

```
g = sns.FacetGrid(fifa19, col="Preferred Foot")  
g = g.map(plt.hist, "Potential")
```




In [125...

```
g = sns.FacetGrid(fifa19, col="Preferred Foot")
g = g.map(plt.hist, "Potential", bins=10, color="r")
```




In [127...

```
g = sns.FacetGrid(fifa19, col="Preferred Foot")
g = (g.map(plt.scatter, "Height", "Weight", edgecolor="w").add_legend())
```




In [129...

```
g = sns.FacetGrid(fifa19, col="Preferred Foot", height=5, aspect=1)
g = g.map(plt.hist, "Potential")
```




```
In [131...] fifa19_new = fifa19[['Age', 'Potential', 'Strength', 'Stamina', 'Preferred Foot']
```

```
In [133...] g = sns.PairGrid(fifa19_new)  
g = g.map(plt.scatter)
```




In [135...

```
g = sns.PairGrid(fifa19_new)
g = g.map_diag(plt.hist)
g = g.map_offdiag(plt.scatter)
```




In [137...

```
g = sns.PairGrid(fifa19_new, hue="Preferred Foot")
g = g.map_diag(plt.hist)
g = g.map_offdiag(plt.scatter)
g = g.add_legend()
```




In [139...

```
g = sns.PairGrid(fifa19_new, hue="Preferred Foot")
g = g.map_diag(plt.hist, histtype="step", linewidth=3)
g = g.map_offdiag(plt.scatter)
g = g.add_legend()
```




In [141...

```
g = sns.PairGrid(fifa19_new, vars=['Age', 'Stamina'])  
g = g.map(plt.scatter)
```




In [143...

```
g = sns.PairGrid(fifa19_new)
g = g.map_upper(plt.scatter)
g = g.map_lower(sns.kdeplot, cmap="Blues_d")
g = g.map_diag(sns.kdeplot, lw=3, legend=False)
```




```
In [145... g = sns.JointGrid(x="Overall", y="Potential", data=fifa19)
g = g.plot(sns.regplot, sns.distplot)
```





In [147...


```
g = sns.JointGrid(x="Overall", y="Potential", data=fifa19)
g = g.plot_joint(plt.scatter, color=".5", edgecolor="white")
g = g.plot_marginals(sns.distplot, kde=False, color=".5")
```




```
In [149... g = sns.JointGrid(x="Overall", y="Potential", data=fifa19, space=0)
g = g.plot_joint(sns.kdeplot, cmap="Blues_d")
g = g.plot_marginals(sns.kdeplot, shade=True)
```



```
In [151... g = sns.JointGrid(x="Overall", y="Potential", data=fifa19, height=5, ratio=2)
g = g.plot_joint(sns.kdeplot, cmap="Reds_d")
g = g.plot_marginals(sns.kdeplot, color="r", shade=True)
```




```
In [153... f, ax = plt.subplots(figsize=(8, 6))  
ax = sns.regplot(x="Overall", y="Potential", data=fifa19);
```




In [155... `sns.lmplot(x="Overall", y="Potential", col="Preferred Foot", data=fifa19, col_wr`

Out[155... `<seaborn.axisgrid.FacetGrid at 0x1cb20f03470>`




```
In [157... def sinplot(flip=1):
x = np.linspace(0, 14, 100)
for i in range(1, 7):
    plt.plot(x, np.sin(x + i * .5) * (7 - i) * flip)
```


In [159... `sinplot()`




```
In [161... sns.set()
sinplot()
```



```
In [163... sns.set_style("whitegrid")  
sinplot()
```



```
In [165... sns.set_style("dark")  
sinplot()
```



In []: