

Cucumber Report

Nov 20, 2023, 7:05:12 PM

Start : Nov 20, 7:03:48.004 PM

End : Nov 20, 7:05:11.252 PM

Duration : 1 m 23.248 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 8




| Feature | | Scenario | | | | Step | | | |
|---|--------------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Testing the functionality of the SmartHospital</u> | 1 m 23.248 s | 1 | 0 | 1 | 0 | 10 | 1 | 1 | 8 |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | <u>Testing the functionality of the SmartHospital</u> | <u>Check the Functionality of Finance</u> |

| TAG | Scenario | | | | Feature | | | |
|----------|----------|---|---|---|---------|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @Finance | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|--------------|
| 1 | <u>Testing the functionality of the SmartHospital</u> | 1 | 0 | 1 | 0 | 1 m 23.248 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|----|---|---|---|--------------|
| 1 | <u>Testing the functionality of the SmartHospital</u> | <u>Check the Functionality of Finance</u> | 10 | 1 | 1 | 8 | 1 m 23.239 s |

Testing the functionality of the SmartHospital

| | | | | | |
|--------------------------------------|-------------------------|-----------|---|------------|---|
| FAILED | DURATION - 1 m 23.248 s | Scenarios |  | Steps |  |
| / 7:03:48.004 PM // 7:05:11.252 PM / | | Total - 1 | | Total - 10 | |
| | | Pass - 0 | | Pass - 1 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 8 | |

Check the Functionality of Finance

| | | | | |
|---|--|---|--|--|
| <div>FAILED</div> <div>DURATION - 1 m 23.239 s</div> | | <div></div> | <div>Steps</div> <div>Total - 10</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 8</div> | <div></div> |
| <div>/ 7:03:48.013 PM // 7:05:11.252 PM /</div> | | | | |
| <div>Testing the functionality of the SmartHospital</div> | | | | |
| <div>@Finance</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|--------------|
| 1 | Given user is navigate to login page | PASSED | 1 m 20.579 s |
| 2 | When User clicks the Finance | FAILED | 0.120 s |
| | <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.160) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [590d1281869f1a9a9bd1c200475d6ae3, findElement {using=xpath, value=//span[text()='Finance']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.160, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\Dell\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57634}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:57634/devtoo..., se.cdpVersion: 119.0.6045.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 590d1281869f1a9a9bd1c200475d6ae3</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at com.actions.BirthAndDeathActions.Finances(BirthAndDeathActions.java:179) at com.stepdefinition.BirthStepdefinition.user_clicks_the_finance(BirthStepdefinition.java:152) at ?.User clicks the Finance(file:///C:/Users/Dell/eclipse-workspace/ManiWork/PilotModule/SmartHospital-ExpLIONS/src/test/resources/Features/data.feature:32) * Not displayable characters are replaced by '?'. | | |
| 3 | And user clicks the Income | SKIPPED | 0.002 s |
| 4 | And user click the Add Income | SKIPPED | 0.000 s |
| 5 | And user needs to send the required entires | SKIPPED | 0.000 s |
| 6 | And user clicks the expenses | SKIPPED | 0.001 s |
| 7 | And user clicks the Add Expenses | SKIPPED | 0.001 s |
| 8 | And user need to enter the details | SKIPPED | 0.002 s |
| 9 | And user need to save the record | SKIPPED | 0.002 s |
| 10 | Then user need to validate the profile | SKIPPED | 0.000 s |
| | AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) | FAILED | 0.019 s |
| | org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=119.0.6045.160) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>"Windows 10", os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [590d1281869f1a9a9bd1c200475d6ae3, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.160, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\Dell\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57634}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57634/devtoo..., se:cdpVersion: 119.0.6045.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 590d1281869f1a9a9bd1c200475d6ae3</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:409) at com.utility.HelperClass.tearDown(HelperClass.java:42) at com.stepdefinition.HookClass.tearDown(HookClass.java:24)</p> | | |