

# Cucumber Report

Nov 20, 2023, 4:33:20 PM

**Start : Nov 20, 4:29:06.883 PM**

**End : Nov 20, 4:33:19.653 PM**

**Duration : 4 m 12.770 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 1**


**FAILED - 4**

**SKIPPED - 0**

**PASSED - 15**

**FAILED - 4**


**SKIPPED - 16**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Testing the functionality of the SmartHospital</u>	4 m 12.770 s	5	1	4	0	35	15	4	16

#	Feature Name	Scenario Name
1	<u>Testing the functionality of the SmartHospital</u>	<u>check the death Functionality</u>
2		<u>Check the Functionality of Human Resources</u>
3		<u>Check the Functionality of Finance</u>
4		<u>Check the Functionality of Messaging</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@BirthRecord	1	1	0	0	1	0	1	0
@DeathRecord	1	0	1	0	1	0	1	0
@HumanResource	1	0	1	0	1	0	1	0
@Finance	1	0	1	0	1	0	1	0
@Messaging	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Testing the functionality of the SmartHospital</u>	5	1	4	0	4 m 12.770 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Testing the functionality of the SmartHospital</u>	<u>check the birth functionality</u>	6	6	0	0	23.741 s
2		<u>check the death Functionality</u>	5	1	1	3	36.727 s
3		<u>Check the Functionality of Human Resources</u>	8	2	1	5	57.352 s
4		<u>Check the Functionality of Finance</u>	10	3	1	6	56.450 s
5		<u>Check the Functionality of Messaging</u>	6	3	1	2	1 m 18.412 s

## Testing the functionality of the SmartHospital



<b>FAILED</b>	DURATION - 4 m 12.770 s	Scenarios		Steps	
/ 4:29:06.883 PM // 4:33:19.653 PM /		Total - 5		Total - 35	
		Pass - 1		Pass - 15	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 16	

## check the birth functionality

PASSED		DURATION - 23.741 s			Steps	
/ 4:29:06.887 PM // 4:29:30.628 PM /					Total - 6	
Testing the functionality of the SmartHospital					Pass - 6	
@BirthRecord					Fail - 0	
					Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user is navigate to login page	PASSED	10.453 s
2	When user need to click the birth and death record	PASSED	0.045 s
3	And user click the birth record	PASSED	9.509 s
4	And user click the Add birth record	PASSED	0.156 s
5	And user enters the require values	PASSED	0.882 s
6	Then user need to click save	PASSED	0.105 s

## check the death Functionality



<div>FAILED</div> <div>DURATION - 36.727 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 4:29:30.640 PM // 4:30:07.367 PM /				
Testing the functionality of the SmartHospital				
@DeathRecord				

#	Step / Hook Details	Status	Duration
1	Given user is navigate to login page	PASSED	10.102 s
2	When user click the death record  org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=119.0.6045.160) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [19034b415fd3f75208f5c83c76af5612, clickElement {id=01F41F7CB14091427F13ED08FFCD0F30_element_60}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.160, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\Dell\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52583}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52583/devtoo..., se:cdpVersion: 119.0.6045.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (19034b415fd3f75208f5c83c76af5612)] -> xpath: //li/ /a[@href='https://demo.smart-hospital.in/admin/birthordeath/death']] Session ID: 19034b415fd3f75208f5c83c76af5612 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568)	FAILED	25.063 s



#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy21.click(Unknown Source) at com.actions.BirthAndDeathActions.deathrecord(BirthAndDeathActions.java:88) at com.stepdefinition.BirthStepdefinition.user_click_the_death_record(BirthStepdefinition.java:69) at ?.user click the death record(file:///C:/Users/Dell/eclipse-workspace/ManiWork/PilotModule/SmartHospital-ExpLIONS/src/test/resources/Features/data.feature:15) * Not displayable characters are replaced by '?'. </pre>		
3	And user click the Add death record	SKIPPED	0.001 s
4	And user enters the valid entires	SKIPPED	0.001 s
5	Then user need to click save death record	SKIPPED	0.000 s



### Check the Functionality of Human Resources

<b>FAILED</b> DURATION - 57.352 s / 4:30:07.418 PM // 4:31:04.770 PM / Testing the functionality of the SmartHospital @HumanResource		Steps Total - 8 Pass - 2 Fail - 1 Skip - 5	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given user is navigate to login page	PASSED	14.231 s
2	When User clicks the HumanResource	PASSED	16.613 s
3	And user clicks the AddStaff <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@class='btn btn-primary dropdown-toggle btn-sm']"} (Session info: chrome=119.0.6045.160) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [40d977d90849d9cfab8557ada2c3ec06, findElement {using=xpath, value=//button[@class='btn btn-primary dropdown-toggle btn-sm']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.160, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\Dell\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52624}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52624/devtoo..., se:cdpVersion: 119.0.6045.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 40d977d90849d9cfab8557ada2c3ec06 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) </pre>	FAILED	25.033 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.click(Unknown Source) at com.actions.BirthAndDeathActions.AddStaff(BirthAndDeathActions.java:115) at com.stepdefinition.BirthStepdefinition.user_clicks_the_add_staff(BirthStepdefinition.java:104) at ?.user clicks the AddStaff(file:///C:/Users/Dell/eclipse-workspace/ManiWork/PilotModule/SmartHospital-ExpLIONS/src/test/resources/Features/data.feature:23) * Not displayable characters are replaced by '?'. </pre>		
4	And user need to fill the required filesd	SKIPPED	0.000 s
5	Then user need to save the information	SKIPPED	0.000 s
6	Then User need to click the Staff Attendance	SKIPPED	0.003 s
7	And user need to provide the staff attendance	SKIPPED	0.000 s
8	And Save the record	SKIPPED	0.000 s



## Check the Functionality of Finance

FAILED		DURATION - 56.450 s			<div>Steps</div> <div>Total - 10</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 4:31:04.781 PM // 4:32:01.231 PM /						
Testing the functionality of the SmartHospital						
@Finance						

#	Step / Hook Details	Status	Duration
1	Given user is navigate to login page	PASSED	10.039 s
2	When User clicks the Finance	PASSED	18.425 s
3	And user clicks the Income	PASSED	1.420 s
4	<p>And user click the Add Income</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='box-tools pull-right']/child::a[@class='btn btn-primary btn-sm addincome']} (Session info: chrome=119.0.6045.160) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3768b4856d11b00ef79d248fccdf518, findElement {using=xpath, value="//div[@class='box-tools pull-right']/child::a[@class='btn btn-primary btn-sm addincome']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.160, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\Dell\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52681}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52681/devtoo..., se:cdpVersion: 119.0.6045.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b3768b4856d11b00ef79d248fccdf518     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy21.click(Unknown Source)     at com.actions.BirthAndDeathActions.AddIncome(BirthAndDeathActions.java:171)     at com.stepdefinition.BirthStepdefinition.user_click_the_add_income(BirthStepdefinition.java:164)     at ?.user click the Add Income(file:///C:/Users/Dell/eclipse-workspace/ManiWork/PilotModule/SmartHospital-ExpLIONS/src/test/resources/Features/data.feature:34)     * Not displayable characters are replaced by '?'. </pre>	FAILED	25.085 s

#	Step / Hook Details	Status	Duration
5	And user needs to send the required entires	SKIPPED	0.000 s
6	And user clicks the expenses	SKIPPED	0.001 s
7	And user clicks the Add Expenses	SKIPPED	0.000 s
8	And user need to enter the details	SKIPPED	0.000 s
9	And user need to save the record	SKIPPED	0.000 s
10	Then user need to validate the profile	SKIPPED	0.000 s

### Check the Functionality of Messaging

FAILED		DURATION - 1 m 18.412 s			<div>Steps</div> <div>Total - 6</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 4:32:01.241 PM // 4:33:19.653 PM /						
Testing the functionality of the SmartHospital						
@Messaging						

#	Step / Hook Details	Status	Duration
1	Given user is navigate to login page	PASSED	9.948 s
2	When user click the messaging	PASSED	15.453 s
3	And user click the post messaging	PASSED	26.304 s
4	And user need to give value for required fields org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='date']"} (Session info: chrome=119.0.6045.160) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6fc6a80fd6270c3400b179d5476c6259, findElement {using=xpath, value=//input[@id='date']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.160, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\Dell\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52736}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52736/devtoo..., se:cdpVersion: 119.0.6045.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6fc6a80fd6270c3400b179d5476c6259 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	25.301 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.sendKeys(Unknown Source) at com.actions.BirthAndDeathActions.Notice(BirthAndDeathActions.java:279) at com.stepdefinition.BirthStepdefinition.user_need_to_give_value_for_required_fields(BirthStepdefinition.java:223) at ?.user need to give value for required fields(file:///C:/Users/Dell/eclipse-workspace/ManiWork/PilotModule/SmartHospital-ExpLIONS/src/test/resources/Features/data.feature:48) * Not displayable characters are replaced by '?'. </pre>		
5	And user click the Send button	SKIPPED	0.000 s
6	Then user need to logout	SKIPPED	0.000 s