
# **Cucumber Report**



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Testing the functionality of the SmartHospital	1 m 11.852 s	3	0	3	0	19	0	0	19

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Testing the functionality of the SmartHospital	check the birth functionality
2		check the death Functionality
3		Check the Functionality of Human Resources


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@BirthRecord	1	0	1	0	1	0	1	0
@DeathRecord	1	0	1	0	1	0	1	0
@HumanResource	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	Testing the functionality of the SmartHospital	3	0	3	0	1 m 11.852 s	

SCENARIOS SUMMARY -- 6




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the functionality of the SmartHospital	check the birth functionality	6	0	0	6	25.927 s
2		check the death Functionality	5	0	0	5	23.002 s
3		Check the Functionality of Human Resources	8	0	0	8	22.879 s

DETAILED SECTION -- 7 --

### **Testing the functionality of the SmartHospital**

FAILED	DURATION - 1 m 11.852 s	Scenarios		Steps	
		Total - 3		Total - 19	
/ 10:53:55.520 AM //	10:55:07.372 AM /	Pass - 0	3	Pass - 0	19
		Fail - 3	<b>3</b>	Fail - 0	
		Skip - 0		Skip - 19	


#### check the birth functionality



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepdefinition.HookClass.setUp()	FAILED	25.909 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 119.0.6045.160 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'TMZ-DPC-2243', ip: '10.192.198.195' Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr, extensions: []}}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:163) at org.openqa.selenium.remote.BritpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236)	PAILED	25.909 \$
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:83) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:51) at com.utility.HelperClass.<init>(HelperClass.java:20) at com.utility.HelperClass.setUpDriver(HelperClass.java:36) at com.stepdefinition.HookClass.setUp(HookClass.java:15)</init></init></init>		
1	Given user is navigate to login page	SKIPPED	0.001 s
2	When user need to click the birth and death record	SKIPPED	0.000 s
3	And user click the birth record	SKIPPED	0.000 s
4	And user click the Add birth record	SKIPPED	0.000 s
5	And user enters the require values	SKIPPED	0.000 s
6	Then user need to click save	SKIPPED	0.000 s


## check the death Functionality



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepdefinition.HookClass.setUp()	FAILED	23.000 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 119.0.6045.160 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'TMZ-DPC-2243', ip: '10.192.198.195' Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr, extensions: []}}}} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236) at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:163) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:51) at com.utility.HelperClass.<init>(HelperClass.java:20) at com.utility.HelperClass.setUpDriver(HelperClass.java:36) at com.stepdefinition.HookClass.setUp(HookClass.java:15)</init></init></init></init></init></init>		
1	Given user is navigate to login page	SKIPPED	0.000 s
2	When user click the death record	SKIPPED	0.000 s
3	And user click the Add death record	SKIPPED	0.000 s
4	And user enters the valid entires	SKIPPED	0.000 s
5	Then user need to click save death record	SKIPPED	0.000 s

#### **Check the Functionality of Human Resources**



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepdefinition.HookClass.setUp()	FAILED	22.876 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 119.0.6045.160 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'TMZ-DPC-2243', ip: '10.192.198.195' Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr, extensions: []}}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236) at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:163) at org.openqa.selenium.chromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:51) at com.utility.HelperClass.<init>(HelperClass.java:20) at com.utility.HelperClass.setUpDriver(HelperClass.java:36) at com.stepdefinition.HookClass.setUp(HookClass.java:15)</init></init></init></init></init></init>		
1	Given user is navigate to login page	SKIPPED	0.001 s
2	When User clicks the HumanResource	SKIPPED	0.000 s
3	And user clicks the AddStaff	SKIPPED	0.000 s
4	And user need to fill the required fileds	SKIPPED	0.000 s
5	Then user need to save the information	SKIPPED	0.001 s
6	Then User need to click the Staff Attendance	SKIPPED	0.000 s
7	And user need to provide the staff attendance	SKIPPED	0.000 s
8	And Save the record	SKIPPED	0.000 s