100

**Duration: 1 m 0.997 s** Start: Nov 22, 2:36:11.454 PM End: Nov 22, 2:37:12.451 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 2 3 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Check the Functionality of Logout	1 m 0.997 s	1	0	1	0	3	0	1	2

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Check the Functionality of Logout	Testing the Logout

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Logout	1	0	1	0	1 m 0.997 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Logout	Testing the Logout	3	0	1	2	1 m 0.993 s

DETAILED SECTION -- 6 --

## **Check the Functionality of Logout**

FAILED	DURATION - 1 m 0.997 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 2:36:11.454 PM //	/ 2:37:12.451 PM /	Pass - 0	1	Pass - 0	3
		Fail - 1		Fail - 1	🦊 ് 📕
		Skip - 0		Skip - 2	

## **Testing the Logout**



#	Step / Hook Details	Status	Duration
1	Given user click the profile	FAILED	50.085 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //img[@class='topuser-image']' (tried for 20 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.actions.BirthAndDeathActions.AdminProfile(BirthAndDeathActions.java:339) at com.stepdefinition.BirthStepdefinition.user_click_the_profile(BirthStepdefinition.java:258) at ?.user click the profile(file:///C:/Users/mchalla/eclipse-workspace/UpdatedProjectMani/PilotModule/SmartHospital-ExpLIONS/src/test/resources/Features/Logout.feature:3) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//img[@class='topuser-image']"} (Session info: MicrosoftEdge=119.0.2151.58) For documentation on this error,		30.000
	please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa. selenium.edge.EdgeDriver Command: [fc1c984ee2c0f10d5797ba1624d023d6, findElement {using=xpath, value=//img[@class='topuser-image']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:62607}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47, userDataDir: C:\Users\mchalla\AppData\Lo}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62607/devtoo, se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		

ength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: or.newInstance(DirectConstructorHandleAccessor.java:62) r(Constructor.java:502) tor.java:486) codec.createException(W3CHttpResponseCodec.java:200) codec.decode(W3CHttpResponseCodec.java:133) codec.decode(W3CHttpResponseCodec.java:52) (HttpCommandExecutor.java:191) or.invokeExecute(DriverCommandExecutor.java:200) or.execute(DriverCommandExecutor.java:175)		
r(Constructor.java:502) tor.java:486) todec.createException(W3CHttpResponseCodec.java:200) todec.decode(W3CHttpResponseCodec.java:133) todec.decode(W3CHttpResponseCodec.java:52) (HttpCommandExecutor.java:191) tor.invokeExecute(DriverCommandExecutor.java:200) tor.execute(DriverCommandExecutor.java:175)		
r(Constructor.java:502) tor.java:486) todec.createException(W3CHttpResponseCodec.java:200) todec.decode(W3CHttpResponseCodec.java:133) todec.decode(W3CHttpResponseCodec.java:52) (HttpCommandExecutor.java:191) tor.invokeExecute(DriverCommandExecutor.java:200) tor.execute(DriverCommandExecutor.java:175)		
tor.java:486) codec.createException(W3CHttpResponseCodec.java:200) codec.decode(W3CHttpResponseCodec.java:133) codec.decode(W3CHttpResponseCodec.java:52) (HttpCommandExecutor.java:191) or.invokeExecute(DriverCommandExecutor.java:200) or.execute(DriverCommandExecutor.java:175)		
codec.createException(W3CHttpResponseCodec.java:200) codec.decode(W3CHttpResponseCodec.java:133) codec.decode(W3CHttpResponseCodec.java:52) (HttpCommandExecutor.java:191) or.invokeExecute(DriverCommandExecutor.java:200) or.execute(DriverCommandExecutor.java:175)		
odec.decode(W3CHttpResponseCodec.java:133) odec.decode(W3CHttpResponseCodec.java:52) (HttpCommandExecutor.java:191) or.invokeExecute(DriverCommandExecutor.java:200) or.execute(DriverCommandExecutor.java:175)		
odec.decode(W3CHttpResponseCodec.java:52) (HttpCommandExecutor.java:191) or.invokeExecute(DriverCommandExecutor.java:200) or.execute(DriverCommandExecutor.java:175)		
(HttpCommandExecutor.java:191) or.invokeExecute(DriverCommandExecutor.java:200) or.execute(DriverCommandExecutor.java:175)		
or.invokeExecute(DriverCommandExecutor.java:200) or.execute(DriverCommandExecutor.java:175)		
r.execute(DriverCommandExecutor.java:175)		
noteWebDriver.java:602)		
r\$2.findElement(ElementLocation.java:165)		
ementLocation.java:59)		
RemoteWebDriver.java:359)		
RemoteWebDriver.java:353)		
ator.findElement(DefaultElementLocator.java:68)		
ementHandler.invoke(LocatingElementHandler.java:38)		
fVisible(ExpectedConditions.java:304)		
y(ExpectedConditions.java:290)		
y(ExpectedConditions.java:656)		
y(ExpectedConditions.java:652)		
ıva:205)		
uthActions.java:339)		
BirthStepdefinition.java:258)		
/oke(DirectMethodHandleAccessor.java:103)		
actGlueDefinition.java:47)		
ion.java:29)		
pDefinition.java:66)		
estStep.java:51)		1
COLOTOP (INVA.OL)	1	1
cototop.juvu.o±)		
	y(ExpectedConditions.java:290) y(ExpectedConditions.java:287) y(ExpectedConditions.java:656) y(ExpectedConditions.java:652) ava:205) athActions.java:339) BirthStepdefinition.java:258) woke(DirectMethodHandleAccessor.java:103)  actGlueDefinition.java:47) tion.java:29) epDefinition.java:66) PickleStepDefinitionMatch.java:63) nMode.java:10) a:84)	y(ExpectedConditions.java:290) y(ExpectedConditions.java:287) y(ExpectedConditions.java:656) y(ExpectedConditions.java:652) ava:205) athActions.java:339) BirthStepdefinition.java:258) voke(DirectMethodHandleAccessor.java:103)  actGlueDefinition.java:47) tion.java:29) epDefinition.java:66) PickleStepDefinitionMatch.java:63) nMode.java:10) a:84)

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
2	When user click the Logout	SKIPPED	0.002 s
3	Then user navigate to signup page.	SKIPPED	0.001 s