

Cucumber Report

Nov 28, 2023, 11:15:40 AM

Start : Nov 28, 11:14:05.082 AM

End : Nov 28, 11:15:39.885 AM

Duration : 1 m 34.803 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 3
SKIPPED - 0


PASSED - 6
FAILED - 3
SKIPPED - 18




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Checking the Functionality of Finance</u>	1 m 34.803 s	4	1	3	0	27	6	3	18

#	Feature Name	Scenario Name
1	<u>Checking the Functionality of Finance</u>	<u>User need to send the Required details</u>
2		<u>User need to send the Required details</u>
3		<u>User need to send the Required details</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@FinanceIncome	1	1	0	0	1	0	1	0
@FinanceExpenses	3	0	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Checking the Functionality of Finance</u>	4	1	3	0	1 m 34.803 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the Functionality of Finance</u>	<u>user need to send the Required parameters</u>	6	6	0	0	15.382 s
2		<u>User need to send the Required details</u>	7	0	1	6	25.951 s
3		<u>User need to send the Required details</u>	7	0	1	6	26.847 s
4		<u>User need to send the Required details</u>	7	0	1	6	26.593 s

Checking the Functionality of Finance



FAILED	DURATION - 1 m 34.803 s	Scenarios Total - 4 Pass - 1 Fail - 3 Skip - 0		Steps Total - 27 Pass - 6 Fail - 3 Skip - 18	
/ 11:14:05.082 AM // 11:15:39.885 AM /					

user need to send the Required parameters


<div>PASSED</div> <div>DURATION - 15.382 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 11:14:05.085 AM // 11:14:20.467 AM /				
Checking the Functionality of Finance				
@FinanceIncome				

#	Step / Hook Details	Status	Duration
1	Given user need to be login into the page	PASSED	5.526 s
2	Given User is on the finance module	PASSED	0.076 s
3	When user clicks on Income	PASSED	0.899 s
4	And user clicks on Add Income	PASSED	0.079 s
5	And user needs to provide the "<name>" and "<Invoicenum>" and "<amount>" and "<date>" and "<description>"	PASSED	1.369 s
6	Then user validates the income record	PASSED	0.068 s



User need to send the Required details

FAILED	DURATION - 25.951 s		<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div> <div></div>
/ 11:14:20.478 AM // 11:14:46.429 AM /			
Checking the Functionality of Finance			
@FinanceExpenses			

#	Step / Hook Details	Status	Duration
1	<p>Given user need to be login into the page</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//a[@class='btn btn-primary width50'])[1]"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [3acd07d91f105d18182ccc4ff50ac1ed, findElement {using=xpath, value=(//a[@class='btn btn-primary width50'])[1]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:53053}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\mchalla\AppData\Lo...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53053/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3acd07d91f105d18182ccc4ff50ac1ed</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy35.click(Unknown Source) at com.actions.BirthAndDeathActions.setAdmin(BirthAndDeathActions.java:30)</p>	FAILED	25.765 s


#	Step / Hook Details	Status	Duration
	at com.stepdefinition.BirthStepdefinition.user_need_to_be_login_into_the_page(BirthStepdefinition.java:26) at ?.user need to be login into the page(file:///C:/Users/mchalla/eclipse-workspace/UpdatedProjectMani/PilotModule/SmartHospital-ExpLIONS/src/test/resources/Features/Finance.feature:3) * Not displayable characters are replaced by '?'.		
2	Given User is on the finance module	SKIPPED	0.001 s
3	When user clicks on Expenses	SKIPPED	0.000 s
4	And user clicks on Add Expenses	SKIPPED	0.000 s
5	And user needs to enters the "mani" and "43254" and "25000" and "11/13/2023" and "This is newly added record"	SKIPPED	0.000 s
6	And user saves the expense record	SKIPPED	0.000 s
7	Then user validates the expense record	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.180 s
	User need to send the Required details		
			

User need to send the Required details



FAILED		DURATION - 26.847 s			Steps Total - 7 Pass - 0 Fail - 1 Skip - 6			
/ 11:14:46.440 AM // 11:15:13.287 AM /								
Checking the Functionality of Finance								
@FinanceExpenses								

#	Step / Hook Details	Status	Duration
1	Given user need to be login into the page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@class='btn btn-primary width50']"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [3acd07d91f105d18182ccc4ff50ac1ed, findElement {using=xpath, value=//a[@class='btn btn-primary width50']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions:	FAILED	26.682 s

#	Step / Hook Details	Status	Duration
	<pre>{debuggerAddress: localhost:53053}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\mchalla\AppData\Lo..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53053/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3acd07d91f105d18182ccc4ff50ac1ed at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy35.click(Unknown Source) at com.actions.BirthAndDeathActions.setAdmin(BirthAndDeathActions.java:30) at com.stepdefinition.BirthStepdefinition.user_need_to_be_login_into_the_page(BirthStepdefinition.java:26) at ?.user need to be login into the page(file:///C:/Users/mchalla/eclipse-workspace/UpdatedProjectMani/PilotModule/SmartHospital-ExpLIONS/src/test/resources/Features/Finance.feature:3) * Not displayable characters are replaced by '?'. </pre>		
2	Given User is on the finance module	SKIPPED	0.001 s
3	When user clicks on Expenses	SKIPPED	0.000 s
4	And user clicks on Add Expenses	SKIPPED	0.000 s
5	And user needs to enters the "deepak" and "56783" and "27000" and "10/22/2023" and "this is newly added deepak record"	SKIPPED	0.000 s
6	And user saves the expense record	SKIPPED	0.001 s
7	Then user validates the expense record	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.161 s
	User need to send the Required details		

#	Step / Hook Details	Status	Duration
			

User need to send the Required details

<div>FAILED</div> <div>DURATION - 26.593 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
<div>/ 11:15:13.292 AM // 11:15:39.885 AM /</div>				
<div>Checking the Functionality of Finance</div>				
<div>@FinanceExpenses</div>				

#	Step / Hook Details	Status	Duration
1	Given user need to be login into the page <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@class='btn btn-primary width50']"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [3acd07d91f105d18182ccc4ff50ac1ed, findElement {using=xpath, value=//a[@class='btn btn-primary width50']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:53053}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\mchalla\AppData\Lo..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:53053/devtoo..., se.cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3acd07d91f105d18182ccc4ff50ac1ed at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</pre>	FAILED	26.407 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy35.click(Unknown Source) at com.actions.BirthAndDeathActions.setAdmin(BirthAndDeathActions.java:30) at com.stepdefinition.BirthStepdefinition.user_need_to_be_login_into_the_page(BirthStepdefinition.java:26) at ?.user need to be login into the page(file:///C:/Users/mchalla/eclipse-workspace/UpdatedProjectMani/PilotModule/SmartHospital-ExpLIONS/src/test/resources/Features/Finance.feature:3) * Not displayable characters are replaced by '?'. </pre>		
2	Given User is on the finance module	SKIPPED	0.000 s
3	When user clicks on Expenses	SKIPPED	0.000 s
4	And user clicks on Add Expenses	SKIPPED	0.000 s
5	And user needs to enters the "" and "" and "" and "" and ""	SKIPPED	0.000 s
6	And user saves the expense record	SKIPPED	0.000 s
7	Then user validates the expense record	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.184 s
	User need to send the Required details		
			