

# Cucumber Report

Nov 29, 2023, 10:47:01 AM

Start : Nov 29, 10:46:02.303 AM

End : Nov 29, 10:47:00.543 AM

Duration : 58.240 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 8



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Checking the Functionality of Finance</u>	58.240 s	2	0	2	0	10	0	2	8

#	Feature Name	Scenario Name
1	<u>Checking the Functionality of Finance</u>	<u>User need to send the Required details</u>
2		<u>User need to send the Required details</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@FinanceExpenses	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Checking the Functionality of Finance</u>	2	0	2	0	58.240 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the Functionality of Finance</u>	<u>User need to send the Required details</u>	5	0	1	4	33.024 s
2		<u>User need to send the Required details</u>	5	0	1	4	25.195 s

## Checking the Functionality of Finance

<b>FAILED</b>	<b>DURATION - 58.240 s</b>	Scenarios		Steps	
/ 10:46:02.303 AM // 10:47:00.543 AM /		Total - 2		Total - 10	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 8	

## User need to send the Required details



<div>FAILED</div> <div>DURATION - 33.024 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 10:46:02.311 AM // 10:46:35.335 AM /				
Checking the Functionality of Finance				
@FinanceExpenses				

#	Step / Hook Details	Status	Duration
1	<p>When user clicks on Expenses</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='https://demo.smart-hospital.in/admin/patient/search']/span[text()='Finance']"} (Session info: MicrosoftEdge=119.0.2151.93) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [a407b7e78928a3e01822ea44553941db, findElement {using=xpath, value=//a[@href='https://demo.smart-hospital.in/admin/patient/search']/span[text()='Finance']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.93, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:50511}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\mchalla\AppData\Lo...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50511/devtoo..., se:cdpVersion: 119.0.2151.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a407b7e78928a3e01822ea44553941db     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</pre>	<b>FAILED</b>	25.179 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy35.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:1024) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at com.actions.BirthAndDeathActions.expenses(BirthAndDeathActions.java:240) at com.stepdefinition.BirthStepdefinition.user_clicks_on_expenses(BirthStepdefinition.java:151) at ?.user clicks on Expenses(file:///C:/Users/mchalla/eclipse-workspace/UpdatedProjectMani/PilotModule/SmartHospital-ExpLIONS/src/test/ resources/Features/Finance.feature:12) * Not displayable characters are replaced by '?'. </pre>		
2	And user clicks on Add Expenses	SKIPPED	0.000 s
3	And user needs to enters the "mani" and "43254" and "25000" and "11/13/2023" and "This is newly added record"	SKIPPED	0.000 s
4	And user saves the expense record	SKIPPED	0.000 s
5	Then user validates the expense record	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.184 s
	User need to send the Required details		



## User need to send the Required details

<div>FAILED</div> <div>DURATION - 25.195 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 10:46:35.348 AM // 10:47:00.543 AM /				
Checking the Functionality of Finance				
@FinanceExpenses				

#	Step / Hook Details	Status	Duration
1	<b>When user clicks on Expenses</b>  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='https://demo.smart-hospital.in/admin/patient/search']/span[text()='Finance']"} (Session info: MicrosoftEdge=119.0.2151.93) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [a407b7e78928a3e01822ea44553941db, findElement {using=xpath, value=//a[@href='https://demo.smart-hospital.in/admin/patient/search']/span[text()='Finance']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.93, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:50511}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\mchalla\AppData\Lo..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50511/devtoo..., se:cdpVersion: 119.0.2151.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a407b7e78928a3e01822ea44553941db at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)	<b>FAILED</b>	25.022 s

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy35.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:1024) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at com.actions.BirthAndDeathActions.expenses(BirthAndDeathActions.java:240) at com.stepdefinition.BirthStepdefinition.user_clicks_on_expenses(BirthStepdefinition.java:151) at ?.user clicks on Expenses(file:///C:/Users/mchalla/eclipse-workspace/UpdatedProjectMani/PilotModule/SmartHospital-ExpLIONS/src/test/resources/Features/Finance.feature:12) * Not displayable characters are replaced by '?'.		
2	And user clicks on Add Expenses	SKIPPED	0.000 s
3	And user needs to enters the "deepak" and "56783" and "27000" and "10/22/2023" and "this is newly added deepak record"	SKIPPED	0.000 s
4	And user saves the expense record	SKIPPED	0.000 s
5	Then user validates the expense record	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.170 s
	User need to send the Required details		