Cucumber Report

| Start : Nov 28, 5:45:19.547 PM	End : Nov 28, 5:46:59.617 PM	Duration : 1 m 40.070 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 2 SKIPPED - 0	PASSED - 5 FAILED - 2 SKIPPED - 0	PASSED - 25 FAILED - 2 SKIPPED - 10

Features: 3 — Pass % 33 %

Scenarios: 7 — Pass % 71 %

Steps: 37 — Pass % 67 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Checking the Functionality of Finance	38.124 s	4	4	0	0	20	20	0	0
checking the Functionality of Messaging	28.394 s	1	0	1	0	5	0	1	4
Checking the Functionality of Birth and Death	33.531 s	2	1	1	0	12	5	1	6

#	Feature Name	Scenario Name
1	*checking the Functionality of Messaging*	*Testing the Messaging*
2	*Checking the Functionality of Birth and Death*	*Check the birth functionality*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@FinanceIncome	1	1	0	0	1	1	0	0
@FinanceExpenses	3	3	0	0	1	1	0	0
@BirthRecord	1	0	1	0	1	0	1	0
@DeathRecord	1	1	0	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Checking the Functionality of Finance*	4	4	0	0	38.124 s
2	*checking the Functionality of Messaging*	1	0	1	0	28.394 s
3	*Checking the Functionality of Birth and Death*	2	1	1	0	33.531 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Functionality of Finance	user need to send the Required parameters	5	5	0	0	29.286 s
2		User need to send the Required details	5	5	0	0	3.910 s
3		User need to send the Required details	5	5	0	0	2.512 s
4		User need to send the Required details	5	5	0	0	2.390 s
5	checking the Functionality of Messaging	Testing the Messaging	5	0	1	4	28.394 s
6	Checking the Functionality of Birth and Death	Check the birth functionality	7	0	1	6	26.592 s
7		Check the death functionality	5	5	0	0	6.936 s

Checking the Functionality of Finance

PASSED	DURATION - 38.124 s	Scenarios		Steps	
		Total - 4		Total - 20	
/ 5:45:19.547 PM // 5:45:57.671 PM /		Pass - 4	4	Pass - 20	20
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

user need to send the Required parameters

PASSED	DURATION - 29.286 s		Steps	
/ 5:45:19.550 PM // 5:45:48.836 PM /			Total - 5	
			Pass - 5	5
Checking the Functionality of Finance			Fail - 0	
			Skip - 0	
@FinanceIncome				

#	Step / Hook Details	Status	Duration
1	Given user need to be login into the page	PASSED	10.019 s
2	When user clicks on Income	PASSED	0.939 s
3	And user clicks on Add Income	PASSED	0.072 s
4	And user needs to provide the "<name>" and "<Invoicenumber>" and "<amount>" and "<date>" and "<description>"	PASSED	4.756 s
5	Then user validates the income record	PASSED	0.058 s

User need to send the Required details

PASSED	DURATION - 3.910 s		Steps	
/ 5:45:48.846 PM // 5:45:52.756 PM /			Total - 5	
			Pass - 5	5
Checking the Functionality of Finance			Fail - 0	
			Skip - 0	
@FinanceExpenses				

#	Step / Hook Details	Status	Duration
1	When user clicks on Expenses	PASSED	1.736 s
2	And user clicks on Add Expenses	PASSED	0.053 s
3	And user needs to enters the "mani" and "43254" and "25000" and "11/13/2023" and "This is newly added record"	PASSED	2.069 s
4	And user saves the expense record	PASSED	0.050 s
5	Then user validates the expense record	PASSED	0.000 s

User need to send the Required details

PASSED	DURATION - 2.512 s
/ 5:45:52.762 PM // 5:45:55.274 PM /	
Checking the Functionality of Finance	
@FinanceExpenses	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

#	Step / Hook Details	Status	Duration
1	When user clicks on Expenses	PASSED	1.357 s
2	And user clicks on Add Expenses	PASSED	0.057 s
3	And user needs to enters the "deepak" and "56783" and "27000" and "10/22/2023" and "this is newly added deepak record"	PASSED	1.000 s
4	And user saves the expense record	PASSED	0.097 s
5	Then user validates the expense record	PASSED	0.000 s

User need to send the Required details

PASSED	DURATION - 2.390 s
/ 5:45:55.281 PM // 5:45:57.671 PM /	
Checking the Functionality of Finance	
@FinanceExpenses	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

| #	Step / Hook Details	Status	Duration
1	When user clicks on Expenses	PASSED	1.349 s
2	And user clicks on Add Expenses	PASSED	0.059 s
3	And user needs to enters the "" and "" and "" and "" and ""	PASSED	0.931 s
4	And user saves the expense record	PASSED	0.050 s
5	Then user validates the expense record	PASSED	0.000 s

checking the Functionality of Messaging

FAILED	DURATION - 28.394 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	Steps Total - 5 Pass - 0 Fail - 1 Skip - 4
/ 5:45:57.681 PM // 5:46:26.075 PM /			

Testing the Messaging

FAILED	DURATION - 28.394 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4
/ 5:45:57.681 PM // 5:46:26.075 PM /			
checking the Functionality of Messaging			

#	Step / Hook Details	Status	Duration
1	Given user need to be login into the page	FAILED	25.630 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//a[contains(@class,'btn btn-primary')]//i)[2]"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [2a537433f29c94fff4ee9a89447eaca9, findElement {using=xpath, value=(//a[contains(@class,'btn btn-primary')]//i)[2]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:59519}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\mchalla\AppData\Lo...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59519/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob:		

#	Step / Hook Details	Status	Duration

	true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2a537433f29c94fff4ee9a89447eaca9
	
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source)
	   at com.actions.BirthAndDeathActions.clickAdmin(BirthAndDeathActions.java:30)
	   at com.stepdefinition.BirthStepdefinition.user_need_to_be_login_into_the_page(BirthStepdefinition.java:26)
	   at ?.user need to be login into the page(file:///C:/Users/mchalla/eclipse-workspace/UpdatedProjectMani/PilotModule/SmartHospital-ExpLIONS/src/test/resources/Features/Messaging.feature:3)
	 * Not displayable characters are replaced by '?'.		

2	When user click the messaging	SKIPPED	0.000 s
3	And user click the post messaging	SKIPPED	0.000 s
4	And user need to give value for required fields	SKIPPED	0.000 s
5	And user click the Send button	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Testing the Messaging 	PASSED	2.761 s

Checking the Functionality of Birth and Death

FAILED	DURATION - 33.531 s	Scenarios	Steps
/ 5:46:26.086 PM // 5:46:59.617 PM /		Total - 2 / Pass - 1 / Fail - 1 / Skip - 0	Total - 12 / Pass - 5 / Fail - 1 / Skip - 6

Check the birth functionality

FAILED	DURATION - 26.592 s		Steps
/ 5:46:26.086 PM // 5:46:52.678 PM /			Total - 7
Checking the Functionality of Birth and Death			Pass - 0 / Fail - 1 / Skip - 6
@BirthRecord			

#	Step / Hook Details	Status	Duration
1	Given user need to be login into the page	FAILED	26.401 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//a[contains(@class,'btn btn-primary')]//i)[2]"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [2a537433f29c94fff4ee9a89447eaca9, findElement {using=xpath, value=(//a[contains(@class,'btn btn-primary')]//i)[2]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:59519}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\mchalla\AppData\Lo...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59519/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2a537433f29c94fff4ee9a89447eaca9
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source)		
	at com.actions.BirthAndDeathActions.clickAdmin(BirthAndDeathActions.java:30)		
	at com.stepdefinition.BirthStepdefinition.user_need_to_be_login_into_the_page(BirthStepdefinition.java:26)		
	at ?.user need to be login into the page(file:///C:/Users/mchalla/eclipse-workspace/UpdatedProjectMani/PilotModule/SmartHospital-ExpLIONS/src/test/resources/Features/deathandbirth.feature:5)		
	* Not displayable characters are replaced by '?'.		
2	When the user clicks on Birth and Death Record	SKIPPED	0.000 s
3	And the user clicks on Birth Record	SKIPPED	0.000 s
4	And the user clicks on Add Birth Record	SKIPPED	0.000 s
5	And the user enters the required values for birth record	SKIPPED	0.000 s
6	And the user clicks Save	SKIPPED	0.000 s
7	Then the birth record should be successfully saved	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.189 s
	Check the birth functionality 		

Check the death functionality

PASSED	DURATION - 6.936 s

/ 5:46:52.681 PM // 5:46:59.617 PM /

Checking the Functionality of Birth and Death

@DeathRecord

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	When the user clicks on Death Record	PASSED	4.178 s
2	And the user clicks on Add Death Record	PASSED	0.056 s
3	And the user enters valid entries for death record	PASSED	0.570 s
4	And the user clicks Save Death Record	PASSED	2.129 s
5	Then the death record should be successfully saved	PASSED	0.000 s