

Cucumber Report

Nov 29, 2023, 11:04:39 AM

Start : Nov 29, 11:02:42.977 AM

End : Nov 29, 11:04:38.530 AM

Duration : 1 m 55.553 s

Features

Scenarios

Steps

PASSED - 2

FAILED - 1

SKIPPED - 0

PASSED - 5



FAILED - 1

SKIPPED - 0

PASSED - 29

FAILED - 1


SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Checking the Functionality of Finance</u>	53.091 s	3	3	0	0	17	17	0	0
<u>checking the Functionality of Messaging</u>	14.564 s	1	1	0	0	5	5	0	0
<u>Checking the Functionality of Birth and Death</u>	47.872 s	2	1	1	0	12	7	1	4

#	Feature Name	Scenario Name
1	<u>Checking the Functionality of Birth and Death</u>	<u>Check the death functionality</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@FinanceIncome	1	1	0	0	1	1	0	0
@FinanceExpenses	2	2	0	0	1	1	0	0
@BirthRecord	1	1	0	0	1	0	1	0
@DeathRecord	1	0	1	0	1	0	1	0





#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>Checking the Functionality of Finance</u>	3	3	0	0	53.091 s
2	<u>checking the Functionality of Messaging</u>	1	1	0	0	14.564 s
3	<u>Checking the Functionality of Birth and Death</u>	2	1	1	0	47.872 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the Functionality of Finance</u>	<u>user need to send the Required parameters</u>	5	5	0	0	18.879 s
2		<u>User need to send the Required details</u>	6	6	0	0	17.785 s
3		<u>User need to send the Required details</u>	6	6	0	0	16.402 s
4	<u>checking the Functionality of Messaging</u>	<u>Testing the Messaging</u>	5	5	0	0	14.564 s
5	<u>Checking the Functionality of Birth and Death</u>	<u>Check the birth functionality</u>	7	7	0	0	16.760 s
6		<u>Check the death functionality</u>	5	0	1	4	31.106 s

Checking the Functionality of Finance



PASSED	DURATION - 53.091 s	Scenarios		Steps	
/ 11:02:42.977 AM // 11:03:36.068 AM /		Total - 3		Total - 17	
		Pass - 3		Pass - 17	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

user need to send the Required parameters

<div><div>PASSED</div><div>DURATION - 18.879 s</div></div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 11:02:42.981 AM // 11:03:01.860 AM /</div>			
<div>Checking the Functionality of Finance</div>			
<div>@FinanceIncome</div>			



#	Step / Hook Details	Status	Duration
1	Given user need to be login into the page	PASSED	5.317 s
2	When user clicks on Income	PASSED	1.327 s
3	And user clicks on Add Income	PASSED	0.075 s
4	And user needs to provide the "<name>" and "<Invoicenum>" and "<amount>" and "<date>" and "<description>"	PASSED	3.644 s
5	Then user validates the income record	PASSED	0.058 s

User need to send the Required details

<div>PASSED</div> <div>DURATION - 17.785 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 11:03:01.872 AM // 11:03:19.657 AM /</div>			
<div>Checking the Functionality of Finance</div>			
<div>@FinanceExpenses</div>			



#	Step / Hook Details	Status	Duration
1	Given user need to be login into the page	PASSED	6.223 s
2	When user clicks on Expenses	PASSED	1.065 s
3	And user clicks on Add Expenses	PASSED	0.073 s
4	And user needs to enters the "mani" and "43254" and "25000" and "11/13/2023" and "This is newly added record"	PASSED	3.487 s
5	And user saves the expense record	PASSED	0.061 s
6	Then user validates the expense record	PASSED	0.000 s

User need to send the Required details


<div>PASSED</div> <div>DURATION - 16.402 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:03:19.666 AM // 11:03:36.068 AM /</div>			
<div>Checking the Functionality of Finance</div>			
<div>@FinanceExpenses</div>			

#	Step / Hook Details	Status	Duration
1	Given user need to be login into the page	PASSED	5.558 s
2	When user clicks on Expenses	PASSED	1.252 s
3	And user clicks on Add Expenses	PASSED	0.073 s
4	And user needs to enters the "deepak" and "56783" and "27000" and "10/22/2023" and "this is newly added deepak record"	PASSED	3.508 s
5	And user saves the expense record	PASSED	0.061 s
6	Then user validates the expense record	PASSED	0.000 s

checking the Functionality of Messaging


PASSED	DURATION - 14.564 s	Scenarios		Steps	
/ 11:03:36.079 AM // 11:03:50.643 AM /		Total - 1		Total - 5	
		Pass - 1		Pass - 5	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Testing the Messaging




#	Step / Hook Details	Status	Duration
1	Given user need to be login into the page	PASSED	6.168 s
2	When user click the messaging	PASSED	0.600 s
3	And user click the post messaging	PASSED	1.228 s
4	And user need to give value for required fields	PASSED	0.357 s
5	And user click the Send button	PASSED	0.534 s

Checking the Functionality of Birth and Death





Check the birth functionality



#	Step / Hook Details	Status	Duration
1	Given user need to be login into the page	PASSED	5.834 s
2	When the user clicks on Birth and Death Record	PASSED	0.076 s
3	And the user clicks on Birth Record	PASSED	1.105 s
4	And the user clicks on Add Birth Record	PASSED	0.109 s
5	And the user enters the required values for birth record	PASSED	0.881 s
6	And the user clicks Save	PASSED	2.100 s
7	Then the birth record should be successfully saved	PASSED	0.000 s

Check the death functionality

FAILED		DURATION - 31.106 s			Steps Total - 5 Pass - 0 Fail - 1 Skip - 4			
/ 11:04:07.424 AM // 11:04:38.530 AM /								
Checking the Functionality of Birth and Death								
@DeathRecord								

#	Step / Hook Details	Status	Duration
1	When the user clicks on Death Record org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='https://demo.smart-hospital.in/admin/birthordeath']/span[text()=' Birth & Death Record']"} (Session info: MicrosoftEdge=119.0.2151.93) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [968ea76cfaf2f12626d182c53ef97c9c, findElement {using=xpath, value="//a[@href='https://demo.smart-hospital.in/admin/birthordeath']/span[text()=' Birth & Death Record']"} Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.93, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:51610}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\lmchalla\AppData\Lo...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51610/devtoo..., se:cdpVersion: 119.0.2151.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 968ea76cfaf2f12626d182c53ef97c9c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	FAILED	25.038 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy35.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:1024) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at com.actions.BirthAndDeathActions.deathrecord(BirthAndDeathActions.java:91) at com.stepdefinition.BirthStepdefinition.the_user_clicks_on_death_record(BirthStepdefinition.java:82) at ?.the user clicks on Death Record(file:///C:/Users/mchalla/eclipse-workspace/UpdatedProjectMani/PilotModule/SmartHospital-ExpLIONS/ src/test/resources/Features/deathandbirth.feature:14) * Not displayable characters are replaced by '?'. </pre>		
2	And the user clicks on Add Death Record	SKIPPED	0.000 s
3	And the user enters valid entries for death record	SKIPPED	0.000 s
4	And the user clicks Save Death Record	SKIPPED	0.000 s
5	Then the death record should be successfully saved	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.773 s
	Check the death functionality		