Cucumber Report

| Start : Nov 28, 5:43:09.839 PM	End : Nov 28, 5:46:00.499 PM	Duration : 2 m 50.660 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 3 SKIPPED - 0	PASSED - 5 FAILED - 4 SKIPPED - 0	PASSED - 26 FAILED - 4 SKIPPED - 16

Features: 4 — Pass 25 %

Scenarios: 9 — Pass 55 %

Steps: 46 — Pass 56 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Checking the Functionality of Finance	54.498 s	4	4	0	0	20	20	0	0
Check the Functinality of Human Resource	56.717 s	2	0	2	0	9	1	2	6
checking the Functionality of Messaging	26.324 s	1	0	1	0	5	0	1	4
Checking the Functionality of Birth and Death	33.101 s	2	1	1	0	12	5	1	6

#	Feature Name	Scenario Name
1	*Check the Functinality of Human Resource*	*Add Staff*
2		*Record Staff Attendance*
3	*checking the Functionality of Messaging*	*Testing the Messaging*
4	*Checking the Functionality of Birth and Death*	*Check the birth functionality*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@FinanceIncome	1	1	0	0	1	1	0	0
@FinanceExpenses	3	3	0	0	1	1	0	0
@BirthRecord	1	0	1	0	1	0	1	0
@DeathRecord	1	1	0	0	1	0	1	0

| #	Feature Name	T	P	F	S	Duration
1	Checking the Functionality of Finance	4	4	0	0	54.498 s
2	Check the Functinality of Human Resource	2	0	2	0	56.717 s
3	checking the Functionality of Messaging	1	0	1	0	26.324 s
4	Checking the Functionality of Birth and Death	2	1	1	0	33.101 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Functionality of Finance	user need to send the Required parameters	5	5	0	0	20.295 s
2		User need to send the Required details	5	5	0	0	14.052 s
3		User need to send the Required details	5	5	0	0	14.029 s
4		User need to send the Required details	5	5	0	0	6.098 s
5	Check the Functinality of Human Resource	Add Staff	4	0	1	3	29.135 s
6		Record Staff Attendance	5	1	1	3	27.564 s
7	checking the Functionality of Messaging	Testing the Messaging	5	0	1	4	26.324 s
8	Checking the Functionality of Birth and Death	Check the birth functionality	7	0	1	6	26.309 s
9		Check the death functionality	5	5	0	0	6.788 s

Checking the Functionality of Finance

PASSED	DURATION - 54.498 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0	4	Steps Total - 20 Pass - 20 Fail - 0 Skip - 0	20
/ 5:43:09.839 PM // 5:44:04.337 PM /					

user need to send the Required parameters

PASSED	DURATION - 20.295 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	5
/ 5:43:09.843 PM // 5:43:30.138 PM /				
Checking the Functionality of Finance				
@FinanceIncome				

#	Step / Hook Details	Status	Duration
1	Given user need to be login into the page	PASSED	7.085 s
2	When user clicks on Income	PASSED	0.973 s
3	And user clicks on Add Income	PASSED	0.070 s
4	And user needs to provide the "<name>" and "<Invoicenumber>" and "<amount>" and "<date>" and "<description>"	PASSED	2.209 s
5	Then user validates the income record	PASSED	0.055 s

User need to send the Required details

PASSED	DURATION - 14.052 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	5
/ 5:43:30.148 PM // 5:43:44.200 PM /				
Checking the Functionality of Finance				
@FinanceExpenses				

#	Step / Hook Details	Status	Duration
1	When user clicks on Expenses	PASSED	2.130 s
2	And user clicks on Add Expenses	PASSED	0.073 s
3	And user needs to enters the "mani" and "43254" and "25000" and "11/13/2023" and "This is newly added record"	PASSED	11.794 s
4	And user saves the expense record	PASSED	0.052 s
5	Then user validates the expense record	PASSED	0.000 s

User need to send the Required details

| PASSED	DURATION - 14.029 s
/ 5:43:44.205 PM // 5:43:58.234 PM /	
Checking the Functionality of Finance	
@FinanceExpenses	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	When user clicks on Expenses	PASSED	10.210 s
2	And user clicks on Add Expenses	PASSED	0.060 s
3	And user needs to enters the "deepak" and "56783" and "27000" and "10/22/2023" and "this is newly added deepak record"	PASSED	3.710 s
4	And user saves the expense record	PASSED	0.047 s
5	Then user validates the expense record	PASSED	0.000 s

User need to send the Required details

PASSED	DURATION - 6.098 s
/ 5:43:58.239 PM // 5:44:04.337 PM /	
Checking the Functionality of Finance	
@FinanceExpenses	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	When user clicks on Expenses	PASSED	5.065 s
2	And user clicks on Add Expenses	PASSED	0.067 s
3	And user needs to enters the "" and "" and "" and "" and ""	PASSED	0.918 s
4	And user saves the expense record	PASSED	0.047 s
5	Then user validates the expense record	PASSED	0.000 s

Check the Functinality of Human Resource

FAILED	DURATION - 56.717 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 9 Pass - 1 Fail - 2 Skip - 6	
/ 5:44:04.344 PM // 5:45:01.061 PM /					

Add Staff

FAILED	DURATION - 29.135 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 5:44:04.344 PM // 5:44:33.479 PM /				
Check the Functinality of Human Resource				

#	Step / Hook Details	Status	Duration
1	Given user need to be login into the page	FAILED	28.931 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//a[contains(@class,'btn btn-primary')]//i)[2]"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [9a39bb594130fa979973dba56851ffdb, findElement {using=xpath, value=(//a[contains(@class,'btn btn-primary')]//i)[2]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:59325}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\mchalla\AppData\Lo...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59325/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob:		

#	Step / Hook Details	Status	Duration

	true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9a39bb594130fa979973dba56851ffdb
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source)
	  at com.actions.BirthAndDeathActions.clickAdmin(BirthAndDeathActions.java:30)
	  at com.stepdefinition.BirthStepdefinition.user_need_to_be_login_into_the_page(BirthStepdefinition.java:26)
	  at ?.user need to be login into the page(file:///C:/Users/mchalla/eclipse-workspace/UpdatedProjectMani/PilotModule/SmartHospital-ExpLIONS/src/test/resources/Features/HumanResource.feature:4)
	* Not displayable characters are replaced by '?'.		

2	When user clicks on Add Staff	SKIPPED	0.001 s
3	And user fills in the required fields	SKIPPED	0.000 s
4	Then user saves the staff information	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Add Staff 	PASSED	0.202 s

Record Staff Attendance

FAILED	DURATION - 27.564 s

/ 5:44:33.497 PM // 5:45:01.061 PM /

Check the Functinality of Human Resource

Steps
Total - 5
Pass - 1
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	When user clicks on Staff Attendance	PASSED	2.272 s
2	And user provides the staff attendance	FAILED	25.066 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='date']"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [9a39bb594130fa979973dba56851ffdb, findElement {using=xpath, value=//input[@id='date']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:59325}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\mchalla\AppData\Lo...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59325/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9a39bb594130fa979973dba56851ffdb
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
   at jdk.proxy2/jdk.proxy2.$Proxy35.sendKeys(Unknown Source)
   at com.actions.BirthAndDeathActions.staffAttendance(BirthAndDeathActions.java:178)

#	Step / Hook Details	Status	Duration
	at com.stepdefinition.BirthStepdefinition.user_provides_the_staff_attendance(BirthStepdefinition.java:219) at ?.user provides the staff attendance(file:///C:/Users/mchalla/eclipse-workspace/UpdatedProjectMani/PilotModule/SmartHospital-ExpLIONS/src/test/resources/Features/HumanResource.feature:10) * Not displayable characters are replaced by '?'.		
3	And user saves the attendance record	SKIPPED	0.000 s
4	Then the attendance record is successfully saved	SKIPPED	0.000 s
5	Then user need to logout	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.224 s
	Record Staff Attendance		

checking the Functionality of Messaging

FAILED	DURATION - 26.324 s		Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 5:45:01.069 PM // 5:45:27.393 PM /						

Testing the Messaging

FAILED	DURATION - 26.324 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 5:45:01.069 PM // 5:45:27.393 PM /				
checking the Functionality of Messaging				

| #	Step / Hook Details	Status	Duration
1	Given user need to be login into the page	FAILED	26.157 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//a[contains(@class,'btn btn-primary')]//i)[2]"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [9a39bb594130fa979973dba56851ffdb, findElement {using=xpath, value=(//a[contains(@class,'btn btn-primary')]//i)[2]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:59325}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\mchalla\AppData\Lo...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59325/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9a39bb594130fa979973dba56851ffdb
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source)
	    at com.actions.BirthAndDeathActions.clickAdmin(BirthAndDeathActions.java:30)
	    at com.stepdefinition.BirthStepdefinition.user_need_to_be_login_into_the_page(BirthStepdefinition.java:26)
	    at ?.user need to be login into the page(file:///C:/Users/mchalla/eclipse-workspace/UpdatedProjectMani/PilotModule/SmartHospital-ExpLIONS/src/test/resources/Features/Messaging.feature:3)
	* Not displayable characters are replaced by '?'.		

2	When user click the messaging	SKIPPED	0.000 s
3	And user click the post messaging	SKIPPED	0.000 s
4	And user need to give value for required fields	SKIPPED	0.000 s
5	And user click the Send button	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.165 s

#	Step / Hook Details	Status	Duration
	Testing the Messaging		

Checking the Functionality of Birth and Death

FAILED	DURATION - 33.101 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 12 Pass - 5 Fail - 1 Skip - 6	
/ 5:45:27.398 PM // 5:46:00.499 PM /					

Check the birth functionality

FAILED	DURATION - 26.309 s		Steps Total - 7 Pass - 0 Fail - 1 Skip - 6	
/ 5:45:27.398 PM // 5:45:53.707 PM /				
Checking the Functionality of Birth and Death				
@BirthRecord				

#	Step / Hook Details	Status	Duration
1	Given user need to be login into the page	FAILED	26.149 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//a[contains(@class,'btn btn-primary')]//i)[2]"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [9a39bb594130fa979973dba56851ffdb, findElement {using=xpath, value=(//a[contains(@class,'btn btn-primary')]//i)[2]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:59325}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\mchalla\AppData\Lo...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59325/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability:		

#	Step / Hook Details	Status	Duration

	false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9a39bb594130fa979973dba56851ffdb
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source)
	    at com.actions.BirthAndDeathActions.clickAdmin(BirthAndDeathActions.java:30)
	    at com.stepdefinition.BirthStepdefinition.user_need_to_be_login_into_the_page(BirthStepdefinition.java:26)
	    at ?.user need to be login into the page(file:///C:/Users/mchalla/eclipse-workspace/UpdatedProjectMani/PilotModule/SmartHospital-ExpLIONS/src/test/resources/Features/deathandbirth.feature:5)
	* Not displayable characters are replaced by '?'.		

2	When the user clicks on Birth and Death Record	SKIPPED	0.000 s
3	And the user clicks on Birth Record	SKIPPED	0.000 s
4	And the user clicks on Add Birth Record	SKIPPED	0.000 s
5	And the user enters the required values for birth record	SKIPPED	0.000 s
6	And the user clicks Save	SKIPPED	0.000 s
7	Then the birth record should be successfully saved	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Check the birth functionality 	PASSED	0.158 s

Check the death functionality

PASSED	DURATION - 6.788 s
/ 5:45:53.711 PM // 5:46:00.499 PM /	
Checking the Functionality of Birth and Death	
@DeathRecord	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

#	Step / Hook Details	Status	Duration
1	When the user clicks on Death Record	PASSED	3.937 s
2	And the user clicks on Add Death Record	PASSED	0.059 s
3	And the user enters valid entries for death record	PASSED	0.677 s
4	And the user clicks Save Death Record	PASSED	2.112 s
5	Then the death record should be successfully saved	PASSED	0.000 s