Cucumber Report

Nov 28, 2023, 2:47:42 PM

Start : Nov 28, 2:45:37.545 PM	End : Nov 28, 2:47:41.381 PM	Duration : 2 m 3.836 s

Features	Scenarios	Steps
PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 1 FAILED - 4 SKIPPED - 0	PASSED - 6 FAILED - 4 SKIPPED - 22





Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Checking the Functionality of Finance	1 m 37.464 s	4	1	3	0	27	6	3	18
Check the Functinality of Human Resource	26.365 s	1	0	1	0	5	0	1	4

#	Feature Name	Scenario Name
1	Checking the Functionality of Finance	User need to send the Required details
2		User need to send the Required details
3		User need to send the Required details
4	Check the Functinality of Human Resource	Add Staff

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@FinanceIncome	1	1	0	0	1	0	1	0
@FinanceExpenses	3	0	3	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Checking the Functionality of Finance	4	1	3	0	1 m 37.464 s
2	Check the Functinality of Human Resource	1	0	1	0	26.365 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Functionality of Finance	user need to send the Required parameters	6	6	0	0	17.937 s
2		User need to send the Required details	7	0	1	6	26.255 s
3		User need to send the Required details	7	0	1	6	26.768 s
4		User need to send the Required details	7	0	1	6	26.473 s
5	Check the Functinality of Human Resource	Add Staff	5	0	1	4	26.365 s

Checking the Functionality of Finance

FAILED	DURATION - 1 m 37.464 s	Scenarios		Steps	
/ 2:45:37.545 PM // 2:47:15.009 PM /		Total - 4 Pass - 1 Fail - 3 Skip - 0		Total - 27 Pass - 6 Fail - 3 Skip - 18	

user need to send the Required parameters

PASSED	DURATION - 17.937 s		Steps	
/ 2:45:37.549 PM // 2:45:55.486 PM /			Total - 6 Pass - 6 Fail - 0 Skip - 0	
Checking the Functionality of Finance				
@FinanceIncome				

#	Step / Hook Details	Status	Duration
1	Given user need to be login into the page	PASSED	6.819 s
2	Given User is on the finance module	PASSED	0.078 s
3	When user clicks on Income	PASSED	1.188 s
4	And user clicks on Add Income	PASSED	0.089 s
5	And user needs to provide the "<name>" and "<Invoicenumber>" and "<amount>" and "<date>" and "<description>"	PASSED	1.190 s
6	Then user validates the income record	PASSED	0.055 s

User need to send the Required details

FAILED	DURATION - 26.255 s
/ 2:45:55.498 PM // 2:46:21.753 PM /	
Checking the Functionality of Finance	
@FinanceExpenses	



Steps
Total - 7
Pass - 0
Fail - 1
Skip - 6

#	Step / Hook Details	Status	Duration
1	Given user need to be login into the page	FAILED	26.076 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//a[contains(@class,'btn btn-primary')]//i)[2]"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [85c11846cca6599e97858f358331337f, findElement {using=xpath, value=(//a[contains(@class,'btn btn-primary')]//i)[2]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:53191}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\mchalla\AppData\Lo...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53191/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85c11846cca6599e97858f358331337f

at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source)
at com.actions.BirthAndDeathActions.clickAdmin(BirthAndDeathActions.java:30)

#	Step / Hook Details	Status	Duration
	at com.stepdefinition.BirthStepdefinition.user_need_to_be_login_into_the_page(BirthStepdefinition.java:26) at ?.user need to be login into the page(file:///C:/Users/mchalla/eclipse-workspace/UpdatedProjectMani/PilotModule/SmartHospital-ExpLIONS/src/test/resources/Features/Finance.feature:3) * Not displayable characters are replaced by '?'.		
2	Given User is on the finance module	SKIPPED	0.000 s
3	When user clicks on Expenses	SKIPPED	0.001 s
4	And user clicks on Add Expenses	SKIPPED	0.000 s
5	And user needs to enters the "mani" and "43254" and "25000" and "11/13/2023" and "This is newly added record"	SKIPPED	0.000 s
6	And user saves the expense record	SKIPPED	0.000 s
7	Then user validates the expense record	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.174 s
	User need to send the Required details		

User need to send the Required details

FAILED	DURATION - 26.768 s
/ 2:46:21.763 PM // 2:46:48.531 PM /	
Checking the Functionality of Finance	
@FinanceExpenses	



Steps
Total - 7
Pass - 0
Fail - 1
Skip - 6

#	Step / Hook Details	Status	Duration
1	Given user need to be login into the page	FAILED	26.572 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//a[contains(@class,'btn btn-primary')]//i)[2]"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [85c11846cca6599e97858f358331337f, findElement {using=xpath, value=(//a[contains(@class,'btn btn-primary')]//i)[2]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion:		

#	Step / Hook Details	Status	Duration
	119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:53191}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\mchalla\AppData\Lo...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53191/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85c11846cca6599e97858f358331337f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source) at com.actions.BirthAndDeathActions.clickAdmin(BirthAndDeathActions.java:30) at com.stepdefinition.BirthStepdefinition.user_need_to_be_login_into_the_page(BirthStepdefinition.java:26) at ?.user need to be login into the page(file:///C:/Users/mchalla/eclipse-workspace/UpdatedProjectMani/PilotModule/SmartHospital-ExpLIONS/src/test/resources/Features/Finance.feature:3) * Not displayable characters are replaced by '?'.		
2	Given User is on the finance module	SKIPPED	0.000 s
3	When user clicks on Expenses	SKIPPED	0.000 s
4	And user clicks on Add Expenses	SKIPPED	0.000 s
5	And user needs to enters the "deepak" and "56783" and "27000" and "10/22/2023" and "this is newly added deepak record"	SKIPPED	0.000 s
6	And user saves the expense record	SKIPPED	0.000 s
7	Then user validates the expense record	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) User need to send the Required details	PASSED	0.193 s

#	Step / Hook Details	Status	Duration

User need to send the Required details

FAILED	DURATION - 26.473 s
/ 2:46:48.536 PM // 2:47:15.009 PM /	
Checking the Functionality of Finance	
@FinanceExpenses	



Steps
Total - 7
Pass - 0
Fail - 1
Skip - 6

#	Step / Hook Details	Status	Duration
1	Given user need to be login into the page	FAILED	26.288 s

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:
{"method":"xpath","selector":"(//a[contains(@class,'btn btn-primary')]//i)[2]"}  (Session info: MicrosoftEdge=119.0.2151.72) For documentation
on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info:
version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver
info: org.openqa.selenium.edge.EdgeDriver Command: [85c11846cca6599e97858f358331337f, findElement {using=xpath,
value=(//a[contains(@class,'btn btn-primary')]//i)[2]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion:
119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:53191}, msedge: {msedgedriverVersion: 119.0.2151.72
(e8225cce8e47..., userDataDir: C:\Users\mchalla\AppData\Lo...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:
windows, proxy: Proxy(), se:cdp: ws://localhost:53191/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability:
false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob:
true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,
webauthn:virtualAuthenticators: true} Session ID: 85c11846cca6599e97858f358331337f
    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
```

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source) at com.actions.BirthAndDeathActions.clickAdmin(BirthAndDeathActions.java:30) at com.stepdefinition.BirthStepdefinition.user_need_to_be_login_into_the_page(BirthStepdefinition.java:26) at ?.user need to be login into the page(file:///C:/Users/mchalla/eclipse-workspace/UpdatedProjectMani/PilotModule/SmartHospital-ExpLIONS/src/test/resources/Features/Finance.feature:3) * Not displayable characters are replaced by '?'.		
2	Given User is on the finance module	SKIPPED	0.001 s
3	When user clicks on Expenses	SKIPPED	0.000 s
4	And user clicks on Add Expenses	SKIPPED	0.000 s
5	And user needs to enters the "" and "" and "" and "" and ""	SKIPPED	0.000 s
6	And user saves the expense record	SKIPPED	0.000 s
7	Then user validates the expense record	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) User need to send the Required details 	PASSED	0.183 s

Check the Functinality of Human Resource

FAILED	*DURATION - 26.365 s*	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 2:47:15.016 PM // 2:47:41.381 PM /					

Add Staff

FAILED	DURATION - 26.365 s
/ 2:47:15.016 PM // 2:47:41.381 PM /	
Check the Functinality of Human Resource	



Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4



#	Step / Hook Details	Status	Duration
1	Given user need to be login into the page	FAILED	26.203 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//a[contains(@class,'btn btn-primary')]//i)[2]"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [85c11846cca6599e97858f358331337f, findElement {using=xpath, value=(//a[contains(@class,'btn btn-primary')]//i)[2]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:53191}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\mchalla\AppData\Lo...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53191/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85c11846cca6599e97858f358331337f

at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source) at com.actions.BirthAndDeathActions.clickAdmin(BirthAndDeathActions.java:30) at com.stepdefinition.BirthStepdefinition.user_need_to_be_login_into_the_page(BirthStepdefinition.java:26) at ?.user need to be login into the page(file:///C:/Users/mchalla/eclipse-workspace/UpdatedProjectMani/PilotModule/SmartHospital-ExpLIONS/src/test/resources/Features/HumanResource.feature:3) * Not displayable characters are replaced by '?'.		
2	Given User is on the Human Resource module	SKIPPED	0.000 s
3	When user clicks on Add Staff	SKIPPED	0.000 s
4	And user fills in the required fields	SKIPPED	0.000 s
5	Then user saves the staff information	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.159 s
	Add Staff		