#### LONG TERM INTERNSHIP

## HISTORICAL TOURIST PLACES AND PAYMENT BILLING SYSTEM

A Project Submitted In Partial Fulfillment of the Requirements for The Degree Of

#### **BACHELOR OF COMPUTER SCIENCE**

By


**PALLA MANI** 

Regd.No.720131905039

Under the esteemed guidance of

Y.KRISHNA

Lecturer in Computer Science Pydah College for Women



## PYDAH COLLEGE FOR WOMEN AFFILIATED TO ANDHRA UNIVERSITY VISAKHAPATNAM 2022-2023

#### PYDAH DEGREE COLLEGE FOR WOMEN

(Affiliated by Andhra University)

#### Visakhapatnam



#### **CERTIFICATE**

This is to certify that this is a bonafide project work entitled "HISTORICAL TOURIST PLACES AND PAYMENT BILLING SYSTEM" by PALLA MANI bearing regd.no.720131905039 student of bachelor of computer science in pydah college for women, Andhra university during period 2022-2023

External:

Y.KRISHNA

#### **DECLARATION**

I hereby declare that this project entitled "HISTORICAL TOURIST PLACES AND PAYMENT BILLING SYSTEM" has been prepared by me and submitted to Pydah College for women, Visakhapatnam and this project has not been submitted to any other in institute previously.

Visakhapatnam

Date: 2 8 23.

Name: P. Mani Roshini

Type text

#### **Historical Tourist Places**

#### CONTEXT

- 1.Objectives
- 2.Input and Output
- 3.Details of Modules
- 4. Usecase Diagrams
- 5.Tools/Platforms/Languages
- 6.Coding(PHP and My Sql)
- 7.Database Tables
- 8. Output Screens
- 9.Test Cases
- 10.Limitations of the Project
- 11.Scope of Future Reference

Bibilography

#### 1.OBJECTIVES

Historical tourist places management system is a web application, used to showall historical places in the world. Now a days all travel agencies are doing their business through online. Travel agencies are displaying their products through online. Customers can search for various tourist places and their prices through online.

In our project customer can book for selected historical place package.

#### 2.INPUT AND OUTPUT

Input Forms in our project:

1) Booking for historical tourist place package

Output Pages in our project:

- 1) Display All historical places Page
- 2) About us page
- 3) Contact us page

#### 3.DETAILS OF MODULES

Our Project having Three Modules:


- 1) Admin Module
- 2) Users Module

In Admin Module, admin login form having admin username and password. If these values are matched with backend database values, then only admin gets authentication to the server. After authentication, admin control panel will be displayed.


In Users Module, user can register and login to his account. If these values are matched with backend database values, then only admin gets authentication to the server. After authentication, user control panel will be displayed.

#### 4.USECASE DIAGRAMS

#### 1) Usecase diagram for Admin:



#### 2) Usecase diagram for User:



#### 5.TOOLS/PLATFORMS, LANGUAGES

Operating System: Windows 7

Server: Apache

Server Side Scripting Languages: PHP Programming Language

Client Side Scripting Languages: HTML, CSS, JAVA SCRIPT

#### About PHP and MySql

#### 6.CODING

```
1) Index.php:
   <html>
   <frameset rows="20%, 80%">
  <frame name="fl" src="menu.php">
   <frame name=f2>
   </frameset>
   </html>
2) Home.php:
   <html>
   <body bgcolor=thickblue>
   <h2><font color="white">Welcome to Historical Tourist Places Website
   </font>
   </h2>
   <br>
   <h4><font color="white">We provide all types of historical tours in Andhra
   Pradesh</h4>
   </font>
   <br
   <center>
```

[Type text]

```
<h3><font color="white">Search For Historical Place </font></h3>
 </center>
 <?php
 $c=mysql_connect("localhost", "root", "");
 if(! $c)
 echo "<font color='white'>server not connected</font>";
 }
 else
 echo "<font color='white'>server connection succesful</font>";
 }
 $d=mysql_select_db("project11");
if(! $d)
 {
echo "<br/>font color='white'>database not connected</font>";
}
else
echo "<br/>br><font color='white'>database connection succesful</font>";
}
$s="select * from places";
$k=mysql_query($s, $c);
if(! $k)
echo "<br/>br><font color='white'>error in retrieving data</font>";
else
echo "<br/>br><font color='white'>select command success</font>";
                                     bgcolor=lightyellow
                                                            height=15%
                         border=1
       "<center><table
echo
width=30%>
Place ID
Place Name
```

```
Description
 Price";
 while($r=mysql_fetch_array($k))
  1
 echo
 "<font color='white'>$r[0]" . "" . "$r[1]" . "" . "$r[2]" .
 "" . "$r[3]</font>";
 echo "</center>"
 ?>
 </body>
 </html>
3) Menu.php:
 <html>
 <body bgcolor="yellow">
 <a href="home.php" target="f2">Home</a>
 <a href="register.php" target="f2">Register</a>
 <a href="login.php" target="f2">Login</a>
 <a href="adminlogin.php" target="f2">Admin Login</a>
 </body>
```

</html>

```
Hype text
```

4) Addplace.php:

```
<html>
  <br/>body bgcolor=pink>
  <h2>Add New Historical Place</h2>
  <br>
  <center>
  <h3>Add New Historical Place</h3>
  </center>
 <h4>Fill the following details.</h4>
 <form method="post" action="<?php $ PHP SELF ?>">
 Historical Place Name
 <input type="text" name="c2">
 Description
 <input type="text" name="c3">
 Price
<input type="text" name="c4">
<input type="submit" name="addc" value="Add Historical Place">
<input type="reset" name="reset" value="Reset">
</form>
</center>
<?php
if(isset($ POST['addc']))
$c=mysql_connect("localhost", "root", "");
```

```
$d=mysql_select_db("project11");
         $placename=$ POST['c2'];
         $descrip=$_POST['e3'];
         $price=$_POST['c4'];
         $s="insert into places
         (placename, descrip, price) values('$placename', '$descrip', '$price')";
         $k=mysql_query($s, $c);
         if(! $k)
         echo "<br/>br>error in inserting data", mysql_error();
         }
        else
        echo "<br/>br>insert command success<br/>br>
        <h3>Place Details added successfully.<h3>";
        ?>
        </body>
        </html>
    5) displayplaces.php:
       <html>
       <body bgcolor=lightblue>
       <?php
      $c=mysql_connect("localhost", "root", "");
      if(! $c)
      echo "server not connected";
      else
(Type text)
```

```
(Type text)
     echo "server connection successul";
     $d=mysql_select_db("project11");
     if(! $d)
    echo "<br/>br>database not connected";
    else
    echo "<br/>br>database connection succesful";
    $s="select * from places";
    $k=mysql_query($s, $c);
    if(! $k)
    echo "<br/>br>error in retrieving data";
    else
   echo "<br/>br>select command success";
                                                               height=30%
                             border=1
                                         bgcolor=lightyellow
           "<center><table
   echo
   width=60%>
   Place ID
   Place Name
   Description
   Price";
   while($r=mysql_fetch_array($k))
   1
   echo
   "$r[0]" . "" . "$r[1]" . "" . "$r[2]" . "" . "$r[3]" ;
  echo "</center>"?>
  </body>
  </html>
```

```
6) booknow.php:
```

[Type text]

```
<html>
  <br/>body bgcolor=pink>
  <h2>Book Now</h2>
  <br
  <center>
  <h3>Search For Car </h3>
  <br>
 <form method="post" action="<?php $_PHP_SELF ?>">
 Please Enter Car Model Here (Ex: Maruthi, Renault)
 <input type="text" name="t1">
 <input type="submit" name="search" value="Search">
 </form>
 </re>
 <?php
 if(isset($_POST['search']))
 $c=mysql_connect("localhost", "root", "");
if(! Sc)
echo "server not connected";
else
echo "server connection successul";
$d=mysql_select_db("project1");
if(! $d)
1 --
echo "<br/>hr>database not connected";
```

```
(Type text)
     else
     echo "<br/>bi>database connection succesful":
     Smodel=$ POST['tl']:
    $s="select * from cars where model ='$model' ";
    $k=mysql query($s. $c);
    if(! Sk)
    echo "<br/>br>error in retrieving data";
    1
    else
   echo "<br/>select command success":
           "<center><table
                                         bgcolor=yellow height=30%
   echo
                             border=1
   width=60%>
   Car ID
  Make
  Model
  Fuel
  Rent";
  while($r=mysql_fetch_array($k))
  1
 echo
 "<tr><td>$r[0]" . "<td>" . "$r[1]" . "<td>" . "$r[2]" . "<td>" . "$r[3]" .
 "" . "$r[4]";
echo "</center>";
}
?>
<br>>
<form method="post" action="<?php $_PHP_SELF ?>">
```

```
Please Enter CarID
     ="text" name="k1">
     <
     Number of Days
     <input type="text" name="k2">
     Booking Date
     <input type="text" name="k3">
     Model
     <input type="text" name="k4">
     Customer Name
     <input type="text" name="k5">
     Customer Email
     <input type="text" name="k6">
     <input type="submit" name="booking" value="Book Now">
     </form>
     <?php
     if(isset($_POST['booking']))
     $c=mysql_connect("localhost", "root", "");
     $d=mysql select_db("project1");
     $carid=$ POST['k1'];
     $days=$ POST['k2'];
     $bdate=$ POST['k3'];
     $model=$_POST['k4'];
Type text
```

```
[Type text]
     $custname=$ POST['k5'];
     $custemail=$_POST['k6'];
     $s="insert into booking(earid,
     days,
     bdate,
     model,
     custname,
     email) values(
     '$carid',
     '$days',
     '$bdate',
    '$model',
    '$custname',
    '$custemail') ";
    $k=mysql_query($s, $c);
    if(! $k)
    echo "<br/>br>error in inserting data";
    }
    else
    {
    echo "<br/>br>insert command success<br/>br><br/>br><br/>br>
    <h3>Thankyou for car booking. your booking is success.<h3>";
    ?>
   </body>
   </html>
```

#### 7.DATABASE TABLES

## 1) Admin Table:

	Type	Null	Key	Default	Extra
Field Employerid	•	NO		0	
Name	varchar(20)	NO		NULL	
Mobile	bigint(10)	NO		NULL	
Email	varchar(20)	NO		NULL	
pwd	varchar(20)	NO		NULL	
Repwd	varchar(20)	NO		NULL	

1

## 2) booking:

	Type	Null	Key	Default	Extra
Field	int(5)	NO	PRI	NULL	auto_increment
Bid touride	int(20)	NO		NULL	
Days	int(3)	NO		NULL	
Bdate	varchar(20)	NO		NULL	
nlacename	varchar(20)	NO		NULL	
-	varchar(20)			NULL	
Email	varchar(30)	NO		NULL	

3	) customer:				
		Null	Key	Default	Extra
Field	Type	NO	PRI	NULL	auto_increment
1.1	inl(5)	NO		NULL	
name	varchar(20)	NO		NULL	
	bigint(10) varchar(20)	NO		NULL	
email	varchar(20)	NO		NULL	
pwd	Valence	NO		NULL	
repwd	varchar(20)	NO		11022	

Tourist places:

		Null	Key	Default	Extra
4.1	Type	NO		NULL	auto_increment
tourid	int(5)	NO		NULL	
tourname	varchar(30) bigint(10)	NO		NULL	
price					

#### 7.OUTPUT SCREENS

Thomas Indiana in the format of the format in Andrew Products

Secretal of Historical Place

Secretal of Historical Place

Secretal of Historical Place

First III Flores Name Description Place

The format of the format in Andrew Products

Secretal of Historical Place

The format of the format in Andrew Products


Secretal of Historical Place

The format of the format in Andrew Products

The format in

Magall Ballet e = 0 (ntomer Login Page Customer Logia THE SOLD STATE OF STA

190e text




O Now here to conven

D NAME IN SECTION OF THE PROPERTY OF THE PROPE

### 5)Display all places:

. a \* The Bushes teram Lore acousting Welcome to Admin Panel Update External Place | View Hopkmen Danier All Pages AM New Place Pro. Place Name Place ID it is in le detailed 3 田田 〇 〇 日 日 E O has see to se



#### 7)Update existing place:

Welcome to Admin Panel	Unian Exerces Page 1 Vien Book	Ages	William Co.	7,11	D. 71	1 1 4 17	- 1 y
Add New Historical Place  Till the following details.	Add	l New Historical Place					
	Add Historical Place Name	l New Historical Place					
Add New Historical Place  Fill the following details.		l Nen Historical Place					
	Historical Place Name	l New Historical Place					
	Historical Place Name Description	I New Historical Place  Add Havered Page F	441				
	Historical Place Name Description		2417				

#### 8)View bookings:

8)View booking	S:								
A service Lose	Auna .	Lin.							a =
Welcome to Admin Pan	el								
10-1-10									
Display Ad Places And New		plate Emalue Place		Эский			Customer I mail	St.	
Dunday All Places And New	Car ID	Make Model I punte pele ret	uel Rent	n of Day Books	3 64	Customer Name has an hegum begum	Customer Final Adam (160 a) cont begins of pinal con-		
Duration All Places And News	Place U	Make Model Fo	uel Rent	o of Dava Books	3 64	kr as begun	keran er go a d core. begran û geranî com	The state of the s	

## 9.TEST CASES

- 13 Test Case 1. Admin Login, check username and password values with the values that are already secret in the server if these values are matched with the values stored in the server, then only the admin gets authentication. It is success.
  - 2) Test Case 2: Customer Login: check username and password values with the values that are already stored in the server. If these values are matched with the values stored in the server, then only the customer gets authentication. It is success.
    - 3) Test Case 3: Book tourist place: first search for touristplace. After that book tourist place package. Check all values are property storing in booking table. - it is success.
      - 4) Test Case 4: View Bookings: login to admin panel. After that check in view bookings page. Already booked tourist places are available in that page - it is success.

# 10.LIMITATIONS OF PROJECT

we the project son contains all the roles of towns. project red contains all the roles of tourises management with the project red contains all the roles of tourises management with the project red contains to manage and maintain and management.

and only admin to manage and materials applications. In rest multiple branches of customers exist. Here in this project was a supplications.

and one branch customers for single organization.

# 11.5COPE OF FUTURE REFERENCE

much used in future for tourism management related wery much used this application with fully secured developed this application. Here, we developed this application with fully secured the secured t management related with fully secured server side developed this application with fully secured server side developed this applications. Here, we developed this applications are applications of the fully secured server side developed this applications. Here, we developed this applications are applications are applications and the fully secured server s The functionalities of tourism management application application for this project. mincluded in this project.

#### BIBILOGRAPHY

Travel. Tourism and Hospitality. S. Medik, ed. Butterworth, 2003 of Travel and Tourism Terminology, A. Beaver, CABL 2003 Travel. Travel and Tourism Terminology, A. Beaver, CABL 2005

Recreation and Leisure Studies, S. 1990

Jackson Press, 1990 permany of Travel and Recreation and Leisure Studies, S. Smith, ed. (Travel, Tourism and Hospitality Terms D. 11 Press, 1990 press, 17 Jourism and Hospitality Terms, R. Harris and J. Howard.

Travel, Tourism and Hospitality Terms, R. Harris and J. Howard.

Travel, 1996

Travel, Press, 1996

Travel, Tourism Ind. press, 1996 18 2008 C. Deruaes, ed. Solitaire Publishing 1989 fraveler's World: A Dictionary of Industry and D Refinee Dictionary of Industry and Destination Literacy, N. 100 January 1989

The Invelor's World: A Dictionary of Industry and Destination Literacy, N. 100 January 1989

The Invelor's Norwood. Prenctice Hall, 1996 Travelle Norwood. Prenctice Hall, 1996

pedia of Leisure and Outdoor Recreation, J. Jenkins and J. Pigram, eds.

Trinclopedia of Ecotourism, D. Weaver ed. CABI, 2001 Republication of Hospitality Management, A. Pizam, ed. Elsevier,

expedia of Tourism, J. Jafari, ed. Routledge, 2000 arkpedia of Social and Cultural Anthropology, A. Barnard and J. Spencer, & Routledge, 1996

#### is such methods

Alinay L & Paraskevas A (2008) Planning research in hospitality and tourism (Butterworth-Heinemann)

Brotherton, B. (2008) Researching Hospitality and Tourism: A Student Guide (Sage Publications),

Lennings, G. (2006) Tourism Research (John Wiley & Sons, Australia)...

Research Methods for Leisure and Tourism: A Practical Research (CABI).

A ded (Prentice Hall).

Arded (Practical Tourism Research (CABI). Vell Andred (Prentice Hall).

Research (CABI).

Piech, M., Rouba, R. 120

Piech, M., Rouba, R. 1 B. Plech, M. Rouba, R. (2011) Praca dyplomowa z mills. W. Gosik. akademicki (The rules of writing master's thesis in matter). Lodz.

MUSUAL TEN. Lodz.

and technology

Information Technology for strategic tourism publis, D., pearson.

A. M. Tioa and J. Jafari 1998. Information

Jafari 1998. Information

Jafari 1998. Information puballs, pearson.

Jafari 1998, Information and Communication and Proceedings.

Jafari 1998, Information and Communication ENTER'98 Conference Proceedings.

Jafari 1998, Information and Communication ENTER'98. publis, D. A.M. 130a and J. Januari 1970, miormation and Communication ENTER'98 Conference Proceedings, Istanbul, reulinologies in tourism, York.

Reulinologies, Wien-New York.

Reulinologies, Wien-New York.

reclinative lag, Wien-New York. publis, D., and Schertler, ENTER'99,

Pork, ISBN 3-211-83258-0. Remaier D., Riem, D., 2000, Information & Technologies in tourism, ENTER'2000, Springer-Verlag, Communication York, ISBN 3-211-83483-4.

Wiell-New York, 1997.

Werthner, H., Wober, K, 2006, Destination Recommendation Recommendation Applications HB 085100022, 2008.

Behavioural Foundations and Applications HB 085100022, 2008. Feenmaler, D., Holling Foundations and Applications HB 0851990231, CABI, Systems: Behavioural Foundations and Applications HB 0851990231, CABI,

London, O'Connor P, Hitz M.(Eds), 2003, Information and Communication For A., O'Connor P, Hitz M.(Eds), 2003, Information and Communication Lologies in Tourism, Springer-Verlag Vienna ISBN 3-211-92016-5 Technologies in Tourism, Springer-Verlag Vienna ISBN 3-211-83910-0

Frew A., (Editor) 2004, Information and Communication Technologies in Tourism 2004, Springer-Verlag Vienna ISBN 3-211-20669-8

Frew A., (Editor) 2005, Information and Communication Technologies in Tourism: Proceedings of the International Conference in Innsbruck, Austria, Springer-Verlag Vienna <u>ISBN</u> <u>3-211-24148-5</u>

Gary Inkpen 1998, Information Technology for Travel and Tourism, Longman, ISBN 0-582-31002-4

Mills, M. and Rob Law (Editors), 2005, Handbook of Consumer Behaviour, Tourism and the Internet Haworth Press Inc., U.S. ISBN 0-7890-2599-X

' Kärcher, Business, K, 1997, Reinventing Package Holiday Deutscher Universitäts Verlag, Berlin.

Type text