

TOPIC: Introduction to Web Design

COURSE: Short Term Course Certificate Course in Web Designing




Topics to be Covered

- Introduction to Internet, History
- WWW, Browser, HTTP
- Webpage, URL, Website
- Working of website
- Types of website, Search Engine
- Front End and Back End, Scripting Language
- Responsive Web Design

Introduction to Internet

- The Internet is a globally connected network system that uses TCP/IP (Transmission Control Protocol/ Internet Protocol) model to transmit data via various types of media (wired or wireless).
- It is a network of networks (Inter Networking).
- It is network of global exchanges including private, public, business, academic, government etc. networks connected together.
- Millions of millions people are users of Internet.
- It has complex combination of several technologies and services used around the world every day.



History of Internet


- The Advanced Research Project Agency (ARPA) in the Department of Defense (DoD) of US government was initially desired to connect its computers so that researchers could share the resources.
- In **1967**, ARPA presented its idea for ARPANET, a small network of computers. The idea was in short that each host computer would be attached to a specialized computer called IMP (Interface Message Processor) to create network.
- By 1969, ARPANET connected four nodes the University of California Los Angeles (UCLA), the University of California at Santa Barbara (UCSB), Stanford Research Institute (SRI) and the University of UTAH via IMPs to form a network.
- Then, a team of defence engineers at the University of California at Los Angeles (UCLA) sent the first every instant message successfully via computer to another team thousands of miles away at Stanford.

History of Internet (contd.)

- The technology continued to grow. In the **1970**, after scientist Robert Kahn and Vinton Cerf developed TCP/IP, a communication model that set standard for how data could be transmitted between multiple networks.
- ARPANET adopted TCP/IP on Jan 1st, 1983 and from there researchers began assemble the networks of network that became modern Internet gradually.
- The online world then took on a more recognizable form in 1990 when computer scientist Tim Berners Lee invented WWW (World Wide Web).WWW popularized the Internet among public.

WWW (World Wide Web)

- •World Wide Web (WWW) is sometime referred to only as "Web".
- •The idea of WWW was proposed by Tim Berners Lee in 1989 and the commercial web started in 1990.
- It is one of the service of Internet and used for accessing data online in the form of websites and hyperlinks.
- •It is repository of information in which the documents are distributed all over the world and related document are linked together.
- •The service provided is distributed over many location called websites or sites.
- •Each site holds many web pages and web pages can contain links to other related web pages.
- •It works on distributed client server service, in which client using browser can access a service from server.




•Web Client

Web browser is known as web client that interpreted display web pages. A variety of commercial and free web browsers are available in the market like MS Internet Explorer, MS Edge, Google Chrome, Mozilla Firefox Opera, Safari Netscape Navigator Mosaic etc.

Web Server

Web server is a computer where web pages are stored. It is used to host the websites. Web server contains software that respond to the request for web resources made by web clients.

*Hypertext Transfer Protocol (HTTP). It defines the rules how the communication takes place between web client and web browser.



HTTP (Hyper Text Transfer Protocol)

- •HTTP transfer files such as text, graphics, images, sound, video and other multimedia files on WWW.
- •It defines rules how the client server program can communicates retrieve web pages from WWW.
- •A HTTP client sends request and HTTP server return response.
- •HTTP uses 80 number port by default.
- •It is connection oriented and reliable protocol, and uses the services of TCP (Transmission Control Protocol).
- •It is stateless protocol which means client and server does not retain any information between various request/response of the web page. They know each other only the current request/response.

HTTP Secure

- HTTP Secure (HTTPS) is an extension of HTTP. It is used for secure communication over WWW.
- It uses 443 port number by default.
- It establishes an encrypted link between the browser and web server.
- HTTPS is encrypted using TLS (Transport Layer Security) or SSL (Secure Socket Layer).

Webpage

- A web page is single document or page available on world wide web.
- The web pages are created using HTML (Hyper Text Mark-up Language) and are interpreted, displayed by

web browsers.

- Each web page has unique address called URL (Uniform Resource Locator) which distinguishes one page to
 - another on WWW. For example, the URL of a web page of NIEUT like:




Figure: A Webpage

URL (Uniform Resource Locator)

- A URL is the address of a specific webpage or file on the internet.
- It distinguishes one web page to another.
- It is unique identifier for a webpage or file on the internet.
- The URL has following parts:
 - **■Protocol** Usually it is http, but it can ftp, https, mailto etc.
 - ■**Host** It is the IP address or domain name of the server.
 - **Port** − It is 16 bit integer. 80 for http protocol. If a different port is used then the number can be written explicitly.
 - ■Path The location and name of the file/web page.
- It looks like:
 - protocol://host/path
 - protocol://host:port/path

Website

- A website is a collection of related web pages.
- It may contain text and other multimedia elements like images, graphics, videos etc.
- The website loads with its default web page called Home page of the website.
- The related web pages are linked together using concept of hyper linking and hyper text.
- A **hyperlink** is link or reference that points to another webpage or another location of same web page.
- A **Hypertext** is that text on webpage that contains hyperlink. When user move mouse over the hypertext, the shape of the mouse gets changed, and by clicking on hypertext, the user can move another location.
- Actually the term hypertext has been now replaced with hypermedia because not only text but also images, video etc can be hyperlinked in the webpage.
- A website can be accessed by typing website's name (known as domain name) in the address bar to the web browser (like Google chrome, Mozilla firefox etc).
- Examples of some websites are (NIELIT's Website), (Social networking site), (search engine site).




Figure: Home page of NIELIT's website

Working of website

•The working of website can be understood in following steps:

- **Step 1:** Firstly user makes request for accessing a website by typing its domain name (say) in the address bar of the browser.
- **Step 2:** The browser sends request to DNS (Domain Name System) server for looking IP address of the domain name.
- **Step 3:** The DNS translates the human readable domain name into numeric IP address (say 164.100.129.96).
- **Step 4:** The DNS server returns the IP address to the browser.
- **Step 5:** The browser now sends the request for web page using IP address provided by DNS to connect to the web server.
- **Step 6:** The web server responds the request made by web client (browser), and returns the copy of web page (static or dynamic) based on the request.
- **Step 7:** The web page is now displayed on the web browser.

Types of website

There are two types of websites:

- 1. Static Websites
- 2. Dynamic

Websites

Static Websites:

 Static websites, as its name suggests, are those which has predefined and fixed contents and

same every time when user accesses the website. Static websites are informative website.

- The user can not interact with static website. Static websites do not require any information to be stored in the database.
- Static websites are designed using only front end tools (HTML, CSS, and JavaScript).

• The contents of static websites can be changed manually at server side. The user can not

modify it.




Figure: Working of Static

website

Dynamic Websites:

• Dynamic websites are created using front end and back end tools. Dynamic website is something whose contents changes dynamically on the basis of user request.

- The examples of dynamic website include facebook, twitter etc.
- The contents of these website changes as per the user input. The contents of the facebook's website like posts, comments, photos etc are stored in the database. The facebook page differs from one user to another user.
- In dynamic website, when user makes request for web page, it is processed at server side and dynamically the web page is created in real time, then transferred to client side and displayed on the browser.




Figure: Working of Dynamic website

Search Engine

- •Search engine a software program that allows Internet users to search the contents on the web (WWW).
- •A user enters keyword into search engine and receives a list of web contents results in the form of websites, images, videos and other online data.
- •The list of contents searched via search engine to a user is known as SERP (Search Engine Results Page).
- •One of the most powerful and famous search engine on the web is **GOOGLE**. It searches the most relevant, accurate and valuable information.
- •Other web search engines include: Yahoo, Bing, Baidu, AOL, Ask.com, DuckDuckGo, Lycos, Internet Archive, Yandex etc.
- •The working of Search Engine includes:
 - Crawling
 - •Indexing
 - Ranking & Retrieval

Crawling: Crawling is the process of scanning of billions of web pages and obtaining information about everything that is contained on the web page by URL/page title/ heading/Meta data etc. Web crawlers are also called search engine 'bots' or 'spiders'.

Indexing: WebPages that have been found by crawler are then added into a data structure called Index. The index includes all the discovered URLs along with key signal about the content of each URL like keyword, the type of content etc.

Ranking & Retrieval: Whenever online search is performed, search engine looks its database for most relevant results based on the popularity of the website. Relevance and popularity are the most important factor to provide satisfactory result. A searching algorithm is used to rank the relevant pages into set of results. Search

engine also uses other relevant data to return results like location language,

previous search history etc.

Front End

- •Front end refers to client side design of website. Front end is involved with what the users see and interact with the website i.e. the User Interface (UI) which includes the design, layout, navigation menu, text, images, videos, image gallery etc.
- The languages used for front end designing and development of the website include

HTML – It is fundamental language for creating and organizing web contents.

CSS – It defines the style and layout of the website contents.

JavaScript – It is used for more interactive elements, handling events and to set the behavior of the webpage.

•Apart from above, here are some most popular front end framework and libraries:

JQuery (Library of JavaScript) - It simplifies the programming of JavaScript.

Angular JS (Library of JavaScript) - It is used for developing mobile and desktop applications.

W3.CSS (CSS Framework) - It is used for creating responsive website. It contains standard CSS only.

Bootstrap (CSS and JavaScript Framework) - It is also used for creating responsive website. It contains CSS and JavaScript.

Back End

- •Back end refers design and development of website at server side.
- It is involved with what the user cannot see in the browser like database and server information etc.
- •It concerns with security aspects, data storage and manipulation, content management, user authentication etc.
- •The languages used for back end development of the website include: **Python, PHP, Java, Ruby** etc.
- •Popular framework for back end: Express, Django, Node.js etc

Scripting Language

- •Script or Scripting language is a programming language with a series of commands, which is executed without being compiled.
- •It is often interpreted and automates the execution of tasks.
- •It is of following two types:
 - 1. Server side scripting language
 - 2. Client side scripting language

Server side scripting languages are those that are executed on web server. User cannot see the processing of scripts. It deals with database, provide customize and dynamic content to the web page based on the user request. The examples include **Perl, PHP, ASP** and **Python etc.**

- •Client side scripting languages are those that are executed on client side without server side processing of codes. It requires browsers to run the scripts. It can be used to validate user data before submitting to the server. It minimizes the loads of the server. The examples include: HTML, CSS, and JavaScript.
- •The client side scripting languages deals with front end of the website where as server side scripting languages deal with the back end of the website.
- •The client side scripting languages are used to design and develop static website where as server side scripting languages are used for designing of dynamic website.

Responsive Web Design

- •Responsive Web Design (RWD) means designing of website in such a way that the contents of websites automatically fit and resize that makes the website looks good on all devices (PC, laptop, tablets or mobile phones) wherever it is opened.
- •Now a days, users view the website using different devices (PC, laptop, tablets or mobile phones) and the screen size of the devices differs from one another, therefore the designing of the website must be in such a way that it looks good in all the devices.
- •HTML and CSS (Cascading Style Sheet) technologies are used together to make the website responsive.
- •We can understand it by following figure which depicted how the contents of the website fits arrange and resize on various screen size:



Computer Screen
 (Large Screen)



2. Tablet Screen (Medium Screen)



Mobile Screen (Small Screen)

♣ Popular framework for RWD



W3.CSS

- •W3.CSS is a free and modern CSS framework published by W3school for developing responsive, mobile-first websites.
- •It is smaller and faster than similar CSS frameworks.
- •It is easier to learn and use.
- •It simply and speed up the development of website
- •W3.CSS is inspired from Google Material Design.
- •It includes only standard CSS.
- •No jQuery or JavaScript library included in it.

Bootstrap

- •Bootstrap is a web framework that simplifies the development of informative web pages.
- •It is one of the most popular HTML, CSS, and JavaScript frameworks for developing responsive, mobile-first websites.
- •It is open source toolkit having powerful library of typography, forms, navigation bar, image gallery, buttons, carousel etc.

•Bootstrap, originally named Twitter Blueprint, was developed by Mark Otto and Jacob Thornton at Twitter as a framework. After a few months, it was renamed from Twitter Blueprint to Bootstrap, and released as an open source project on 19th August, 2011.

Self-assessment for Day-01

- •What is full form of HTTP?
 - ➤ Hyper Text Transmission Protocol
 - ➤ Hyper Text Transfer Program
 - ➤ Hyper Text Transfer Protocol
 - ➤ Hyper Text Transfer Path

Ans: Hyper text transfer protocol

- •In URL, _____is client server program used to retrieve the document?
 - **≻**Protocol
 - **≻**Path
 - **≻**Host
 - **≻**Domain

Ans: protocol

• is a language f >HTTP >HTML >FTP >DNS	for creating web pages.
Ans:HTML	
a service using a server. ➤ Centralized ➤ Bounded ➤ Distributed ➤ Broad	_ client server service, in which a client using a browser can access
Ans: Distributed	

- •Web crawler is also called _____.
 - ➤ Web Spider
 - **➤**Web Spoofing
 - ➤ Web Manager
 - ➤ Web Arranger

Ans: web spider



Thank you!



www.nielit.gov.in/haridwar