

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

HTML | Design Form

Difficulty Level : Medium • Last Updated : 06 Dec, 2022

What is HTML Form :

HTML Form is a document that stores information of a user on a web server using interactive controls. An HTML form contains different kinds of information such as username, password, contact number, email id, etc.

The elements used in an HTML form are the check box, input box, radio buttons, submit buttons, etc. Using these elements the information of a user is submitted on a web server.

The **form** tag is used to create an HTML form.

Example of an HTML Form :

HTML

```
<!DOCTYPE html>
<html>
<body>

<form>
  Username:<br>
  <input type="text" name="username">
  <br>
  Email id:<br>
  <input type="text" name="email_id">
  <br><br>
  <input type="submit" value="Submit">
</form>
```



Start Your Coding Journey Now!

[Login](#)[Register](#)[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

Come find out, what makes M Pradesh an emerging investm

MP Industrial Development...

Username:

Email id:

Submit

Input Element in HTML Forms :

Input Elements are the most common elements which are used in HTML Forms. Various user input fields can be created such as text field, check box, password field, radio

Start Your Coding Journey Now!

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

The text field is a one-line input field allowing the user to input text. Text Field input controls are created using the "input" element with a type attribute having the value as "text".

HTML

```
<!DOCTYPE html>
<html>
<body>
  <h3>Example Of Text Field</h3>
  <form>
    <label for="EMAIL ID">Email Id:</label><br>
    <input type="text" name="Email id" id="Email id">
  </form>
</body>
</html>
```

Output:

Example Of Text Field

Email Id:

Number Field in HTML Forms:

This field is used to take numbers as input.

Start Your Coding Journey Now!

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

```
<!DOCTYPE html>
<html>
<body>
  <h3>Example Of Number Field</h3>
  <form>
    <label for="Age">Age:</label><br>
    <input type="number" name="Age" id="Age">
  </form>
</body>
</html>
```

Output:

Example Of Number Field

Age:

- **Password Field in HTML Forms :**

Password fields are a type of text field in which the text entered is masked using asterisks or dots for the prevention of user identity from another person who is looking at the screen. Password Field input controls are created using the "input" element with a type attribute having the value as "password".

HTML

```
<!DOCTYPE html>
<html>
<body>
  <h3>Example of Password Field</h3>
```

Start Your Coding Journey Now!

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

```
</form>  
</body>  
</html>
```

Output :

Example of Password Field

Password:

- **Radio Buttons in HTML Form :**

Radio Buttons are used to let the user select exactly one option from a list of predefined options. Radio Button input controls are created using the "input" element with a type attribute having the value as "radio".

HTML

```
<!DOCTYPE html>  
<html>  
<body>  
  <h3>Example of Radio Buttons</h3>  
  <form>  
    SELECT GENDER
```

Start Your Coding Journey Now!

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

```
</form>  
</body>  
</html>
```

Output :

Example of Radio Buttons

SELECT GENDER



Male



Female

- **Checkboxes in HTML Form :**

Checkboxes are used to let the user select one or more options from a pre-defined set of options. Checkbox input controls are created using the "input" element with a type attribute having the value as "checkbox".

Start Your Coding Journey Now!

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

```
<html>
<body>
  <h3>Example of HTML Checkboxes</h3>
  <form>
    <b>SELECT SUBJECTS</b>
    <br>
    <input type="checkbox" name="subject" id="maths">
    <label for="maths">Maths</label>
    <input type="checkbox" name="subject" id="science">
    <label for="science">Science</label>
    <input type="checkbox" name="subject" id="english">
    <label for="english">English</label>
  </form>
</body>
</html>
```

Output :

Example of HTML Checkboxes

SELECT SUBJECTS

☒ Maths ☒ Science ☐ English

- **File select boxes in HTML Forms :**

File select boxes are used to allow the user to select a local file and send it as an attachment to the web server. It is similar to a text box with a button that allows the user to browse for a file. Instead of browsing for the file, the path and the name of the file can also be written. File select boxes are created using the "input" element with a

Start Your Coding Journey Now!

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

HTML

```
<!DOCTYPE html>
<html>
<body>
  <h3>Example of a File Select Box</h3>
  <form>
    <label for="fileselect">Upload:</label>
    <input type="file" name="upload" id="fileselect">
  </form>
</body>
</html>
```

Output :

Example of a File Select Box

Upload: no file selected

- **Text area in an HTML Form :**

Text Area is a multiple-line text input control that allows the user to provide a description or text in multiple lines. A Text Area input control is created using the "textarea" element.

Start Your Coding Journey Now!

[Read](#)
[Discuss](#)
[Courses](#)
[Practice](#)
[Video](#)

```
<h3>Example of a Text Area Box</h3>
<form>
  <label for="Description">Description:</label>
  <textarea rows="5" cols="50" name="Description"
            id="Description"></textarea>
</form>
</body>
</html>
```

Output :

Example of a Text Area Box

Description:

- **Select Boxes in HTML Forms :**

Select boxes are used to allow users to select one or more than one option from a pull-down list of options. Select boxes are created using two elements which are "select" and "option". List items are defined within the select element.

HTML

```
<!DOCTYPE html>
<html>
<body>
  <h3>Example of a Select Box</h3>
  <form>
```

Start Your Coding Journey Now!

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

```
<option value="Australia">Australia</option>
</select>
</form>
</body>
</html>
```

Output :

Example of a Select Box

Country:

Example of a Select Box

Country ☒ India
Sri Lanka
Australia

Start Your Coding Journey Now!

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

HTML

```
<!DOCTYPE html>
<html>
<body>
  <h3>Example of a Submit And Reset Button</h3>
  <form action="test.php" method="post" id="users">
    <label for="username">Username:</label>
    <input type="text" name="username" id="Username">
    <input type="submit" value="Submit">
    <input type="reset" value="Reset">
  </form>
</body>
</html>
```

Output :

Example of a Submit And Reset Button

Username:

Attributes Used in HTML Forms

Start Your Coding Journey Now!

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

clicks on the submit button.

Example :

```
<form action="test.php" method="post" id="users">
```

HTML

```
<!DOCTYPE html>
<html>
<body>
  <h3>Example of a Submit And Reset Button</h3>
  <form action="test.php" method="post" id="users">
    <label for="username">Username:</label>
    <input type="text" name="username" id="Username">
    <input type="submit" value="Submit">
    <input type="reset" value="Reset">
  </form>
</body>
</html>
```

If you click the submit button, the form data

Start Your Coding Journey Now!

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

The `target` attribute is used to specify whether the submitted result will open in the current window, a new tab or on a new frame. The default value used is "self" which results in the form submission in the same window. For making the form result open in a new browser tab, the value should be set to "blank".

HTML

```
<!DOCTYPE html>
<html>
<body>

<form action="/test.php" target="_blank">
  Username:<br>
  <input type="text" name="username">
  <br>
  Password:<br>
  <input type="password" name="password">
  <br><br>
  <input type="submit" value="Submit">
</form>

</body>
</html>
```

After clicking on the submit button, the result will open in a new browser tab.

Name Attribute in Html Forms :

The name attribute is required for each input field. If the name attribute is not specified in an input field then the data of that field would not be sent at all.

[Mega Job-a-thon](#) [DSA](#) [Data Structures](#) [Algorithms](#) [Interview Preparation](#) [Data Science](#) [T](#)

```
<!DOCTYPE html>
```

Start Your Coding Journey Now!

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

```
Username: <br>
<input type="text">
<br>
Password:<br>
<input type="password" name="password">
<br><br>
<input type="submit" value="Submit">
</form>

</body>
</html>
```

In the above code, after clicking the submit button, the form data will be sent to a page called /test.php. The data sent would not include the username input field data since the name attribute is omitted.

The Method Attribute :

It is used to specify the HTTP method used to send data while submitting the form. There are two kinds of HTTP Methods, which are GET and POST.

The GET Method –

HTML

```
<!DOCTYPE html>
<html>
<body>

<form action="/test.php" target="_blank" method="GET">
  Username:<br>
  <input type="text" name="username">
  <br>
  Password:<br>
  <input type="password" name="password">
  <br><br>
  <input type="submit" value="Submit">
</form>

</body>
```

Start Your Coding Journey Now!

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

In the GET method, after the submission of the form, the form values will be visible in the address bar of the new browser tab.

The Post Method –

HTML

```
<!DOCTYPE html>
<html>
<body>

<form action="/test.php" target="_blank" method="post">
  Username:<br>
  <input type="text" name="username">
  <br>
  Password:<br>
  <input type="password" name="password">
  <br><br>
  <input type="submit" value="Submit">
</form>

</body>
</html>
```

In the post method, after the submission of the form, the form values will not be visible in the address bar of the new browser tab as it was visible in the GET method.

Supported Browser:

- Google Chrome
- Internet Explorer
- Firefox
- Opera
- Safari

Start Your Coding Journey Now!

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

Like 34

Next

Form validation using HTML and JavaScript

Related Articles

1. Design a Responsive Sliding Login & Registration Form using HTML CSS & JavaScript
2. How to hide credential information form URL while submitting the HTML Form?
3. How to design form controls for mobiles using jQuery Mobile Square-UI Theme plugin ?
4. How to design form controls for mobiles using jQuery Mobile BootstrapTheme plugin ?
5. Design a Happy Halloween Porter using HTML and CSS

Start Your Coding Journey Now!

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

8. Introduction to HTML CSS | Learn to Design your First Website in Just 1 Week
9. Design Background color changer using HTML CSS and JavaScript
10. How to design Meet the Team Page using HTML and CSS ?

Article Contributed By :

**Shubrodeep Banerjee**

@Shubrodeep Banerjee

Vote for difficulty

Current difficulty : [Medium](#)

Easy

Normal

Medium

Hard

Expert

Improved By : [akshaysingh98088](#), [ysachin2314](#), [jochenhansoul](#), [bipin_kumar](#)Article Tags : [HTML](#), [Technical Scriptor](#), [Web Technologies](#)Practice Tags : [HTML](#)

Improve Article

Report Issue



GeeksforGeeks

Start Your Coding Journey Now!

Read

Discuss

Courses

Practice

Video

Company

- About Us
- Careers
- In Media
- Contact Us
- Privacy Policy
- Copyright Policy
- Advertise with us

News

- Top News
- Technology
- Work & Career
- Business
- Finance
- Lifestyle
- Knowledge

Learn

- DSA
- Algorithms
- Data Structures
- SDE Cheat Sheet
- Machine learning
- CS Subjects
- Video Tutorials
- Courses

Languages

- Python
- Java
- CPP
- Golang
- C#
- SQL
- Kotlin



Start Your Coding Journey Now!

[Read](#) [Discuss](#) [Courses](#) [Practice](#) [Video](#)

HTML

Pick Topics to Write

JavaScript

Write Interview Experience

Bootstrap

Internships

ReactJS

Video Internship

NodeJS

@geeksforgeeks , Some rights reserved

