

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

HTML5 Video

Difficulty Level : Easy • Last Updated : 12 Jun, 2022

In this article, we will know **HTML5 Video**, along with knowing the different ways to add the videos to the HTML page & understanding its implementation through the examples. Before HTML 5 came into existence, videos could only be played in a browser using a plugin like flash. But after the release of HTML 5, adding a video to a webpage is as easy as adding an image. The HTML5 "video" element specifies a standard way to embed a video on a web page.

There are three different formats that are commonly supported by web browsers – mp4, Ogg, and WebM. The table below lists the formats supported by different browsers:

Browser	MP4	WebM	OGG
Google Chrome	Yes	Yes	Yes
Internet Explorer	Yes	No	No
Firefox	Yes	Yes	Yes
Opera	Yes	Yes	Yes
Safari	Yes	Yes	No

Syntax:

```
<video src="" controls> </video>
```



Start Your Coding Journey Now!

[Login](#)[Register](#)[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

1. **Autoplay:** It tells the browser to immediately start downloading the video and play it as soon as it can.
2. **Preload:** It intends to provide a hint to the browser about what the author thinks will lead to the best user experience.
3. **Loop:** It tells the browser to automatically loop the video.
4. **height:** It sets the height of the video in CSS pixels.
5. **width:** It sets the width of the video in CSS pixels.
6. **Controls:** It shows the default video controls like play, pause, volume, etc.
7. **Muted:** It mutes the audio from the video.
8. **Poster:** It loads an image to preview before the loading of the video.
9. **src:** It is used to specify the URL of the video file.

Example: This example illustrates the use of **<video> tag** where we have used preload attribute whose value is set to auto which specifies the browser should load the entire video when the page loads.

HTML

```
<!DOCTYPE html>
<html>
<body>
  <center>
    <h1 style="color:green;">GeeksforGeeks</h1>
    <h3>HTML video tag</h3>
```

Start Your Coding Journey Now!

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

```
<p>

    <video width="450"
           height="250"
           controls
           preload="auto">
        <source src=
"https://media.geeksforgeeks.org/wp-content/uploads/20190616234019/Canvas.move_.mp4"
           type="video/mp4">
        <source src=
"https://media.geeksforgeeks.org/wp-content/uploads/20190616234019/Canvas.move_.ogg"
           type="video/ogg">
    </video>
</center>
</body>
</html>
```

Output:



We will understand the various ways to implement the `<video>` tag, through the examples.

Adding Video using HTML5:

Start Your Coding Journey Now!

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

HTML


```
<!DOCTYPE html>
<html>
<body>
```

```
<p>Adding Video on my webpage </p>
```

```
<video width="400"
        height="350"
        controls>
  <source src="myvid.mp4"
          type="video/mp4">
  <source src="myvid.ogg"
          type="video/ogg">
</video>
</body>
</html>
```

Output:

Adding Video on my webpage



Start Your Coding Journey Now!

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

Example: This example illustrates the use of the autoplay attribute in the HTML <video> tag.

HTML

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<p>Adding Video on my webpage</p>
```

```
<video width="400"
```

```
height="350"
```

```
autoplay>
```

```
<source src="myvid.mp4" type="video/mp4">
```

```
<source src="myvid.ogg" type="video/ogg">
```


```
</video>
```

```
</body>
```

```
</html>
```

Output:

Start Your Coding Journey Now!

[Read](#)
[Discuss](#)
[Courses](#)
[Practice](#)
[Video](#)


Autoplay attribute

Please refer to the [How to display video controls in HTML5?](#) article for knowing the various available controls in detail.

HTML Video using JavaScript: Many properties and events can be set for a video like load, play and pause videos, as well as setting duration and volume.

Example: In this example, we have used Javascript in order to play, pause & set the volume & duration of the video in HTML.

HTML

```
<!DOCTYPE html>
<html>
<body>
  <div style="text-align:center">
    <button onclick="Pauseplay()">Pause/Play</button>
    <button onclick="Big()">Big</button>
    <button onclick="Small()">Small</button>
    <button onclick="Normal()">Normal</button>
    <br>
    <video id="myvideo" width="450">
      <source src="myvid.MP4"
        type="video/mp4">
      <source src="myvid.ogg"
        type="video/ogg">
    </video>
  </div>
<script>
  var testvideo = document.getElementById("myvideo");


  function Pauseplay() {
```

Start Your Coding Journey Now!

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

```
function Big() {  
    testvideo.width = 600;  
}  
  
function Small() {  
    testvideo.width = 300;  
}  
  
function Normal() {  
    testvideo.width = 450;  
}  
</script>  
</body>  
</html>
```

Output:

[Mega Job-a-thon](#)[DSA](#)[Data Structures](#)[Algorithms](#)[Interview Preparation](#)[Data Science](#)[T](#)

Setting the various video controls using the Javascript events & properties in HTML

Supported browsers:

- Google Chrome 3 and above
- Internet Explorer 9 and above
- Microsoft Edge 12 and above

Start Your Coding Journey Now!

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

Like 3

[Previous](#)[Next](#)

Related Articles

1. How to display video controls in HTML5 ?
2. How to add video in HTML5 ?
3. How to define the URL of the video file in HTML5 ?
4. How to set the height and width of the video player in HTML5 ?
5. How to preload the video when the page loads in HTML5 ?
6. How to mute video using HTML5 ?
7. How to set a name for keygen element in HTML5 ?

Start Your Coding Journey Now!

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

10. How to define a client-side script in HTML5 ?

Article Contributed By :



Shubrodeep Banerjee

@Shubrodeep Banerjee

Vote for difficulty

Current difficulty : [Easy](#)

[Easy](#)[Normal](#)[Medium](#)[Hard](#)[Expert](#)

Improved By : [nidhi_biet](#), [shubhamyadav4](#), [bhaskargeeksforgeeks](#), [sweetyty](#), [satyamm09](#)

Article Tags : [HTML-Tags](#), [HTML5](#), [HTML](#), [Technical Scripter](#)

Practice Tags : [HTML](#)

[Improve Article](#)[Report Issue](#)

A-143, 9th Floor, Sovereign Corporate Tower,
Sector-136, Noida, Uttar Pradesh - 201305

feedback@geeksforgeeks.org

Start Your Coding Journey Now!

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)[About Us](#)[Careers](#)[In Media](#)[Contact Us](#)[Privacy Policy](#)[Copyright Policy](#)[Advertise with us](#)[DSA](#)[Algorithms](#)[Data Structures](#)[SDE Cheat Sheet](#)[Machine learning](#)[CS Subjects](#)[Video Tutorials](#)[Courses](#)

News

[Top News](#)[Technology](#)[Work & Career](#)[Business](#)[Finance](#)[Lifestyle](#)[Knowledge](#)

Languages

[Python](#)[Java](#)[CPP](#)[Golang](#)[C#](#)[SQL](#)[Kotlin](#)

Web Development

[Web Tutorials](#)[Django Tutorial](#)[HTML](#)[JavaScript](#)[Bootstrap](#)[ReactJS](#)[NodeJS](#)

Contribute

[Write an Article](#)[Improve an Article](#)[Pick Topics to Write](#)[Write Interview Experience](#)[Internships](#)[Video Internship](#)

@geeksforgeeks , Some rights reserved