Home	С	Java	PHP	HTML	XHTML	CSS	Bootstrap	JavaScript	jQuery	jQuery UI	XML	JSON

Find Nth Highest Salary in SQL

Finding the Nth highest salary 2nd, 3nd, or nth highest) in a table is the most important and common question asked in various interviews.

XHTML Doctypes

There are three types of Document Type Definitions (DTDs). The easiest and most commonly used is the XHTML Transitional document.

A list of the XHTML Doctypes:

- Strict
- o Transitional
- o Frameset

You should be very careful while writing XHTML document because the few XHTML elements and attributes, which are available in one DTD but not available in another DTD. So, you should select your XHTML elements or attribute carefully.

XHTML 1.0 Strict DTD

It is recommended to use when you want to use Cascading Style Sheet (CSS) strictly and avoiding to write most of the XHTML attributes.



Add the following DTD at the top of your XHTML document.

Syntax:



XHTML 1.0 Transitional DTD

It is recommended to use when you want to use many XHTML attributes as well as few Cascading Style Sheet (CSS) properties.

Add the following DTD at the top of your XHTML document.

Syntax:

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

XHTML 1.0 Frameset DTD

It is recommended to use when you want to use HTML Frames to partition the browser window into two or more frames.

Add the following DTD at the top of your XHTML document.

Syntax:

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Frameset//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-frameset.dtd">

Note: You can use anyone of the DTD to write your XHTML document; if it is a valid XHTML document, then your document is considered as a good quality document.



(X)



🖀 For Videos Join Our Youtube Channel: Join Now

Feedback

• Send your Feedback to feedback@javatpoint.com

Help Others, Please Share










Learn Latest Tutorials





Trending Technologies



B.Tech / MCA

 \otimes

