

DOCKER-03

1. Create a image from running container.

→ Started container and checked and container is running successfully.

docker start nginx-container

```
root@ip-172-31-26-239:/home/ubuntu# docker start nginx-container
nginx-container
```

docker ps

```
root@ip-172-31-26-239:/home/ubuntu# docker ps
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS
PORTS         NAMES
e08ce97d887c   nginx:latest   "/docker-entrypoint..." 4 minutes ago  Up 4 minu
tes           0.0.0.0:8084->80/tcp, [::]:8084->80/tcp   nginx-container
root@ip-172-31-26-239:/home/ubuntu# |
```

→ Login into the container

docker exec -it nginx-container bash

cd /usr/share/nginx/html

ls

```
root@ip-172-31-26-239:/home/ubuntu# docker exec -it nginx-container bash
root@e08ce97d887c:/# cd /usr/share/nginx/html
root@e08ce97d887c:/usr/share/nginx/html# ls
50x.html  index.html
root@e08ce97d887c:/usr/share/nginx/html# |
```

→ Modify the web page

echo "<h1>Charitha Docker Commit Demo</h1>" >

index.html


cat index.html

exit

curl ifconfig.me

```
root@e08ce97d887c:/usr/share/nginx/html# echo "<h1>Manisha Docker Commit Demo</h1>">index.html
root@e08ce97d887c:/usr/share/nginx/html# cat index.html
<h1>Manisha Docker Commit Demo</h1>
root@e08ce97d887c:/usr/share/nginx/html# exit
exit
root@ip-172-31-26-239:/home/ubuntu# curl ifconfig.me
3.93.164.3root@ip-172-31-26-239:/home/ubuntu# |
```

→ Verified in browser



Manisha Docker Commit Demo

→ Create Image from Running Container

docker commit nginx-container nginx-custom:v2

docker images

```
root@ip-172-31-26-239:/home/ubuntu# docker commit nginx-container nginx-custom:v2
sha256:d679e3e7dc30af80a155f8960a03659630de62cb2e5a3c96ee9d85f6a5741aea
root@ip-172-31-26-239:/home/ubuntu# docker images
```

IMAGE	ID	DISK USAGE	CONTENT SIZE	In Use
142083399660.dkr.ecr.us-east-1.amazonaws.com/nginx-custom:v1	2ad06826471f	584MB	195MB	
amazonlinux:latest	ad882807c6c8	227MB	59.3MB	
jenkins/jenkins:lts	01c992ffef29	799MB	289MB	
manisha3299/nginx-custom:v1	2ad06826471f	584MB	195MB	
nginx-custom:v1	2ad06826471f	584MB	195MB	
nginx-custom:v2	d679e3e7dc30	238MB	63.1MB	
nginx:latest	5aca99593157	241MB	66MB	U
sonarqube:latest	4671314254b0	2.53GB	1.08GB	
tomcat:latest	f8d2287df1bb	589MB	158MB	
ubuntu:latest	f3d28607ddd7	160MB	45.3MB	

```
root@ip-172-31-26-239:/home/ubuntu#
```

**docker run -itd **

**--name nginx-custom-v2 **

**-p 8080:80 **

nginx-custom:v2


```
root@ip-172-31-26-239:/home/ubuntu# docker run -itd \
--name nginx-custom-v2 \
-p 8080:80 \
nginx-custom:v2
629e054986095bb0429f41967b4815fdd337cdcd6d70de8d8510a2cd3df4a304
root@ip-172-31-26-239:/home/ubuntu#
```

docker ps


```

root@ip-172-31-26-239:/home/ubuntu# docker ps
CONTAINER ID   IMAGE                                COMMAND                  CREATED        STATUS
629e05498609   nginx-custom:v2                     "/docker-entrypoint..." 34 seconds ago Up 34
seconds       0.0.0.0:8080->80/tcp, [::]:8080->80/tcp nginx-custom-v2
e08ce97d887c   nginx:latest                        "/docker-entrypoint..." 22 minutes ago Up 22
minutes       0.0.0.0:8084->80/tcp, [::]:8084->80/tcp nginx-container
root@ip-172-31-26-239:/home/ubuntu#

```



Manisha Docker Commit Demo



2.Copy image from local machine to docker server and load the image

Check Available Images on Local Machine

docker images

```

root@ip-172-31-26-239:/home/ubuntu# docker images
IMAGE                                ID                                DISK USAGE  CONTENT SIZE  In Use
142083399660.dkr.ecr.us-east-1.amazonaws.com/nginx-custom:v1  2ad06826471f                    584MB        195MB
amazonlinux:latest                ad882807c6c8                    227MB        59.3MB
jenkins/jenkins:lts                01c992ffef29                    799MB        289MB
manisha3299/nginx-custom:v1        2ad06826471f                    584MB        195MB
nginx-custom:v1                    2ad06826471f                    584MB        195MB
nginx-custom:v2                    d679e3e7dc30                    238MB        63.1MB
nginx:latest                        5aca99593157                    241MB        66MB
sonarqube:latest                   4671314254b0                    2.53GB       1.08GB
tomcat:latest                      f8d2287df1bb                    589MB        158MB
ubuntu:latest                      f3d28607ddd7                    160MB        45.3MB
root@ip-172-31-26-239:/home/ubuntu#

```

Save Image as TAR File

docker save -o nginx-custom-v2.tar nginx-custom:v2

ls -lh nginx-custom-v2.tar

```

root@ip-172-31-26-239:/home/ubuntu# docker save -o nginx-custom-v2.tar nginx-cus
tom:v2
root@ip-172-31-26-239:/home/ubuntu# ls -lh nginx-custom-v2.tar
-rw----- 1 root root 61M Jun  5 08:54 nginx-custom-v2.tar
root@ip-172-31-26-239:/home/ubuntu#

```

→ Remove Existing Container Using Image

docker ps -a

docker rm -f nginx-custom-v2

docker rmi nginx-custom:v2

docker images

```

root@ip-172-31-26-239:/home/ubuntu# docker rm -f nginx-custom-v2
nginx-custom-v2
root@ip-172-31-26-239:/home/ubuntu# docker rmi nginx-custom:v2
Untagged: nginx-custom:v2
Deleted: sha256:d679e3e7dc30af80a155f8960a03659630de62cb2e5a3c96ee9d85f6a5741aea
root@ip-172-31-26-239:/home/ubuntu# docker images

```

IMAGE	ID	DISK USAGE	CONTENT SIZE	In Use
142083399660.dkr.ecr.us-east-1.amazonaws.com/nginx-custom:v1	2ad06826471f	584MB	195MB	
amazonlinux:latest	ad882807c6c8	227MB	59.3MB	
jenkins/jenkins:lts	01c992ffef29	799MB	289MB	
manisha3299/nginx-custom:v1	2ad06826471f	584MB	195MB	
nginx-custom:v1	2ad06826471f	584MB	195MB	
nginx:latest	5aca99593157	241MB	66MB	U
sonarqube:latest	4671314254b0	2.53GB	1.08GB	
tomcat:latest	f8d2287df1bb	589MB	158MB	
ubuntu:latest	f3d28607ddd7	160MB	45.3MB	

→ Load the image back from TAR file

docker load -i nginx-custom-v2.tar

docker images

```

root@ip-172-31-26-239:/home/ubuntu# docker load -i nginx-custom-v2.tar
Loaded image: nginx-custom:v2
root@ip-172-31-26-239:/home/ubuntu# docker images

```

IMAGE	ID	DISK USAGE	CONTENT SIZE	In Use
142083399660.dkr.ecr.us-east-1.amazonaws.com/nginx-custom:v1	2ad06826471f	584MB	195MB	
amazonlinux:latest	ad882807c6c8	227MB	59.3MB	
jenkins/jenkins:lts	01c992ffef29	799MB	289MB	
manisha3299/nginx-custom:v1	2ad06826471f	584MB	195MB	
nginx-custom:v1	2ad06826471f	584MB	195MB	
nginx-custom:v2	d679e3e7dc30	238MB	63.1MB	
nginx:latest	5aca99593157	241MB	66MB	U
sonarqube:latest	4671314254b0	2.53GB	1.08GB	
tomcat:latest	f8d2287df1bb	589MB	158MB	
ubuntu:latest	f3d28607ddd7	160MB	45.3MB	

→ Run a new container

**docker run -itd **

**--name nginx-loaded **

**-p 8081:80 **

nginx-custom:v2

docker ps

```
root@ip-172-31-26-239:/home/ubuntu# docker run -itd \
--name nginx-loaded \
-p 8081:80 \
nginx-custom:v2
e977657b9105c8e2b3281452c9f6562d2a4cf111773fa372c7980b0fcb89aff6
root@ip-172-31-26-239:/home/ubuntu# docker ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS
e977657b9105	nginx-custom:v2	"/docker-entrypoint...."	7 seconds ago	Up
e08ce97d887c	nginx:latest	"/docker-entrypoint...."	About an hour ago	Up

```
root@ip-172-31-26-239:/home/ubuntu#
```

← → ↻ ⚠ Not secure 3.93.164.3:8081 ☆ 📄 🗑️ | M ⋮

Manisha Docker Commit Demo

3. Create Docker image using alpine and customize with tomcat.

→ Pull Alpine Image

docker pull alpine:latest

docker images

```

root@ip-172-31-26-239:/home/ubuntu# docker pull alpine:latest
latest: Pulling from library/alpine
6a0ac1617861: Pull complete
a63813f19ccb: Download complete
4e0cb4ac63e7: Download complete
Digest: sha256:5b10f432ef3da1b8d4c7eb6c487f2f5a8f096bc91145e68878dd4a5019afde11
Status: Downloaded newer image for alpine:latest
docker.io/library/alpine:latest
root@ip-172-31-26-239:/home/ubuntu# docker images

```

IMAGE	ID	DISK USAGE	CONTENT SIZE	In Use
142083399660.dkr.ecr.us-east-1.amazonaws.com/nginx-custom:v1	2ad06826471f	584MB	195MB	
alpine:latest	5b10f432ef3d	13.1MB	3.95MB	
amazonlinux:latest	ad882807c6c8	227MB	59.3MB	
jenkins/jenkins:lts	01c992ffef29	799MB	289MB	
manisha3299/nginx-custom:v1	2ad06826471f	584MB	195MB	
nginx-custom:v1	2ad06826471f	584MB	195MB	
nginx-custom:v2	d679e3e7dc30	238MB	63.1MB	U
nginx:latest	5aca99593157	241MB	66MB	U
sonarqube:latest	4671314254b0	2.53GB	1.08GB	
tomcat:latest	f8d2287df1bb	589MB	158MB	
ubuntu:latest	f3d28607ddd7	160MB	45.3MB	

```

root@ip-172-31-26-239:/home/ubuntu#

```

→ Create Dockerfile

mkdir tomcat-alpine

cd tomcat-alpine

vi Dockerfile

```

root@ip-172-31-26-239:/home/ubuntu/tomcat-alpine
FROM alpine:latest

RUN apk update && \
    apk add --no-cache openjdk11-jre curl wget tar

RUN wget https://d1cdn.apache.org/tomcat/tomcat-9/v9.0.118/bin/apache-tomcat-9.0.118.tar.gz && \
    tar -xzf apache-tomcat-9.0.118.tar.gz && \
    mv apache-tomcat-9.0.118 /opt/tomcat && \
    rm apache-tomcat-9.0.118.tar.gz

EXPOSE 8080

CMD ["/opt/tomcat/bin/catalina.sh", "run"]
~
~
~
~

```

→ Build the image

docker build -t tomcat-alpine:v1 .

```
root@ip-172-31-26-239: /home/ubuntu/tomcat-alpine
root@ip-172-31-26-239:/home/ubuntu/tomcat-alpine# docker build -t tomcat-alpine:v1 .
DEPRECATED: The legacy builder is deprecated and will be removed in a future release.
            Install the buildx component to build images with BuildKit:
            https://docs.docker.com/go/buildx/

Sending build context to Docker daemon  14.85kB
Step 1/5 : FROM alpine:latest
--> 5b10f432ef3d
Step 2/5 : RUN apk update && apk add --no-cache openjdk11-jre curl wget tar
--> Running in fd39b38df805
v3.23.4-341-g3bb236994a2 [https://dl-cdn.alpinelinux.org/alpine/v3.23/main]
v3.23.4-340-gfab8d7d1ed2 [https://dl-cdn.alpinelinux.org/alpine/v3.23/community]
OK: 27583 distinct packages available
( 1/39) Installing brotli-libs (1.2.0-r0)
( 2/39) Installing c-ares (1.34.6-r0)
( 3/39) Installing libunistring (1.4.1-r0)
( 4/39) Installing libidn2 (2.3.8-r0)
( 5/39) Installing nghttp2-libs (1.69.0-r0)
( 6/39) Installing libpsl (0.21.5-r3)
( 7/39) Installing zstd-libs (1.5.7-r2)
( 8/39) Installing libcurl (8.19.0-r0)
( 9/39) Installing curl (8.19.0-r0)
(10/39) Installing java-common (1.0-r1)
(11/39) Installing libffi (3.5.2-r0)
(12/39) Installing libtasn1 (4.21.0-r0)
(13/39) Installing p11-kit (0.25.5-r2)
```

```
root@ip-172-31-26-239: /home/ubuntu/tomcat-alpine
12300K ..... 96% 895M 0s
12350K ..... 96% 999M 0s
12400K ..... 97% 1013M 0s
12450K ..... 97% 1003M 0s
12500K ..... 98% 1012M 0s
12550K ..... 98% 894M 0s
12600K ..... 98% 752M 0s
12650K ..... 99% 1023M 0s
12700K ..... 99% 728M 0s
12750K ..... 100% 61.0M=0.1s
2026-06-05 09:56:58 (126 MB/s) - 'apache-tomcat-9.0.118.tar.gz' saved [13100518/13100518]
--> Removed intermediate container b6236e8be865
--> 884992b4bd88
Step 4/5 : EXPOSE 8080
--> Running in bc50ffc459f9
--> Removed intermediate container bc50ffc459f9
--> d34b16b5b2f0
Step 5/5 : CMD ["/opt/tomcat/bin/catalina.sh", "run"]
--> Running in 0b532b6ce5a9
--> Removed intermediate container 0b532b6ce5a9
--> 33e90ff563a2
Successfully built 33e90ff563a2
Successfully tagged tomcat-alpine:v1
root@ip-172-31-26-239: /home/ubuntu/tomcat-alpine#
```


```
docker run -itd \
--name tomcat-alpine-container \
-p 8080:8080 \
tomcat-alpine:v1
```

```

root@ip-172-31-26-239:/home/ubuntu/tomcat-alpine# docker run -itd \
--name tomcat-alpine-container \
-p 8080:8080 \
tomcat-alpine:v1
0e54e225023b368fb1c01a847d37d92545b1a404c5cb688fd06a2ef75527a5f3
root@ip-172-31-26-239:/home/ubuntu/tomcat-alpine# docker ps
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS        PORTS
0e54e225023b   tomcat-alpine:v1  "/opt/tomcat/bin/cat..."  9 seconds ago  Up 9 seconds  0.0.0.0:8080->8080/tcp
e977657b9105   nginx-custom:v2  "/docker-entrypoint..."  53 minutes ago  Up 53 minutes  0.0.0.0:8081->8081/tcp
e08ce97d887c   nginx:latest     "/docker-entrypoint..."  2 hours ago    Up 2 hours    0.0.0.0:8084->8084/tcp

```

Access the application



4. Create single stage and multi stage docker file using this

source code:<https://github.com/betawins/multi-stage-example.git>

create single stage

```

root@ip-172-31-26-239:/home/ubuntu/tomcat-alpine# cd ..
root@ip-172-31-26-239:/home/ubuntu# git clone https://github.com/betawins/multi-stage-example.git
Cloning into 'multi-stage-example'...
remote: Enumerating objects: 31, done.
remote: Counting objects: 100% (7/7), done.
remote: Compressing objects: 100% (6/6), done.
remote: Total 31 (delta 2), reused 1 (delta 1), pack-reused 24 (from 1)
Receiving objects: 100% (31/31), 53.25 KiB | 7.61 MiB/s, done.
Resolving deltas: 100% (3/3), done.
root@ip-172-31-26-239:/home/ubuntu# pwd
/home/ubuntu
root@ip-172-31-26-239:/home/ubuntu# ls
Dockerfile  index.html  multi-stage-example  nginx-custom-v2.tar  tomcat-alpine
root@ip-172-31-26-239:/home/ubuntu# cd multi-stage-example/
root@ip-172-31-26-239:/home/ubuntu/multi-stage-example#

```

→ Create Dockerfile


```
root@ip-172-31-26-239: /home/ubuntu/multi-stage-example
FROM maven:3.9-amazoncorretto-17

WORKDIR /app

COPY . .

RUN mvn clean package -DskipTests

EXPOSE 8080

CMD sh -c 'java -jar target/*.jar'
```

→ Build image

docker build -t single-stage:v2 .

```
root@ip-172-31-26-239: /home/ubuntu/multi-stage-example
e: not found
root@ip-172-31-26-239:/home/ubuntu/multi-stage-example# docker build -f dockerfile -t single-stage-app:v1 .
DEPRECATED: The legacy builder is deprecated and will be removed in a future release.
            Install the buildx component to build images with Buildkit:
            https://docs.docker.com/go/buildx/

Sending build context to Docker daemon 210.4kB
Step 1/6 : FROM maven:3.9-amazoncorretto-17
3.9-amazoncorretto-17: Pulling from library/maven
84f9642ef02d: Pulling fs layer
f71b83b7263d: Pulling fs layer
1b617831d6b1: Pulling fs layer
304d83b06706: Pulling fs layer
a61c05d3cfff: Pulling fs layer
a1a8a7978ba0: Pulling fs layer
3e7214a9e2d4: Pulling fs layer
304d83b06706: Download complete
84f9642ef02d: Download complete
706e71dc419c: Download complete
6c33a16e13a2: Download complete
3e7214a9e2d4: Download complete
f71b83b7263d: Download complete
1b617831d6b1: Download complete
1b617831d6b1: Pull complete
a1a8a7978ba0: Download complete
a61c05d3cfff: Download complete
```

```

root@ip-172-31-26-239: /home/ubuntu/multi-stage-example
Downloaded from central: https://repo.maven.apache.org/maven2/org/ow2/asm/asm-util/7.2-beta/asm-util-7.2-beta.jar (81 kB at 568 kB/s)
Downloaded from central: https://repo.maven.apache.org/maven2/org/vafer/jdependency/2.3.0/jdependency-2.3.0.jar (169 kB at 1.2 MB/s)
Downloaded from central: https://repo.maven.apache.org/maven2/com/google/guava/guava/19.0/guava-19.0.jar (3.3 MB at 15 MB/s)
[INFO] Replacing main artifact with repackaged archive
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 13.789 s
[INFO] Finished at: 2026-06-05T10:16:58Z
[INFO] -----
--> Removed intermediate container 5b438b1c2a14
--> d3b785b472a8
Step 5/6 : EXPOSE 8080
--> Running in 1e8bab41446d
--> Removed intermediate container 1e8bab41446d
--> cd936eba0a90
Step 6/6 : CMD sh -c 'java -jar target/*.jar'
--> Running in 29874efb43f1
--> Removed intermediate container 29874efb43f1
--> 2ff10cb2229c
Successfully built 2ff10cb2229c
Successfully tagged single-stage-app:v1
root@ip-172-31-26-239: /home/ubuntu/multi-stage-example#

```

**docker run -itd **

**--name single-stage-container **

**-p 8082:8080 **

single-stage-app:v1

```

root@ip-172-31-26-239: /home/ubuntu/multi-stage-example# docker run -itd --name single-stage-container -p 8082:8080 single-stage-app:v1
ba100b6803849251d1c409b023fb96ef00060f8288690a81b6f53e3f08dd0a02
root@ip-172-31-26-239: /home/ubuntu/multi-stage-example#

```

Docker ps

```

root@ip-172-31-26-239: /home/ubuntu/multi-stage-example# docker ps

```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS
ba100b680384	single-stage-app:v1	"/usr/local/bin/mvn-..."	43 seconds ago	Up 43 seconds	0.0.0.0:8082->8080/tcp, [::]:8082->8080/tcp
0e54e225023b	tomcat-alpine:v1	"/opt/tomcat/bin/catalina.sh run" (single-stage-container)	24 minutes ago	Up 24 minutes	0.0.0.0:8080->8080/tcp, [::]:8080->8080/tcp
e977657b9105	nginx-custom:v2	"/docker-entrypoint.sh" (tomcat-alpine-container)	About an hour ago	Up About an hour	0.0.0.0:8081->80/tcp, [::]:8081->80/tcp
e08ce97d887c	nginx:latest	"/docker-entrypoint.sh" (nginx-loaded)	3 hours ago	Up 3 hours	0.0.0.0:8084->80/tcp, [::]:8084->80/tcp

```

root@ip-172-31-26-239: /home/ubuntu/multi-stage-example#

```

docker logs single-stage-container

```
root@ip-172-31-26-239: /home/ubuntu/multi-stage-example
root@ip-172-31-26-239:/home/ubuntu/multi-stage-example# docker logs single-stage-container

:: Spring Boot :: (v2.2.6.RELEASE)

2026-06-05 10:25:17.515 INFO 1 --- [main] c.t.m.MultiStageExampleApplication : Starting M
ultiStageExampleApplication v0.0.1-SNAPSHOT on ba100b680384 with PID 1 (/app/target/multi-stage-example-0.0
.1-SNAPSHOT.jar started by root in /app)
2026-06-05 10:25:17.521 INFO 1 --- [main] c.t.m.MultiStageExampleApplication : No active
profile set, falling back to default profiles: default
2026-06-05 10:25:18.902 INFO 1 --- [main] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat ini
tialized with port(s): 8080 (http)
2026-06-05 10:25:18.914 INFO 1 --- [main] o.apache.catalina.core.StandardService : Starting s
ervice [Tomcat]
2026-06-05 10:25:18.914 INFO 1 --- [main] org.apache.catalina.core.StandardEngine : Starting S
ervlet engine: [Apache Tomcat/9.0.33]
2026-06-05 10:25:18.970 INFO 1 --- [main] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializi
ng Spring embedded WebApplicationContext
2026-06-05 10:25:18.971 INFO 1 --- [main] o.s.web.context.ContextLoader : Root WebAp
plicationContext: initialization completed in 1348 ms
2026-06-05 10:25:19.312 INFO 1 --- [main] o.s.s.concurrent.ThreadPoolTaskExecutor : Initializi
```

← → ↻ Not secure 3.93.164.3:8082 ☆ 📄 📁 📂 | M ⋮

Whitelabel Error Page

This application has no explicit mapping for /error, so you are seeing this as a fallback.

Fri Jun 05 10:27:48 UTC 2026
There was an unexpected error (type=Not Found, status=404).
No message available

Multi Stage Dockerfile

```
root@ip-172-31-26-239: /home/ubuntu/multi-stage-example

# Build stage
FROM maven:3.9-amazoncorretto-17 AS builder

WORKDIR /app

COPY . .

RUN mvn clean package -DskipTests

# Runtime stage
FROM amazoncorretto:17

WORKDIR /app

COPY --from=builder /app/target/*.jar app.jar

EXPOSE 8080

CMD ["java", "-jar", "app.jar"]
~
~
~
~
```

```

root@ip-172-31-26-239: /home/ubuntu/multi-stage-example
root@ip-172-31-26-239:/home/ubuntu/multi-stage-example# docker build -f dockerfile.multi -t multi-stage:v2 .
DEPRECATED: The legacy builder is deprecated and will be removed in a future release.
Install the buildx component to build images with BuildKit:
https://docs.docker.com/go/buildx/

Sending build context to Docker daemon 211.5kB
Step 1/9 : FROM maven:3.9-amazoncorretto-17 AS builder
--> 5417f4bccfba
Step 2/9 : WORKDIR /app
--> Using cache
--> a803b7cc1c69
Step 3/9 : COPY . .
--> Using cache
--> 561313b7ee56
Step 4/9 : RUN mvn clean package -DskipTests
--> Using cache
--> 3f6bd5ab8150
Step 5/9 : FROM amazoncorretto:17
--> 823513044539
Step 6/9 : WORKDIR /app
--> Using cache
--> caeb41fc95a0
Step 7/9 : COPY --from=builder /app/target/*.jar app.jar
COPY failed: no source files were specified
root@ip-172-31-26-239:/home/ubuntu/multi-stage-example# vi dockerfile.multi

```

```

root@ip-172-31-26-239: /home/ubuntu/multi-stage-example
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 12.798 s
[INFO] Finished at: 2026-06-05T10:44:26Z
[INFO] -----
--> Removed intermediate container 87b997dabd4e
--> f281099d3f9b
Step 5/9 : FROM amazoncorretto:17
--> 823513044539
Step 6/9 : WORKDIR /app
--> Using cache
--> caeb41fc95a0
Step 7/9 : COPY --from=builder /app/target/*.jar app.jar
--> c5600be4a61d
Step 8/9 : EXPOSE 8080
--> Running in 31d43e97f558
--> Removed intermediate container 31d43e97f558
--> 5a15cf6e6ef3
Step 9/9 : CMD ["java", "-jar", "app.jar"]
--> Running in 07ba42c1f58b
--> Removed intermediate container 07ba42c1f58b
--> 49b64aff6755
Successfully built 49b64aff6755
Successfully tagged multi-stage-app:v1
root@ip-172-31-26-239:/home/ubuntu/multi-stage-example#

```

```

root@ip-172-31-26-239:/home/ubuntu/multi-stage-example# docker ps
CONTAINER ID   IMAGE                                COMMAND                  CREATED        STATUS        PORTS
ba100b680384   single-stage-app:v1                 "/usr/local/bin/mvn-..." 22 minutes ago Up 22 minutes 0.0.0.0:8082
->8080/tcp, [::]:8082->8080/tcp single-stage-container
0e54e225023b   tomcat-alpine:v1                   "/opt/tomcat/bin/cat..." 47 minutes ago Up 47 minutes 0.0.0.0:8080
->8080/tcp, [::]:8080->8080/tcp tomcat-alpine-container
e977657b9105   nginx-custom:v2                     "/docker-entrypoint...." 2 hours ago    Up 2 hours    0.0.0.0:8081
->80/tcp, [::]:8081->80/tcp    nginx-loaded
e08ce97d887c   nginx:latest                       "/docker-entrypoint...." 3 hours ago    Up 3 hours    0.0.0.0:8084
->80/tcp, [::]:8084->80/tcp    nginx-container
root@ip-172-31-26-239:/home/ubuntu/multi-stage-example#

```

→ Using a Multi-Stage Dockerfile, I reduced the image size from 965 MB to 424 MB

docker images | grep stage


```

root@ip-172-31-26-239:/home/ubuntu/multi-stage-example# docker images | grep stage
WARNING: This output is designed for human readability. For machine-readable output, please use --format.
multi-stage-app:v1          49b64aff6755          742MB          233MB
single-stage-app:v1         2ff10cb2229c          1.65GB         496MB
root@ip-172-31-26-239:/home/ubuntu/multi-stage-example#

```

5. Install docker compose and execute sample application.

apt update

```

root@ip-172-31-26-239:/home/ubuntu# apt update
Hit:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute InRelease
Get:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute-updates InRelease [137 kB]
Hit:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute-backports InRelease
Get:4 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/main amd64 c-n-f Metadata [3160 B]
Get:5 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/universe amd64 c-n-f Metadata [2320 B]
Hit:6 http://security.ubuntu.com/ubuntu resolute-security InRelease
Fetched 143 kB in 0s (1188 kB/s)
42 packages can be upgraded. Run 'apt list --upgradable' to see them.
root@ip-172-31-26-239:/home/ubuntu#

```

apt install docker-compose-v2 -y

```

root@ip-172-31-26-239:/home/ubuntu# apt install docker-compose-v2 -y
Installing:
  docker-compose-v2

Summary:
  Upgrading: 0, Installing: 1, Removing: 0, Not Upgrading: 42
  Download size: 14.8 MB
  Space needed: 66.6 MB / 9671 MB available

Get:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute/universe amd64v3 docker-compose-v2 amd64 2.40.3+ds1-0ubuntu1 [14.8 MB]
Fetched 14.8 MB in 0s (89.2 MB/s)
Selecting previously unselected package docker-compose-v2.
(Reading database ... 95435 files and directories currently installed.)
Preparing to unpack .../docker-compose-v2_2.40.3+ds1-0ubuntu1_amd64v3.deb ...
Unpacking docker-compose-v2 (2.40.3+ds1-0ubuntu1) ...
Setting up docker-compose-v2 (2.40.3+ds1-0ubuntu1) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

```

docker compose version

```

root@ip-172-31-26-239:/home/ubuntu# docker compose version
Docker Compose version 2.40.3+ds1-0ubuntu1
root@ip-172-31-26-239:/home/ubuntu#

```

Install Docker Compose and Execute Sample Application

mkdir compose-demo

cd compose-demo

```

root@ip-172-31-26-239:/home/ubuntu# mkdir compose-demo
root@ip-172-31-26-239:/home/ubuntu# cd compose-demo
root@ip-172-31-26-239:/home/ubuntu/compose-demo#

```

Create the compose file

vi docker-compose.yml

```
root@ip-172-31-26-239: /home/ubuntu/compose-demo
version: '3.8'

services:
  nginx:
    image: nginx:latest
    ports:
      - "8084:80"
~
~
~
~
```

```
root@ip-172-31-26-239: /home/ubuntu/compose-dem
services:
  nginx:
    image: nginx:latest
    ports:
      - "8084:80"
~
~
~
~
```

→Run the application

docker compose up -d

```
root@ip-172-31-26-239:/home/ubuntu/compose-demo# docker compose up -d
WARN[0000] /home/ubuntu/compose-demo/docker-compose.yml: the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion
[+] Running 1/1
  ✓ Container compose-nginx Started                                0.2s
root@ip-172-31-26-239:/home/ubuntu/compose-demo#
```

```
root@ip-172-31-26-239:/home/ubuntu/compose-demo# docker compose ps
WARN[0000] /home/ubuntu/compose-demo/docker-compose.yml: the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion
NAME                IMAGE                COMMAND                SERVICE    CREATED        STATUS
compose-nginx      nginx:latest        "/docker-entrypoint..." nginx       About a minute ago Up About a minute
0.0.0.0:8085->80/tcp, [::]:8085->80/tcp
```

→verify browser



Welcome to nginx!

If you see this page, nginx is successfully installed and working. Further configuration is required for the web server, reverse proxy, API gateway, load balancer, content cache, or other features.

For online documentation and support please refer to nginx.org.
To engage with the community please visit community.nginx.org.
For enterprise grade support, professional services, additional security features and capabilities please refer to f5.com/nginx.

Thank you for using nginx.

6. Implement solution to scan images when pushed to docker registry.

Login to docker hub

```
root@ip-172-31-26-239:/home/ubuntu# docker login
Authenticating with existing credentials... [Username: manisha3299]

Info → To login with a different account, run 'docker logout' followed by 'docker login'

Login Succeeded
root@ip-172-31-26-239:/home/ubuntu#
```

docker tag nginx-custom:v2 manisha3299/nginx-custom:v2

docker images | grep nginx-custom

```
root@ip-172-31-26-239:/home/ubuntu# docker tag nginx-custom:v2 manisha3299/nginx-custom:v2
root@ip-172-31-26-239:/home/ubuntu# docker images | grep nginx-custom
WARNING: This output is designed for human readability. For machine-readable output, please use --format.
142083399660.dkr.ecr.us-east-1.amazonaws.com/nginx-custom:v1    2ad06826471f    584MB    195MB
manisha3299/nginx-custom:v1    2ad06826471f    584MB    195MB
manisha3299/nginx-custom:v2    d679e3e7dc30    238MB    63.1MB
nginx-custom:v1    2ad06826471f    584MB    195MB
nginx-custom:v2    d679e3e7dc30    238MB    63.1MB
root@ip-172-31-26-239:/home/ubuntu#
```

docker push manisha3299/nginx-custom:v2

```
root@ip-172-31-26-239:/home/ubuntu# docker push manisha3299/nginx-custom:v2
The push refers to repository [docker.io/manisha3299/nginx-custom]
5b4d6ff92fc4: Mounted from library/nginx
40bfb7d67c0c: Pushed
5431d0092ffd: Mounted from library/nginx
b4a248c845e5: Mounted from library/nginx
7f8b1a2b17d8: Mounted from library/nginx
45381ecb0e2f: Mounted from library/nginx
13fd728be9eb: Mounted from library/nginx
830625e1ac85: Mounted from library/nginx
v2: digest: sha256:d679e3e7dc30af80a155f8960a03659630de62cb2e5a3c96ee9d85f6a5741aea size: 2038
root@ip-172-31-26-239:/home/ubuntu#
```

→Login to Docker Hub.

→Open repository nginx-custom.

The screenshot shows the Docker Hub interface for the user 'manisha3299'. The left sidebar contains a menu with 'Repositories' selected. The main area is titled 'Repositories' and shows a list of repositories within the 'manisha3299' namespace. A search bar and a 'Create a repository' button are at the top. The repository list has columns for Name, Last Pushed, Contains, Visibility, and Scout. One repository, 'manisha3299/nginx-custom', is listed with 'Last Pushed' as '2 minutes ago', 'Contains' as 'IMAGE', 'Visibility' as 'Public', and 'Scout' as 'Inactive'.

Name	Last Pushed	Contains	Visibility	Scout
manisha3299/nginx-custom	2 minutes ago	IMAGE	Public	Inactive

→ Here the docker scout is inactive lets activate it

The screenshot shows the 'Settings' page for the repository 'manisha3299/nginx-custom'. The left sidebar is the same as the previous screenshot. The main area has tabs for 'General', 'Tags', 'Image Management', 'Collaborators', 'Webhooks', and 'Settings', with 'Settings' selected. Under 'Image security insight settings', there are three options: 'Docker Scout image analysis' (selected and marked 'RECOMMENDED'), 'Static scanning', and 'None'. The 'Docker Scout image analysis' option includes a description and a link to the 'Scout Dashboard'. At the bottom, there are 'Cancel' and 'Save' buttons.

Image security insight settings
Features and controls that help you uncover, understand, and fix issues with your container images in Docker Hub

- ☒ **Docker Scout image analysis** RECOMMENDED
Know when new CVEs impact your images, learn where they're introduced, and get recommendations for remediation options. [Enable repos in bulk on Scout Dashboard](#)
- ☐ **Static scanning**
Images will be scanned once when pushed and the vulnerability report saved at that point in time.
- ☐ **None**

→ So the docker scout is now activated

→ Docker Scout automatically analyses every newly pushed image and generates vulnerability reports, helping identify security issues before deployment.

hub.docker.com/repository/docker/manisha3299/nginx-custom/general

Collaborations
Settings
Default privacy
Notifications
Billing
Usage
Pulls
Storage

Add a description
Add a category

docker push manisha3299/nginx-custom:tagname

General Tags Image Management Collaborators Webhooks Settings

Tags

Analyzed by docker scout

This repository contains 2 tag(s).

Tag	OS	Type	Vulnerabilities	Pulled	Pushed
v2	Image	2 8 13 61 0	less than 1 day	5 minutes	
v1	Image	Security unknown	less than 1 day	about 4 hours	

Build with Docker Build Cloud

Accelerate image build times with access to cloud-based builders and shared cache.

Docker Build Cloud executes builds on optimally-dimension cloud infrastructure with dedicated per-organization

7. Implement solution to scan images when pushed to AWS ECR.

→ Open AWS ECR → Go to features and settings → we are turning on the scanning → Whenever there is new image push to ecr those will be scanned automatically

aws Search [Alt+S] United States (N. Virginia) Manisha A (142083399660) Manisha A

Amazon ECR > Private registry

Amazon Elastic Container Registry

▼ Private registry

Repositories

Features & Settings

Managed signing

Permissions

Pull through cache

Replication

Repository creation templates

Scanning

▼ Public registry

Repositories

Pull through cache rules

No pull through cache rules

Configure

Replication rules

No replication rules configured

Configure

Repository creation templates

Templates

No repository creation templates

Configure

Scanning

Scan type

Basic

Scan on push filters

Configure

Create a repo

aws [Search] [Alt+S] United States (N. Virginia) Manisha A (142083399660) Manisha A

Amazon ECR > Private registry > Repositories > Create private repository

General settings

Repository name
Enter a concise name. Repositories support namespaces, which you can use to group similar repositories.

142083399660.dkr.ecr.us-east-1.amazonaws.com/nginx-scan

10 out of 256 characters maximum (2 minimum). The name must start with a letter and can only contain lowercase letters, numbers, and special characters _-./.

Image tag settings [Info](#)

Image tag mutability
Choose the tag mutability setting.

☒ **Mutable**
Image tags can be overwritten.

☐ **Immutable**
Image tags can't be overwritten.

Mutable tag exclusions
Tags that match these filters will be immutable (can't be overwritten). Using wildcards (*) will match zero or more image tag characters.

[Add filter](#)

aws [Search] [Alt+S] United States (N. Virginia) Manisha A (142083399660) Manisha A

Amazon ECR > Private registry > Repositories > Create private repository

General settings

Repository name
Enter a concise name. Repositories support namespaces, which you can use to group similar repositories.

142083399660.dkr.ecr.us-east-1.amazonaws.com/nginx-scan-test

15 out of 256 characters maximum (2 minimum). The name must start with a letter and can only contain lowercase letters, numbers, and special characters _-./.

Image tag settings [Info](#)

Image tag mutability
Choose the tag mutability setting.

☒ **Mutable**
Image tags can be overwritten.

☐ **Immutable**
Image tags can't be overwritten.

Mutable tag exclusions
Tags that match these filters will be immutable (can't be overwritten). Using wildcards (*) will match zero or more image tag characters.

[Add filter](#)

```
aws ecr get-login-password --region us-east-1 |
```

```
docker login --username AWS --password-stdin 142083399660.dkr.ecr.us-east-1.amazonaws.com/nginx-scan-test
```

```
root@ip-172-31-26-239:/home/ubuntu# aws ecr get-login-password --region us-east-1 | docker login --username AWS --password-stdin 142083399660.dkr.ecr.us-east-1.amazonaws.com/nginx-scan-test
WARNING! Your credentials are stored unencrypted in '/root/.docker/config.json'.
Configure a credential helper to remove this warning. See
https://docs.docker.com/go/credential-store/

Login Succeeded
root@ip-172-31-26-239:/home/ubuntu#
```

```
aws ecr describe-repositories --repository-names nginx-scan-test --region us-east-1
```

```

root@ip-172-31-26-239:/home/ubuntu# aws ecr describe-repositories --repository-names nginx-scan-test --region us-east-1
{
  "repositories": [
    {
      "repositoryArn": "arn:aws:ecr:us-east-1:142083399660:repository/nginx-scan-test",
      "registryId": "142083399660",
      "repositoryName": "nginx-scan-test",
      "repositoryUri": "142083399660.dkr.ecr.us-east-1.amazonaws.com/nginx-scan-test",
      "createdAt": "2026-06-05T11:26:43.484000+00:00",
      "imageTagMutability": "MUTABLE",
      "imageScanningConfiguration": {
        "scanOnPush": false
      },
      "encryptionConfiguration": {
        "encryptionType": "AES256"
      }
    }
  ]
}
root@ip-172-31-26-239:/home/ubuntu#

```

Tagging a image and pushing it to ecr

docker tag nginx-custom:v2 142083399660.dkr.ecr.us-east-1.amazonaws.com/nginx-scan-test

docker push 142083399660.dkr.ecr.us-east-1.amazonaws.com/nginx-scan-test

```


root@ip-172-31-26-239:/home/ubuntu# docker tag nginx-custom:v2 142083399660.dkr.ecr.us-east-1.amazonaws.com/nginx-scan-test
root@ip-172-31-26-239:/home/ubuntu# docker push 142083399660.dkr.ecr.us-east-1.amazonaws.com/nginx-scan-test
Using default tag: latest
The push refers to repository [142083399660.dkr.ecr.us-east-1.amazonaws.com/nginx-scan-test]
5b4d6ff92fc4: Pushed
40bfb7d67c0c: Pushed
7f8b1a2b17d8: Pushed
830625e1ac85: Pushed
5431d0092ffd: Pushed
b4a248c845e5: Pushed
45381ecb0e2f: Pushed
13fd728be9eb: Pushed
latest: digest: sha256:d679e3e7dc30af80a155f8960a03659630de62cb2e5a3c96ee9d85f6a5741aea size: 2038
root@ip-172-31-26-239:/home/ubuntu#

```

→ Amazon ECR → Repositories → nginx-scan-test → Images → latest → Scan Findings

The screenshot shows the Amazon ECR console interface. The left sidebar displays the navigation menu with 'Amazon Elastic Container Registry' expanded, showing 'Private registry' and 'Public registry' sections. The main content area is titled 'nginx-scan-test' and has tabs for 'Summary', 'Images', 'Lifecycle policy', 'Permissions', and 'Repository tags'. The 'Images' tab is active, showing a table of images. The table has columns for 'Image tags', 'Type', 'Created at', 'Image size (MB)', 'Image digest', and 'Last pulled at'. A single image is listed with the tag 'latest', which is highlighted with a red box. The image was created on June 05, 2026, at 17:03:59 (UTC+05.5), has a size of 63.11 MB, and its digest is sha256:d679e3e7dc30af80a155f8960a03659630de62cb2e5a3c96ee9d85f6a5741aea.

Image tags	Type	Created at	Image size (MB)	Image digest	Last pulled at
latest	Image	June 05, 2026, 17:03:59 (UTC+05.5)	63.11	sha256:d679e3e7dc30af80a155f8960a03659630de62cb2e5a3c96ee9d85f6a5741aea	-



8. Create a Jenkins pipeline to create a docker image and push the image to Docker hub.

→ Create a docker container

**docker run -d **

**--name jenkins-server **

**--restart unless-stopped **

**-p 9090:8080 **

**-p 50000:50000 **

**-v jenkins_home:/var/jenkins_home **



**-v /var/run/docker.sock:/var/run/docker.sock **




**-u root **

jenkins/jenkins:lts

```
root@ip-172-31-26-239:/home/ubuntu# docker run -d \
--name jenkins-server \
--restart unless-stopped \
-p 9090:8080 \
-p 50000:50000 \
-v jenkins_home:/var/jenkins_home \
-v /var/run/docker.sock:/var/run/docker.sock \
-u root \
jenkins/jenkins:lts
b69d55e858b45f45c37da56bd60710b4eee6dbb7eb7a7cb242c9750e57054fc3
root@ip-172-31-26-239:/home/ubuntu#
```

Login to Jenkins server





← → ↻ ⚠ Not secure 3.93.164.3:9090 ☆ 📄 🗂 🧑 | M ⋮

**Jenkins**

+ New Item

📁 Build History

Build Queue

No builds in the queue.

Build Executor Status

0/2

Welcome to Jenkins!

This page is where your Jenkins jobs will be displayed. To get started, you can set up distributed builds or start building a software project.

Start building your software project

Create a job +

Set up a distributed build

Set up an agent 🖥

Configure a cloud ☁

Learn more about distributed builds ?

🔍 ⚙ 🧑

Add description

→ Installing docker plugins

← → ↻ ⚠ Not secure 3.93.164.3:9090/manage/pluginManager/available ☆ 📄 🗂 🧑 | M ⋮

**Jenkins** / Manage Jenkins ▾ / Plugins

📁 Updates

📁 Available plugins

🔗 Installed plugins

⚙ Advanced settings

☰ Download progress

🔍 docker

📄 Install ▾ ↻

Install	Name 1	Released	Health
☒	Docker 1316.v75635a_002b_0a_ Cloud Providers Cluster Management docker Provisions Jenkins agents on demand as Docker containers. Runs builds in isolated, disposable environments. 3 mo 7 days ago 100		
☐	Docker Commons 472.vee120e23d3a_c Library plugins (for use by other plugins) docker Provides the common shared functionality for various Docker-related plugins. 2 mo 2 days ago 97		
☒	Docker Pipeline 634.vedc7242b_ed4_7 pipeline DevOps Deployment docker Build and use Docker containers from pipelines. This plugin is up for adoption! We are looking for new maintainers. Visit our Adopt a Plugin initiative for more information. 7 mo 24 days ago 76		

← → ↻ Not secure 3.93.164.3:9090/manage/pluginManager/updates/ ☆ 📄 🗑️ 🌐 M

Jenkins / Manage Jenkins ▾ / Plugins 🔍 ⚙️ 👤

Plugins

- 📄 Updates
- 📁 Available plugins
- 🔗 Installed plugins
- ⚙️ Advanced settings
- ☰ Download progress**

Download progress

Preparation

- Checking internet connectivity
- Checking update center connectivity
- Success

commons-lang3 v3.x Jenkins API	✓ Success
Ionicons API	✓ Success
Folders	✓ Success
OWASP Markup Formatter	✓ Success
ASM API	✓ Success
JSON Path API	✓ Success
Structs	✓ Success
Pipeline: Step API	✓ Success
commons-text API	✓ Success
Token Macro	✓ Success
Build Timeout	✓ Success
bouncycastle API	✓ Success

Add Docker Hub Credentials

Manage Jenkins → Credentials → System → Global credentials → Add Credentials

/ Credentials

Add Credentials



Select a type of credential



Username with password

Commonly used for authentication to services like Git, APIs, or registries.



GitHub App



SSH Username with private key



Secret file



Secret text

Next

✓ / Credentials

be available even

<

Add Username with password

×

Username

☐ Treat username as secret ?

Password

ID ?

Description ?

Create

REST

Write a pipeline script

Script ?

```
1 pipeline {
2   agent any
3   stages {
4     stage('Clone Code') {
5       steps {
6         git branch: 'master',
7         url: 'https://github.com/betawins/multi-stage-example.git'
8       }
9     }
10    stage('Create Dockerfile') {
11      steps {
12        writeFile file: 'Dockerfile', text: '''
13 FROM maven:3.9-amazoncorretto-17 AS builder
14 WORKDIR /app
15 COPY . .
```

Script ?

```
16 RUN mvn clean package -DskipTests
17 FROM amazoncorretto:17
18 WORKDIR /app
19 COPY --from=builder /app/target/*.jar app.jar
20 EXPOSE 8080
21 CMD ["java", "-jar", "app.jar"]
22
23 '''
24     }
25 }
26 stage('Build Docker Image') {
27     steps {
28         sh 'docker build -t manisha3299/nginx-custom:v3 .'
29     }
30 }
```

Script ?

```
31 stage('Docker Hub Login') {
32     steps {
33         withCredentials([usernamePassword(
34             credentialsId: 'dockerhub-creds',
35             usernameVariable: 'DOCKER_USER',
36             passwordVariable: 'DOCKER_PASS'
37         )]) {
38             sh 'echo $DOCKER_PASS | docker login -u $DOCKER_USER --password-stdin'
39         }
40     }
41 }
42 stage('Push Docker Image') {
43     steps {
44         sh 'docker push manisha3299/nginx-custom:v3'
45     }
46 }
```

← → ↻ ⚠ Not secure 3.93.164.3:9090/job/docker/6/ ☆ 📄 📁 📌 | M ⋮

 **Jenkins** / docker ▾ / #6 🔍 ⚙️ 👤

📄 Status ✅ #6 (05-Jun-2026, 12:35:10pm) ✎ Add description 🔄 Keep this build forever

📄 Changes

📄 Console Output

📄 Edit Build Information

🗑 Delete build '#6'

🕒 Timings

🔗 Git Build Data

🔗 Pipeline Overview

🔄 Restart from Stage

🔄 Replay

🕒 Started by user [admin](#) Started 35 sec ago Took 24 sec

🕒 This run spent:

- 11 ms waiting;
- 24 sec build duration;
- 24 sec total from scheduled to completion.

🔗 git **Revision:** 49acfe5c5d7af5144dd3f2c8328dc4d7401ce949
Repository: <https://github.com/betawins/multi-stage-example.git>

- refs/remotes/origin/master

📄 No changes.

← → ↻ ⚠ Not secure 3.93.164.3:9090/job/docker/6/console ☆ 📄 📁 📌 | M ⋮

 **Jenkins** / docker ▾ / #6 ▾ 🔍 ⚙️ 👤

```
[Pipeline] sn
+ docker push manisha3299/nginx-custom:v3
The push refers to repository [docker.io/manisha3299/nginx-custom]
3768de9fe6d0: Waiting
a001aa06cbc1: Waiting
1b617831d6b1: Waiting
a1a8a7978ba0: Waiting
f46d066b2812: Waiting
a001aa06cbc1: Waiting
1b617831d6b1: Mounted from library/maven
a1a8a7978ba0: Mounted from library/maven
f46d066b2812: Pushed
3768de9fe6d0: Pushed
a001aa06cbc1: Pushed
v3: digest: sha256:6f62f7e1699af8763c688080d2c9db345bd1c92f98b2e7465c837ec8db3b246 size: 856
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

Successfully pushed the image to docker

hub.docker.com/repository/docker/manisha3299/nginx-custom/tags

Your personal account

Repositories

Hardened Images

Collaborations

Settings

Default privacy

Notifications

Billing

Usage

Pulls

Storage

Upgrade plan

manisha3299/nginx-custom

Last pushed 2 minutes ago · Repository size: 468.6 MB · ☆0 · ↓21

Add a description

Add a category

Docker commands

To push a new tag to this repository:

docker push manisha3299/nginx-custom:tagname

Public view

General

Tags

Image Management

Collaborators

Webhooks

Settings

☐

Sort by

Newest

Filter tags

Delete

TAG

v3

Last pushed 2 minutes by manisha3299

docker pull manisha3299/nginx-custom:v3

☐

Digest	OS/ARCH	Vulnerabilities	Last pull	Compressed size
a4d381dfe8a0	linux/amd64	7 60 44 9 1	less than 1 day	222 MB