

## **Chapter 4:** The Enhanced Entity-Relationship (EER) Model

#### **CS-6360 Database Design**

Chris Irwin Davis, Ph.D.

Email: cid021000@utdallas.edu

**Phone:** (972) 883-3574 **Office:** ECSS 4.705

### **Chapter 4 Outline**



- 4.1 Subclasses, Superclasses, and Inheritance
- 4.2 Specialization and Generalization
- 4.3 Constraints and Characteristics of Specialization and Generalization Hierarchies
- 4.4 Modeling of UNION Types Using Categories

### The Enhanced Entity-Relationship (EER) Model UTD




#### Enhanced ER (EER) model

- Created to design more accurate database schemas
  - Reflect the data properties and constraints more precisely
- More complex requirements than traditional applications

### Subclasses, Superclasses, and Inheritance



- EER model includes all modeling concepts of the ER model
- In addition, EER includes:
  - Subclasses and superclasses
  - Specialization and generalization
  - Category or union type
  - Attribute and relationship inheritance



# Subclasses, Superclasses, and Inheritance (cont'd.)



- Enhanced ER or EER diagrams
  - Diagrammatic technique for displaying these concepts in an EER schema
- Subtype or subclass of an entity type
  - Sub-groupings of entities that are meaningful
  - Represented explicitly because of their significance to the database application


## Subclasses, Superclasses, and Inheritance (cont'd.)



- Terms for relationship between a superclass and any one of its subclasses
  - Superclass/subclass
  - Supertype/subtype
  - Class/subclass relationship
- Type inheritance
  - Subclass entity inherits all attributes and relationships of superclass

### **Subclass and Specialization**





8.2 Specialization and Generalization

#### **Specialization and Generalization**



#### Specialization

- Process of defining a set of subclasses of an entity type
- Defined on the basis of some distinguishing characteristic of the entities in the superclass
- Subclass can define:
  - Specific attributes
  - Specific relationship types

### **Entity Subsets**







Figure 8.2 Instances of a specialization.

### **Entity Subsets**





### Specialization and Generalization (cont'd.)



- Two main reasons for including class/subclass relationships and specializations in a data model:
  - Certain attributes may apply to some but not all entities of the superclass
  - Some relationship types may be participated in only by members of the subclass

#### Generalization




- Reverse process of specialization, which is abstraction
- Generalize into a single superclass
  - Original entity types are special subclasses

#### Generalization

 Process of defining a generalized entity type from the given entity types

### **Generalization Example**






**Figure 8.3**Generalization. (a) Two entity types, CAR and TRUCK. (b)
Generalizing CAR and TRUCK into the superclass VEHICLE.

### **Generalization Example**





**Figure 8.3**Generalization. (a) Two entity types, CAR and TRUCK. (b)
Generalizing CAR and TRUCK into the superclass VEHICLE.

# 4.3 Constraints and Characteristics of Specialization and Generalization Hierarchies

### Constraints and Characteristics of Specialization and Generalization Hierarchies



- Constraints that apply to a single specialization or a single generalization
  - How to deal with?
- Differences between specialization/generalization
   lattices and hierarchies
- Continued...




- May be several or one subclass
- Determine entity subtype:
  - Predicate-defined (or condition-defined) subclasses
  - Attribute-defined specialization
  - User-defined



Disjointness constraint

Specifies that the subclasses of the specialization must be

disjoint






Disjointness constraint

Specifies that the subclasses of the specialization must be

disjoint






Disjointness constraint


Specifies that the subclasses of the specialization must be

disjoint






- Completeness, or totalness, constraint (for subtype)
  - May be total or partial
- Disjointness and completeness constraints are independent



<sup>&</sup>lt;sup>7</sup>The notation of using single or double lines is similar to that for partial or total participation of an entity type in a relationship type, as described in Chapter 7.

- Completeness (or totalness) constraint
  - May be total or partial
- Disjointness and completeness constraints are independent



<sup>&</sup>lt;sup>7</sup>The notation of using single or double lines is similar to that for partial or total participation of an entity type in a relationship type, as described in Chapter 7.

## **Specialization and Generalization Hierarchies**and Lattices



#### Specialization hierarchy


- Every subclass participates as a subclass in only one class/subclass relationship
- Results in a tree structure or strict hierarchy

#### Specialization lattice

 Subclass can be a subclass in more than one class/ subclass relationship (i.e. multiple inheritance)


## Specialization and Generalization Hierarchies and Lattices








- May be several or one subclass
- How to determine entity subtype
  - Predicate-defined (or condition-defined) subclasses



<sup>&</sup>lt;sup>6</sup>Such an attribute is called a *discriminator* in UML terminology.

- May be several or one subclass
- Determine entity subtype:
  - Predicate-defined (or condition-defined) subclasses




<sup>&</sup>lt;sup>6</sup>Such an attribute is called a *discriminator* in UML terminology.



- May be several or one subclass
- Determine entity subtype:
  - Predicate-defined (or condition-defined) subclasses
  - Attribute-defined specialization




EER diagram notation for an attribute-defined specialization on Job\_type.



<sup>&</sup>lt;sup>6</sup>Such an attribute is called a *discriminator* in UML terminology.


- May be several or one subclass
- Determine entity subtype:
  - Predicate-defined (or condition-defined) subclasses
  - Attribute-defined specialization



<sup>&</sup>lt;sup>6</sup>Such an attribute is called a *discriminator* in UML terminology.

### Specialization Lattice w/ Multiple Inheritance





# Specialization and Generalization Hierarchies and Lattices (cont'd.)



#### Multiple inheritance


- Subclass with more than one superclass
- If attribute (or relationship) originating in the same superclass inherited more than once via different paths in lattice
  - Included only once in shared subclass

#### Single inheritance

Some models and languages limited to single inheritance

### Specialization Lattice w/ Multiple Inheritance





# Utilizing Specialization and Generalization in Refining Conceptual Schemas



- Specialization process
  - Top-down conceptual refinement process
  - Start with entity type then define subclasses by successive specialization
- Generalization process
  - Bottom-up conceptual synthesis
  - Involves generalization rather than specialization


### **Modeling of UNION Types Using Categories**



- Union type or a category
  - Represents a single superclass/subclass relationship with more than one superclass (disjoint, not overlap)
  - Subclass represents a collection of objects that is a subset of the UNION of distinct entity types
  - Attribute inheritance works more selectively
  - Category can be total or partial
- Some modeling methodologies do not have union types

### **Modeling of UNION Types Using Categories**






The textbook layout for this diagram may be confusing. Note that OWNER subtype inheritance pitchfork points *up*, but REGISTERED\_VEHICLE subtype inheritance pitchfork points *down*.

Figure 8.8

Two categories (union types): OWNER and REGISTERED\_VEHICLE.

# **Modeling of UNION Types Using Categories**






# A Sample UNIVERSITY EER Schema, Design Choices, and Formal Definitions



- The UNIVERSITY Database Example
  - Students and their majors
  - Transcripts, and registration
  - University's course offerings





# Design Choices for Specialization/ Generalization (cont'd.)



- If all the subclasses of a specialization/generalization have few specific attributes and no specific relationships, then...
  - Can be merged into the superclass (not enough specificity)
  - Replace with one or more type attributes that specify the subclass or subclasses to which each entity belongs

# Design Choices for Specialization/ Generalization (cont'd.)



- Union types and categories should generally be avoided
  - Opinion
- Choice of:
  - Disjoint/overlapping
  - Total/partial constraints on spec. vs. gen are...
  - Driven by rules in mini-world being modeled

# Formal Definitions for the EER Model Concepts



#### Class

- Set or collection of entities
- Includes any of the EER schema constructs of group entities

#### Subclass

 Class whose entities must always be a subset of the entities in another class

# Formal Definitions for the EER Model Concepts



### Specialization

Set of subclasses that have same superclass

#### Generalization

Generalized entity type or superclass

# Formal Definitions for the EER Model Concepts (cont'd.)



#### Predicate-defined

- Predicate on the attributes of is used to specify which entities in C are members of S
- Attribute-defined
- User-defined
  - Subclass that is not defined by a predicate

# Formal Definitions for the EER Model Concepts (cont'd.)



## Category

 Class that is a subset of the union of n defining superclasses

## Relationship type

Any class can participate in a relationship



• END for Midterm

# **Examples of Other Notations**



- UML
  - OOP


- Ontologies and the Semantic Web
  - RDF / OWL

## **Example of Other Notation**



- Representing specialization and generalization in UML class diagrams
  - Basic notation
    - See Figure 8.10
  - Base class
    - Root superclass
  - Leaf classes
    - Subclasses (leaf nodes)





**Figure 8.10**A UML class diagram corresponding to the EER diagram in Figure 8.7, illustrating UML notation for specialization/generalization.

# Data Abstraction, Knowledge Representation, and Ontology Concepts



- Goal of knowledge representation (KR) techniques
  - Accurately model some domain of knowledge
  - Create an ontology that describes the concepts of the domain and how these concepts are interrelated
- Goals of KR are similar to those of semantic data models
  - Important similarities and differences

### **Classification and Instantiation**



#### Classification

 Systematically assigning similar objects/entities to object classes/entity types

#### Instantiation

- Inverse of classification
- Generation and specific examination of distinct objects of a class

## Classification and Instantiation (cont'd.)



### Exception objects

- Differ in some respects from other objects of class
- KR schemes allow such class properties
- One class can be an instance of another class (called a metaclass)
  - Cannot be represented directly in EER model

### Identification



- Abstraction process
- Classes and objects are made uniquely identifiable by means of some identifier
- Needed at two levels
  - To distinguish among database objects and classes
  - To identify database objects and to relate them to their real-world counterparts

## **Specialization and Generalization**



### Specialization

Classify a class of objects into more specialized subclasses

#### Generalization

- Generalize several classes into a higher-level abstract class
- Includes the objects in all these classes

# **Aggregation and Association**



## Aggregation


 Abstraction concept for building composite objects from their component objects

#### Association

- Associate objects from several independent classes
- Main structural distinction
  - When an association instance is deleted
    - Participating objects may continue to exist

## **Aggregation**







#### Figure 8.11

Aggregation. (a) The relationship type INTERVIEW. (b)
Including JOB\_OFFER in a
ternary relationship type
(incorrect). (c) Having the
RESULTS\_IN relationship participate in other relationships
(not allowed in ER). (d) Using
aggregation and a composite
(molecular) object (generally
not allowed in ER but allowed
by some modeling tools). (e)
Correct representation in ER.

# **Aggregation**







#### Figure 8.11

Aggregation. (a) The relation-ship type INTERVIEW. (b) Including JOB\_OFFER in a ternary relationship type (incorrect). (c) Having the RESULTS\_IN relationship participate in other relationships (not allowed in ER). (d) Using aggregation and a composite (molecular) object (generally not allowed in ER but allowed by some modeling tools). (e) Correct representation in ER.

## **Ontologies and the Semantic Web**



Documents contain less structure than database information does

#### Semantic Web

 Allow meaningful information exchange and search among machines

## Ontology

Specification of a conceptualization

## Specification

 Language and vocabulary terms used to specify conceptualization

## **Ontologies and the Semantic Web**



 Documents contain less structure than database information does

#### Semantic Web

 Allow meaningful information exchange and search among machines

## Ontology

Specification of a conceptualization

## Specification

 Language and vocabulary terms used to specify conceptualization

## **Summary**



- Enhanced ER or EER model
  - Extensions to ER model that improve its representational capabilities
  - Subclass and its superclass
  - Category or union type
- Notation and terminology of UML for representing specialization and generalization