

College Code: 9209

N.S.N College of Engineering and Technology

PROJECT DOCUMENTATION

WHATNEXT VISION MOTORS

Shaping the Future of Mobility with Innovation and Excellence

Team Members

S.No	Name	Role
1	MANISHA I	Team Lead
2	SIVASANKARI	Team Member

ABSTRACT

WhatNext Vision Motors is a Salesforce-based automotive management solution designed to improve customer experience and streamline vehicle ordering and operational processes. The system manages vehicle details, stock availability, dealer information, customer orders, test drives, and service requests within Salesforce CRM. A key feature of the system is the automatic assignment of the nearest dealer based on the customer's location, helping make the ordering process more convenient and efficient.

The system also validates vehicle stock before an order is placed, preventing orders for vehicles that are out of stock. Orders can be maintained with statuses such as Pending, Confirmed, Delivered, and Canceled. Automated flows are used for dealer assignment and test-drive reminder emails. Apex triggers enforce important business rules, including stock validation and updating vehicle stock when a confirmed order is placed.

Batch Apex and Scheduled Apex are included to periodically process vehicle orders and update their status based on stock availability. Overall, the project combines Salesforce data modelling, custom objects, fields and relationships, Lightning App Builder, record-triggered flows, Apex, triggers, Batch Apex, and Scheduled Apex to provide an integrated automotive ordering and customer management system.

Keywords: Salesforce CRM, Vehicle Management, Dealer Assignment, Stock Management, Apex, Flows, Batch Apex

INDEX

S.No	Contents
1	Project Overview / Use Case
2	Requirements
3	Data Modelling – Objects & Relationships
4	Custom Tabs and Lightning App
5	Fields & Relationships
6	Record-Triggered Flow – Nearest Dealer Assignment
7	Record-Triggered Flow – Test Drive Reminder
8	Apex and Trigger Handler
9	Batch Apex Job
10	Scheduled Apex
11	Testing and Process Flow
12	Conclusion

WhatNext Vision Motors: Shaping the Future of Mobility with Innovation and Excellence

Use Case :

WhatsNext Vision Motors, a pioneering force in the automotive industry, is dedicated to transforming the mobility sector with innovative technology and solutions that prioritize customer needs. The company has embarked on an ambitious Salesforce project with the core objective of enhancing the customer experience and streamlining its operational processes.

At the heart of this project is the improvement of the customer ordering process. The system is designed to automatically suggest the nearest dealer location to customers based on their address. This feature is intended to significantly enhance the convenience and efficiency of the ordering experience, making it more customer-friendly and reducing the time and effort required from the customer's end.

The project also addresses a common issue in the automotive industry: stock availability. The system includes a mechanism that prevents customers from placing orders for vehicles that are out of stock. This proactive approach ensures that customers can only create orders for vehicles that are currently available, thus avoiding potential confusion and disappointment that may arise from stock unavailability. This feature not only enhances customer satisfaction but also improves the accuracy of the company's order fulfillment process.

Furthermore, the project incorporates a scheduled process for updating the status of bulk order records. This automated process is designed to update the order status based on stock availability. If a vehicle is out of stock at the time of order placement, the system will update the order status to 'Pending.' On the other hand, if the vehicle is in stock, the system will update the status to 'Confirmed.' This ensures that all orders are accurately reflected in terms of their fulfillment status, providing clear and transparent communication to customers regarding the status of their orders.

The implementation of this Salesforce project at WhatsNext Vision Motors is expected to yield several benefits. It aims to create a more efficient ordering system that reduces the potential for errors and improves the overall service provided to customers. By streamlining the ordering process and ensuring accurate stock availability, the company can enhance customer satisfaction and loyalty.

Moreover, the project is expected to contribute to operational efficiency by reducing the administrative burden on staff. By automating certain processes, employees can focus on more strategic tasks that require human intervention and expertise. This not only improves the overall

productivity of the company but also allows for a more agile response to market demands and customer needs.

Requirements :

1. Salesforce CRM Implementation

- Store and manage vehicle details, stock availability, and dealer information in Salesforce.
- Track customer orders, test drives, and service requests efficiently.
- Automate workflows to assign orders to the nearest dealer based on customer location.

2. Process Automation

- Prevent order placement if the vehicle is out of stock.
- Auto-assign orders to the nearest dealer based on the customer's location.
- Send automated email reminders for scheduled test drives.

3. Apex and Trigger

- Implement Apex triggers to enforce business rules such as stock validation and automatic dealer assignment.
- Use trigger handlers to follow best practices and ensure modularity and maintainability.

4. Batch Jobs

- Develop a batch Apex job to periodically check vehicle stock levels and update availability.
- Send scheduled email notifications for stock replenishment and order processing.

What you'll learn :


1. Data Modelling
2. Fields and Relationships
3. Lightning App Builder
4. Record Triggered Flows
5. Apex and Apex Triggers
6. Batch Apex
7. Scheduled Apex

MileStone 1 :

Activity 1: Creating Developer Account

Creating a developer org in salesforce.

1. Go to <https://developer.salesforce.com/signup>
2. On the sign up form, enter the following details :



Build enterprise-quality apps fast to bring your ideas to life

- Build apps fast with drag and drop tools
- Customize your data model with clicks
- Go further with Apex code
- Integrate with anything using powerful APIs
- Stay protected with enterprise-grade security
- Customize UI with clicks or any leading-edge web framework

Sign up for your Salesforce Developer Edition
A full-featured copy of the Platform, for free

Complete the form to start your free trial. Our team will be in touch to help you make the most of your trial.

First Name*
Your first name

Last Name*
Your last name

Email*
Your email address

Role*
Your job role

Company*
Company Name

- 1) First name & Last name
- 2) Email
- 3) Role : Developer
- 4) Company : College Name
- 5) Country : India
- 6) Postal Code : pin code
- 7) Username : should be a combination of your name and company


This need not be an actual email id, you can give anything in the format :

username@organization.com

Click on sign me up after filling these.

Activity 2: Account Activation

1. Go to the inbox of the email that you used while signing up. Click on the verify account to activate your account. The email may take 5-10mins.



2. Click on Verify Account
3. Give a password and answer a security question and click on change password.

A screenshot of the 'Change Your Password' page in Salesforce. The page prompts the user to enter a new password for 'lead@sb.oom'. It lists requirements: 8 characters, 1 letter, and 1 number. The 'New Password' field is filled with 'Good', the 'Confirm New Password' field is filled with 'Match', and the 'Security Question' is 'In what city were you born?'. The 'Answer' field is filled with 'asdfghjkl'. The 'Change Password' button is highlighted with a red rectangle.

4. Then you will redirect to your salesforce setup page.



Search Setup



Setup

HomeObject Manager

Quick Find

Setup Home

Service Setup Assistant

Multi-Factor Authentication Assistant

Release Updates

Lightning Experience Transition Assistant

Salesforce Mobile App

Lightning Usage

Optimizer

ADMINISTRATION

> Users

SETUPHome

Create



Get Started with Einstein Bots

Launch an AI-powered bot to automate your digital connections.

Get Started



Mobile Publisher

Use the Mobile Publisher to create your own branded mobile app.

Learn More



Real-time Collaborative Docs

Transform productivity with collaborative docs, spreadsheets, and slides inside Salesforce.

Get Started


MileStone 2 :

Objects & Relationships

Object Name	Purpose	Relationships
Vehicle__c	Stores vehicle details	Related to Dealer & Orders
Vehicle_Dealer__c	Stores authorized dealer info	Related to Orders
Vehicle_Customer__c	Stores customer details	Related to Orders & Test Drives
Vehicle_Order__c	Tracks vehicle purchases	Related to Customer & Vehicle
Vehicle_Test_Drive__c	Tracks test drive bookings	Related to Customer & Vehicle
Vehicle_Service_Request__c	Tracks vehicle servicing requests	Related to Customer & Vehicle

To Navigate to Setup page:

Click on gear icon → click setup.



Activity 1: Create Vehicle Object

The purpose of creating a Vehicle custom object is to have a clear picture of the vehicle details.

To create an object:

1. From the setup page → Click on Object Manager → Click on Create → Click on Custom Object.



- 1) Enter the label name→ Vehicle
- 2) Plural label name→ Vehicles
- 3) Enter Record Name Label and Format
 - Record Name → Vehicle Name
 - Data Type → Text

SETUP
New Custom Object

Custom Object Definition Edit Save Save & New Cancel

Custom Object Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label Example: Account

Plural Label Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name Example: Account

Description

Context-Sensitive Help Setting ☒ Open the standard Salesforce.com Help & Training window
☐ Open a window using a Visualforce page

Content Name

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is required.

Record Name Example: Account Name

Data Type **Warning:** If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.

2. Click on Allow reports,
3. Allow search → **Save.**

Optional Features

☒ Allow Reports

☐ Allow Activities

☐ Track Field History

☐ Allow in Chatter Groups

☐ Enable Licensing [?](#)

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more](#)

☒ Allow Sharing

☒ Allow Bulk API Access

☒ Allow Streaming API Access

Deployment Status

[What is this?](#)

☐ In Development

☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more](#)

☒ Allow Search

Object Creation Options (Available only when custom object is first created)

☐ Add Notes and Attachments related list to default page layout

☐ Launch New Custom Tab Wizard after saving this custom object

Buttons: Save, Save & New, Cancel

Activity 2: Create Dealer Object

The purpose of creating a Dealer object is to have detailed information about Dealer.

To create an object:


1. From the setup page → Click on Object Manager → Click on Create → Click on Custom Object.
 - 1) Enter the label name→ Vehicle Dealer
 - 2) Plural label name→ Vehicle Dealers
 - 3) Enter Record Name Label and Format
 - Record Name → Dealer Name
 - Data Type → Text
2. Click on Allow reports,
3. Allow search → **Save**

Activity 3: Creating remaining objects

Milestone 3 - Tabs

Activity 1: Creating a Custom Tab(Vehicle)

1. Go to setup page → type Tabs in Quick Find bar → click on tabs → New (under custom object tab)



2. Select Object(Vehicle) → Select any tab style → Next (Add to profiles page) keep it as default → Next (Add to Custom App) keep it as default → Save.

Setup Home Object Manager

tab

Feature Settings

- Analytics
- Tableau
 - Tableau Embedding
- Decision Tables

User Interface

- Loaded Console Tab Limit
- Rename Tabs and Labels
- Tabs**

Didn't find what you're looking for? Try using Global Search.

SETUP Tabs

Help for this Page

New Custom Object Tab Step 1 of 3

Step 1. Enter the Details

Choose the custom object for this new custom tab. Fill in other details.

New Custom Object Tab 1% Required Information

Select an existing custom object or create a new custom object now.

Object: [None]

Tab Style: [None]

Vehicle

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.

Splash Page Custom Link: [None]

Enter a short description.

Description:

Next Cancel

Activity 2:

Now create tabs for Other objects as well which we have created above Objects.

Milestone 4- The Lightning App:

Activity 1: Create a Lightning App

To create a lightning app page:

1. Go to setup page → search “app manager” in quick find → select “app manager” → click on New lightning App.

App Manager | Salesforce

sbcom-5e-dev-ed.develop.lightning.force.com/lightning/setup/NavigationMenus/home

Setup Home Object Manager

app manager

Apps

App Manager

Lightning Experience App Manager

New Lightning App New Connected App

Clone Apps (Beta)

Quickly create new Lightning apps by cloning existing apps. To use the beta feature, indicate that you've read all legal requirements and agree to participate by toggling Enable App Cloning. See additional details and terms in the [Winter 23 release notes](#).

Enable App Cloning ☐

35 items • Sorted by App Name • Filtered by All app menu items • TabSet Type

App Name	Developer Name	Description	Last Modified	App Type	VL
1 All Tabs	AllTabSet		04/12/2022, 10:13 am	Classic	
2 Analytics Studio	Insights	Build CRM Analytics dashboards and apps	04/12/2022, 10:13 am	Classic	✓
3 App Launcher	AppLauncher	App Launcher tabs	04/12/2022, 10:13 am	Classic	✓
4 Best Solutions	LightningBolt	Discover and manage business solutions designed for your industry.	04/12/2022, 10:18 am	Lightning	✓
5 Chatter Desktop	ChatterDesktop	Chatter Desktop is an Adobe AIR-based desktop application that lets Chatter users stay connect...	23/12/2022, 4:04 pm	Connected (Managed)	
6 Chatter Mobile for BlackBerry	ChatterforBlackBerry	The Salesforce.com Chatter Mobile app lets you access Chatter data on the go. Use it to view fe...	23/12/2022, 4:05 pm	Connected (Managed)	
7 College Management System	Nadeem	demo app	08/12/2022, 4:18 pm	Lightning	✓
8 Community	Community	Salesforce CRM Communities	04/12/2022, 10:13 am	Classic	✓
9 Content	Content	Salesforce CRM Content	04/12/2022, 10:13 am	Classic	✓
10 Data Manager	DataManager	Use Data Manager to view limits, monitor usage, and manage recipes.	04/12/2022, 10:13 am	Lightning	✓

2. Fill the app name in app details and branding as follow
App Name : WhatNext Vision Motors

Developer Name : this will auto populated

Description : Give a meaningful description

Image : optional (if you want to give any image you can otherwise not mandatory)

Primary color hex value : keep this default


3. Then click Next → (App option page) keep it as default → Next → (Utility Items) keep it as default → Next.

4. To Add Navigation Items:

Search the items in the search bar(Vehicle, Dealer, Customer, Order, Test Drive, Service Request, Reports, Dashboard) from the search bar and move it using the arrow button → Next.

Note: select the custom object which we have created in the previous activity.

5. To Add User Profiles:



Search profiles (System administrator) in the search bar → click on the arrow button → save & finish.

Milestone 5 : Fields & Relationships

Key Fields for Each Object

1. Vehicle__c (Custom Object)

- **Vehicle Name**(Text)
- **Vehicle_Model__c** (Picklist: Sedan, SUV, EV, etc.)
- **Stock_Quantity__c** (Number)
- **Price__c** (Currency)
- **Dealer__c** (Lookup to Dealer__c)
- **Status__c** (Picklist: Available, Out of Stock, Discontinued)

2. Vehicle_Dealer__c (Custom Object)

- **Dealer_Name__c** (Text)
- **Dealer_Location__c** (Text)
- **Dealer_Code__c** (Auto Number)
- **Phone__c** (Phone)
- **Email__c** (Email)

3. Vehicle_Order__c (Custom Object)

- **Vehicle_Customer__c** (Lookup to Vehicle_Customer__c)
- **Vehicle__c** (Lookup to Vehicle__c)
- **Order_Date__c** (Date)
- **Status__c** (Picklist: Pending, Confirmed, Delivered, Canceled)

4. Vehicle_Customer__c (Custom Object)

- **Customer_Name__c** (Text)
- **Email__c** (Email)
- **Phone__c** (Phone)
- **Address__c** (Text)
- **Preferred_Vehicle_Type__c** (Picklist: Sedan, SUV, EV, etc.)

5. Vehicle_Test_Drive__c (Custom Object)


- **Vehicle_Customer__c** (Lookup to Vehicle_Customer__c)
- **Vehicle__c** (Lookup to Vehicle__c)
- **Test_Drive_Date__c** (Date)
- **Status__c** (Picklist: Scheduled, Completed, Canceled)

6. Vehicle_Service_Request__c (Custom Object)


- **Vehicle_Customer__c** (Lookup to Vehicle_Customer__c)
- **Vehicle__c** (Lookup to Vehicle__c)
- **Service_Date__c** (Date)
- **Issue_Description__c** (Text)
- **Status__c** (Picklist: Requested, In Progress, Completed)

Activity 1: Creating a Field in Vehicle Object


1. Go to setup → click on Object Manager → type object name(Vehicle) in quick find bar→ click on the object.



2. Now click on “Fields & Relationships” → New



3. Select Data type as “PickList”.



4. Click on Next

Vehicle
New Custom Field

Step 2. Enter the details

Field Label: Vehicle Model

Values: ☐ Use global picklist value set ☒ Enter values, with each value separated by a new line

Sedan
SUV
EV
etc

☐ Display values alphabetically, not in the order entered
☐ Use first value as default value
☒ Restrict picklist to the values defined in the value set

Field Name: Vehicle_Model

Previous **Next** Cancel

5. Fill the above as following:
 - Field Label: Vehicle Modal
 - Fill PickList Values
 - Click on Next → Next → Save and new.

Activity 2 : Creating Stock Quantity field in vehicle object

1. Repeat the steps 1 & 2 from the activity 1
2. Select Data type as “Number”.

Details

Fields & Relationships

Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules

☐ Checkbox
☐ Currency
☐ Date
☐ Date/Time
☐ Email
☐ Geolocation
☒ **Number**
☐ Percent
☐ Phone

Allows users to select a True (checked) or False (unchecked) value.
 Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.
 Allows users to enter a date or pick a date from a popup calendar.
 Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
 Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
 Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
 Allows users to enter any number. Leading zeros are removed.
 Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.
 Allows users to enter any phone number. Automatically formats it as a phone number.

3. Click on Next

Step 2. Enter the details

Field Label: Stock Quantity

Please enter the length of the number and the number of decimal places. For example, a number with a length of 8 and 2 decimal places can accept values up to "12345678.90".

Length: 18 Decimal Places: 0

Number of digits to the left of the decimal point
Number of digits to the right of the decimal point

Field Name: Stock_Quantity

Description:
Help Text:

Previous **Next** Cancel

4. Fill the above as following:
 - Field Label: Stock Quality
 - Click on Next → Next → Save and new.

Activity 3 : Creating a Lookup Relationship in Vehicle Object to Dealer Object.

1. Select Data Type as Lookup Relationship.

Vehicle
New Custom Field

Step 1. Choose the field type

Specify the type of information that the custom field will contain.

Data Type

☐ None Selected Select one of the data types below.

☐ Auto Number A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

☐ Formula A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

☐ Roll-Up Summary A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

☒ Lookup Relationship Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

☐ Master-Detail Relationship Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The ownership and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.

Next

2. Click Next

3. Select Dealer Object Form Related Field.

Vehicle
New Relationship

Step 2. Choose the related object

Select the other object to which this object is related.

Related To: Dealer

Previous Next Cancel

Vehicle
New Relationship

Step 3. Enter the label and name for the lookup field

Field Label: Dealer

Field Name: Dealer

Description:

Help Text:

Previous Next Cancel

Vehicle
New Relationship

Step 4. Establish field-level security for reference field

Field Label	Dealer
Data Type	Lookup
Field Name	Dealer
Description	
Select the profiles to which you want to grant edit access to this field via field-level security. The field will be hidden from all profiles if you do not add it to field-level security.	
Field-Level Security for Profile	☒ Visible ☐ Read-Only
Analytics Cloud Integration User	☒
Analytics Cloud Security User	☒
Contract Manager	☒
Cross Org Data Proxy User	☒
Custom: Marketing Profile	☐


4. Click Next and Save.

Activity 4 : Creating Remaining Objects and Fields.


MileStone 6 :

Flow 1 : Creating a record triggered flow to assign nearest dealer to the customer's location

Step 1 : In Quick Find, type Flows and click on Flows. Click New Flow.



Step 2 : Select Triggered Automation From Flow.



Step 3 : Select Record-Triggered Flow

New Automation

Triggered Automations
Showing 12 of 97 results

Filter By ☒ Triggered ☐ Scheduled ☐ Screen ☐ Autolaunched

Types (6)

**Record-Triggered Flow**
Launches when a record is created, updated, or deleted. This autolaunched flow runs in the background.

**Platform Event—Triggered Flow**
Launches when a platform event message is received. This autolaunched flow runs in the background.

**Automation Event-Triggered Flow**
Launches when an automation event is received. This type of flow runs in the background without user interaction.

**Activation-Triggered Flow**
Launches when an activation is published. This type of flow runs in the background without user interaction.

**Record-Triggered Orchestration**
Launches when a record is created or updated. An orchestration lets you create a multi-step, multi-user...

**Record-Triggered Flow Approval Process**
Launches when a record is created or updated. A flow approval process lets you create a multi-step, multi-user...

[Back](#)

Step 4 : Select Vehicle Order Object

Trigger the Flow When : Select Record is Created.


Set Entry Condition :

All Conditions Are Met (AND)

Filed : Status__c

Operator : Equals

Value : Pending



The diagram shows a flow starting with a 'Start' node (Record-Triggered Flow). The object is 'Vehicle Order' and the trigger is 'A record is created'. The flow then goes through a 'Run Immediately' step, followed by two 'Get Records' steps: 'Get Customer Information' and 'Get Nearest Dealer'.

Configure Start

Vehicle Order

Configure Trigger

*Trigger the Flow When:

☒ A record is created

☐ A record is updated

☐ A record is created or updated

☐ A record is deleted

Set Entry Conditions

Specify entry conditions to reduce the number of records that trigger the flow and the number of times the flow is executed. Minimizing unnecessary flow executions helps to conserve your org's resources.

If you create a flow that's triggered when a record is updated, we recommend first defining entry conditions. Then select the **Only when a record is updated to meet the condition requirements** option for When to Run the Flow for Updated Records.


Condition Requirements

All Conditions Are Met (AND)

Field	Operator	Value
Vehicle_Customer__c	Is Null	False

[Add Condition](#)

Step 5 : Click + → Select **Get Records**



Step 6 : **Label** : Get Customer Information

Object : Vehicle Customer

Condition :

Field : Id

Operator : Equals

Value : {!\$Record.Vehicle_Customer__c}

Get Records

*Label
Get Customer Information.

*API Name
Get_Customer_Information

Description

Get Records of This Object

*Object

Vehicle Customer

Filter Vehicle Customer Records

Condition Requirements

All Conditions Are Met (AND)

Field

Operator

Value

Id

Equals

Aa \$Record > Vehicle Customer

+ Add Condition

Sort Vehicle Customer Records

Step 7 : Click + → Select **Get Records**

Label : Get Nearest Dealer

Object : Vehicle Dealer

Condition :

Field : Dealer_Location__c

Operator : Equals

Value : {!Get_Customer_Information.Address__c}



Get Records

* Label

Get Nearest Dealer

* API Name 

Get_Nearest_Dealer

Description

Get Records of This Object

* Object

Vehicle Dealer

Filter Vehicle Dealer Records

Condition Requirements

All Conditions Are Met (AND) ▼

Field

Dealer_Location__c

Operator

Equals ▼

Value

 Vehicle Customer from Get_Cu... 

+ Add Condition

Step 8 : Click + → Select **Update Records**

Label : Assign Dealer to Order

*How to Find Records to Update and Set Their Values : Use the IDs and all field values from a record or record collection

Select Record(s) to Update : {!Get_Nearest_Dealer}

 Update Records

* Label

Assign Dealer to Order

* API Name ⓘ

Assign_Dealer_to_Order

Description

*** How to Find Records to Update and Set Their Values**

☐ Use the vehicle order record that triggered the flow

☐ Update records related to the vehicle order record that triggered the flow

☒ Use the IDs and all field values from a record or record collection

☐ Specify conditions to identify records, and set fields individually

Select Record(s) to Update

Record or Record Collection

 Vehicle Dealer from Get Nearest Dealer X

Make sure that each record has an ID. Otherwise the flow can't find the records to update, and it fails. ⓘ

Step 9 : Click Save and Give label Name and Activate Flow.

Label Name : Auto Assign Dealer

Save as

Save As

A New Version

* Flow Label

Auto Assign Dealer

* Flow API Name ⓘ

Auto_Assign_Dealer


Description

Show Advanced

Cancel


Save

Step 10 : Activate Flow



Flow 2 : Creating record triggered flow to send an email to the customer reminding about the test drive.

Step 1 : Select Record-Triggered Flow



Step 2 : Select Vehicle Test Drive Object

Trigger the Flow When : A record is created or updated

Set Entry Condition :

All Conditions Are Met (AND)

Filed : Status__c

Operator : Equals

Value : Scheduled

Step 3 : Click + Add Scheduled Paths (below the trigger).


Label: Reminder Before Test Drive.

Time Source: Test_Drive_Date__c

Offset Number: 1.

Offset Options: Days Before.

Click Done.



Configure Scheduled Paths

SCHEDULED PATHS



Run Immediately

Add a scheduled path if you want a flow path to run a certain amount of time after the triggering record is created or updated. That time can be based on the triggering event or on a specified date or date/time field in the record. A separate flow interview runs for each scheduled path. Each scheduled path interview is queued to run at the scheduled time, but can be delayed until system resources become available. Path labels appear on connectors in the canvas.

Reminder Before Test Drive.

SCHEDULED PATH DETAILS

Delete Path

* Path Label

Reminder Before Test Drive.

* API Name

Reminder_Before_Test_Drive

* Time Source

Vehicle_Test_Drive__c: Test Drive Date

* Offset Number

1

* Offset Options

Days Before

> Show advanced options

Step 4 :

1. Click + Add Element → Get Records.
2. Label: Get Customer Information.
3. Object: Vehicle_Customer__c.
4. Filter Conditions: Id = {!\$Record.Customer__c}.
5. How Many Records to Store: Select Only the first record.
6. How to Store Record Data: Choose Automatically store all fields.

Get Records

* Label

Get Customer Information

* API Name ⓘ

Get_Customer_Information

Description

Get Records of This Object

Object

Vehicle Customer

Filter Vehicle Customer Records

Condition Requirements

All Conditions Are Met (AND) ▼

Field

Id

Operator

Equals ▼

Value

Aa

\$Record > Vehicle Customer

×

+ Add Condition

Sort Vehicle Customer Records

Step 5: Send Reminder Email

1. Click + Add Element → Action.
2. Action Type: Send Email
3. Label: Send Test Drive Reminder.
4. Subject: "Reminder: Your Test Drive is Tomorrow!".
5. Recipient Address List : {!Get_Customer_Information.Email__c}
6. Rich-Text-Formatted Body : True

 Send Email

* Label

Send Test Drive Reminder.

* API Name ⓘ

Send_Test_Drive_Reminder

Description

 **Send Email** ⓘ

emailSimple-emailSimple

7. Body : Create Variable

New Resource

* Resource Type

Select...

- Variable
Store a value that can be used and changed throughout the flow.
- Constant
Store a value that can be used but not changed throughout the flow.
- Formula
Calculate a value when the formula is used in the flow.
- Text Template**
Store text that can be used and changed throughout the flow.
- Stage
Identify different phases in the flow to track user progress.

8 . Api Name : EmailSent

Edit Text Template

* API Name ⓘ

EmailSent

Description

* Body ⓘ

Insert a resource... 🔍 View as Rich Text ▼

Dear {!Get_Customer_Information.Name},

This is a reminder that your test drive for {!\$Record.Vehicle__c} is scheduled for tomorrow. If you need to reschedule, contact us at [Support Email]. Thank you, WhatNext Vision Motors Team"

Salesforce Sans ▼ 12 ▼  **B** *I* U          

Cancel Done

Send Email

A_a Body 

 EmailSent 


Included

A_a CC Recipient Address List


Not Included

A_a Email Template ID


Not Included

 Log Email on Send


Not Included

A_a Recipient Address Collection


Not Included

Step 6 : Click save

Label Name : Test Drive Reminder

Save as

Save As

A New Version

* Flow Label

Test Drive Reminder

* Flow API Name 

Test_Drive_Reminder

Description

[Show Advanced](#)


Cancel

Save


Step 7 : Activate Flow



Flow Page After Creation :



Test your Flow :



Send Email

A_a Recipient Address List 

A_a ...er from Get Customer Information > Email 


Included

A_a Recipient ID

Vehicle Customer from Get Customer Information > Email


Not Included

A_a Related Record ID


Not Included

🔗 Rich-Text-Formatted Body 

 True 


Included

A_a Sender Email Address


Not Included

A_a Sender Type


Not Included

A_a Subject 

Reminder: Your Test Drive is Tomorrow!




Included

🔗 Use Line Breaks 


 True 


Included


MileStone 7 :

Create Apex and Trigger Batch Jobs :

Step 1 : Click Developer Console From Gear icon




Step 2 : click File then Select New then Select Apex.



Step 3 : Give Name For Apex Class


Class Name : VehicleOrderTriggerhandler



Step 4 : Write Apex Code

```
File • Edit • Debug • Test • Workspace • Help • < >
OrderTriggerHandler.apex • OrderTrigger.apex • InventoryBatchJob.apex • VehicleOrderTriggerHandler.apex • VehicleOrderTrigger.apex
Code Coverage: None • API Version: 62
1 public class VehicleOrderTriggerHandler {
2
3     public static void handleTrigger(List<Vehicle_Order__c> newOrders, Map<Id, Vehicle_Order__c> oldOrders, Boolean isBefore, Boolean isAfter, Boolean isInsert, Boolean isUpdate) {
4         if (isBefore) {
5             if (isInsert || isUpdate) {
6                 preventOrderIfOutOfStock(newOrders);
7             }
8         }
9
10        if (isAfter) {
11            if (isInsert || isUpdate) {
12                updateStockOnOrderPlacement(newOrders);
13            }
14        }
15    }
16
17    // Method to prevent orders when the vehicle is out of stock
18    private static void preventOrderIfOutOfStock(List<Vehicle_Order__c> orders) {
19        Set<Id> vehicleIds = new Set<Id>();
20        for (Vehicle_Order__c order : orders) {
21            if (order.Vehicle__c != null) {
22                vehicleIds.add(order.Vehicle__c);
23            }
24        }
25
26        if (!vehicleIds.isEmpty()) {
27            Map<Id, Vehicle__c> vehicleStockMap = new Map<Id, Vehicle__c>();
28            for (Vehicle__c vehicle : [SELECT Id, Stock_Quantity__c FROM Vehicle__c WHERE Id IN :vehicleIds]) {
29                vehicleStockMap.put(vehicle.Id, vehicle);
30            }
31        }
32    }
33 }
```

```

30     }
31
32     for (Vehicle_Order__c order : orders) {
33         if (vehicleStockMap.containsKey(order.Vehicle__c)) {
34             Vehicle__c vehicle = vehicleStockMap.get(order.Vehicle__c);
35             if (vehicle.Stock_Quantity__c <= 0) {
36                 order.addError('This vehicle is out of stock. Order cannot be placed.');


The screenshot shows the Salesforce IDE interface. The top pane displays the source code for a class, with line numbers 30 through 76. The bottom pane shows the 'Problems' tab, which is currently empty. The 'Logs' tab is also visible, showing a table with columns: User, Application, Operation, Time, Status, Read, and Size. The 'Filter' button is located at the bottom left of the logs pane.


```

Source Code :

```

public class VehicleOrderTriggerHandler {

    public static void handleTrigger(List<Vehicle_Order__c> newOrders, Map<Id,
Vehicle_Order__c> oldOrders, Boolean isBefore, Boolean isAfter, Boolean isInsert, Boolean
isUpdate) {
        if (isBefore) {
            if (isInsert || isUpdate) {
                preventOrderIfOutOfStock(newOrders);
            }
        }

        if (isAfter) {
            if (isInsert || isUpdate) {
                updateStockOnOrderPlacement(newOrders);
            }
        }
    }
}

```

```

    }
}
}

```

// Method to prevent orders when the vehicle is out of stock

```

private static void preventOrderIfOutOfStock(List<Vehicle_Order__c> orders) {
    Set<Id> vehicleIds = new Set<Id>();
    for (Vehicle_Order__c order : orders) {
        if (order.Vehicle__c != null) {
            vehicleIds.add(order.Vehicle__c);
        }
    }

    if (!vehicleIds.isEmpty()) {
        Map<Id, Vehicle__c> vehicleStockMap = new Map<Id, Vehicle__c>();
        for (Vehicle__c vehicle : [SELECT Id, Stock_Quantity__c FROM Vehicle__c WHERE
Id IN :vehicleIds]) {
            vehicleStockMap.put(vehicle.Id, vehicle);
        }

        for (Vehicle_Order__c order : orders) {
            if (vehicleStockMap.containsKey(order.Vehicle__c)) {
                Vehicle__c vehicle = vehicleStockMap.get(order.Vehicle__c);
                if (vehicle.Stock_Quantity__c <= 0) {
                    order.addError('This vehicle is out of stock. Order cannot be placed.');

```

// Method to update vehicle stock when an order is placed

```

private static void updateStockOnOrderPlacement(List<Vehicle_Order__c> orders) {
    Set<Id> vehicleIds = new Set<Id>();

    for (Vehicle_Order__c order : orders) {
        if (order.Vehicle__c != null && order.Status__c == 'Confirmed') {
            vehicleIds.add(order.Vehicle__c);
        }
    }
}

```

```

if (!vehicleIds.isEmpty()) {
    Map<Id, Vehicle__c> vehicleStockMap = new Map<Id, Vehicle__c>();
    for (Vehicle__c vehicle : [SELECT Id, Stock_Quantity__c FROM Vehicle__c WHERE
Id IN :vehicleIds]) {
        vehicleStockMap.put(vehicle.Id, vehicle);
    }

    List<Vehicle__c> vehiclesToUpdate = new List<Vehicle__c>();
    for (Vehicle_Order__c order : orders) {
        if (vehicleStockMap.containsKey(order.Vehicle__c)) {
            Vehicle__c vehicle = vehicleStockMap.get(order.Vehicle__c);
            if (vehicle.Stock_Quantity__c > 0) {
                vehicle.Stock_Quantity__c -= 1;
                vehiclesToUpdate.add(vehicle);
            }
        }
    }
}

if (!vehiclesToUpdate.isEmpty()) {
    update vehiclesToUpdate;
}
}
}
}

```

Vehicle Order
VC-0003

Vehicle Order Name

VC-0003

Vehicle Customer

test KHIT 123434

Vehicle

1erwe

Order Date

21/02/2025

Status

Pending

Owner

Abdul Trainer

Created By

Abdul Trainer, 13/02/2025, 5:34 am

By

Abdul Trainer, 13/02/2025, 5:41 am

✖ We hit a snag.

Review the errors on this page.


- This vehicle is out of stock. Order cannot be placed.

✖


Cancel

Save

Step 5 : Write Trigger Handler



Step 6 : Writer Trigger Class Name and Select Vehicle Order Object




New Apex Trigger

Name: VehicleOrderTrigger

sObject: Vehicle_Order__c

Submit

Step 7 : Call Apex Class in Trigger Class



```
Code Coverage: None | API Version: 62
1 trigger VehicleOrderTrigger on Vehicle_Order__c (before insert, before update, after insert, after update) {
2     VehicleOrderTriggerHandler.handleTrigger Trigger.new, Trigger.oldMap, Trigger.isBefore, Trigger.isAfter, Trigger.isInsert, Trigger.isUpdate);
3 }
4 |
```

Step 8 : Create Batch Job

A customer places an order, but the vehicle is out of stock.

- The order remains pending.
- After new stock is added, the batch job updates the order to confirmed.

New Apex class


Please enter a name for your new Apex class

OK


Cancel

```
Code Coverage: None API Version: 62
1  global class VehicleOrderBatch implements Database.Batchable<sObject> {
2
3  global Database.QueryLocator start(Database.BatchableContext bc) {
4  return Database.getQueryLocator([
5      SELECT Id, Status__c, Vehicle__c
6      FROM Vehicle_Order__c
7      WHERE Status__c = 'Pending'
8  ]);
9  }
10
11 global void execute(Database.BatchableContext bc, List<Vehicle_Order__c> orderList) {
12     Set<Id> vehicleIds = new Set<Id>();
13
14     for (Vehicle_Order__c order : orderList) {
15         if (order.Vehicle__c != null) {
16             vehicleIds.add(order.Vehicle__c);
17         }
18     }
19
20     if (!vehicleIds.isEmpty()) {
21         Map<Id, Vehicle__c> vehicleStockMap = new Map<Id, Vehicle__c>();
22         for (Vehicle__c vehicle : [SELECT Id, Stock_Quantity__c FROM Vehicle__c WHERE Id IN :vehicleIds]) {
23             vehicleStockMap.put(vehicle.Id, vehicle);
24         }
25
26         List<Vehicle_Order__c> ordersToUpdate = new List<Vehicle_Order__c>();
27         List<Vehicle__c> vehiclesToUpdate = new List<Vehicle__c>();
28
29         for (Vehicle_Order__c order : orderList) {
30             if (vehicleStockMap.containsKey(order.Vehicle__c)) {
```

```
30 ▼      if (vehicleStockMap.containsKey(order.Vehicle__c)) {
31          Vehicle__c vehicle = vehicleStockMap.get(order.Vehicle__c);
32 ▼      if (vehicle.Stock_Quantity__c > 0) {
33          order.Status__c = 'Confirmed';
34          vehicle.Stock_Quantity__c -= 1;
35          ordersToUpdate.add(order);
36          vehiclesToUpdate.add(vehicle);
37      }
38  }
39  }
40
41 ▼      if (!ordersToUpdate.isEmpty()) {
42          update ordersToUpdate;
43      }
44
45 ▼      if (!vehiclesToUpdate.isEmpty()) {
46          update vehiclesToUpdate;
47      }
48  }
49  }
50
51 ▼  global void finish(Database.BatchableContext bc) {
52      System.debug('Vehicle order batch job completed.');
```



Step 9 : Create Schedule Class then revoked Batch Class in Schedule Class




```
OrderTriggerHandler.apxc | OrderTrigger.apxt | InventoryBatchJob.apxc | VehicleOrderTriggerHandler.apxc | VehicleOrderTrigger.apxt | VehicleOrderBatchScheduler.apxc
Code Coverage: None | API Version: 62
1 global class VehicleOrderBatchScheduler implements Schedulable {
2     global void execute(SchedulableContext sc) {
3         VehicleOrderBatch batchJob = new VehicleOrderBatch();
4         Database.executeBatch(batchJob, 50);
5     }
6 }
7
```

Source Code :

```
global class VehicleOrderBatchScheduler implements Schedulable {
    global void execute(SchedulableContext sc) {
        VehicleOrderBatch batchJob = new VehicleOrderBatch();
        Database.executeBatch(batchJob, 50); // 50 is the batch size
    }
}
```

Step 10 : Schedule the Batch Job To run the batch job every night at midnight :



Source Code :

```
String cronExp = '0 0 12 * * ?'; // Runs daily at 12:00 PM
```

```
System.schedule('Daily Vehicle Order Processing', cronExp, new
VehicleOrderBatchScheduler());
```

Step 11 : You Can Check where this Schedule Job is Running

Setup

Home

Object Manager

Jobs

Environments

Jobs

Apex Flex Queue

Apex Jobs

Background Jobs

Bulk Data Load Jobs

Scheduled Jobs

Scheduled Jobs

Didn't find what you're looking for?
Try using Global Search.

SETUP

Scheduled Jobs

All Scheduled Jobs

The All Scheduled Jobs page lists all of the jobs scheduled by your users. Multiple job types may display on this page. You can delete scheduled jobs if you have the permission to do so.

Percentage of Scheduled Jobs Used: 2%
You have currently used 2 scheduled Apex jobs out of an allowed organization limit of 100 active or scheduled jobs. To learn about how this limit is calculated and what contributes to it see the [Lightning Platform Apex Limits](#) topic.

View: All Scheduled Jobs Create New View

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Other All

Action	Job Name	Submitted By	Submitted	Started	Next Scheduled Run	Type	Cron Trigger ID
Manage Del Pause Job	Daily Inventory Sync	Trainer, Abdul	12/02/2025, 4:24 pm	13/02/2025, 12:00 am	14/02/2025, 12:00 am	Scheduled Apex	08edM00000DH13jb
Manage Del Pause Job	Daily Vehicle Order Processing	Trainer, Abdul	13/02/2025, 5:14 am	13/02/2025, 12:00 pm	14/02/2025, 12:00 pm	Scheduled Apex	08edM00000CJ999
Del	Metalytics Data Loader Job for Org - 000dM00000JDX8S	User, Integration	31/01/2025, 5:38 pm	12/02/2025, 7:42 pm	13/02/2025, 7:42 pm	Autonomous Data Loader Job	08edM00000CbmlO
	Program Milestone Computation Cron Job	Process, Automated	31/01/2025, 5:38 pm	13/02/2025, 6:30 am	13/02/2025, 1:29 pm	Program Milestone Computation Cron Job	08edM00000CbmlM
	Program Status Update Cron Job	Process, Automated	31/01/2025, 5:38 pm	13/02/2025, 9:31 am	13/02/2025, 6:30 pm	Program Status Update Cron Job	08edM00000CbmlN

Thank you