

SKILL2:

1. To Create Main Loop, Display Prompt, Read User Input, Handle Exit Conditions, Design Control Flow Diagram, Test Interactive Loop

To Capture Keyboard Input, Handle Backspace, Process Enter Key, Manage Input Buffer, Support Multi-Character Commands, Test User Interaction

```
manisha@LAPTOP-5SMR05RJ:~/OSlab$ nano fork_exec_parent_child.c
manisha@LAPTOP-5SMR05RJ:~/OSlab$ nano simple_shell.c
manisha@LAPTOP-5SMR05RJ:~/OSlab$ gcc simple_shell.c -o simple_shell
manisha@LAPTOP-5SMR05RJ:~/OSlab$ ./simple_shell
myshell> hello
You entered: hello
myshell> exit
Exiting shell...
```

```
#include <stdio.h>
#include <string.h>

int main() {
    char command[100];

    while (1) {
        printf("myshell> ");
        fflush(stdout);

        if (fgets(command, sizeof(command), stdin) == NULL)
            break;

        command[strcspn(command, "\n")] = '\0';

        if (strcmp(command, "exit") == 0) {
            printf("Exiting shell...\n");
            break;
        }

        if (strlen(command) == 0)
            continue;

        printf("You entered: %s\n", command);
    }

    return 0;
}
```

```

#include <stdio.h>
#include <unistd.h>
#include <string.h>

int main()
{
    char command[100];

    while(1)
    {
        printf("2520030054_SHELLFORGE$ ");
        fgets(command, sizeof(command), stdin);

        command[strlen(command) - 1] = '\0';

        if(strcmp(command, "exit") == 0)
            return 0;

        printf("you entered %s\n", command);
    }

    return 0;
}

```

```

manisha@LAPTOP-5SMR05RJ:~$ mkdir SKILL
manisha@LAPTOP-5SMR05RJ:~$ cd SKILL
manisha@LAPTOP-5SMR05RJ:~/SKILL$ nano simplecommands.c
manisha@LAPTOP-5SMR05RJ:~/SKILL$ gcc simplecommands.c -o simplecommands
manisha@LAPTOP-5SMR05RJ:~/SKILL$ ./simplecommands
2520030054_SHELLFORGE$
you entered
2520030054_SHELLFORGE$ exit
manisha@LAPTOP-5SMR05RJ:~/SKILL$ |

```