

Same Day Solution — BBPS-2 (Pay2New) Credit Card Bill Payment API

Partner API for Credit Card Bill Payments via BBPS-2 | Powered by **Same Day Solution Pvt. Ltd.**

v1.0.0

Table of Contents

1. [Pre-requisites & Setup](#)
2. [Authentication](#)
3. [Payment Flow](#)
4. [Get Billers](#)
5. [Fetch Bill](#)
6. [Check Charges](#)
7. [Pay Bill](#)
8. [Check Status](#)
9. [Error Codes](#)
10. [Code Samples](#)

1. Pre-requisites & Setup

1. **API Key & Secret** — Generated by admin from the Partner API panel
2. **IP Whitelist** — Your server IP must be whitelisted by admin
3. **BBPS-2 (Pay2New) Enabled** — Admin must enable the BBPS-2 toggle for your partner account
4. **Wallet Balance** — Ensure sufficient partner wallet balance for bill payments + charges

ENVIRONMENT	BASE URL
Production	https://api.samedaysolution.in
Sandbox	https://sandbox.samedaysolution.in (test mode — no real transactions)

2. Authentication

Every request requires **3 custom headers**:

HEADER	DESCRIPTION
<code>x-api-key</code>	Your partner API key
<code>x-signature</code>	HMAC-SHA256 signature (see formula below)
<code>x-timestamp</code>	Current Unix timestamp in milliseconds

Signature Formula

For **POST requests** (with JSON body):

```
signature = HMAC_SHA256(api_secret, JSON.stringify(body_object) + timestamp)
```

For **GET requests** (no body):

```
signature = HMAC_SHA256(api_secret, "" + timestamp)
```

Critical: The signature must be computed on **compact (minified) JSON** — no extra whitespace, newlines, or indentation. The server parses and re-serializes your body before verifying. If you sign formatted JSON, the signature **WILL** fail.

Security Notes:

- IP whitelisting enforced — requests from non-whitelisted IPs get `403`
- Timestamp must be within **5 minutes** of server time
- The `api_secret` is used only for signing — never send it in headers or params

3. Payment Flow

- 1 Get Billers** — List available credit card billers (save `product_code`)
↓
- 2 Fetch Bill** — Fetch bill using card last 4 digits `order_id` as `bill_fetch_ref`)
+ mobile (save
↓

3 **Check Charges** — See applicable charges + GST for a given amount



4 **Pay Bill** — Process payment with `bill_fetch_ref` from Step 2



5 **Check Status** — Verify transaction status (use for timeout/ambiguous cases)

Key Points:

- No `retailer_id` needed — charges and wallet debit are handled at **partner level**
- `number` field = **Last 4 digits** of credit card (NOT full 16 digits)
- `optional1` = **Registered mobile number** (mandatory for credit card billers)
- Amount is in **rupees** (not paise)
- Charges include 18% GST on the base service charge
- Auto-refund occurs if upstream payment fails after wallet debit

4. Get Billers

GET

Get Credit Card Billers

/api/partner/pay2new/billers

List all available credit card billers. No request body required.

Response Fields

FIELD	TYPE	DESCRIPTION
success	Boolean	Request success status
service_id	Integer	Service ID (34 = Credit Card)
billers[]	Array	List of biller objects
billers[].product_code	String	Unique biller code — use this in Fetch Bill & Pay Bill
billers[].product_name	String	Display name (e.g. "ICICI CREDIT CARD")
billers[].service_id	String	Service category ID
count	Integer	Total number of billers

Success Response

200 Billers Retrieved

```
{
  "success": true,
  "service_id": 34,
  "billers": [
    {
      "product_code": "ICICI_CREDIT_CARD",
      "product_name": "ICICI CREDIT CARD",
      "service_id": "34"
    },
    {
      "product_code": "HDFC_CREDIT_CARD",
      "product_name": "HDFC CREDIT CARD",
      "service_id": "34"
    },
    {
      "product_code": "SBI_CREDIT_CARD",
      "product_name": "SBI CREDIT CARD",
      "service_id": "34"
    }
  ]
}
```

```
],  
  "count": 38  
}
```

5. Fetch Bill

POST

Fetch Credit Card Bill

/api/partner/pay2new/bill/fetch

Fetch credit card bill details. Save the `order_id` from the response — it's required as `bill_fetch_ref` in the Pay Bill step.

Request Body

FIELD	TYPE	REQUIRED	DESCRIPTION
<code>number</code>	String	Yes	Last 4 digits of credit card (NOT full card number)
<code>product_code</code>	String	Yes	Biller product code from Get Billers
<code>customer_number</code>	String	Yes	Registered mobile number linked with the card
<code>optional1</code>	String	Yes (CC)	Registered mobile number (same as <code>customer_number</code>)
<code>optional2</code>	String	No	Biller-specific optional field
<code>optional3</code>	String	No	Biller-specific optional field
<code>optional4</code>	String	No	Biller-specific optional field
<code>pincode</code>	String	No	Customer pincode (default: "414002")

Example Request

```
{
  "number": "5008",
  "product_code": "ICICI_CREDIT_CARD",
  "customer_number": "9971969046",
  "optional1": "9971969046",
  "optional2": "",
  "optional3": "",
  "optional4": "",
  "pincode": "414002"
}
```

Response Fields

FIELD	TYPE	DESCRIPTION
-------	------	-------------

success	Boolean	Request success status
data.customer_name	String	Cardholder name
data.amount	String	Outstanding bill amount
data.bill_date	String	Bill generation date
data.bill_due_date	String	Payment due date
data.bill_number	String	Bill reference number
data.Minimum Amount Due	String	Minimum payment required
data.Maximum Permissible Amount	String	Maximum payable amount
order_id	String	SAVE THIS — pass as <code>bill_fetch_ref</code> in Pay Bill
request_id	String	Request reference

Success Response

200 Bill Fetched

```
{
  "success": true,
  "data": {
    "customer_name": "MANISH KUMAR SHAH",
    "amount": "15234.00",
    "bill_date": "2026-06-15",
    "bill_due_date": "2026-07-05",
    "bill_number": "INV-2026-06-001",
    "Minimum Amount Due": "1523.00",
    "Maximum Permissible Amount": "50000.00"
  },
  "order_id": "P2N_ORD_1234567890",
  "request_id": "SDS1719720000000"
}
```

6. Check Charges

POST

Check Payment Charges

/api/partner/pay2new/charges

Check applicable service charges + GST before making a payment. Charges are resolved from your **partner scheme** — no `retailer_id` required.

Request Body

FIELD	TYPE	REQUIRED	DESCRIPTION
<code>amount</code>	Integer	Yes	Bill payment amount in rupees

Example Request

```
{
  "amount": 15234
}
```

Response Fields

FIELD	TYPE	DESCRIPTION
<code>success</code>	Boolean	Request success status
<code>amount</code>	Integer	Input amount
<code>scheme_name</code>	String	Applied partner commission scheme
<code>charges.base_charge</code>	Number	Service charge before GST
<code>charges.gst_percent</code>	Number	GST percentage (18%)
<code>charges.gst_amount</code>	Number	GST on service charge
<code>charges.total_charge</code>	Number	Total charge (base + GST)

Calculation: Total partner wallet debit = `amount` + `total_charge`

Example: Bill ₹15,234 + Charge ₹118 (₹100 base + ₹18 GST) = **₹15,352** debited from partner wallet

Success Response

200 Charges Calculated

```
{
  "success": true,
  "amount": 15234,
  "scheme_name": "Default BBPS Scheme",
  "charges": {
    "base_charge": 100,
    "gst_percent": 18,
    "gst_amount": 18,
    "total_charge": 118
  }
}
```

7. Pay Bill

POST

Pay Credit Card Bill

/api/partner/pay2new/bill/pay

Process a credit card bill payment. Requires `bill_fetch_ref` from the Fetch Bill response.

Request Body

FIELD	TYPE	REQUIRED	DESCRIPTION
<code>number</code>	String	Yes	Last 4 digits of credit card
<code>amount</code>	Integer	Yes	Payment amount in rupees
<code>product_code</code>	String	Yes	Biller product code from Get Billers
<code>product_name</code>	String	No	Biller display name (for records)
<code>bill_fetch_ref</code>	String	Yes	<code>order_id</code> from Fetch Bill response
<code>customer_number</code>	String	Yes	Registered mobile number
<code>optional1</code>	String	Yes (CC)	Registered mobile number
<code>optional2 - optional4</code>	String	No	Biller-specific optional fields
<code>pincode</code>	String	No	Customer pincode (default: "414002")

Example Request

```
{
  "number": "5008",
  "amount": 15234,
  "product_code": "ICICI_CREDIT_CARD",
  "product_name": "ICICI CREDIT CARD",
  "bill_fetch_ref": "P2N_ORD_1234567890",
  "customer_number": "9971969046",
  "optional1": "9971969046",
  "optional2": "",
  "optional3": "",
  "optional4": "",
  "pincode": "414002"
}
```

Success Response

200 Payment Processed

```
{
  "success": true,
  "order_id": "P2N_PAY_9876543210",
  "operator_reference": "ICICI_REF_20260630_001",
  "amount": 15234,
  "charge": 118,
  "request_id": "SDS1719720000002"
}
```

Error — Insufficient Balance

400

```
{
  "success": false,
  "error": {
    "code": "INSUFFICIENT_BALANCE",
    "message": "Insufficient partner wallet balance"
  },
  "wallet_balance": 5000,
  "bill_amount": 15234,
  "charge": 118,
  "required_amount": 15352
}
```

Error — Payment Failed (Auto-Refunded)

200

```
{
  "success": false,
  "error": {
    "code": "PAYMENT_FAILED",
    "message": "Transaction failed at provider end"
  },
  "refunded": true,
  "refund_amount": 15352,
  "request_id": "SDS1719720000003"
}
```

Auto-Refund: If payment fails after wallet debit, the full amount (`amount` + `charge`) is **automatically refunded** to your partner wallet.

Timeout Handling: If this request times out or returns a network error, use the **Check Status** endpoint to verify. **Do NOT retry Pay Bill** — it may cause a duplicate payment.

8. Check Status

POST

Check Transaction Status

/api/partner/pay2new/bill/status

Check the status of a bill payment. Use when Pay Bill times out or you need to verify the final status.

Request Body

Provide **either** `order_id` or `request_id` (at least one required):

FIELD	TYPE	REQUIRED	DESCRIPTION
<code>order_id</code>	String	One of these	<code>order_id</code> from Pay Bill success response
<code>request_id</code>	String	is required	<code>request_id</code> from Pay Bill response (works for failed txns too)

Transaction Statuses

STATUS	DESCRIPTION	ACTION
<code>SUCCESS</code>	Payment completed successfully	No action needed
<code>PENDING</code>	Payment still being processed	Wait 30-60 seconds, check again
<code>FAILED</code>	Payment failed (wallet auto-refunded)	May retry with new Fetch Bill
<code>REFUNDED</code>	Payment was refunded after failure	Amount returned to wallet

Success Response — Transaction Found

200

```
{
  "success": true,
  "order_id": "P2N_PAY_9876543210",
  "status": "SUCCESS",
  "amount": 15234,
  "charge": 118,
  "operator_reference": "ICICI_REF_20260630_001",
  "created_at": "2026-06-30T18:30:00.000Z",
  "updated_at": "2026-06-30T18:30:05.000Z",
}
```

```
"request_id": "SDS1719720000002"
}
```

Response — PENDING

```
{
  "success": true,
  "order_id": null,
  "status": "PENDING",
  "amount": 15234,
  "charge": 118,
  "operator_reference": null,
  "created_at": "2026-06-30T18:30:00.000Z",
  "updated_at": "2026-06-30T18:30:00.000Z",
  "request_id": "SDS1719720000002"
}
```

Important: If status is **PENDING**, wait 30-60 seconds and check again. **Do NOT retry Pay Bill** — it may cause a duplicate payment. Final statuses: **SUCCESS**, **FAILED**, **REFUNDED**.

9. Error Codes

All error responses follow this structure:

```
{
  "success": false,
  "error": {
    "code": "ERROR_CODE",
    "message": "Human-readable description"
  }
}
```

Authentication Errors

HTTP	ERROR CODE	DESCRIPTION
401	INVALID_API_KEY	API key not found or disabled
401	INVALID_SIGNATURE	Signature mismatch — ensure you sign compact JSON

401	TIMESTAMP_EXPIRED	Timestamp older than 5 minutes — sync your server clock (NTP)
403	IP_NOT_WHITELISTED	Request IP not in whitelist
403	SERVICE_NOT_ENABLED	BBPS-2 not enabled for your account

Business Errors

HTTP	ERROR CODE	DESCRIPTION
200	FETCH_BILL_ERROR	Missing mandatory params or invalid card/mobile combination
400	INSUFFICIENT_BALANCE	Partner wallet balance too low (response includes wallet_balance & required_amount)
400	WALLET_FROZEN	Partner wallet is frozen by admin
200	PAYMENT_FAILED	Payment failed at provider — wallet auto-refunded
200	PROVIDER_ERROR	Provider communication error — wallet auto-refunded
404	ORDER_NOT_FOUND	No transaction found with the given order_id/request_id

10. Code Samples

Node.js — Complete Flow

```
const crypto = require('crypto');

const API_KEY    = 'pk_live_YOUR_API_KEY';
const API_SECRET = 'sk_live_YOUR_API_SECRET';
const BASE_URL   = 'https://api.samedaysolution.in';

function sign(body, timestamp) {
  const payload = (body ? JSON.stringify(body) : '') + timestamp;
  return crypto.createHmac('sha256', API_SECRET).update(payload).digest('hex');
}

function headers(body) {
  const timestamp = Date.now().toString();
  return {
    'Content-Type': 'application/json',
    'x-api-key': API_KEY,
    'x-signature': sign(body, timestamp),
    'x-timestamp': timestamp
  };
}
```

```

    });
}

// Step 1: Get Billers
async function getBillers() {
    const res = await fetch(`${BASE_URL}/api/partner/pay2new/billers`, {
        headers: headers(null)
    });
    return res.json();
}

// Step 2: Fetch Bill
async function fetchBill(lastFourDigits, productCode, mobile) {
    const body = {
        number: lastFourDigits,
        product_code: productCode,
        customer_number: mobile,
        optional1: mobile,
        optional2: '', optional3: '', optional4: '',
        pincode: '414002'
    };
    const res = await fetch(`${BASE_URL}/api/partner/pay2new/bill/fetch`, {
        method: 'POST', headers: headers(body), body: JSON.stringify(body)
    });
    return res.json();
}

// Step 3: Check Charges
async function checkCharges(amount) {
    const body = { amount };
    const res = await fetch(`${BASE_URL}/api/partner/pay2new/charges`, {
        method: 'POST', headers: headers(body), body: JSON.stringify(body)
    });
    return res.json();
}

// Step 4: Pay Bill
async function payBill(lastFour, amount, productCode, billFetchRef, mobile) {
    const body = {
        number: lastFour, amount, product_code: productCode,
        bill_fetch_ref: billFetchRef, customer_number: mobile,
        optional1: mobile, optional2: '', optional3: '', optional4: '',
        pincode: '414002'
    };
    const res = await fetch(`${BASE_URL}/api/partner/pay2new/bill/pay`, {
        method: 'POST', headers: headers(body), body: JSON.stringify(body)
    });
    return res.json();
}

// Step 5: Check Status

```



```

async function checkStatus(orderId) {
  const body = { order_id: orderId };
  const res = await fetch(`${BASE_URL}/api/partner/pay2new/bill/status`, {
    method: 'POST', headers: headers(body), body: JSON.stringify(body)
  });
  return res.json();
}

```

Python

```

import hmac, hashlib, json, time, requests

API_KEY    = "pk_live_YOUR_API_KEY"
API_SECRET = "sk_live_YOUR_API_SECRET"
BASE_URL   = "https://api.samedaysolution.in"

def sign_and_call(method, path, body=None):
    timestamp = str(int(time.time() * 1000))
    body_str = json.dumps(body, separators=(",", ":")) if body else ""
    payload = body_str + timestamp
    signature = hmac.new(
        API_SECRET.encode(), payload.encode(), hashlib.sha256
    ).hexdigest()

    hdrs = {
        "Content-Type": "application/json",
        "x-api-key": API_KEY,
        "x-signature": signature,
        "x-timestamp": timestamp,
    }

    if method == "GET":
        return requests.get(f"{BASE_URL}{path}", headers=hdrs).json()
    return requests.post(f"{BASE_URL}{path}", data=body_str, headers=hdrs).json()

# Step 1
billers = sign_and_call("GET", "/api/partner/pay2new/billers")

# Step 2
bill = sign_and_call("POST", "/api/partner/pay2new/bill/fetch", {
    "number": "5008", "product_code": "ICICI_CREDIT_CARD",
    "customer_number": "9971969046", "optional1": "9971969046",
    "optional2": "", "optional3": "", "optional4": "", "pincode": "414002"
})

# Step 3
charges = sign_and_call("POST", "/api/partner/pay2new/charges", {"amount": 15234})

# Step 4

```

```
payment = sign_and_call("POST", "/api/partner/pay2new/bill/pay", {
    "number": "5008", "amount": 15234,
    "product_code": "ICICI_CREDIT_CARD",
    "bill_fetch_ref": bill["order_id"],
    "customer_number": "9971969046", "optional1": "9971969046",
    "optional2": "", "optional3": "", "optional4": "", "pincode": "414002"
})
```

Step 5

```
status = sign_and_call("POST", "/api/partner/pay2new/bill/status",
    {"order_id": payment["order_id"]})
```

Same Day Solution Pvt. Ltd.

BBPS-2 (Pay2New) Credit Card Bill Payment API | Document generated: July 2026

For API key provisioning, IP whitelisting, or support — contact your account manager.