Name: - Manish Shashikant Jadhav

Roll no .: - 2201933

PRN no.:- 2030408246006

Subject:- Advanced Java Programming Lab

Experiment no.5

Aim:- Implementing GUI interface using various Swing Components.

Program A):-Program of Border Layout.

Input:-

```
package com.AJPExperiments;
import java.awt.*;
import javax.swing.JButton;
import javax.swing.JFrame;
public class Border {
  JFrame f;
  Border(){
    f = new JFrame("Border Layout with Font changed!!");
    JButton b1 = new JButton("RAIGAD");
    JButton b2 = new JButton("TORNA");
    JButton b3 = new JButton("PRATAPGAD");
    JButton b4 = new JButton("RAJGAD");
    JButton b5 = new JButton("Forts Won By Chhatrapati Shivaji Maharaj");
    f.add(b1, BorderLayout.EAST);
    f.add(b2, BorderLayout.WEST);
    f.add(b3, BorderLayout.SOUTH);
    f.add(b4, BorderLayout.NORTH);
    f.add(b5, BorderLayout.CENTER);
    b1.setFont(new Font("Times New Roman",Font.ITALIC,16));
    b2.setFont(new Font("Times New Roman",Font.ITALIC,16));
    b3.setFont(new Font("Times New Roman",Font.ITALIC,16));
    b4.setFont(new Font("Times New Roman",Font.ITALIC,16));
    b5.setFont(new Font("Times New Roman",Font.ITALIC,16));
    b1.setBackground(Color.orange);
    b2.setBackground(Color.orange);
    b3.setBackground(Color.orange);
    b4.setBackground(Color.orange);
    b5.setBackground(Color.orange);
```

```
f.setSize(600,600);
  f.setVisible(true);
}

public static void main(String[] args) {
    Border obj = new Border();
}
```

Output:-



Program B):-Program of Grid Layout.

Input:-

```
package com.AJPExperiments;
import java.awt.*;
import javax.swing.*;
```

```
public class Grid {
  JFrame fr;
  Grid(){
    fr = new JFrame("Hindu Religious Books");
    JButton b1 = new JButton("MAHABHARATA");
    JButton b2 = new JButton("BHAGAVAD GITA");
    JButton b3 = new JButton("RAMAYANA");
    JButton b4 = new JButton("ATHARVAVEDA");
    JButton b5 = new JButton("BHRAHMANA");
    JButton b6 = new JButton("PANCHATANTRA");
    JButton b7 = new JButton("UPANISHADAS");
    JButton b8 = new JButton("PURANAS");
    JButton b9 = new JButton("ARTHASHASTRA");
    JButton b10 = new JButton("RIGVEDA");
    b1.setFont(new Font("Copperplate Gothic Bold",Font.ITALIC,16));
    b2.setFont(new Font("Copperplate Gothic Bold",Font.ITALIC,16));
    b3.setFont(new Font("Copperplate Gothic Bold",Font.ITALIC,16));
    b4.setFont(new Font("Copperplate Gothic Bold",Font.ITALIC,16));
    b5.setFont(new Font("Copperplate Gothic Bold",Font.ITALIC,16));
    b6.setFont(new Font("Copperplate Gothic Bold",Font.ITALIC,16));
    b7.setFont(new Font("Copperplate Gothic Bold",Font.ITALIC,16));
    b8.setFont(new Font("Copperplate Gothic Bold",Font.ITALIC,16));
    b9.setFont(new Font("Copperplate Gothic Bold",Font.ITALIC,16));
    b10.setFont(new Font("Copperplate Gothic Bold",Font.ITALIC,16));
    b1.setBackground(Color.red);
    b2.setBackground(Color.red);
    b3.setBackground(Color.red);
    b4.setBackground(Color.red):
    b5.setBackground(Color.red);
    b6.setBackground(Color.red);
    b7.setBackground(Color.red);
    b8.setBackground(Color.red);
    b9.setBackground(Color.red);
    b10.setBackground(Color.red);
    fr.add(b1);
    fr.add(b2);
    fr.add(b3);
    fr.add(b4);
    fr.add(b5);
    fr.add(b6);
    fr.add(b7);
    fr.add(b8);
    fr.add(b9);
    fr.add(b10);
    fr.setLayout(new GridLayout(2,5));
    fr.setSize(950,500);
    fr.setVisible(true);
```

```
}
public static void main(String[] args) {
   new Grid();
}
```

Output:-

🕌 Hindu Religious Books				– 🗆 ×
MAHASHARATA	BHAGAVAD GITA	RAMAYANA	ATHARVAVEDA	BHRAHMANA
PANCHATANTRÁ	UPANISHADAS	PURANAS	ARTHASHASTRA	RIGVEDA

Practical Performance (4)	Writeup & Oral (4)	Attendance (2)	Total (10)