Name	Manish Shashikant Jadhav
UID no.	2023301005

Experiment 4	
AIM :	Implement the problem using the Informed searching technique min-max algorithm . Analyze the algorithm with respect to Completeness, Optimality, time and space Complexity a) Tic Tac Toe

CODE:	*import* math
	
	def print_board(*board*):
	for i *in* range(3):
	print(" | ".join(*board*[i*3:(i+1)*3]))
	if i < 2:
	print("---------")
	
	def empty_cells(*board*):
	return [i *for* i, cell *in* enumerate(*board*) *if* cell == " "]
	
	def is_winner(*board*, *player*):
	winning_combinations = [
	[0, 1, 2], [3, 4, 5], [6, 7, 8], *# Rows*
	[0, 3, 6], [1, 4, 7], [2, 5, 8], *# Columns*

```
        [0, 4, 8], [2, 4, 6]  # Diagonals

    ]

    return any(all(board[i] == player for i in combo) for combo in
winning_combinations)



def game_over(board):

    return is_winner(board, "X") or is_winner(board, "O") or len(empty_cells(board))
== 0



def minimax(board, depth, is_maximizing):

    if is_winner(board, "X"):

        return -1

    if is_winner(board, "O"):

        return 1

    if len(empty_cells(board)) == 0:

        return 0



    if is_maximizing:

        best_score = -math.inf

        for move in empty_cells(board):

            board[move] = "O"

            score = minimax(board, depth + 1, False)

            board[move] = " "
```

```
            best_score = max(score, best_score)
        return best_score
    else:
        best_score = math.inf
        for move in empty_cells(board):
            board[move] = "X"
            score = minimax(board, depth + 1, True)
            board[move] = " "
            best_score = min(score, best_score)
        return best_score


def get_best_move(board):
    best_score = -math.inf
    best_move = None
    for move in empty_cells(board):
        board[move] = "O"
        score = minimax(board, 0, False)
        board[move] = " "
        if score > best_score:
            best_score = score
            best_move = move
    return best_move
```

```
def get_player_move(board, player):
    while True:
        try:
            move = int(input(f"Player {player}, enter your move (0-8): "))
            if move not in empty_cells(board):
                raise ValueError
            return move
        except ValueError:
            print("Invalid move. Try again.")


def play_game(mode):
    board = [" " for _ in range(9)]
    current_player = "X"


    if mode == "1":
        print("You are X, AI is O")
    else:
        print("Player 1: X, Player 2: O")


    print_board(board)
```

```
while not game_over(board):
    if mode == "1" and current_player == "O":
        print("AI is making a move...")
        move = get_best_move(board)
    else:
        move = get_player_move(board, current_player)

    board[move] = current_player
    print_board(board)

    if game_over(board):
        break

    current_player = "O" if current_player == "X" else "X"

if is_winner(board, "X"):
    print("X wins!")
elif is_winner(board, "O"):
    print("O wins!")
else:
    print("It's a tie!")
```

```
def main():
    print("Welcome to Tic Tac Toe!")
    while True:
        mode = input("Enter 1 for single player (vs AI) or 2 for two players: ")
        if mode in ["1", "2"]:
            break
        print("Invalid input. Please enter 1 or 2.")

    play_game(mode)

if __name__ == "__main__":
    main()
```

OUTPUT:

1. Two Player Game:



2. Single Player Game AI Win:

```
PS D:\Manish\SPIT> & C:/Users/manis/AppData/Local/Programs/Python/Python311/python.exe "d:/Manish/SPIT/5th SEM/AIML/Experiments/Exp4/tictactoe.py"
Welcome to Tic Tac Toe!
Enter 1 for single player (vs AI) or 2 for two players: 1
You are X, AI is O
  |   |
---------
  |   |
---------
  |   |
Player X, enter your move (0-8): 0
X |   |
---------
  |   |
---------
  |   |
AI is making a move...
X |   |
---------
  | O |
---------
  |   |
Player X, enter your move (0-8): 1
X | X |
---------
  | O |
---------
  |   |
AI is making a move...
X | X | O
---------
  | O |
---------
  |   |
Player X, enter your move (0-8): 5
X | X | O
---------
  | O | X
---------
  |   |
AI is making a move...
X | X | O
---------
  | O | X
---------
O |   |
O wins!
PS D:\Manish\SPIT>
```

3. Game Tie:

```
PS D:\Manish\SPIT> & C:/Users/manis/AppData/Local/Programs/Python/Python311/python.exe "d:/Manish/SPIT/5th SEM/AIML/Experiments/Exp4/tictactoe.py"
Welcome to Tic Tac Toe!
Enter 1 for single player (vs AI) or 2 for two players: 2
Player 1: X, Player 2: O
  |   |
---------
  |   |
---------
  |   |
Player X, enter your move (0-8): 0
X |   |
---------
  |   |
---------
  |   |
Player O, enter your move (0-8): 1
X | O |
---------
  |   |
---------
  |   |
Player X, enter your move (0-8): 2
X | O | X
---------
  |   |
---------
  |   |
Player O, enter your move (0-8): 4
X | O | X
---------
  | O |
---------
  |   |
Player X, enter your move (0-8): 5
X | O | X
---------
  | O | X
---------
  |   |
Player O, enter your move (0-8): 6
X | O | X
---------
  | O | X
---------
O |   |
```

	
Analysis of Algorithm	1. **Completeness:** Yes, the algorithm is complete and will always find a solution (win, lose, or draw). 2. **Optimality:** Yes, the algorithm is optimal for both players when they play optimally. 3. **Time Complexity:** O(b^d), which is O(9!) for Tic-Tac-Toe, equivalent to O(362,880) in the worst case. 4. **Space Complexity:** O(d), which is O(9) for Tic-Tac-Toe, meaning the space complexity is constant and manageable.
CONCLUSION:	Hence by completing this experiment I came to know about Informed searching technique min-max algorithm .