Name	Manish Shashikant Jadhav
UID no.	2023301005
Subject	Linear Algebra
Department	Computer Engineering-B

Experiment 4	
AIM :	Implementation of Reduced Row Echelon Form in Scilab.
| **Reduced Row Echelon Form 2x2** | ```
clc
A = [1 2  ; 1 -1];
printf("The Matrix A is\n");
disp(A);
n = 2;

for i = 1:n
   if A(i,i) == 0
      A(i,:) = A(i,:);
   else
      A(i,:) = A(i,:) / A(i,i);
      disp(A);
      for j = 1:n-1
         if i+j <= n
            A(i+j,:) = A(i+j,:) - A(i+j,i)*A(i,:);
         end
      end
   end
end

for i = n:-1:2
   for j = i-1:-1:1
      A(j,:) = A(j,:) - A(j,i)*A(i,:);
   end
end
printf("The final matrix in row-reduced echelon form is: \n");
disp(A);
``` |

```
Scilab 6.0.2 Console
 The Matrix A is

    1.    2.
    1.   -1.

    1.    2.
    1.   -1.

    1.    2.
    0.    1.
The final matrix in row-reduced echelon form is:

    1.    0.
    0.    1.

-->
```

| **Reduced Row Echelon Form 3x3** | ```
clc
A = [1 2 -1 ; 1 -1 1 ; 2 -2 3];
printf("The Matrix A is\n");
disp(A);
n = 3;

for i = 1:n
   if A(i,i) == 0
      A(i,:) = A(i,:);
   else
      A(i,:) = A(i,:) / A(i,i);
      disp(A);
      for j = 1:n-1
         if i+j <= n
            A(i+j,:) = A(i+j,:) - A(i+j,i)*A(i,:);
         end
      end
   end
end

for i = n:-1:2
``` |

```
    for j = i-1:-1:1
        A(j,:) = A(j,:) - A(j,i)*A(i,:);
    end
end

printf("The final matrix in row-reduced echelon form is: \n");
disp(A);
```


Scilab 6.0.2 Console
```
 The Matrix A is

    1.    2.   -1.
    1.   -1.    1.
    2.   -2.    3.

    1.    2.   -1.
    1.   -1.    1.
    2.   -2.    3.

    1.    2.   -1.
    0.    1.   -0.6666667
    0.   -6.    5.

    1.    2.   -1.
    0.    1.   -0.6666667
    0.    0.    1.
The final matrix in row-reduced echelon form is:

    1.    0.    0.
    0.    1.    0.
    0.    0.    1.

-->
```

| **Reduced Row Echelon Form 4x4** | ```
clc
A = [3 -1 2 1 ; 2 -2 3 2 ; 1 -1 1 -1 ; 1 2 -1 3];
printf("The Matrix A is\n");
disp(A);
n = 4;

for i = 1:n
    if A(i,i) == 0
        A(i,:) = A(i,:);
    else
        A(i,:) = A(i,:) / A(i,i);
        disp(A);
        for j = 1:n-1
            if i+j <= n
``` |
|---|---|

```
        A(i+j,:) = A(i+j,:) - A(i+j,i)*A(i,:);
      end
    end
  end
end
for i = n:-1:2
  for j = i-1:-1:1
      A(j,:) = A(j,:) - A(j,i)*A(i,:);
  end
end
printf("The final matrix in row-reduced echelon form is: \n");
disp(A);
```

Scilab 6.0.2 Console   ?

```
 The Matrix A is

   1.   2.  -1.    3.
   1.  -1.   1.   -1.
   2.  -2.   3.    2.
   3.  -1.   2.    1.

   1.   2.  -1.    3.
   1.  -1.   1.   -1.
   2.  -2.   3.    2.
   3.  -1.   2.    1.

   1.   2.  -1.          3.
   0.   1.  -0.6666667   1.3333333
   0.  -6.   5.         -4.
   0.  -7.   5.         -8.

   1.   2.  -1.          3.
   0.   1.  -0.6666667   1.3333333
   0.   0.   1.          4.
   0.   0.   0.3333333   1.3333333

   1.   2.  -1.          3.
   0.   1.  -0.6666667   1.3333333
   0.   0.   1.          4.
   0.   0.   0.          1.
 The final matrix in row-reduced echelon form is:

   1.   0.   0.   0.
   0.   1.   0.   0.
   0.   0.   1.   0.
   0.   0.   0.   1.

-->
```

| **CONCLUSION:** | Hence, by completing this experiment I came to know about Implementation of Reduced Row Echelon Form in Scilab. |