A Minor Project Synopsis

On

Comparative Analysis of Classical Image Enhancement Techniques for Low-Contrast Images (BTP2CSE024)

Submitted in partial fulfillment of the

requirements for the award of the degree of

BACHELOR OF TECHNOLOGY

Computer Science and Engineering

Session 2025-26

By: Ayush Kumar Singh - 2410030312
Harshita Shandilya - 2410030197
Manish Kumar Jaishwal -2410030307
Prashanth Kumar Yadav - 2410030236
Anil - 2410030347

Under the Guidance of: Ms. Aanchal Vij

School Of Computer Science and Engineering

IILM University, Greater Noida

March, 2026

SCHOOL OF COMPUTER SCIENCE AND ENGINEERING
IILM University, Greater Noida

Title: Comparative Analysis of Classical Image Enhancement Techniques for Low-Contrast Images

S.no	Table of Contents	Pg. No
1	Introduction	03
2	Problem Statement	04
3	Literature review	05
4	Objectives	06
5	Methodology	07-09
6	Tools & Technologies	10
7	Expected Outcomes	11
8	Applications	11
9	Conclusion	12
10	References	13

Signature of Supervisor .....Aanchal Vij.....

Date .....27-3-26.....

1. Introduction

In the modern digital era, images play a crucial role in a wide range of applications, including medical diagnosis, surveillance systems, satellite imaging, robotics, and underwater exploration. The effectiveness of these applications largely depends on the quality and clarity of the captured images. High-quality images enable accurate analysis, detection, and decision-making, whereas poor-quality images can significantly degrade system performance.

However, images captured in real-world environments often suffer from various types of degradation such as low contrast, noise, poor illumination, blur, and color distortion. These issues are especially prominent in challenging conditions like low-light environments and underwater scenes. In underwater imaging, for instance, light absorption and scattering lead to reduced visibility and color loss, while low-light conditions produce dark and noisy images with limited detail. Such degradations make it difficult to extract meaningful information from images and affect the accuracy of computer vision systems.

To overcome these challenges, image enhancement techniques are widely used as a preprocessing step to improve visual quality and interpretability. These techniques aim to enhance brightness, contrast, and color while reducing noise and preserving important image details. Classical image enhancement methods such as Histogram Equalization, Gamma Correction, Contrast Limited Adaptive Histogram Equalization (CLAHE), and Retinex-based approaches have been extensively used for improving low-quality images. Despite the availability of multiple techniques, no single method performs optimally under all conditions, as their effectiveness depends on factors such as image type, level of degradation, and environmental conditions.

Therefore, a systematic comparison of these techniques is essential to determine the most suitable approach for enhancing low-contrast images (See Figure 1).



Figure 1: Degraded and Enhanced Image Samples

2. Problem Statement

Images captured in real-world environments often suffer from various forms of degradation such as low contrast, noise, poor illumination, blur, and color distortion. These issues are particularly severe in challenging conditions like low-light environments and underwater scenes, where factors such as light absorption, scattering, and limited visibility significantly reduce image quality. As a result, the captured images lack clarity and important details, making it difficult to extract meaningful information for further analysis (See Figure 2).

Due to these degradations, the performance of image processing and computer vision systems is greatly affected. Tasks such as object detection, recognition, and scene understanding become less accurate when the input images are unclear or distorted. Traditional image enhancement techniques are commonly used to improve image quality; however, their effectiveness varies depending on the type of image and the level of degradation, making it difficult to rely on a single method for all scenarios.

Another major challenge is achieving a balance between enhancing image quality and preserving important details. Some techniques may improve contrast but introduce noise or distort colors, while others may reduce noise but fail to enhance visibility effectively. Therefore, there is a need for a systematic and comparative analysis of various image enhancement methods to identify the most effective techniques for different conditions.

Furthermore, the absence of a standardized evaluation framework makes it difficult to objectively compare the performance of different enhancement techniques. This highlights the necessity for a structured approach that not only enhances image quality but also ensures consistent and reliable results across diverse real-world scenarios.

Figure 2: Underwater Image Degradation and Enhancement Results

3. Literature Review

- Various image enhancement techniques have been developed to improve the quality of degraded images affected by low contrast, noise, and poor illumination. Histogram Equalization (HE) is one of the most widely used methods, which enhances image contrast by redistributing pixel intensity values. It is simple and effective for global contrast improvement but may lead to over-enhancement and loss of important details in certain regions (Gonzalez & Woods, 2018; Pizer et al., 1987).

- To address the limitations of traditional methods, advanced techniques such as Contrast Limited Adaptive Histogram Equalization (CLAHE) have been introduced. CLAHE improves local contrast by operating on small regions of the image and limiting contrast amplification, thereby preventing excessive noise enhancement(Pizer et al., 1987; Zuiderveld, 1994).

- Another important technique is Gamma Correction, which adjusts image brightness using nonlinear transformation and is effective in handling illumination issues in dark images. Retinex-based methods, inspired by human visual perception, enhance images by separating illumination and reflectance components, making them suitable for uneven lighting conditions such as underwater and night-time environments (Land, 1977; Jobson et al., 1997),
  (See Figure 3).

- Despite the availability of multiple techniques, each method has its own strengths and limitations depending on the type of image and environmental conditions. Therefore, a comparative analysis of these techniques is essential to evaluate their effectiveness using visual and quantitative measures and to identify the most suitable approach for different real-world scenarios (Gonzalez & Woods, 2018; Bovik, 2009).



Figure 3: Image Enhancement Techniques Overview

4. Objectives

The primary objective of this project is to perform a comparative analysis of various image enhancement techniques to improve the quality of degraded images, particularly those affected by low contrast, noise, and poor illumination. The study focuses on understanding how different techniques enhance image clarity and visibility under challenging conditions such as low-light and underwater environments.

Another key objective is to apply classical image enhancement methods such as Histogram Equalization, Gamma Correction, Contrast Limited Adaptive Histogram Equalization (CLAHE), and Retinex-based approaches, and evaluate their performance on different types of degraded images. The aim is to identify how each technique behaves under varying conditions and to assess its strengths and limitations (See Figure 4).

The project also aims to evaluate the effectiveness of these techniques using standard performance metrics such as PSNR, SSIM, and other quality measures. This helps in providing a quantitative comparison along with visual analysis to determine which methods produce better results in terms of image quality and detail preservation.

Finally, the objective is to identify the most suitable image enhancement technique or combination of techniques for different real-world scenarios. By doing so, the study contributes to improving the performance of image-based applications and supports better interpretation and decision-making in practical environments.



Figure 4: Image Enhancement Objective Framework

4) Methodology

The proposed methodology for this project follows a structured and systematic approach to enhance and analyze low-contrast images captured in underwater and low-light environments. The approach is based on a multi-stage image enhancement pipeline, where different techniques are applied sequentially to improve brightness, contrast, color balance, and overall image clarity. Research studies indicate that combining multiple enhancement techniques in a structured sequence produces better results than using a single method alone.

1. Image Dataset Collection

The process begins with the collection of input images from two domains: underwater and low-light environments. These images represent real-world conditions where visibility is affected by poor lighting, water turbidity, and noise. The dataset is obtained from standard sources and sample datasets used in previous research studies to evaluate image enhancement techniques (See Figure 5). All images are stored in standard formats such as JPG or PNG and are used as input for applying enhancement techniques and performance analysis.



Figure 5: Underwater and Low-Light Image Dataset

2.Image Preprocessing

Once the images are collected, preprocessing is performed to prepare them for enhancement. This step involves removing unwanted noise and standardizing the image format to ensure consistency. Typical preprocessing operations include image resizing, noise reduction using filters, brightness normalization, and color channel adjustment
(See Figure 6). These steps are essential to improve data quality and ensure effective application of enhancement techniques.



Figure 6: Image Preprocessing and Enhancement Output

3. Image Enhancement Techniques

In this stage, various classical image enhancement techniques are applied to improve image quality. Histogram Equalization enhances contrast by redistributing pixel intensity values and revealing hidden details. Gamma Correction adjusts brightness using nonlinear transformation, improving visibility in dark regions. CLAHE enhances local contrast while preventing noise amplification by operating on smaller regions. Retinex-based methods improve visibility under poor lighting by separating illumination and reflectance components. Additionally, for underwater images, color correction and dehazing techniques are applied to restore lost colors, reduce scattering, and enhance clarity (See Figure 7).



Figure 7: Image Enhancement Techniques

4. Multi-Stage Enhancement Process

The project implements a multi-stage enhancement approach where multiple techniques are applied sequentially to achieve better results. This pipeline combines different methods to address various image quality issues simultaneously. A typical sequence includes brightness normalization, gamma correction, contrast enhancement using CLAHE, image smoothing or fusion, and noise reduction. This structured approach ensures improved overall image quality compared to single-method enhancement.

5. Performance Evaluation Using Image Quality Metrics

After enhancement, the quality of the images is evaluated using standard performance metrics. PSNR (Peak Signal-to-Noise Ratio) measures similarity between original and enhanced images, where higher values indicate better quality. MSE (Mean Squared Error) measures pixel differences, with lower values indicating better performance. SSIM (Structural Similarity Index) evaluates structural similarity based on brightness, contrast, and texture. Entropy measures the amount of information present in the image, where higher values indicate improved detail and richness (See Figure 8).



Figure 8: Image Quality Evaluation Metrics Analysis

6. Result Comparison and Analysis

Finally, the results obtained from different techniques are compared and analyzed based on both visual quality and quantitative metrics. This comparison helps identify which techniques improve brightness and contrast, which preserve image details, and which provide the best overall performance. Studies show that combining techniques such as Retinex and CLAHE often produces superior results compared to using individual methods alone, making the multi-stage approach more effective for real-world applications. (See Figure 9).



Figure 9: Comparison of Image Enhancement Techniques

5) Tools and Technologies

Table 1: Comparative Analysis of Classical Images Enhancement Techniques for Low-Contrast Images

Category	Details
Python	Python is used due to its simplicity, readability, and strong library support for image processing and data science.
Core Libraries	OpenCV is used for filtering and edge detection, while Scikit-image is used for SSIM, entropy, and histogram operations.
Numerical & Computation	NumPy is used for matrix operations, and SciPy is used for Gaussian filtering and advanced computations.
Matplotlib / Seaborn	Used for data visualization, analysis, and comparison of low-contrast and enhanced images.
Jupyter Notebook / VS Code / PyCharm	Used for development, experimentation, analysis, and debugging.
Dataset	Public datasets from satellite, medical, and underwater domains are used for evaluation. (See Figure 10).



Figure 10: Tools and Technologies Overview

6) Expected Outcomes

The expected outcome of this project is to develop a comprehensive comparative framework for evaluating various image enhancement techniques such as Histogram Equalization, CLAHE, Retinex, and Edge Detection methods, in order to improve the quality of low-contrast images. The system aims to enhance image clarity, contrast, and detail visibility while preserving important features, and to identify the most suitable technique or combination of techniques based on performance metrics such as PSNR, SSIM, Entropy, NIQE, and AMBE for different real-world conditions.

7) Applications

The proposed image enhancement system can be used in medical imaging applications such as CT scans, MRI images, and X-rays to improve the visibility of tissues and organs. This helps doctors in detecting diseases more accurately and enhances the overall diagnostic process.

It can also be applied in satellite and remote sensing systems for weather monitoring, earth observation, and mapping. The system enhances low-quality satellite images and helps in detecting important land features such as forests, water bodies, and terrain structures.

The system can be used in underwater imaging, computer vision, and surveillance applications, including marine research, object detection, image recognition, and security systems. It improves visibility in low-light and hazy conditions, enhances image clarity, and supports better analysis and decision-making.
model accuracy, and helps in detecting objects and suspicious activities more effectively (See Figure11).



Figure 11: Applications of Image Enhancement

8) Conclusion

This study presents an evaluation of multiple image enhancement techniques, including Histogram Equalization, Retinex-based methods, and Edge Detection approaches. These techniques were applied to images from domains such as medical imaging, satellite data, and underwater scenes to examine their performance under different conditions. The analysis focuses on how each method improves image contrast, clarity, and overall visual quality.

The performance of these techniques was assessed using standard metrics such as PSNR, SSIM, Entropy, NIQE, and AMBE. The results show that Retinex-based methods, CLAHE, and Canny Edge Detection perform better in preserving details, enhancing contrast, and reducing noise. These methods are particularly effective for low-light and low-contrast images (see Figure 12).

The study also indicates that no single technique is suitable for all types of images. The effectiveness of each method depends on factors such as image quality, environmental conditions, and application needs. Therefore, selecting an appropriate method or combination of methods is important for achieving better results.

In conclusion, the project follows a structured approach to enhance image quality using classical techniques. The findings highlight the importance of comparative analysis in selecting suitable methods and improving the performance of image-based applications.



Figure 12: Performance Comparison of Image Enhancement Techniques

9) References

1) Gonzalez, R. C., & Woods, R. E. (2018). *Digital Image Processing (4th ed.)*.
https://www.pearson.com/en-us/subject-catalog/p/digital-image-processing/P200000003165

2) Wang, Z., Bovik, A. C., Sheikh, H. R., & Simoncelli, E. P. (2004). *Image Quality Assessment (SSIM)*.
Wang, Z., Bovik, A. C., Sheikh, H. R., & Simoncelli, E. P. (2004). Image Quality Assessment (SSIM).

3) Bovik, A. C. (Ed.). (2009). *The Essential Guide to Image Processing*.
https://doi.org/10.1016/B978-0-12-374457-9.X0001-7

4) Acharya, T., & Ray, A. K. (2005). *Image Processing: Principles and Applications*.
https://doi.org/10.1002/0471745797

5) OpenCV Documentation (2023). *Open Source Computer Vision Library*.
https://www.pearson.com/en-us/subject-catalog/p/starting-out-with-app-inventor-for-android/P200000003165/9780133525991

6) Jobson, D. J., Rahman, Z., & Woodell, G. A. (2002). *Retinex Image Processing Improvements*.
https://ieeexplore.ieee.org/document/1036112

7) OpenCV Documentation. (2023). *Open Source Computer Vision Library*. Retrieved from.
https://doi.org/10.1109/83.841531