



400 Sugartree Lane  
Suite 510  
Franklin, TN 37064  
877-992-4100

Testing Any Client  
1234 Main Street  
Suite 10  
Anytown TX 123456  
Phone:  
Fax:

Patient (Last, First): Doe, John  
Client Identifier: MX037904  
DOB Age Gender: 6/28/2010 12Y M  
Lab ID: 244148  
Billing ID  
Collection Date: 11/08/2022  
Received Date: 11/10/2022  
Printed Date Time: 11/23/2022 11:52AM  
Client Number: 888887

Comment:

## Specific IgG Results

Test	Class	Conc	Comment
F008 Corn	0	1.22	
F075 Egg-Yolk	0	<1.0 µg	
F078 Milk, Cows-Casein	4	45.35	
F002 Milk, Cows-HD*	5	54.20	
F004 Wheat	3	23.13	

Total IgE Scoring System			Specific IgE Scoring System			Specific IgG Scoring System			Specific IgG4 Scoring System		
Age (yr)	Median (IU/mL)	95% (IU/mL)	Class	Conc (kU/L)	Interpretation	Class	Conc (µg/mL)	Interpretation	Class	Conc (µg/mL)	Interpretation
0-1	6.6	29	0	<0.04	Negative	0	<2.5-3.99	Negative	0	<0.65-1.59	Negative
1-2	10.1	49	0/1	0.04	Equivocal	0/1	4.00-4.99	Equivocal	0/1	1.60-1.79	Equivocal
2-3	12.9	45	I	0.05-0.19	Positive with increasing IgE antibody concentration	I	5.00-8.74	Positive with increasing IgG antibody concentration	I	1.80-2.92	Positive with increasing IgG4 antibody concentration
3-9	14.4	52	II	0.20-0.79		II	8.75-15.56		II	2.93-5.44	
Adult	20.4	87	III	0.80-2.69		III	15.57-27.49		III	5.45-10.48	
			IV	2.70-13.99		IV	27.50-47.94		IV	10.49-20.56	
			V	14.00-24.99		V	47.95-85.44		V	20.57-40.72	
			VI	25.00+		VI	85.45+		VI	40.73+	

Gary A. Kitos, Ph.D., H.C.L.D., C.C.  
Medical Laboratory Director

This test was developed and its performance characteristics determined by Allermetrix. It has not been cleared nor approved by the FDA. The laboratory is regulated under CLIA as qualified to perform high-complexity testing. This test is used for clinical purposes. It should not be regarded as investigational or for research.