

Step1: Create database in mysql by the name march20

Step2: Create student Table

Sid

Name

Enroll

P

C


M

H

E

Total

Per





The screenshot shows a MySQL 8.0 Command Line Client window. The prompt is `mysql>`. The user has entered `desc student;` and the output is a table showing the schema of the 'student' table. The output is as follows:



Field	Type	Null	Key	Default	Extra
Sid	int	NO	PRI	NULL	
Name	varchar(45)	YES		NULL	
Enroll	varchar(45)	YES		NULL	
P	int	YES		NULL	
C	int	YES		NULL	
M	int	YES		NULL	
H	int	YES		NULL	
E	int	YES		NULL	
Total	int	YES		NULL	
Per	float	YES		NULL	

Below the table, it says "10 rows in set (0.01 sec)".

```
create table student(  
Sid int primary key,  
Name varchar(45),  
Enroll varchar(45),  
P int,  
C int,  
M int,  
H int,  
E int,  
Total int,  
Per float)
```

Step3: Create Web Project with Hibernate





Paste hibernate.cfg.xml(if configuration is blank)

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE hibernate-configuration PUBLIC "-//Hibernate/Hibernate Configuration DTD 3.0//EN"
"http://hibernate.sourceforge.net/hibernate-configuration-3.0.dtd">
<!--
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
```

Copyright (c) 2008, 2016 Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates.
Other names may be trademarks of their respective owners.



The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the License at <http://www.netbeans.org/cddl-gplv2.html> or nbbuild/licenses/CDDL-GPL-2-CP. See the License for the specific language governing permissions and limitations under the License. When distributing the software, include this License Header Notice in each file and include the License file at nbbuild/licenses/CDDL-GPL-2-CP. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code. If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information:
"Portions Copyright [year] [name of copyright owner]"



If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you do not indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.


Contributor(s):

```
-->
<hibernate-configuration>
  <session-factory>
    <property name="hibernate.dialect">org.hibernate.dialect.MySQLDialect</property>
    <property name="hibernate.connection.driver_class">com.mysql.jdbc.Driver</property>
    <property
name="hibernate.connection.url">jdbc:mysql://localhost:3306/march20?zeroDateTimeBehavior=con
vertToNull</property>
    <property name="hibernate.connection.username">root</property>
    <property name="hibernate.connection.password">Ram@1234</property>
  </session-factory>
</hibernate-configuration>
```


Step4: Create a Reverse Engineering file(mapping all database tables)











Step5: Create a pojos and hbm from the database







Step6: Create a HibernateUtil file in com.ram.utility

