

Neovim Cheatsheet

Leader = **Space** · Config: kickstart + lazy.nvim · Generated 2026-05-29

Tip: **<leader>sk** searches all keymaps live, and **<leader>sh** searches help. If you forget anything on this sheet, those two find it.

Windows, Buffers & Core

Key	Action
<C-h>/<j>/<k>/<l>	Move focus to left / down / up / right window
<leader>i / <leader>I	Resize split: wider (+10) / taller (+3)
<Tab> / <S-Tab>	Next / previous buffer
<leader><leader>	Find existing buffers (Telescope)
<Esc>	Clear search highlight
<leader>a	Select all (ggVG)
<leader>cd	cd into current file's directory
yp / yP	Paste last <i>yanked</i> text (ignores deletes) below / above
<leader>x / <leader>X	Replace word under cursor, forward / reverse
<Esc><Esc>	Exit terminal mode

Search — Telescope

Key	Action
<leader>sf	Find files
<leader>sg	Grep across project (live)
<leader>sw	Grep the word under cursor
<leader>/	Fuzzy-find in current buffer
<leader>s/	Grep in open files only
<leader>s.	Recent files
<leader>sr	Resume last search
<leader>sd	Diagnostics
<leader>sh	Help tags
<leader>sk	Keymaps
<leader>ss	Telescope builtins (picker of pickers)

Inside a Telescope picker:

Key	Action
<C-n> / <C-p>	Next / previous result
<CR>	Open selection
<C-v> / <C-x> / <C-t>	Open in vsplit / split / new tab
<C-u> / <C-d>	Scroll preview up / down
<Tab>	Multi-select (mark) + move down
<C-q>	Send results to quickfix list
<C-/-> (insert) / ? (normal)	Show all picker mappings
<Esc> / <C-c>	Close

Workflow: **<leader>sg** → type a symbol → **<C-q>** to dump every match into the quickfix, then **:cdo s/old/new/g** for a project-wide edit.

Git — Neogit (**<leader>g...**)

Key	Action
<leader>gg	Open Neogit status (the main screen)
<leader>gc	Commit
<leader>gp	Pull
<leader>gP	Push
<leader>gb	Browse branches (Telescope)

Inside the Neogit status buffer:

Key	Action
<Tab>	Toggle the diff under the cursor
s / u	Stage / unstage item
S / U	Stage / unstage all
x	Discard change (careful)
c c	Commit menu → write message → <C-c><C-c> to confirm
p / P	Pull menu / Push menu
f / F	Fetch / pull
b	Branch menu · Z Stash menu · L Log menu
r / m	Rebase menu / Merge menu
<CR>	Jump to file under cursor
<C-r>	Refresh · ? help · q close

Workflow: **<leader>gg** → **Tab** to review each hunk → **s** to stage the good ones → **c c** , type message, **<C-c><C-c>** → **P** to push. **diffview.nvim** powers the diffs.

Git Hunks — Gitsigns (**<leader>h...**)

Key	Action
]c / [c	Next / previous changed hunk
<leader>hs / <leader>hr	Stage / reset hunk (works on a visual selection too)
<leader>hS / <leader>hR	Stage / reset whole buffer
<leader>hu	Undo stage hunk
<leader>hp	Preview hunk
<leader>hb	Blame current line
<leader>hd / <leader>hD	Diff vs index / vs last commit
<leader>tb	Toggle inline line-blame
<leader>tD	Toggle showing deleted lines

LSP — Code Navigation (gr...)

Key	Action
grd / grD	Goto definition / declaration
grr	Goto references
gri	Goto implementation
grt	Goto type definition
grn	Rename symbol
gra	Code action (normal & visual)
g0 / gW	Document / workspace symbols
<leader>th	Toggle inlay hints
<leader>q	Diagnostics → quickfix list
[d /]d	Previous / next diagnostic (default)
K	Hover docs (default)

Active language servers: **pyright** (Python), **lua_ls** (Lua). Manage servers with **:Mason** .

Format, Completion & Files

Key	Action
<leader>f	Format buffer (conform; also formats on save)
<leader>n	Toggle file tree (NvimTree)
<leader>N	Reveal current file in the tree

Completion — blink.cmp (insert mode):

Key	Action
<C-y>	Accept completion
<C-Space>	Open menu / show docs
<C-n> / <C-p>	Next / previous item
<C-e>	Dismiss menu
<C-k>	Toggle signature help
<Tab> / <S-Tab>	Jump forward / back in snippet

Inside NvimTree:

Key	Action
<CR> / o	Open · <Tab> preview
a	Create file (end with / for a dir)
r / d / x / c / p	Rename / delete / cut / copy / paste
y / Y / gy	Copy name / relative path / absolute path
<C-v> / <C-x> / <C-t>	Open in vsplit / split / tab
H	Toggle hidden files · R refresh
E / W	Expand all / collapse all
-	Up a directory · g? help · q close

Other handy bits

- **Markdown preview:** **:MarkdownPreviewToggle** (browser live preview).
- **JSON files** auto-format with **jq** on save.
- **TODD/FIXME** comments are highlighted; search them with **<leader>sg** for **TODD** .
- **Yank** flashes the copied region so you can confirm what you grabbed.

Vim Basics Reference

A standalone refresher — independent of the config above.

Modes

Key	Enters
i / a	Insert before / after cursor
I / A	Insert at line start / end
o / O	New line below / above + insert
v / V / <C-v>	Visual char / line / block
R	Replace mode
<Esc>	Back to Normal

Motions

Key	Move
h j k l	Left / down / up / right
w / W	Next word / WORD start
b / B	Previous word / WORD start
e / ge	End of word / previous word end
0 / ^ / \$	Line start / first non-blank / line end
gg / G	Top / bottom of file
{ / }	Previous / next paragraph
%	Jump to matching bracket
f{c} / t{c}	Jump to / before next char c (; repeat, , reverse)
* / #	Next / previous occurrence of word under cursor
<C-d> / <C-u>	Half page down / up
<C-o> / <C-i>	Jump back / forward in jumplist

Operators (operator + motion/text-object)

Key	Action
d / c / y	Delete / change / yank
> / <	Indent / dedent
gu / gU / g~	Lowercase / uppercase / toggle case
=	Auto-indent
.	Repeat last change (your most-used key)

Examples: **dw** delete word · **ci"** change inside quotes · **yap** yank a paragraph · **d\$** delete to line end · **>ip** indent paragraph.

Text Objects (use after an operator: **d**, **c**, **y**, **v**)

Object	Selects
iw / aw	Inner / a word
is / as	Inner / a sentence
ip / ap	Inner / a paragraph
i" i' i`	Inside quotes
i(i[i{ i<	Inside brackets (also ib iB)
it / at	Inside / around an HTML/XML tag

mini.ai **adds**: counts and next/last — e.g. **ci(** change in current parens, **cin(** change in the **next** parens, **ya2(** yank around the 2nd parens out.

Surround (mini.surround)

Key	Action
sa{motion}{char}	Add surround — e.g. saiw wrap word in ()
sd{char}	Delete surround — e.g. sd" remove quotes
sr{old}{new}	Replace surround — e.g. sr]) turn () into []

Marks & Jumps

Key	Action
m{a-z}	Set mark (lowercase = file-local)
`{a-z} / '{a-z}	Jump to mark / to its line
``	Jump back to position before last jump
.'.	Jump to last edit

Macros

Key	Action
q{a-z}	Start recording into register
q	Stop recording
@{a-z}	Play macro
@@	Replay last macro
5@a	Play macro a five times

Registers & Search

Key	Action
"{r}y / "{r}p	Yank to / paste from register r
"0p	Paste last yank (skips deletes)
"+y / "+p	System clipboard (synced here anyway)
/ {pat} / ? {pat}	Search forward / backward
n / N	Next / previous match
:%s/old/new/g	Replace in file · add c to confirm each
:%s/old/new/gc	...with confirmation

Useful Commands

Command	Action
:w / :wq / :q!	Save / save+quit / quit discarding
:%!jq .	Pretty-print JSON buffer
:noh	Clear search highlight
:e {file}	Open file · :sp / :vsp split
gv	Reselect last visual selection
>> / <<	Indent / dedent line
J	Join line below onto current