

Exercise 9A

Question 11:

A = 100 be the assumed mean, we have

Marks	Frequency	Mid value	Deviation	$(f_i \times d_i)$
	fi	×į	d _i = (x _i -100)	
0 - 40	12	20	-80	-960
40 - 80	20	60	-40	-800
80 - 120	35	100 = A	0	0
120 - 160	30	140	40	1200
160 - 200	23	180	80	1840
	Σ f _i = 120			$\Sigma(f_i \times d_i) = 1280$

$$\overline{x} = A + \frac{\Sigma(f_i \times d_i)}{\Sigma f_i} = \left(100 + \frac{1280}{120}\right) = \left(100 + 10.67\right) = 110.67$$

Hence, mean = 110.67

Question 12:

Let the assumed mean be 150, h = 20

Marks	Frequency	Mid value	Deviation	f _i x di
	fi	×i	d _i = _{Xi} - 150	
100 - 120	10	110	-40	-400
120 - 140	20	130	-20	-400
140 - 160	30	150=A	0	0
160 - 180	15	170	20	300
180 - 200	5	190	40	200
	Σ f _i = 80			
				Σfix
				di=-300

$$\overline{x} = A + \frac{\sum (f_i \times d_i)}{\sum f_i} = \left(150 + \frac{(-300)}{80}\right) = (150 - 3.75) = 146.25$$

Hence, Mean = 146.25

******* END *******