

Exercise 8C

Term to be subtracted = 2a - 3b + c

Changing the sign of each term of the expression gives -2a + 3b - c. On adding:

$$(a + 2b - 3c) + (-2a + 3b - c)$$

= $a + 2b - 3c - 2a + 3b - c$
= $(1-2)a + (2+3)b + (-3-1)c$
= $-a + 5b - 4c$

Q13

Answer:

To calculate how much less than x - 2y + 3z is 2x - 4y - z, we have to subtract 2x - 4y - z from x - 2y + 3z.

Change the sign of each term of the expression that is to be subtracted and then add.

```
Term to be subtracted = 2x - 4y - z

Changing the sign of each term of the expression gives -2x + 4y + z.

On adding:

(x - 2y + 3z)+(-2x + 4y + z)

= x - 2y + 3z-2x + 4y + z

= (1-2)x + (-2+4)y + (3+1)z

= -x + 2y + 4z
```

Q14

Answer:

To calculate how much does $3x^2 - 5x + 6$ exceed $x^3 - x^2 + 4x - 1$, we have to subtract $x^3 - x^2 + 4x - 1$ from $3x^2 - 5x + 6$.

Change the sign of each term of the expression that is to be subtracted and then add.

Term to be subtracted = $x^3 - x^2 + 4x - 1$ Changing the sign of each term of the expression gives $-x^3 + x^2 - 4x + 1$.

On adding:

$$(3x^{2} - 5x + 6) + (-x^{3} + x^{2} - 4x + 1)$$

$$= 3x^{2} - 5x + 6 - x^{3} + x^{2} - 4x + 1$$

$$= -x^{3} + (3+1)x^{2} + (-5-4)x + 6 + 1$$

$$= -x^{3} + 4x^{2} - 9x + 7$$

Q15

Answer:

Add
$$5x - 4y + 6z$$
 and $-8x + y - 2z$.

$$(5x - 4y + 6z) + (-8x + y - 2z)$$

= $5x - 4y + 6z - 8x + y - 2z$
= $(5-8)x + (-4+1)y + (6-2)z$
= $-3x - 3y + 4z$

Adding
$$12x - y + 3z$$
 and $-3x + 5y - 8z$:
 $(12x - y + 3z) + (-3x + 5y - 8z)$
= $12x - y + 3z - 3x + 5y - 8z$
= $(12-3)x + (-1+5)y + (3-8)z$
= $9x + 4y - 5z$

Subtract -3x - 3y + 4z from 9x + 4y - 5z.

Change the sign of each term of the expression that is to be subtracted and then add.

```
Term to be subtracted = -3x - 3y + 4z
Changing the sign of each term of the expression gives 3x + 3y - 4z.
On adding:
 (9x + 4y - 5z) + (3x + 3y - 4z)
  = 9x + 4y - 5z + 3x + 3y - 4z
  = (9+3)x + (4+3)y + (-5-4)z
  = 12x +7y -9z
Q16
Answer:
To calculate how much is 2x - 3y + 4z greater than 2x + 5y - 6z + 2, we have to subtract 2x + 5y - 6z + 3z + 2
2 from 2x - 3y + 4z.
Change the sign of each term of the expression that is to be subtracted and then add.
Term to be subtracted = 2x + 5y - 6z + 2
Changing the sign of each term of the expression gives -2x - 5y + 6z - 2.
 (2x - 3y + 4z) + (-2x - 5y + 6z - 2)
  = 2x - 3y + 4z - 2x - 5y + 6z - 2
 = (2-2)x + (-3-5)y + (4+6)z-2
  = 0-8y+10z-2
  = -8y + 10z - 2
Q17
Answer:
To calculate how much does 1 exceed 2x-3y-4, we have to subtract 2x-3y-4 from 1.
Change the sign of each term of the expression to be subtracted and then add.
Term to be subtracted = 2x-3y-4
Changing the sign of each term of the expression gives -2x+3y+4.
  (1)+(-2x+3y+4)
 = 1-2x+3y+4
```

******* END ******

= 5-2x+3y