

NCERT Solutions For Class 10 Maths Real Numbers Exercise 1.3

Q 1. Prove that $\sqrt{5}$ is irrational.

Answer:

Let $\sqrt{5}$ is a rational number.

Therefore, we can find two integers a, b ($b \ne 0$) such that $\sqrt{5} = \frac{a}{b}$

Let a and b have a common factor other than 1. Then we can divide them by the common factor, and assume that a and b are co-prime.

$$a = \sqrt{5}b$$
$$a^2 = 5b^2$$

Therefore, a2 is divisible by 5 and it can be said that a is divisible by 5.

Let a = 5k, where k is an integer

 $(5k)^2 = 5b^2$ This means that b2 is divisible by 5 and hence, b is divisible by 5.

This implies that a and b have 5 as a common factor.

And this is a contradiction to the fact that a and b are co-prime.

Hence, $\sqrt{5}$ cannot be expressed as $\frac{p}{q}$ or it can be said that $\sqrt{5}$ is irrational.

Q2. Prove that $3+2\sqrt{5}$ is irrational.

Answer:

Let $3+2\sqrt{5}$ is rational.

Therefore, we can find two integers a, b ($b \neq 0$) such that

$$3 + 2\sqrt{5} = \frac{a}{b}$$
$$2\sqrt{5} = \frac{a}{b} - 3$$
$$\sqrt{5} = \frac{1}{2} \left(\frac{a}{b} - 3\right)$$

Since a and b are integers, $\frac{1}{2} \left(\frac{a}{b} - 3 \right)$ will also be rational and therefore, $\sqrt{5}$ is rational.

This contradicts the fact that $\sqrt{5}$ is irrational. Hence, our assumption that $3+2\sqrt{5}$ is rational is false. Therefore, $3+2\sqrt{5}$ is irrational. Q 3. Prove that the following are irrationals:

(i) $\frac{1}{\sqrt{2}}$ (ii) $7\sqrt{5}$ (iii) $6+\sqrt{2}$

Answer:

(i) $\frac{1}{\sqrt{2}}$

Let $\frac{1}{\sqrt{2}}$ is rational.

Therefore, we can find two integers $a, b (b \neq 0)$ such that

$$\frac{1}{\sqrt{2}} = \frac{a}{b}$$

$$\sqrt{2} = \frac{b}{a}$$

 $\frac{b}{a}$ is rational as a and b are integers.

Therefore, $\sqrt{2}$ is rational which contradicts to the fact that $\sqrt{2}$ is irrational.

Hence, our assumption is false and $\frac{1}{\sqrt{2}}$ is irrational.

(ii) $7\sqrt{5}$

Let $7\sqrt{5}$ is rational.

Therefore, we can find two integers a, b ($b \neq 0$) such that

 $7\sqrt{5} = \frac{a}{b}$ for some integers a and b

$$\therefore \sqrt{5} = \frac{a}{7b}$$

 $\frac{a}{7b}$ is rational as a and b are integers.

Therefore, $\sqrt{5}$ should be rational.

This contradicts the fact that $\sqrt{5}$ is irrational. Therefore, our assumption that $7\sqrt{5}$ is rational is false. Hence, $7\sqrt{5}$ is irrational.

(iii)
$$6+\sqrt{2}$$

Let $6+\sqrt{2}$ be rational.

Therefore, we can find two integers a, b ($b \neq 0$) such that

$$6 + \sqrt{2} = \frac{a}{b}$$

$$\sqrt{2} = \frac{a}{b} - 6$$

Since a and b are integers, $\frac{a}{b}-6$ is also rational and hence, $\sqrt{2}$ should be rational. This contradicts the fact that $\sqrt{2}$ is irrational. Therefore, our assumption is false and hence

********* END *******